

SWISSTECH CONCEPT

DISTRIBUTEUR OFFICIEL DE LA GAMME

F A R O
BARCELONA




GAMME EXTERIEUR

2021




W100
2mt

2mt ● **71569-08** brown/marrón
Source E27 MAX 15W not incl **[17463]**
Body Aluminium/Aluminio
Shade Synthetic wicker/Mimbre sintético
Diff Opal PEMD/PEMD Opal




W70
1mt / 2mt

1mt ● **71575-07** brown/marrón
2mt ● **71569-07** brown/marrón
Source E27 MAX 15W not incl **[17463]**
Body Aluminium/Aluminio
Shade Synthetic wicker/Mimbre sintético
Diff Opal PEMD/PEMD Opal




T70
1mt / 2mt

1mt ● **71575-05** matt white/blanco mate
1mt ● **71575-06** brown/marrón
2mt ● **71569-05** matt white/blanco mate
2mt ● **71569-06** brown/marrón
Source E27 MAX 15W not incl **[17463]**
Body Aluminium/Aluminio
Shade Textilene
Diff Opal PEMD/PEMD Opal




R45
0.1mt / 1mt / 2mt

0.1mt ● **71576-04** matt white/blanco mate
1mt ● **71575-04** matt white/blanco mate
2mt ● **71569-04** matt white/blanco mate
Source E27 MAX 15W not incl **[17463]**
Body Aluminium/Aluminio
Shade Opal PEMD/PEMD Opal



R55
0.1mt / 1mt / 2mt

0.1mt ● **71576-01** matt white/blanco mate
1mt ● **71575-01** matt white/blanco mate
2mt ● **71569-01** matt white/blanco mate
Source E27 MAX 15W not incl **[17463]**
Body Aluminium/Aluminio
Shade Opal PEMD/PEMD Opal





71569-08



71575-07



71575-05




71569-04




W100
Hole Cap

Hole ● **71584-08** brown/marrón
Source E27 MAX 15W not incl **[17463]**
Body Aluminium/Aluminio
Shade Synthetic wicker/Mimbre sintético
Diff Opal PEMD/PEMD Opal




W70
Hole Cap

Hole ● **71584-07** brown/marrón
Source E27 MAX 15W not incl **[17463]**
Body Aluminium/Aluminio
Shade Synthetic wicker/Mimbre sintético
Diff Opal PEMD/PEMD Opal



T70
Hole Cap

Hole ● **71584-05** matt white/blanco mate
Hole ● **71584-06** brown/marrón
Source E27 MAX 15W not incl **[17463]**
Body Aluminium/Aluminio
Shade Textilene
Diff Opal PEMD/PEMD Opal




R45
Hole Cap

Hole ● **71584-04** matt white/blanco mate
Source E27 MAX 15W not incl **[17463]**
Body Aluminium/Aluminio
Shade Opal PEMD/PEMD Opal



R55
Hole Cap

Hole ● **71584-01** matt white/blanco mate
Source E27 MAX 15W not incl **[17463]**
Body Aluminium/Aluminio
Shade Opal PEMD/PEMD Opal



R17
Hole Cap

Hole ● **71584-03** matt white/blanco mate
Source E27 MAX 15W not incl **[17463]**
Body Aluminium/Aluminio
Shade Opal PEMD/PEMD Opal






HUE BY NATURE




W70
1mt

- 1mt
-  71575P-07 brown/marrón
- Source
- E27 MAX 15W not incl [17463]
- Body
- Aluminium/Aluminio
- Shade
- Synthetic wicker/Mimbre sintético
- Diff
- Opal PEMD/PEMD Opal




T70
1mt

- 1mt
-  71575P-05 matt white/blanco mate
- 1mt
-  71575P-06 brown/marrón
- Source
- E27 MAX 15W not incl [17463]
- Body
- Aluminium/Aluminio
- Shade
- Textilene
- Diff
- Opal PEMD/PEMD Opal




R45
0.1mt / 1mt

- 0.1mt
-  71576P-04 matt white/blanco mate
- 1mt
-  71575P-04 matt white/blanco mate
- Source
- E27 MAX 15W not incl [17463]
- Body
- Aluminium/Aluminio
- Shade
- Opal PEMD/PEMD Opal



R55
1mt

- 1mt
-  71575P-01 matt white/blanco mate
- Source
- E27 MAX 15W not incl [17463]
- Body
- Aluminium/Aluminio
- Shade
- Opal PEMD/PEMD Opal



R17
0.1mt / 1mt

- 0.1mt
-  71576P-03 matt white/blanco mate
- 1mt
-  71575P-03 matt white/blanco mate
- Source
- E27 MAX 15W not incl [17463]
- Body
- Aluminium/Aluminio
- Shade
- Opal PEMD/PEMD Opal







PHOTO BY NHA TRANG




W100
*Cone Cap/
Hole Cap*

- Cone●71579C-08 brown/marrón
- Hole●71579H-08 brown/marrón
- SourceE27 MAX 15W not incl [17463]
- BodyAluminium/Aluminio
- ShadeSynthetic wicker/Mimbre sintético
- DiffOpal PEMD/PEMD Opal




W70
*Cone Cap/
Hole Cap*

- Cone●71579C-07 brown/marrón
- Hole●71579H-07 brown/marrón
- SourceE27 MAX 15W not incl [17463]
- BodyAluminium/Aluminio
- ShadeSynthetic wicker/Mimbre sintético
- DiffOpal PEMD/PEMD Opal



T70
*Cone Cap/
Hole Cap*

- Cone●71579C-05 matt white/blanco mate
- Hole●71579H-05 matt white/blanco mate
- Cone●71579C-06 brown/marrón
- Hole●71579H-06 brown/marrón
- SourceE27 MAX 15W not incl [17463]
- BodyAluminium/Aluminio
- ShadeTextilene
- DiffOpal PEMD/PEMD Opal




R45
*Cone Cap/
Hole Cap*

- Cone●71579C-04 matt white/blanco mate
- Hole●71579H-04 matt white/blanco mate
- SourceE27 MAX 15W not incl [17463]
- BodyAluminium/Aluminio
- ShadeOpal PEMD/PEMD Opal




R55

- Cap●71579-02 matt white/blanco mate
- SourceE27 MAX 15W not incl [17463]
- BodyAluminium/Aluminio
- ShadeOpal PEMD/PEMD Opal



R17
*Cone Cap/
Hole Cap*

- Cone●71579C-03 matt white/blanco mate
- Hole●71579H-03 matt white/blanco mate
- SourceE27 MAX 15W not incl [17463]
- BodyAluminium/Aluminio
- ShadeOpal PEMD/PEMD Opal





71579C-07



71575-07



71579H-06



71579C-03



TOC

- 70775 matt white/blanco mate
- 70776 matt black/negro mate
- 70777 grey/gris

LED SMD 2W 3000K 180lm

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal

TOUCH LAMP

DIM


IP54

DC5V 1A

Battery

Micro USB

9h Worktime
5h Charge



TOC

- 70786 matt white/blanco mate
- LED SMD 5W 3000K 468lm

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal

IP54

DC 3.7V

Battery

USB wire

9h Worktime
9h Charge





Portables
Portátiles




CAGE

● 75608 dark grey/gris oscuro

LED SMD 12W 2700K 990lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal PEMD/PEMD Opal



TASK

● 70914 matt white/blanco mate

LED SMD 2W 3000K 263lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Polycarbonato Opal

IP54 Battery ✓ USB Type C

6h Worktime
5h Charge




16lm



103lm



263lm





KASP **NEW**

● **71912** matt black/negro mate



LED SMD 2W 2700K-3000K 150lm CRI>80
Driver ✔

Body Aluminium/Aluminio


Diff Transp. Polycarbonate/Polycarbonato Transp.

SOLAR **IP65**    9h Worktime
20h Charge **IK06**

 360°  USB Type C  1.5 MT



2700K



3000K

OUTDOOR PORTABLES / PORTÁTILES

KASP **NEW**

● **71913** matt black/negro mate


LED SMD 2W 2700K-3000K 150lm CRI>80
Driver ✔

Body Aluminium/Aluminio

Diff Transp. Polycarbonate/Polycarbonato Transp.

SOLAR **IP65**    9h Worktime
20h Charge **IK06**

 360°  USB Type C  1.5 MT



USB
Charger



Wall accessory/Accesorio aplique

● **71914** matt black/negro mate



ARGUS

● 70784 dark grey/gris oscuro

LED SMD 2W 3000K 220lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal PMMA/PMMA Opal



TOUCH
LAMP



IP54




DC5V
1A

Battery ✓

Micro USB

9h Worktime
5h Charge



KERALA

● 74454 dark grey/gris oscuro

LED SMD 5W 3000K 400lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente



TOUCH
LAMP



DIM



IP54



DC5V
1A

Battery ✓

Micro USB

6h Worktime
8h Charge




100lm



250lm



400lm





BALDA

70498 matt white/blanco mate

E27 MAX 15W LED [17463]

Body Opal PEMD/PEMD Opal




BALDA

70499 matt white/blanco mate

E27 MAX 15W LED [17463]

Body Opal PEMD/PEMD Opal



VOILA

71565 dark grey/gris oscuro

LED RGB WHITE 2W 3000K Driver

Body Opal Polycarbonate/Polycarbonato Opal



Micro USB 7h Worktime 10h Charge



NEW Rush

by Estudi Ribaudí

Electronics and optics by *VOSSLOH-SCHWABE*




Optional drivers by *TCI*




CASAMBI




Different optics to choose from



360° LENS
Optical efficiency 97%
Optimal installation ratio 2:1
(Pole distance to pole height)



360° WIDE LENS
Optical efficiency 96%
Optimal installation ratio 4,5:1
(Pole distance to pole height)



ASSYMETRICAL LENS
Optical efficiency 93%
Optimal installation ratio 4:1
(Pole distance to pole height)



Rush


Body Aluminium/Aluminio
Diff Transparent Polycarbonate/
Policarbonato transparente



COB LED
MacAdam Steps
Risk Group
Lumen maintenance
Heat dissipation

VOSSLOH-SCHWABE
2
1
L90 B10 up to 89.000h
Tested at high ambient temperature

IP65 | CRI90 | IK10 | 100-240V | 50-60Hz | Driver incl. | DALI optional | CASAMBI optional



Rush <i>Beacon</i> 14W	CCT	FLUX	LENS
750000	2700K	830lm	360°
750000D Dali	2700K	830lm	360°
750000C Casambi	2700K	830lm	360°
750001	2700K	980lm	360° Wide
750001D Dali	2700K	980lm	360° Wide
750001C Casambi	2700K	980lm	360° Wide
750002	2700K	795lm	180°
750002D Dali	2700K	795lm	180°
750002C Casambi	2700K	795lm	180°
750010	3000K	830lm	360°
750010D Dali	3000K	830lm	360°
750010C Casambi	3000K	830lm	360°
750011	3000K	980lm	360° Wide
750011D Dali	3000K	980lm	360° Wide
750011C Casambi	3000K	980lm	360° Wide
750012	3000K	795lm	180°
750012D Dali	3000K	795lm	180°
750012C Casambi	3000K	795lm	180°
750020	4000K	830lm	360°
750020D Dali	4000K	830lm	360°
750020C Casambi	4000K	830lm	360°
750021	4000K	980lm	360° Wide
750021D Dali	4000K	980lm	360° Wide
750021C Casambi	4000K	980lm	360° Wide
750022	4000K	795lm	180°
750022D Dali	4000K	795lm	180°
750022C Casambi	4000K	795lm	180°



Rush <i>Bollard</i> 20W	CCT	FLUX	LENS
750100	2700K	1147lm	360°
750100D Dali	2700K	1147lm	360°
750100C Casambi	2700K	1147lm	360°
750101	2700K	1355lm	360° Wide
750101D Dali	2700K	1355lm	360° Wide
750101C Casambi	2700K	1355lm	360° Wide
750102	2700K	1103lm	180°
750102D Dali	2700K	1103lm	180°
750102C Casambi	2700K	1103lm	180°
750110	3000K	1147lm	360°
750110D Dali	3000K	1147lm	360°
750110C Casambi	3000K	1147lm	360°
750111	3000K	1355lm	360° Wide
750111D Dali	3000K	1355lm	360° Wide
750111C Casambi	3000K	1355lm	360° Wide
750112	3000K	1103lm	180°
750112D Dali	3000K	1103lm	180°
750112C Casambi	3000K	1103lm	180°
750120	4000K	1147lm	360°
750120D Dali	4000K	1147lm	360°
750120C Casambi	4000K	1147lm	360°
750121	4000K	1355lm	360° Wide
750121D Dali	4000K	1355lm	360° Wide
750121C Casambi	4000K	1355lm	360° Wide
750122	4000K	1103lm	180°
750122D Dali	4000K	1103lm	180°
750122C Casambi	4000K	1103lm	180°



OUTDOOR FLOOR / SUELO

STANDARD Driver incl. **VS** LIGHTING SOLUTIONS

**DALI option*



**CASAMBI option*



VOSSLOH-SCHWABE
Beacon mA 350mA
Bollard mA 500mA
V 100-240V
Hz 50-60Hz
Power factor 0.90
Low ripple <30%
Lifetime 50000h
Overload protection
Short-circuit protection
Overheating protection
SELV (Safety Extra Low Voltage)

TCI
Beacon mA 350mA
Bollard mA 500mA
V 220-240V
Hz 50-60Hz
Power factor 0.95
Low ripple <3%
Lifetime 50000h
DALI-2 dimmable
PUSH SWITCH compatible
Overload protection
Short-circuit protection
Overheating protection
SELV (Safety Extra Low Voltage)

TCI
Beacon mA 350mA
Bollard mA 500mA
V 220-240V
Hz 50-60Hz
Power factor 0.95
Low ripple <3%
Lifetime 50000h
DALI-2 dimmable
PUSH SWITCH compatible
Overload protection
Short-circuit protection
Overheating protection
SELV (Safety Extra Low Voltage)

Rush


Body Aluminium/Aluminio
Diff Transparent Polycarbonate/
Policarbonato transparente



COB LED
MacAdam Steps
Risk Group
Lumen maintenance
Heat dissipation

VOSSLOH-SCHWABE
2
1
L90 B10 up to 89.000h
Tested at high ambient temperature

 IP65 | CRI90 | IK10 | 100-240V | 50-60Hz | Driver incl. |  optional |  optional



Rush Pole 3.1mt 38W	CCT	FLUX	LENS
750200	2700K	3322lm	360°
750200D Dali	2700K	3322lm	360°
750200C Casambi	2700K	3322lm	360°
750201	2700K	3079lm	360° Wide
750201D Dali	2700K	3079lm	360° Wide
750201C Casambi	2700K	3079lm	360° Wide
750202	2700K	2397lm	180°
750202D Dali	2700K	2397lm	180°
750202C Casambi	2700K	2397lm	180°
750210	3000K	3322lm	360°
750210D Dali	3000K	3322lm	360°
750210C Casambi	3000K	3322lm	360°
750211	3000K	3079lm	360° Wide
750211D Dali	3000K	3079lm	360° Wide
750211C Casambi	3000K	3079lm	360° Wide
750212	3000K	2397lm	180°
750212D Dali	3000K	2397lm	180°
750212C Casambi	3000K	2397lm	180°
750220	4000K	3322lm	360°
750220D Dali	4000K	3322lm	360°
750220C Casambi	4000K	3322lm	360°
750221	4000K	3079lm	360° Wide
750221D Dali	4000K	3079lm	360° Wide
750221C Casambi	4000K	3079lm	360° Wide
750222	4000K	2397lm	180°
750222D Dali	4000K	2397lm	180°
750222C Casambi	4000K	2397lm	180°

Rush Pole 3.7mt 38W	CCT	FLUX	LENS
750300	2700K	2972lm	360°
750300D Dali	2700K	2972lm	360°
750300C Casambi	2700K	2972lm	360°
750301	2700K	2921lm	360° Wide
750301D Dali	2700K	2921lm	360° Wide
750301C Casambi	2700K	2921lm	360° Wide
750302	2700K	2576lm	180°
750302D Dali	2700K	2576lm	180°
750302C Casambi	2700K	2576lm	180°
750310	3000K	2972lm	360°
750310D Dali	3000K	2972lm	360°
750310C Casambi	3000K	2972lm	360°
750311	3000K	2921lm	360° Wide
750311D Dali	3000K	2921lm	360° Wide
750311C Casambi	3000K	2921lm	360° Wide
750312	3000K	2576lm	180°
750312D Dali	3000K	2576lm	180°
750312C Casambi	3000K	2576lm	180°
750320	4000K	2972lm	360°
750320D Dali	4000K	2972lm	360°
750320C Casambi	4000K	2972lm	360°
750321	4000K	2921lm	360° Wide
750321D Dali	4000K	2921lm	360° Wide
750321C Casambi	4000K	2921lm	360° Wide
750322	4000K	2576lm	180°
750322D Dali	4000K	2576lm	180°
750322C Casambi	4000K	2576lm	180°



OUTDOOR FLOOR / SUELO

STANDARD Driver incl. **VS** LIGHTING SOLUTIONS

**DALI option*



**CASAMBI option*



VOSSLOH-SCHWABE
mA 1050mA
V 100-240V
Hz 50-60Hz
Power factor 0.90
Low ripple <30%
Lifetime 50000h
Overload protection
Short-circuit protection
Overheating protection
SELV (Safety Extra Low Voltage)

TCI
mA 1050mA
V 220-240V
Hz 50-60Hz
Power factor 0.95
Low ripple <3%
Lifetime 50000h
DALI-2 dimmable
PUSH SWITCH compatible
Overload protection
Short-circuit protection
Overheating protection
SELV (Safety Extra Low Voltage)

TCI
mA 1050mA
V 220-240V
Hz 50-60Hz
Power factor 0.95
Low ripple <3%
Lifetime 50000h
DALI-2 dimmable
PUSH SWITCH compatible
Overload protection
Short-circuit protection
Overheating protection
SELV (Safety Extra Low Voltage)



H.3700 mm

Simulation performed with Rush/Simulación realizada con Rush

38W

3000K

Ref. 750210

Optics 360°

Luminaire interdistance/Interdistancia entre luminarias 10mt.



OUTDOOR FLOOR / SUELO

H.3100 mm

Simulation performed with Rush/Simulación realizada con Rush

38W

3000K

Ref. 750311

Optics 360° Wide

Luminaire interdistance/Interdistancia entre luminarias 12mt.

NEW Screen

by Estudi Ribaudí

Electronics and optics by *VOSSLOH-SCHWABE*




Optional drivers by *TCI*



CASAMBI




Different optics to choose from




VS LIGHTING SOLUTIONS

360° LENS
Optical efficiency 97%
Optimal installation ratio 2:1
(Pole distance to pole height)



VS LIGHTING SOLUTIONS

360° WIDE LENS
Optical efficiency 96%
Optimal installation ratio 4,5:1
(Pole distance to pole height)



VS LIGHTING SOLUTIONS

ASSYMETRICAL LENS
Optical efficiency 93%
Optimal installation ratio 4:1
(Pole distance to pole height)



Screen

Body
Diff


Aluminium/Aluminio
Transparent Polycarbonate/
Policarbonato transparente



COB LED
MacAdam Steps
Risk Group
Lumen maintenance
Heat dissipation

VOSSLOH-SCHWABE
2
1
L90 B10 up to 89.000h
Tested at high ambient temperature

IP65 | CRI90 | IK10 | 100-240V | 50-60Hz | Driver incl. | DALI optional | CASAMBI optional



Screen <i>Beacon</i> 14W	CCT	FLUX	LENS
751000	2700K	712lm	360°
751000D Dali	2700K	712lm	360°
751000C Casambi	2700K	712lm	360°
751001	2700K	856lm	360° Wide
751001D Dali	2700K	856lm	360° Wide
751001C Casambi	2700K	856lm	360° Wide
751002	2700K	695lm	180°
751002D Dali	2700K	695lm	180°
751002C Casambi	2700K	695lm	180°
751010	3000K	712lm	360°
751010D Dali	3000K	712lm	360°
751010C Casambi	3000K	712lm	360°
751011	3000K	856lm	360° Wide
751011D Dali	3000K	856lm	360° Wide
751011C Casambi	3000K	856lm	360° Wide
751012	3000K	695lm	180°
751012D Dali	3000K	695lm	180°
751012C Casambi	3000K	695lm	180°
751020	4000K	712lm	360°
751020D Dali	4000K	712lm	360°
751020C Casambi	4000K	712lm	360°
751021	4000K	856lm	360° Wide
751021D Dali	4000K	856lm	360° Wide
751021C Casambi	4000K	856lm	360° Wide
751022	4000K	695lm	180°
751022D Dali	4000K	695lm	180°
751022C Casambi	4000K	695lm	180°



Screen <i>Bollard</i> 20W	CCT	FLUX	LENS
751100	2700K	990lm	360°
751100D Dali	2700K	990lm	360°
751100C Casambi	2700K	990lm	360°
751101	2700K	1225lm	360° Wide
751101D Dali	2700K	1225lm	360° Wide
751101C Casambi	2700K	1225lm	360° Wide
751102	2700K	965lm	180°
751102D Dali	2700K	965lm	180°
751102C Casambi	2700K	965lm	180°
751110	3000K	990lm	360°
751110D Dali	3000K	990lm	360°
751110C Casambi	3000K	990lm	360°
751111	3000K	1225lm	360° Wide
751111D Dali	3000K	1225lm	360° Wide
751111C Casambi	3000K	1225lm	360° Wide
751112	3000K	965lm	180°
751112D Dali	3000K	965lm	180°
751112C Casambi	3000K	965lm	180°
751120	4000K	990lm	360°
751120D Dali	4000K	990lm	360°
751120C Casambi	4000K	990lm	360°
751121	4000K	1225lm	360° Wide
751121D Dali	4000K	1225lm	360° Wide
751121C Casambi	4000K	1225lm	360° Wide
751122	4000K	965lm	180°
751122D Dali	4000K	965lm	180°
751122C Casambi	4000K	965lm	180°



OUTDOOR FLOOR / SUELO

STANDARD Driver incl. **VS** LIGHTING SOLUTIONS

**DALI option*



**CASAMBI option*



VOSSLOH-SCHWABE
Beacon mA 350mA
Bollard mA 500mA
V 100-240V
Hz 50-60Hz
Power factor 0.90
Low ripple <30%
Lifetime 50000h
Overload protection
Short-circuit protection
Overheating protection
SELV (Safety Extra Low Voltage)

TCI
Beacon mA 350mA
Bollard mA 500mA
V 220-240V
Hz 50-60Hz
Power factor 0.95
Low ripple <3%
Lifetime 50000h
DALI-2 dimmable
PUSH SWITCH compatible
Overload protection
Short-circuit protection
Overheating protection
SELV (Safety Extra Low Voltage)

TCI
Beacon mA 350mA
Bollard mA 500mA
V 220-240V
Hz 50-60Hz
Power factor 0.95
Low ripple <3%
Lifetime 50000h
DALI-2 dimmable
PUSH SWITCH compatible
Overload protection
Short-circuit protection
Overheating protection
SELV (Safety Extra Low Voltage)

Screen


Body Diff Aluminium/Aluminio
Transparent Polycarbonate/
Policarbonato transparente



COB LED
MacAdam Steps
Risk Group
Lumen maintenance
Heat dissipation

VOSSLOH-SCHWABE
2
1
L90 B10 up to 89.000h
Tested at high ambient temperature

IP65 CRI90 IK10 100-240V 50-60Hz Driver incl. DALI optional CASAMBI optional



Screen Pole 3.1mt 38W	CCT	FLUX	LENS
751200	2700K	2370lm	360°
751200D Dali	2700K	2370lm	360°
751200C Casambi	2700K	2370lm	360°
751201	2700K	2692lm	360° Wide
751201D Dali	2700K	2692lm	360° Wide
751201C Casambi	2700K	2692lm	360° Wide
751202	2700K	1819lm	180°
751202D Dali	2700K	1819lm	180°
751202C Casambi	2700K	1819lm	180°
751210	3000K	2370lm	360°
751210D Dali	3000K	2370lm	360°
751210C Casambi	3000K	2370lm	360°
751211	3000K	2692lm	360° Wide
751211D Dali	3000K	2692lm	360° Wide
751211C Casambi	3000K	2692lm	360° Wide
751212	3000K	1819lm	180°
751212D Dali	3000K	1819lm	180°
751212C Casambi	3000K	1819lm	180°
751220	4000K	2370lm	360°
751220D Dali	4000K	2370lm	360°
751220C Casambi	4000K	2370lm	360°
751221	4000K	2692lm	360° Wide
751221D Dali	4000K	2692lm	360° Wide
751221C Casambi	4000K	2692lm	360° Wide
751222	4000K	1819lm	180°
751222D Dali	4000K	1819lm	180°
751222C Casambi	4000K	1819lm	180°

Screen Pole 3.7mt 38W	CCT	FLUX	LENS
751300	2700K	2661lm	360°
751300D Dali	2700K	2661lm	360°
751300C Casambi	2700K	2661lm	360°
751301	2700K	2145lm	360° Wide
751301D Dali	2700K	2145lm	360° Wide
751301C Casambi	2700K	2145lm	360° Wide
751302	2700K	1656lm	180°
751302D Dali	2700K	1656lm	180°
751302C Casambi	2700K	1656lm	180°
751310	3000K	2661lm	360°
751310D Dali	3000K	2661lm	360°
751310C Casambi	3000K	2661lm	360°
751311	3000K	2145lm	360° Wide
751311D Dali	3000K	2145lm	360° Wide
751311C Casambi	3000K	2145lm	360° Wide
751312	3000K	1656lm	180°
751312D Dali	3000K	1656lm	180°
751312C Casambi	3000K	1656lm	180°
751320	4000K	2661lm	360°
751320D Dali	4000K	2661lm	360°
751320C Casambi	4000K	2661lm	360°
751321	4000K	2145lm	360° Wide
751321D Dali	4000K	2145lm	360° Wide
751321C Casambi	4000K	2145lm	360° Wide
751322	4000K	1656lm	180°
751322D Dali	4000K	1656lm	180°
751322C Casambi	4000K	1656lm	180°



OUTDOOR FLOOR / SUELO

STANDARD Driver incl. **VS** LIGHTING SOLUTIONS

**DALI option*



**CASAMBI option*



VOSSLOH-SCHWABE
mA 1050mA
V 100-240V
Hz 50-60Hz
Power factor 0.90
Low ripple <30%
Lifetime 50000h
Overload protection
Short-circuit protection
Overheating protection
SELV (Safety Extra Low Voltage)

TCI
mA 1050mA
V 220-240V
Hz 50-60Hz
Power factor 0.95
Low ripple <3%
Lifetime 50000h
DALI-2 dimmable
PUSH SWITCH compatible
Overload protection
Short-circuit protection
Overheating protection
SELV (Safety Extra Low Voltage)

TCI
mA 1050mA
V 220-240V
Hz 50-60Hz
Power factor 0.95
Low ripple <3%
Lifetime 50000h
DALI-2 dimmable
PUSH SWITCH compatible
Overload protection
Short-circuit protection
Overheating protection
SELV (Safety Extra Low Voltage)



H.3700 mm

Simulation performed with Screen/Simulación realizada con Screen

38W

3000K

Ref. 751312

Optics 180°

Luminaire interdistance/Interdistancia entre luminarias 10mt.



OUTDOOR FLOOR / SUELO

H.3100 mm

Simulation performed with Screen/Simulación realizada con Screen

38W

3000K

Ref. 751311

Optics 360° Wide


Luminaire interdistance/Interdistancia entre luminarias 12mt.



Bast

Body Aluminium/Aluminio
Diff Transparent Polycarbonate/Polycarbonato Transparente

IP65 | IK10 | CRI>80 | 220-240V | 50/60Hz | Driver incl. | 360°



Bast <i>Bollard</i>		P	BEAM	CCT	FLUX
70292		25W	360°	3000K	2100lm

180° Accessory	
70293	



360°



180°





CADAQUÉS

— Faro Lab 



 video

● 71242 beige/beige

● 71243 blue/azul

LED SMD 18W 2700K 500lm CRI>80 Driver ✓

Body Aluminum/Aluminio

Shade Textylene/Textilene


Diff Opal Polycarbonate/Polycarbonato Opal

IP65  100- 50/
240V 60Hz  3 MT

Extendible cable/Cable extensible

● 71244 matt black/negro mate

IP44  2.5 MT




IMO
Certificate



Ground fixing
included

vertisol
contemporary weavers





Floor
Suelo

VERSUS

— Pepe Llaudet




○ 74423 matt white/blanco mate

E27 MAX 15W LED [17463]

Body Opal PEMD/PEMD Opal



3 MT




Thanks to DOS architects / Tavis Wright Photo by Tomeu Canyellas



Large accessory

● 74424 black/negro


Body Steel/Acero



Small accessory

● 74422 black/negro

Body Steel/Acero





- 71562 matt black/negro mate
- 71563 matt white/blanco mate
- 71564 red/rojo

E27 MAX 15W LED ☒ [17463]


Body Aluminium/Aluminio
Diff Opal PEMD/PEMD Opal

IP54   5 MT

Wall accessory/Accesorio aplique

- 71556 matt black/negro mate

Body Steel/Acero



3daysofdesign Copenhagen, Denmark

CAT — Nahtrang 



OUTDOOR FLOOR / SUELO




HUE — Nahtrang 

- 71584-02 dark grey/gris oscuro


E27 MAX 15W LED ☒ [17463]

Body Aluminium/Aluminio
Diff Opal PEMD/PEMD Opal

IP65   3 MT



Portable/Portátil



71256 71257

NEW **BROT**
— Yembara

Portable/Portátil 900mm

● **71256** matt black/negro mate

LED SMD 14W 2700K 620lm CRI>80 Driver ✓



Portable/Portátil 1800mm

● **71257** matt black/negro mate


LED SMD 21W 2700K 930lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

IP65 100- 50/
240V 60Hz 1.8 MT



Standard/Estándar



71253 71254

Standard/Estándar 900mm

● **71253** matt black/negro mate

LED SMD 14W 2700K 620lm CRI>80 Driver ✓


Standard/Estándar 1800mm

● **71254** matt black/negro mate

LED SMD 21W 2700K 930lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

IP65 100- 50/
240V 60Hz







CAST **NEW**


● **74155** dark grey/gris oscuro

LED SMD 10W 3000K 710lm CRI>80 Driver ✓

Body Concrete/Cemento

Diff Opal Polycarbonate/Polycarbonato Opal

IP65  100- 50/
240V 60Hz 



CAST **NEW**


● **74156** dark grey/gris oscuro

LED SMD 10W 3000K 710lm CRI>80 Driver ✓

Body Concrete/Cemento

Diff Opal Polycarbonate/Polycarbonato Opal

IP65  100- 50/
240V 60Hz 



BLOCK

— Àlex&Manel Llusçà



● 74141 grey/gris

E27 MAX 15W LED ☒ [17463]

Body Concrete/Cemento


Diff Opal Glass/Cristal Opal

SEA SIDE
SUITABLE

IP65



IK08



OUTDOOR FLOOR / SUELO

● 74142 grey/gris

E27 MAX 15W LED ☒ [17463]

Body Concrete/Cemento

Diff Opal Glass/Cristal Opal

SEA SIDE
SUITABLE

IP65



IK08



P.338
WALL





LOTUS

— Estudi Ribaudí 





 video

● 71224 dark grey/gris oscuro

LED COB 18W 3000K 1120lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal

IP65  IK08 100- 50/
240V 60Hz 





● 71225 dark grey/gris oscuro

LED COB 18W 3000K 1120lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal

IP65  IK08 100- 50/
240V 60Hz 



STICKER

— Lucid 


● 75541 dark grey/gris oscuro

LED SMD 10W 3000K 623lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal PMMA/PMMA Opal

IP55  100- 50/
240V 60Hz 



P.355
WALL



TRAM

— Estudi Ribaudí 


● 75531 dark grey/gris oscuro

E27 MAX 15W LED ⓧ [17463]

Body Aluminium/Aluminio

Diff Opal PMMA/PMMA Opal

IP65  



P.312
POLE



P.340
WALL





TWIST

— Estudi Ribaudí





● **71286** dark grey/gris oscuro

LED SMD 10W 3000K 500lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Policarbonato Opal

IP65  100- 50/
240V 60Hz 





● **71287** dark grey/gris oscuro

LED SMD 10W 3000K 500lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Policarbonato Opal

IP65  100- 50/
240V 60Hz 



P.338
WALL



SHELBY

— Conillas



● **75537** dark grey/gris oscuro

LED SMD 10W 3000K 600lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal+Transparent Polycarbonate/
Policarbonato Opal+Transparente

IP65  220- 50/
240V 60Hz 




OUTDOOR FLOOR / SUELO

● **75538** dark grey/gris oscuro

LED SMD 10W 3000K 600lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal+ Transparent Polycarbonate/
Policarbonato Opal+Transparente

IP65  220- 50/
240V 60Hz 



P.340
WALL





DATNA


— Àlex & Manel Llusca

● 74441 dark grey/gris oscuro

E27 MAX 15W LED [17463]


Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal

IP44



● 74442 dark grey/gris oscuro
E27 MAX 15W LED [17463]
Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal

IP44



P.312
POLE



P.346
WALL





PLIM

● 71300 dark grey/gris oscuro

LED SMD 10W 3000K 250lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal

IP65  100-240V 50/60Hz IK08 



PLIM

● 71301 dark grey/gris oscuro

LED SMD 10W 3000K 250lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal+Transparent Polycarbonate/
Polycarbonato Opal+Transparente

IP65  100-240V 50/60Hz IK08 



PLIM

● 71299 dark grey/gris oscuro



LED SMD 10W 3000K 250lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal+Transparent Polycarbonate/
Polycarbonato Opal+Transparente

IP65  100-240V 50/60Hz IK08 





P.343
WALL







MUGA

● **75604** dark grey/gris oscuro
LED SMD 11.3W 3000K 810lm CRI>80 Driver ✓
Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal




MUGA

● **75603** dark grey/gris oscuro
LED SMD 11.3W 3000K 810lm CRI>80 Driver ✓
Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal






ONZE

● **70761** dark grey/gris oscuro
E27 MAX 15W LED ✗ [17437]
Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal Polycarbonate/Polycarbonato Opal





GIZA

● **70767** dark grey/gris oscuro
LED COB 15W 3000K 500lm CRI>80 Driver ✓
Body Aluminium/Aluminio
Diff Trans. Polycarbonate/Polycarbonato Trans.



GIZA

● **70768** dark grey/gris oscuro
LED COB 15W 3000K 500lm CRI>80 Driver ✓
Body Aluminium/Aluminio
Diff Trans. Polycarbonate/Polycarbonato Trans.



P.342
WALL



BERET



● **75522** dark grey/gris oscuro

LED SMD 8W 4000K 350lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal PMMA/PMMA Opal

IP54  220-240V 50/60Hz IK06 



BERET



● **75523** dark grey/gris oscuro

LED SMD 8W 4000K 350lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal PMMA/PMMA Opal

IP54  220-240V 50/60Hz IK06 



P.316
POLE



OUTDOOR FLOOR / SUELO

GROP


● **75600** dark grey/gris oscuro

LED SMD 12.5W 3000K 500lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Polycarbonato Opal

IP54  100-240V 50/60Hz 



P.316
POLE



GROP


● **75601** dark grey/gris oscuro

LED SMD 18W 3000K 870lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Polycarbonato Opal

IP54  100-240V 50/60Hz 



NANDA

● **71216** dark grey/gris oscuro
LED SMD 13W 3000K 500lm CRI>80
Driver ✓
Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal



IP54



100-
240V

50/
60Hz





NANDA

● **71217** dark grey/gris oscuro
LED SMD 13W 3000K 500lm CRI>80
Driver ✓
Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal


IP54



100-
240V

50/
60Hz





LOGAR

● **75605** dark grey/gris oscuro
LED SMD 12W 3000K 580lm CRI>80 Driver ✓
Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP54



100-
240V

50/
60Hz





LOGAR

● **75606** dark grey/gris oscuro
LED SMD 23W 3000K 1340lm CRI>80
Driver ✓
Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP54



100-
240V

50/
60Hz







WILMA

● 75001 dark grey/gris oscuro

E27 MAX 15W LED ✕ [17463]


Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal



P.330
SUSPENDED



P.345
WALL




WILMA

● 74997 dark grey/gris oscuro

E27 MAX 15W LED ✕ [17463]

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal




WILMA

● 75003 dark grey/gris oscuro

E27 MAX 15W LED ✕ [17463]

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal



VERNO

● 73450 matt black/negro mate

E27 MAX 15W LED ✕ [17463]

Body Aluminium/Aluminio
Diff Trans. Polycarbonate/Polycarbonato Trans.




VERNO

● 73440 matt black/negro mate

E27 MAX 15W LED ✕ [17463]

Body Aluminium/Aluminio
Diff Trans. Polycarbonate/Polycarbonato Trans.




VERNO

● 73460 matt black/negro mate

E27 MAX 15W LED ✕ [17463]

Body Aluminium/Aluminio
Diff Trans. Polycarbonate/Polycarbonato Trans.





BLUB'S — Estudi Ribaudí 

● 74433S-03 dark grey/gris oscuro

E27 MAX 15W LED ☒ [17437]


Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal



P.330
SUSPENDED



P.344
WALL



MISTU — Faro Lab 

● 74433S-02 dark grey/gris oscuro

E27 MAX 15W LED ☒ [17437]


Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal



P.330
SUSPENDED



P.344
WALL



MUFFIN — Àlex & Manel Llusca 

● 74433S-04 dark grey/gris oscuro

E27 MAX 15W LED ☒ [17437]


Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal



P.330
SUSPENDED



P.344
WALL



BLUB'S — Estudi Ribaudí 


● 74434B-03 dark grey/gris oscuro

E27 MAX 15W LED ☒ [17437]

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal



P.315
POLE



MISTU — Faro Lab 


● 74434B-02 dark grey/gris oscuro

E27 MAX 15W LED ☒ [17437]

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal



P.314
POLE



MUFFIN — Àlex & Manel Llusca 


● 74434B-04 dark grey/gris oscuro

E27 MAX 15W LED ☒ [17437]

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal



P.314
POLE





MOON — Faro Lab

● **74433S-01** dark grey/gris oscuro

E27 MAX 15W LED ☒ [17437]


Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal



P.330
SUSPENDED



P.344
WALL




MOON — Faro Lab

● **74434B-01** dark grey/gris oscuro

E27 MAX 15W LED ☒ [17437]

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal



NALA


● **70772** dark grey/gris oscuro

E27 MAX 15W LED ☒ [17463]

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente



P.351
WALL




MILA

● **70771** dark grey/gris oscuro

LED SMD 18W 4000K 500lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal




SETE

● **75521** dark grey/gris oscuro

LED SMD 6W 3000K 155lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal




SURAT

● **72310** dark grey/gris oscuro

E27 MAX 15W LED ☒ [17463]

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente




GROW

— Estudi Ribaudí 




● **71206** dark grey/gris oscuro
LED SMD 9W 3000K 720lm CRI>80 Driver ✓
Body Aluminium/Aluminio
Diff Transparent Polycarbonate/Polycarbonato
Transparente

IP65  100- 50/
240V 60Hz 



● **71207** dark grey/gris oscuro
LED SMD 9W 3000K 720lm CRI>80 Driver ✓
Body Aluminium/Aluminio
Diff Transparent Polycarbonate/Polycarbonato
Transparente

IP65  100- 50/
240V 60Hz 



Flowerpot accessory
● **71208** dark grey/gris oscuro
Body Polycarbonate/Polycarbonato



BU-OH!

— Estudi Ribaudí




● 71213 dark grey/gris oscuro

LED SMD 12W 3000K 310lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Polycarbonato Opal

IP65  100- 50/
240V 60Hz 



OUTDOOR FLOOR / SUELO


● 71214 dark grey/gris oscuro

LED SMD 12W 3000K 310lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Polycarbonato Opal

IP65  100- 50/
240V 60Hz 



P.312
POLE



P.355
WALL





NAYA


● 71199 dark grey/gris oscuro

LED SMD 8W 3000K 80lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Polycarbonato Opal

IP54  100- 50/ 240V 60Hz  120°



AGRA

● 70753 dark grey/gris oscuro


● 70754 rust brown/marrón óxido

LED COB 9W 3000K 420lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

IP55  100- 50/ 240V 60Hz 



AGRA

● 70755 dark grey/gris oscuro


● 70756 rust brown/marrón óxido

LED COB 9W 3000K 420lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

IP55  100- 50/ 240V 60Hz 



NAYA

● 71198 dark grey/gris oscuro

LED SMD 8W 3000K 80lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Polycarbonato Opal

IP54  100- 50/ 240V 60Hz  120°






ALP

● **74451** dark grey/gris oscuro

LED SMD 7W 3000K 350lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal




ALP

● **74452** dark grey/gris oscuro

LED SMD 7W 3000K 350lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal





DAS



● **75519** dark grey/gris oscuro

LED COB 8W 3000K 480lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente



P.354
WALL



OUTDOOR FLOOR / SUELO





DAS

● **75520** dark grey/gris oscuro

LED COB 8W 3000K 480lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente





NOBORU



● **70576** dark grey/gris oscuro

LED COB 16W 3000K 690lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

IP65  IK08 100-240V 50/60Hz  36°



MAUREN

● **70993** brass/latón

E27 MAX 15W LED ✕ [17463]

Body Brass/Latón


Diff Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE

MADE IN EU

IP44





SPY-1

● 70782 dark grey/gris oscuro

LED COB 6W 3000K 500lm CRI>80 Driver ✓

Body Aluminium/Aluminio



Diff Transparent Glass/Cristal Transparente

IP65



220-
240V

50Hz



SPY-2

● 70783 dark grey/gris oscuro

LED COB 6W 3000K 500lm CRI>80 Driver ✓

Body Aluminium/Aluminio



Diff Transparent Glass/Cristal Transparente

IP65



220-
240V

50Hz





SHADOW

— Àlex&Manel Llusca 


● **72312** dark grey/gris oscuro

LED SMD 11W 3000K 800lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal glass/Cristal Opal

IP65  100- 50/
240V 60Hz 




● **72311** dark grey/gris oscuro

LED SMD 10W 3000K 800lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal glass/Cristal Opal

IP65  100- 50/
240V 60Hz 





GINA

● 71352 dark grey/gris oscuro

GU10 MAX 8W LED ✕ [97685327]

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente



KLAMP — Àlex & Manel Llusca

● 74411 dark grey/gris oscuro

E27 MAX 15W LED ✕ [17463]

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal





CHANDRA


● 72298 dark grey/gris oscuro

LED COB 7W 3000K 195lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal



P.365
WALL



P.363
WALL





SOLAR

Solar selection/Selección solar



SAURA

● 70774 dark grey/gris oscuro


LED SMD 2W 3000K 225lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Polycarbonato Opal



2.5h Worktime
6/8h Charge lithium battery ✓




SOLEIL

● 70785 dark grey/gris oscuro

LED SMD 2W 3000K 140lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal PMMA/PMMA Opal



OUTDOOR FLOOR / SUELO





P.291
BOLLARD



P.340
WALL



TRAM — Estudi Ribaudí





75532 dark grey/gris oscuro

LED SMD 42W 3000K 3000lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP55 100- 50/ 240V 60Hz



P.294
BOLLARD



P.346
WALL



DATNA — Àlex & Manel Llusca




74444E dark grey/gris oscuro

LED SMD 37W 3000K 2700lm CRI85 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal

IP65 100- 50/ 240V 60Hz



P.303
BOLLARD



P.355
WALL



BU-OH! — Estudi Ribaudí




71209 dark grey/gris oscuro

LED SMD 42W 3000K 2700lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP65 100- 50/ 240V 60Hz







P.300
BOLLARD



P.330
SUSPENDED



P.344
WALL




MISTU — Faro Lab

74435F2-02 ● dark grey/gris oscuro

2 E27 MAX 15W LED ☒ [17437]

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal




MISTU — Faro Lab

74436F3-02 ● dark grey/gris oscuro

3 E27 MAX 15W LED ☒ [17437]

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal



P.300
BOLLARD



P.330
SUSPENDED



P.344
WALL




MUFFIN — Àlex & Manel Llusca

74435F2-04 ● dark grey/gris oscuro

2 E27 MAX 15W LED ☒ [17437]

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal






MUFFIN — Àlex & Manel Llusca



74436F3-04 ● dark grey/gris oscuro

3 E27 MAX 15W LED ☒ [17437]

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal



P.300
BOLLARD



P.330
SUSPENDED



P.344
WALL




BLUB'S — Estudi Ribaudí



74435F2-03 ● dark grey/gris oscuro

2 E27 MAX 15W LED ☒ [17437]

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal




BLUB'S — Estudi Ribaudí



74436F3-03 ● dark grey/gris oscuro

3 E27 MAX 15W LED ☒ [17437]

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal





P.297
BOLLARD



BERET

● 75524 dark grey/gris oscuro

LED SMD 16W 4000K 625lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP54  100-240V 50/60Hz IK06 



P.297
BOLLARD





GROF

● 75602 dark grey/gris oscuro

LED SMD 27W 3000K 1300lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal

IP54  100-240V 50/60Hz 





PLAZA

● 75607 dark grey/gris oscuro

LED SMD 24W 3000K 1120lm CRI>80 Driver ✓


Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP54  IK08 100-240V 50/60Hz 






P.331
SUSPENDED



P.347
WALL




NÁUTICA

● **71116** rust brown/marrón óxido

E27 MAX 15W LED ☒ [17463]

Body Steel/Acero
Diff Transparent Glass/Cristal Transparente




NÁUTICA

● **71117** rust brown/marrón óxido

2 E27 MAX 15W LED ☒ [17463]

Body Steel/Acero
Diff Transparent Glass/Cristal Transparente




NÁUTICA

● **71118** rust brown/marrón óxido

3 E27 MAX 15W LED ☒ [17463]

Body Steel/Acero
Diff Transparent Glass/Cristal Transparente





SLOT

— Lucid 



● **70038** matt black/negro mate


LED 13W 3000K 920lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

IP65  100-240V 50/60HZ IK08  28°  1 MT 

Ø77/3.03"
692/27.2"
500/19.68"



● **70036** matt black/negro mate


LED 13W 3000K 920lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

IP65  100-240V 50/60HZ IK08  28°

Ø77/3.03"
500/19.6"



● **70037** matt black/negro mate


LED 13W 3000K 920lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

IP65  100-240V 50/60HZ IK08  28°  1 MT 

Ø77/3.03"
350/13.8"
200/8.6"



● **70035** matt black/negro mate


LED 13W 3000K 920lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

IP65  100-240V 50/60HZ IK08  28°

Ø77/3.03"
200/8.6"
Ø70/2.7"





Spike&Projector
Estaca y Proyector




FLOW

— Alegre Design 

Spike accessory/Accesorio estaca

- 71548 matt black/negro mate
- 71549 beige/beige

Body Steel/Acero



- 71546 matt black/negro mate
- 71547 beige/beige

GU10 MAX 8W LED  [97685327]

Body Polycarbonate/Polycarbonato
Diff Opal PMMA/PMMA Opal


SEA SIDE
SUITABLE

WALL &
SPIKE

IP65

 2.5 MT







TONI — Alegre Design

● 71528 matt black/negro mate

GU10 MAX 8W LED ☒ [97685327]

Body PMMA

Diff Polycarbonate/Polycarbonato


SEA SIDE
SUITABLE

WALL &
SPIKE

IP65

2.5 MT

160°
180°



ALFA — Àlex & Manel Llusca



● 70025 dark grey/gris oscuro

LED COB 13W 3000K 900lm CRI>80 Driver ☑

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

IP65 100-240V 50/60HZ 80° 160° 180°



PROJECT — Àlex&Manel Llusca

● 71383 grey/gris


● 71390 dark grey/gris oscuro

GU10 MAX 8W LED ☒ [97685327]

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

IP65 90° 95° 340°



PROJECT — Àlex&Manel Llusca


● 71389 dark grey/gris oscuro

E27 PAR 38 MAX 15W LED ☒ [17398]

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

IP65 95° 340°





OKI


● **70160** dark grey/gris oscuro
LED COB 2W 3000K 110lm CRI>80
Driver ✗ [98324015] [IP67:98111031]
Spike ✗ [70525]
Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP65

AC/DC
12/24V

IK04

30°



OKO

● **70161** dark grey/gris oscuro
LED COB 20W 3000K 1400lm CRI>80 Driver ✓
Spike ✗ [70525]
Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente


IP65

IK08

220-
240V

50/
60HZ

30°



PLOM

● **70912** dark grey/gris oscuro
LED CREE 8.5W 3000K 635lm CRI>80 Driver ✓
Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal


IP64

100-
240V

50/
60HZ

18-45°

90°



LIT

● **70260** dark grey/gris oscuro
GU10 MAX 8W LED ✗ [97685327]
Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente


IP65

220-
240V

50/
60HZ

36°

90°
180°



SHOW


● **71095** dark grey/gris oscuro
LED 10W 3000K 500lm CRI>80 Driver ✓
Spike ✗ [70525]
Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP67

10°-60°

100-
240V

50/
60HZ






FOC

● **70156** dark grey/gris oscuro

LED COB 16W 3000K 800lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente




FOC

● **70157** dark grey/gris oscuro

LED COB 16W 3000K 800lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente




TORAN

● **70140** dark grey/gris oscuro

LED SMD 3.8W 4000K 345lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente




VIC

● **70581** dark grey/gris oscuro

LED SMD 55.5W 3000K 2400lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente





KARL

● **70261** dark grey/gris oscuro

LED SMD 13.5W 3000K 1100lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente



KEW

● **70407** grey/gris


LED 6W 4000K 420lm CRI>80
Transformer 12VDC ✗ [98111031]

Body 316 Stainless Steel/Acero Inox 316
Diff Transparent PMMA/PMMA Transparente



Very important: to be used only underwater
Importante: uso exclusivo sólo bajo el agua

Visit faro.es to consult how to install it.
Visita faro.es para consultar su instalación.






SETH-60

● 70226 matt black/negro mate

LED SMD 6W 2700K 450lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent PMMA/PMMA Transparente

IP44  220-240V 50/60HZ  40°  2 MT




SETH-28

● 70227 matt black/negro mate

LED SMD 6W 2700K 450lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent PMMA/PMMA Transparente

IP44  220-240V 50/60HZ  40°  2 MT





PICCOLA



— Faro Lab 

- 70245 matt black/negro mate
- 70246 matt white/blanco mate

LED SMD 6W 2700K 360lm CRI>80 Driver 

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal


IP65  100-240V 50/60HZ **IK08**  1.5 MT



FOC

● 70159 dark grey/gris oscuro
LED COB 16W 3000K 800lm CRI>80 Driver ✓
Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente


DIM **IP65** 220-240V 50/60HZ 36° 90°/180° 0.5 MT



FOC

● 70158 dark grey/gris oscuro
LED COB 16W 3000K 800lm CRI>80 Driver ✓
Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente


DIM **IP65** 220-240V 50/60HZ 36° 90°/180° 0.5 MT



SOBEK

● 70151 matt black/negro mate
LED COB 7W 3000K 550lm CRI>80 Driver ✓
Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente


IP65 100-240V 50/60HZ IK06 50° 0.2 MT



BALDER

● 70469 matt black/negro mate
LED SMD 3W 3000K 110lm CRI>80 Driver ✓
Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente


IP67 100-240V 50/60HZ 50° 2 MT



PLOM

● 70913 dark grey/gris oscuro
LED CREE 7W 3000K 636lm CRI>80 Driver ✓
Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP54 100-240V 50/60HZ 18-45° 45°/45°





ANDY

● **71613** satin gold/oro satinado

GU10 MAX 8W LED ✕ [97685327]

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente



TONO

● **73150** matt black/negro mate

GU10 MAX 8W LED ✕ [97685327]

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente







GARTEN-4

● **73111** matt black/negro mate

E27 PAR 38 MAX 15W LED ✕ [17400]


Body Heat-Resistant ABS/ABS Termoresistente



GARTEN-1

● **73100** matt black/negro mate

Body Heat-Resistant ABS/ABS Termoresistente




Connection box T

● **75801** matt black/negro mate



Connection box

● **75800** matt black/negro mate





SCUBA **NEW**

75753 chrome/cromo

LED SMD 20W 3000K 3200lm CRI>80 Driver ✓

Body 316 Stainless Steel/Acero Inox 316

Diff Opal polycarbonate/Polícarbonato opal

IP66




IK10

100-240V

50/60HZ



120°



P.341
WALL



SCUBA **NEW**

75754 chrome/cromo

LED SMD 36W 3000K 5400lm CRI>80 Driver ✓

Body 316 Stainless Steel/Acero Inox 316

Diff Opal polycarbonate/Polícarbonato opal

IP66




IK10

100-240V

50/60HZ



120°



Canopy accessory for wall & suspension/
Accesorio florón para aplique y suspensión

75755 matt black/negro mate

IP44

ø90/3.5\"/>





Suspended
Suspensión



MUFFIN — Àlex&Manel Llusà



● **74427C-04** dark grey/gris oscuro

E27 MAX 15W LED ☒ [17437]


Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP44  1.5 MT

P.300
BOLLARD



P.344
WALL



WILMA


● **75002** dark grey/gris oscuro

E27 MAX 15W LED ☒ [17463]



Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP44  1.5 MT

P.299
BOLLARD



P.345
WALL



NÁUTICA

○ **71106** white+copper/blanco+cobre

● **71108** brown+copper/marrón+cobre


● **71138** rust brown/marrón óxido

E27 MAX 15W LED ☒ [17463]

Body Steel/Acero
Diff Transparent Glass/Cristal Transparente

IP33  1 MT

P.317
POLE



MOON — Faro Lab



● **74427C-01** dark grey/gris oscuro

E27 MAX 15W LED ☒ [17437]


Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP44  1.5 MT

P.301
BOLLARD



P.344
WALL



BLUB'S — Estudi Ribaudí



● **74427C-03** dark grey/gris oscuro

E27 MAX 15W LED ☒ [17437]


Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP44  1.5 MT

P.300
BOLLARD



P.344
WALL



MISTU — Faro Lab



● **74427C-02** dark grey/gris oscuro

E27 MAX 15W LED ☒ [17437]


Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP44  1.5 MT

P.300
BOLLARD



P.344
WALL





NÁUTICA

● 71139 rust brown/marrón óxido

E27 MAX 15W LED ☒ [17463]

Body Steel/Acero

Diff Transparent Glass/Cristal Transparente

IP33  1 MT



HONEY

● 73696 matt black/negro mate

E27 MAX 15W LED ☒ [17463]

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

IP44  0.7 MT



ESTORIL


● 71143 rust brown/marrón óxido

E27 MAX 15W LED ☒ [17463]



Body Steel/Acero

Diff Transparent Glass/Cristal Transparente



IP33  0.7 MT



P.347
WALL



P.345
WALL



P.347
WALL



ESTORIL


● 71142 rust brown/marrón óxido

E27 MAX 15W LED ☒ [17463]

Body Steel/Acero

Diff Transparent Glass/Cristal Transparente

IP33  0.7 MT







TAMI

● **70799** dark grey/gris oscuro

LED COB 9W 3000K 600lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente



GOZ

● **70575** dark grey/gris oscuro

LED COB 9W 3000K 500lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente



OLOT


○ **71372** matt white/blanco mate

● **71374** dark grey/gris oscuro

GU10 MAX 8W LED ✕ [97685327]

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente




DAKRON

○ **70722** matt white/blanco mate

E27 MAX 15W LED ✕ [17463]

Body ABS

Diff Opal Polycarbonate/Polycarbonato Opal



YEN

● **70690** grey/gris

E27 MAX 15W LED ✕ [17463]

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Polycarbonato Opal



TASA


● **70806** dark grey/gris oscuro

○ **70821** matt white/blanco mate

E27 MAX 15W LED ✕ [97687127]

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente





Ceiling
Techo

NEW PALS
— Faro Lab

○ 70290 matt white/blanco mate


● 70291 dark grey/gris oscuro

E27 MAX 15W LED  [17463]

Body Aluminium/Aluminio

Diff Opal Glass/Cristal Opal

IP65 IK06  





Surface
Superficie

MASK— Lucid 

Anti corrosion

MASK has been designed to withstand the most extreme weather and atmospheric conditions. Thanks to the high quality of the aluminum and the surface protection treatments applied to it, we offer a 15-year guarantee, ensuring during this time the maximum surface protection against corrosion.





video

● 71279 dark grey/gris oscuro

○ 71282 matt white/blanco mate

LED SMD 24W 3000K 550lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal Glass/Cristal Opal



SEA SIDE
SUITABLE

IP65

IK06



100- 50/
240V 60Hz



OUTDOOR SURFACE / SUPERFICIE



TWIST — Estudi Ribaudí


● 71285 dark grey/gris oscuro

LED 10W 3000K 500lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Polycarbonato Opal

IP65  100- 50/
240V 60Hz 



P.292
BOLLARDS



BLOCK — Àlex&Manel Llusca

● 74139 grey/gris

G45 E27 MAX 15W LED ✕ [17463]

Body Concrete/Cemento

Diff Opal Glass/Cristal Opal

IP65  IK06  



P.289
BOLLARDS





HALF — Nahtrang 

○ 71536 matt white/blanco mate


● 71537 dark grey/gris oscuro

LED SMD 13W 3000K 1350lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal Glass/Cristal Opal

IP65  100- 50/
240V 60Hz 



OUTDOOR SURFACE / SUPERFICIE




SHELBY — Conillas

● 75536 dark grey/gris oscuro

LED SMD 10W 3000K 600lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal+Transparent Polycarbonate/
Policarbonato Opal+Transparente

IP44  100- 50/
240V 60Hz 



P.293
BOLLARD



TRAM — Estudi Ribaudí

● 75529 dark grey/gris oscuro

○ 75533 matt white/blanco mate

E27 MAX 15W LED ⓧ [17463]

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP44  

P.291
BOLLARD



P.312
POLE





SCUBA NEW


75751 chrome/cromo

LED SMD 36W 3000K 5400lm CRI>80 Driver ✓

Body 316 Stainless Steel/Acero Inox 316

Diff Opal polycarbonate/Polycarbonato opal

IP66  IK10 100-240V 50/60Hz  120°



SCUBA NEW


75750 chrome/cromo

LED SMD 20W 3000K 3200lm CRI>80 Driver ✓

Body 316 Stainless Steel/Acero Inox 316

Diff Opal polycarbonate/Polycarbonato opal

IP66  IK10 100-240V 50/60Hz  120°



Canopy accessory for wall & suspension/
Accesorio florón para aplique y suspensión

75755 matt black/negro mate

IP44

ø90/3.5"
40/1.6"



P.328
SUSPENDED





GIZA


● 70766 dark grey/gris oscuro

LED COB 15W 3000K 500lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Trans. Polycarbonate/Polycarbonato Trans.

IP54  100- 50/
240V 60Hz 



P.296
BOLLARD



KERALA

● 74453 dark grey/gris oscuro

LED SMD 13W 3000K 600lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

IP54  100- 50/
240V 60Hz 



ORWELL

● 75700 dark grey/gris oscuro

LED SMD 8W 3000K 450lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Polycarbonato Opal

IP54  220- 50/
240V 60Hz 



ORWELL WIFI


● 75701 dark grey/gris oscuro

LED SMD 4-13W 3000K-6500K 95-480lm CRI>80 Driver ✓




Body Aluminium/Aluminio

Diff Opal Polycarbonate/Polycarbonato Opal

 IP54   220- 50/
240V 60Hz  Camera 5mt 



P.262
PORTABLE





PLIM

● 71295 dark grey/gris oscuro

LED SMD 10W 3000K 250lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal+Transparent Polycarbonate/
Polycarbonato Opal+Transparente

IP65  100- 50/
240V 60Hz IK08 



PLIM

● 71296 dark grey/gris oscuro

LED SMD 10W 3000K 250lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal

IP65  100- 50/
240V 60Hz 





PLIM

● 71297 dark grey/gris oscuro


LED SMD 10W 3000K 250lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal+Transparent Polycarbonate/
Polycarbonato Opal+Transparente

IP65  100- 50/
240V 60Hz IK08 



P.295
BOLLARD





MISTU — Faro Lab

● 74432A-02 dark grey/gris oscuro

E27 MAX 15W LED ☒ [17437]


Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal



P.300
BOLLARD



P.330
SUSPENDED



MOON — Faro Lab

● 74432A-01 dark grey/gris oscuro

E27 MAX 15W LED ☒ [17437]


Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal



P.301
BOLLARD



P.330
SUSPENDED



MUFFIN — Àlex&Manel Llusca

● 74432A-04 dark grey/gris oscuro

E27 MAX 15W LED ☒ [17437]


Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal



P.300
BOLLARD



P.330
SUSPENDED



BLUB'S — Estudi Ribaudí

● 74432A-03 dark grey/gris oscuro

E27 MAX 15W LED ☒ [17437]


Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal



P.300
BOLLARD



P.330
SUSPENDED





TOC



● 70780 matt white/blanco mate

● 70781 matt black/negro mate

LED SMD 8W 3000K 600lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Polycarbonato Opal



P.258
PORTABLES




WILMA

● 74998 dark grey/gris oscuro


E27 MAX 15W LED ☒ [17463]

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Polycarbonato Opal



P.299
BOLLARD




WILMA

● 75000 dark grey/gris oscuro

E27 MAX 15W LED ☒ [17463]

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Polycarbonato Opal



P.330
SUSPENDED




HONEY

● 73695 matt black/negro mate

E27 MAX 15W LED ☒ [17463]

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente



P.331
SUSPENDED






CERES — Àlex&Manel Llusca 

● 71607 matt black/negro mate

E27 MAX 15W LED ✕ [17437]

Body Aluminium/Aluminio
Out Diff Polycarbonate/Polycarbonato
In Diff Opal Glass/Cristal Opal




ARGOT

● 71424 rust brown/marrón óxido

E27 MAX 15W LED ✕ [17463]

Body Steel/Acero
Diff Transparent Glass/Cristal Transparente




DADO

● 71606 rust brown/marrón óxido

E27 MAX 15W LED ✕ [17463]

Body Steel/Acero
Diff Transparent Glass/Cristal Transparente



DATNA — Àlex&Manel Llusca 

● 74440 dark grey/gris oscuro

1xE27 MAX 15W LED ✕ [17463]


Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonatoo Opal



P.294
BOLLARD



P.312
POLE





NÁUTICA

● 71110 rust brown/marrón óxido

E27 MAX 15W LED ☒ [17463]

Body Steel/Acero
Diff Transparent Glass/Cristal Transparente



NÁUTICA

● 71128 rust brown/marrón óxido

E27 MAX 15W LED ☒ [17463]

Body Steel/Acero
Diff Transparent Glass/Cristal Transparente





NÁUTICA



● 71129 rust brown/marrón óxido

E27 MAX 15W LED ☒ [17463]

Body Steel/Acero
Diff Transparent Glass/Cristal Transparente



P.330
SUSPENDED



P.317
POLE



ESTORIL

● 71140 rust brown/marrón óxido

E27 MAX 15W LED ☒ [17463]

Body Steel/Acero
Diff Transparent Glass/Cristal Transparente



ESTORIL

● 71141 rust brown/marrón óxido

E27 MAX 15W LED ☒ [17463]

Body Steel/Acero
Diff Transparent Glass/Cristal Transparente




WALLY



● 74261 rust brown/marrón óxido

E27 MAX 15W LED ☒ [17463]

Body Steel/Acero
Diff Transparent Glass/Cristal Transparente



P.331
SUSPENDED





NAHIR


70992 brass/latón

E27 MAX 15W LED [17463]

Body Brass/Latón

Diff Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE MADE IN EU IP44



TIMON


70996 brass/latón

E27 MAX 15W LED [17463]

Body Brass/Latón

Diff Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE MADE IN EU IP44





NORAY

● 70999 brass/latón

E27 MAX 15W LED ☒ [17463]

Body Brass/Latón
Diff Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE MADE IN EU IP65



BORDA

● 70997 brass/latón

E27 MAX 15W LED ☒ [17463]

Body Brass/Latón
Diff Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE MADE IN EU IP44






CABO

● 70998 brass/latón

E27 MAX 15W LED ☒ [17463]

Body Brass/Latón
Diff Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE MADE IN EU IP65





HIKARI


● **71274** dark grey/gris oscuro

LED SMD 10W 3000K 400lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Polycarbonato Opal

IP65  100- 50/
240V 60Hz 



KUBICK

● **70689** dark grey/gris oscuro


● **70715** grey/gris

E27 MAX 15W LED ✗ [17463]

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Polycarbonato Opal

IP44  



LUR


● **70827** dark grey/gris oscuro

LED SMD 12W 3000K 950lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal PMMA/PMMA Opal

IP54  100- 50/
240V 60Hz 



SUN


● **70823** dark grey/gris oscuro

LED SMD 4.4W 3000K 275lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Polycarbonato Opal

IP54  100- 50/
240V 60Hz 



TOM

○ **70665** matt white/blanco mate


● **70666** dark grey/gris oscuro

LED SMD 7W 3000K 400lm CRI>80 Driver ✓

Body Polycarbonate/Polycarbonato

Diff Opal Polycarbonate/Polycarbonato Opal

IP65  



TOM XL

● **70682** dark grey/gris oscuro


○ **70683** matt white/blanco mate

LED SMD 11W 3000K 600lm CRI>80 Driver ✓

Body Polycarbonate/Polycarbonato

Diff Opal Polycarbonate/Polycarbonato Opal

IP65  





NALA

● **70773** dark grey/gris oscuro

E27 MAX 15W LED ☒ [17463]

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente



POMO

● **71306** dark grey/gris oscuro

2 E27 MAX 15W LED ☒ [17426]

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente




TAMASHI



● **71303** dark grey/gris oscuro

E27 MAX 15W LED ☒ [17428]

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente



P.301
BOLLARD




PIVOT

○ **71304** matt white/blanco mate

● **71305** dark grey/gris oscuro

LED SMD 10W 3000K 500lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal




POL

● **70829** dark grey/gris oscuro

LED SMD 8W 3000K 550lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal








MOL

● **70720** dark grey/gris oscuro

E27 MAX 15W LED ☒ [17463]

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal






TEJO

- **70573** dark grey/gris oscuro
○ **70573B** matt white/blanco mate

E27 MAX 15W LED ☒ [17463]

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal

IP54 IK06  




NEGUS

- **70696** grey/gris

E27 MAX 15W LED ☒ [17463]

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal

IP54 IK10  




BONN

- **70697** dark grey/gris oscuro

E27 MAX 15W LED ☒ [17463]

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal

IP44  




FRED

- **70663** dark grey/gris oscuro
○ **70664** matt white/blanco mate

LED SMD 7W 3000K 400lm Driver ✓

Body Polycarbonate/Polycarbonato
Diff Opal Polycarbonate/Polycarbonato Opal

IP65 IK10  100- 50/
240V 60Hz 





FRED XL

- **70667** dark grey/gris oscuro
○ **70668** matt white/blanco mate

LED SMD 11W 3000K 600lm CRI>80 Driver ✓

Body Polycarbonate/Polycarbonato
Diff Opal Polycarbonate/Polycarbonato Opal

IP65 IK10  100- 50/
240V 60Hz 




NATRON

- **70887** dark grey/gris oscuro

E27 MAX 15W LED ☒ [17437]

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

IP54 IK06  





CELA

● 72280 satin inox/inox satinado

E27 MAX 15W LED ☒ [17463]

Body 304 Stainless Steel/Acero Inox 304
Diff Opal Polycarbonate/Polycarbonato Opal



CELA

● 72281 satin inox/inox satinado

E27 MAX 15W LED ☒ [17463]

Body 304 Stainless Steel/Acero Inox 304
Diff Opal Polycarbonate/Polycarbonato Opal






FEDON

● 70714 satin inox/inox satinado

E27 MAX 15W LED ☒ [17463]

Body 304 Stainless Steel/Acero Inox 304
Diff Opal Polycarbonate/Polycarbonato Opal



ESTAY

○ 72010 matt white/blanco mate

● 72011 matt black/negro mate

E27 MAX 15W LED ☒ [17463]

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal



DERBY

○ 72002 matt white/blanco mate

E27 MAX 15W LED ☒ [17463]

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal





DERBY

○ 72000 matt white/blanco mate

● 72001 matt black/negro mate

E27 MAX 15W LED ☒ [17463]

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal





ALP

● 74450 dark grey/gris oscuro

LED SMD 8W 3000K 350lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Polycarbonato Opal

IP54 100- 50/ 240V 60Hz



AXEL

● 71272 matt white/blanco mate

● 71273 dark grey/gris oscuro

LED 6W 3000K 360lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

IP65 IK07 100- 50/ 240V 60Hz



BRACKET







● 72272 dark grey/gris oscuro

LED SMD 6W 3000K 270lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal Glass/Cristal Opal

IP44 220- 50/ 240V 60Hz

P.305
BOLLARDS

CLAUSS

○ 70262 matt white/blanco mate

● 70263 dark grey/gris oscuro

LED SMD 7W 3000K 480lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Polycarbonato Opal

IP54 IK08 220- 50/ 240V 60Hz



FUTURE — Estudi Ribaudí



○ 71516 matt white/blanco mate

● 71517 dark grey/gris oscuro

E27 MAX 15W LED ✗ [17437]

Body Polycarbonate/Polycarbonato

Diff Opal Polycarbonate/Polycarbonato Opal

SEA SIDE SUITABLE IP44



ÁNCORA—Àlex&Manel Llusçà







● 74401 dark grey/gris oscuro

E27 MAX 15W LED ✗ [17463]

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Polycarbonato Opal

IP44





BU-OH! — Estudi Ribaudí





● 71212 dark grey/gris oscuro

○ 71215 matt white/blanco mate

LED SMD 12W 3000K 310lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Polycarbonato Opal



P.303
BOLLARD



P.312
POLE



OUTDOOR SURFACE / SUPERFICIE



P.291
BOLLARD



STICKER — Lucid





● 75540 dark grey/gris oscuro

LED SMD 13W 3000K 770lm CRI>80
Driver ✓

Body Aluminium/Aluminio

Diff Opal PMMA/PMMA Opal



LOTUS

— Estudi Ribaudí



video

○ 71222 matt white/blanco mate


● 71223 dark grey/gris oscuro

LED 18W 3000K 1120lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Polycarbonato Opal

IP65  IK08 100-240V 50/60Hz 



P.290
BOLLARDS





VIEW — Estudi Ribaudí



● **71519** dark grey/gris oscuro


E27 MAX 15W LED ☒ [17463]

Body Polycarbonate/Polycarbonato

Diff Opal Polycarbonate/Polycarbonato Opal

SEA SIDE
SUITABLE

IP54



QUART


● **70579** dark grey/gris oscuro

LED SMD 30W 3000K 1200lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal Glass/Cristal Opal

IP65



DRAGMA — Àlex&Manel Llusca





● **71362L** dark grey/gris oscuro

LED SMD 15W 3000K 500lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal Glass/Cristal Opal

IP65






LAKO NEW

- 71909 matt white/blanco mate
- 71910 dark grey/gris oscuro
- 71911 brown/marrón

LED SMD 8W 3000K 600lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente




DORO NEW

- 71903 matt white/blanco mate
- 71904 dark grey/gris oscuro
- 71905 brown/marrón

LED SMD 20W 3000K 1800lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente







DORO NEW

- 71906 matt white/blanco mate
- 71907 dark grey/gris oscuro
- 71908 brown/marrón

LED SMD 28W 3000K 2350lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente





DORO NEW

- 71900 matt white/blanco mate
- 71901 dark grey/gris oscuro
- 71902 brown/marrón

LED SMD 13W 3000K 1000lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente






TAKUA

- 71277 dark grey/gris oscuro
- 71308 **NEW** matt white/blanco mate
- 71309 **NEW** brown/marrón

LED SMD 10W 3000K 450lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal




OVAL

- 71276 dark grey/gris oscuro

LED COB 10W 3000K 450lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal








TANE

- 72269 dark grey/gris oscuro

LED SMD 7W 3000K 110lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal



ADAY

- 70644 matt white/blanco mate
- 70645 dark grey/gris oscuro

LED SMD 6W 3000K 450lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal




ADAY

- 70646 matt white/blanco mate
- 70647 dark grey/gris oscuro

LED SMD 13W 3000K 787lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal







WEST

- 70899 dark grey/gris oscuro

E27 MAX 15W LED ✗ [17437]

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal







WEST

● **70888** dark grey/gris oscuro

E27 MAX 15W LED ✕ [17437]

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal




KAULA

● **70405** satin inox/inox satinado

LED SMD 9W 3000K 400lm CRI>80 Driver ✓

Body 316 Stainless Steel/Acero Inox 316
Diff Opal PMMA/PMMA Opal



KAULA

● **70406** satin inox/inox satinado

LED SMD 16W 3000K 650lm CRI>80 Driver ✓

Body 316 Stainless Steel/Acero Inox 316
Diff Opal PMMA/PMMA Opal




TOLUCA

● **71052** satin alum./aluminio satinado

LED SMD 16W 3000K 900lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente




TACANA

● **71049** satin alum./aluminio satinado

LED SMD 24W 3000K 1700lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente





TACOS

● **71064** satin alum./aluminio satinado

LED SMD 30W 3000K 2300lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente






LACE

● **70811** dark grey/gris oscuro

LED HIGH POWER 6W 4000K 315lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente



BRUC

● **70828** dark grey/gris oscuro

LED 2 SMD 7W 3000K 830lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal







LING

● **70812** dark grey/gris oscuro

○ **70813** matt white/blanco mate

LED HIGH POWER 6W 4000K 315lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente



LACRE

● **70802** dark grey/gris oscuro

E27 MAX 15W LED [17463]

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente



LOG

● **70264** dark grey/gris oscuro

LED SMD 9W 3000K 600lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal



BLIND







○ **70267** matt white/blanco mate

● **70268** brown/marrón

● **70634** dark grey/gris oscuro

LED 6W 3000K 2x90lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente





OLAN

○ 70269 matt white/blanco mate


● 70270 rust brown/marrón óxido

● 70637 dark grey/gris oscuro

2 LED 6W 3000K 100lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente



SUNSET

○ 70686 matt white/blanco mate

● 70687 dark grey/gris oscuro

LED 2 SMD 3W 3000K 250lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal Glass/Cristal Opal






COBO

● 70404 dark grey/gris oscuro

LED COB 10W 4000K 600lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente




THON

● 70283 matt black/negro mate

LED COB 15W 3000K 825lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal Glass/Cristal Opal




THON

● 70284 matt black/negro mate

LED COB 30W 3000K 1538lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal Glass/Cristal Opal







PROA — Àlex&Manel Llusca

● 74400 dark grey/gris oscuro

GU10 MAX 8W LED ✗ [97685327]

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente





STEPS — Estudi Ribaudí



○ 75502 matt white/blanco mate


● 75503 dark grey/gris oscuro

4 GU10 MAX 8W LED ☒ [97685327]

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

IP44   2 Blind Caps
2 Tapas Ciegas ✓



OUTDOOR SURFACE / SUPERFICIE



STEPS — Estudi Ribaudí



○ 75500 matt white/blanco mate


● 75501 dark grey/gris oscuro

2 GU10 MAX 8W LED ☒ [97685327]

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

IP44   1 Blind Cap
1 Tapa Ciega ✓



KLAMP — Àlex&Manel Llusà




● 74407 dark grey/gris oscuro

GU10 MAX 8W LED ☒ [97685327]

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

IP44  



KLAMP — Àlex&Manel Llusà




74408 ● dark grey/gris oscuro

2 GU10 MAX 8W LED ☒ [97685327]


Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

IP44  



P.309
BOLLARDS





BRONX — Àlex&Manel Llusçà



● 71194 brown/marrón


● 71195 matt white/blanco mate

● 71196 dark grey/gris oscuro

GU10 MAX 8W LED ☒ [97685327]

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente



KALA


○ 70582 matt white/blanco mate

● 70583 dark grey/gris oscuro

LED SMD 16W 2700K 1200lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal Glass/Cristal Opal






GUIZA

● 71278 dark grey/gris oscuro

LED SMD 8W 3000K 400lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente




SUMA

● 70749 dark grey/gris oscuro

2 E27 MAX 15W LED ☒ [17463]

Body Aluminium/Aluminio

Diff Opal Glass/Cristal Opal





CANON

● 70566N dark grey/gris oscuro


○ 70567N matt white/blanco mate

LED HIGH POWER 4W 3000K 130lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Tempered Glass/Cristal Templado

IP44 100-240V 50/60Hz 120°



NAIROBI

● 70830 matt white/blanco mate

● 70831 dark grey/gris oscuro


● 70832 rust brown/marrón óxido

LED 2 SMD 6W 3000K 190lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

IP54 100-240V 50/60Hz



TINIA


● 71353 dark grey/gris oscuro

E27 MAX 15W LED ✗ [17063]

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Polycarbonato Opal

IP44



GINA

● 71363 dark grey/gris oscuro

○ 71366 matt white/blanco mate


● 71367 matt black/negro mate

GU10 MAX 8W LED ✗ [97685327]

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

IP44

P.309
BOLLARD

TAIMA



● 71388 dark grey/gris oscuro

LED SMD 6W 3000K 310lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

IP54 220-240V 50/60Hz 90°



WOOD


● 74455 dark grey/gris oscuro

LED SMD 11W 3000K 600lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Polycarbonato Opal

IP54 100-240V 50/60Hz 95°





ELE



● 74419 dark grey/gris oscuro

LED SMD 6W 3000K 450lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Polycarbonato Opal

IP54  100-240V 50/60Hz  95°



PILL

○ 70824 matt white/blanco mate

● 70825 dark grey/gris oscuro



● 70826 rust brown/marrón óxido

LED CREE 4W 3000K 110lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

IP54  100-240V 50/60Hz 



DRAK


● 72330 Brass/latón

LED 6W 3000K 160lm CRI>80 Driver ✓

Body Brass/latón

Diff Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE **IP44**  100-240V 50/60Hz IK08 



BROW

○ 70408 matt white/blanco mate


● 70409 dark grey/gris oscuro


LED COB 3W 3000K 100lm CRI>80 Driver ✓

Body Polycarbonate/Polycarbonato

Diff Opal PMMA/PMMA Opal

IP44  220-240V 50Hz 






KEENAN

● **70564** nickel/níquel

LED SMD 1W 6500K 80lm CRI>80
Gear ✕ **98101050**
Magnetic Transformer ✕

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE **IP67** IK08 12V




KEENAN

● **70546** nickel/níquel

LED SMD 0,5W 6500K 20lm CRI>80
Gear ✕ **98101050**
Magnetic Transformer ✕

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE **IP67** IK08 12V




KEENAN

● **70547** nickel/níquel

LED SMD 0,8W 6500K 40lm CRI>80
Gear ✕ **98101050**
Magnetic Transformer ✕

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE **IP67** IK08 12V




LOTH

● **70285** matt black/negro mate

LED COB 6W 3000K 165lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal

IP67 IK10 100-240V 50/60Hz 2000Kg. 4409Lb.




LOTH

● **70286** matt black/negro mate

LED 2 COB 6W 3000K 235lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal

IP67 IK10 100-240V 50/60Hz 2000Kg. 4409Lb.




LOTH

● **70287** matt black/negro mate

LED 4 COB 3W 3000K 255lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal

IP67 IK10 100-240V 50/60Hz 2000Kg. 4409Lb.





GRANT

● 70655 dark grey/gris oscuro
LED SMD 1W 3000K 65lm CRI>80 Driver ✓
Body ABS
Diff Transp. Polycarbonate/Polycarbonato Transp.

SEA SIDE SUITABLE

IP65

IK10

100-240V

50/60Hz

120°

GRANT

● 70656 dark grey/gris oscuro
LED SMD 1W 3000K 65lm CRI>80 Driver ✓
Body ABS
Diff Transp. Polycarbonate/Polycarbonato Transp.

SEA SIDE SUITABLE

IP65

100-240V

50/60Hz

120°






PATH

● 70508 dark grey/gris oscuro
○ 70501 matt white/blanco mate
LED SMD 9W 3000K 390lm CRI>80 Driver ✓
Body Aluminium/Aluminio
Diff Transp. Polycarbonate/Polycarbonato Transp.

IP44

100-240V

50/60Hz






MUST

● **70657** dark grey/gris oscuro

LED SMD 2W 3000K 80lm CRI>80 Driver ✓

Body ABS

Diff Transp. Polycarbonate/Polycarbonato Transp.



MUST

● **70658** dark grey/gris oscuro

LED SMD 3W 3000K 220lm CRI>80 Driver ✓

Body ABS

Diff Transp. Polycarbonate/Polycarbonato Transp.







MUST

● **70659** dark grey/gris oscuro

LED SMD 4W 3000K 240lm CRI>80 Driver ✓

Body ABS

Diff Transp. Polycarbonate/Polycarbonato Transp.



GRADA

● **70906** dark grey/gris oscuro

● **70907** rust brown/marrón óxido

LED SMD 3W 3000K 86lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente



GRADA


● **70908** dark grey/gris oscuro

● **70909** rust brown/marrón óxido

LED SMD 6W 3000K 208lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente



GRADA





● **70910** dark grey/gris oscuro

● **70911** rust brown/marrón óxido

LED SMD 12W 3000K 443lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente





GALO


○ 70265 matt white/blanco mate

LED CREE 3W 3000K 200lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

IP54 IK05 100-240V 50/60Hz 73x73



GALO



○ 70266 matt white/blanco mate

LED CREE 3W 3000K 200lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

IP54 IK05 100-240V 50/60Hz 73x73



DANG

● 70446 matt black/negro mate


LED CREE 3W 3000K 80lm CRI>80 Driver ✗ [98324015]

Body Aluminium+316 Stainless Steel+Glass/Aluminio+Acero Inox 316+Cristal

Diff Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE **IP67** IK05 24 Vdc 40°

*Drivers info pag. 647



NASE

○ 70395 matt white/blanco mate


● 70398 dark grey/gris oscuro

LED SMD 2.9W 3000K 49lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Transp. Polycarbonate/Polycarbonato Transp.

IP44 220-240V 50/60Hz 120°
 92x87x80



NASE

○ 70396 matt white/blanco mate



● 70399 dark grey/gris oscuro

LED SMD 3W 3000K 49lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Transp. Polycarbonate/Polycarbonato Transp.

IP44 220-240V 50/60Hz 120°
 132x90x80



UVE


● 70397 dark grey/gris oscuro

LED SMD 2W 3000K 70lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Transp. Polycarbonate/Polycarbonato Transp.

IP44 IK08 220-240V 50/60Hz 120°
 ø78





OUTDOOR RECESSED / EMPOTRABLES

Recessed
Empotrables



FROL


● **70135** satin inox/inox satinado

LED SMD 0,8W 3000K 55lm CRI>80 Driver ✓

Body 304 Stainless Steel/Acero Inox 304

Diff Opal Polycarbonate/Polycarbonato Opal

IP65  220-240V 50/60Hz  92x92x50



GRON


● **70134** satin inox/inox satinado

LED SMD 1W 3000K 70lm CRI>80 Driver ✓

Body 304 Stainless Steel/Acero Inox 304

Diff Opal Polycarbonate/Polycarbonato Opal

IP65  220-240V 50/60Hz  105x66x50



STRIPE

● **72092** dark grey/gris oscuro


○ **72093** matt white/blanco mate

LED SMD 5W 3000K 50lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Polycarbonato Opal

IP54  IK07  100-240V 50/60Hz  230x89



LISO

○ **71490** matt white/blanco mate

● **71491** matt black/negro mate

E27 MAX 15W LED [17463]


Body Aluminium/Aluminio

Diff Opal Polycarbonate/Polycarbonato Opal

IP44   71482 230x89

Recessed box/Caja de empotrar

71482 ●



STRIPE

○ **72094** matt white/blanco mate


● **72095** dark grey/gris oscuro

LED SMD 5W 3000K 70lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Polycarbonato Opal

IP54  IK07  100-240V 50/60Hz  230x89



ESCA

○ **71480** matt white/blanco mate

● **71481** matt black/negro mate

E27 MAX 15W LED [17463]


Body Aluminium/Aluminio

Diff Opal Polycarbonate/Polycarbonato Opal

IP44   71482 230x89

Recessed box/Caja de empotrar

71482 ●





DART


○ 70272 matt white/blanco mate

● 70273 matt black/negro mate

LED COB 2W 2700K 70lm CRI>80 Driver ✓

Body Polycarbonate/Polycarbonato

Diff Transparent Glass/Cristal Transparente





Recessed box/Caja de empotrar

70276 black/negro

Surface box/Caja de superficie

70274 white/blanco

70275 black/negro



SPARK



● 70162 dark grey/gris oscuro

○ 70163 matt white/blanco mate

LED SMD 5W 3000K 230lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Polycarbonato Opal



SPARK




● 70164 dark grey/gris oscuro

○ 70165 matt white/blanco mate

LED SMD 5W 3000K 100lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Polycarbonato Opal



DART


○ 70277 matt white/blanco mate

● 70278 matt black/negro mate

LED COB 5W 2700K 275lm CRI>80 Driver ✓

Body Polycarbonate/Polycarbonato

Diff Transparent Glass/Cristal Transparente





Recessed box/Caja de empotrar

70281 black/negro

Surface box/Caja de superficie

70279 white/blanco

70280 black/negro





MINI RACING

● **70403** dark grey/gris oscuro


LED SMD 1W 4000K 30lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Transp. Polycarbonate/Polycarbonato Transp.

IP44 IK08 220-240V 50/60Hz 45°

$\varnothing 76$



MINI CARTER

● **70402** dark grey/gris oscuro



LED SMD 1W 4000K 30lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Transp. Polycarbonate/Polycarbonato Transp.

IP44 IK08 220-240V 50/60Hz 45°

$\varnothing 76$



SOUN

● **70833** dark grey/gris oscuro

● **70834** matt white/blanco mate



LED SMD 5W 3000K 280lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

IP65 IK06 100-240V 50/60Hz 120°

$\varnothing 76$
220x950655



SOUN

● **70900** dark grey/gris oscuro

● **70901** matt white/blanco mate



LED SMD 8W 3000K 630lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

IP65 IK06 100-240V 50/60Hz 120°

$\varnothing 76$
183x225x70



STORE

● **70451** dark grey/gris oscuro


LED SMD 2W 2700K 90lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

IP65 IK10 100-240V 50/60Hz 120°

$\varnothing 76$
98x160x85



FILTER

● **70450** dark grey/gris oscuro


LED 2W 2700K 75lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

IP65 IK10 100-240V 50/60Hz 120°

$\varnothing 76$
98x160x85





SEDNA


● **70146** dark grey/gris oscuro

LED SMD 1W 3000K 30lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP65 IK08 100-240V 50/60Hz 70°

80x75



SEDNA



● **70147** dark grey/gris oscuro

LED SMD 3W 3000K 90lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP65 IK08 100-240V 50/60Hz 70°

125x58



SEDNA


● **70148** dark grey/gris oscuro

LED SMD 3W 3000K 90lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP65 IK08 100-240V 50Hz 70°

128x112



NAT


● **70638** dark grey/gris oscuro
○ **70271** matt white/blanco mate

LED SMD 8W 3000K 330lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transp. Polycarbonate/Polycarbonato Transp.

IP65 IK08 100-240V 50/60Hz 120°

215x65x70




HORUS

● **70155** grey/gris

LED SMD 4W 3000K 60lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transp. Polycarbonate/Polycarbonato Transp.

IP65 100-240V 50/60Hz 50° 62x98




HORUS

● **70154** grey/gris

LED SMD 4W 3000K 60lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transp. Polycarbonate/Polycarbonato Transp.

IP65 IK08 100-240V 50/60Hz 50° 62x98





GRUND

● **70726** satin inox/inox satinado
● **70730** anodized black/negro anodizado
LED HIGH POWER 2W 3000K 152lm CRI>90
Body Aluminium+Stainless Steel 316/
Aluminio+Acero Inoxidable 316
Diff Transparent Glass/Cristal Transparente
**Drivers info pag. 647*

SEA SIDE
SUITABLE

ANTI-GLARE


IP67 IK08

700
mA

15°

1000Kg.
2204Lb.

ø32



CROSBY

● **70458N** satin inox/inox satinado
LED HIGH POWER 2W 6000K 85lm CRI>80
Driver ✓
Body 316 Stainless Steel/Acero Inox 316
Diff Opal Glass/Cristal Opal


SEA SIDE
SUITABLE

IP67 IK08

120-
240V

50/
60Hz

120°



GRUND

● **70728** satin inox/inox satinado
● **70731** anodized black/negro anodizado
LED COB 7W 3000K 420lm CRI>90
Body Aluminium+Stainless Steel 316/
Aluminio+Acero Inoxidable 316
Diff Transparent Glass/Cristal Transparente
**Drivers info pag. 647*

SEA SIDE
SUITABLE

ANTI-GLARE


IP67 IK08

350
mA

36°

1000Kg.
2204Lb.

ø60



CROSBY

● **70459N** satin inox/inox satinado
LED HIGH POWER 2W 3000K 77lm CRI>80
Driver ✓
Body 316 Stainless Steel/Acero Inox 316
Diff Opal Glass/Cristal Opal


SEA SIDE
SUITABLE

IP67 IK08

120-
240V

50/
60Hz

120°



GRUND

● **70729** satin inox/inox satinado
● **70732** anodized black/negro anodizado
LED COB 13W 3000K 846lm CRI>90
Body Aluminium+Stainless Steel 316/
Aluminio+Acero Inoxidable 316
Diff Transparent Glass/Cristal Transparente
**Drivers info pag. 647*

SEA SIDE
SUITABLE

ANTI-GLARE


IP67 IK08

350
mA

36°

1000Kg.
2204Lb.

ø68



CROSBY

● **70453** satin inox/inox satinado
LED HIGH POWER 2W 3000K 77lm CRI>80
Driver ✗ [98324015]
Body 316 Stainless Steel/Acero Inox 316
Diff Opal Glass/Cristal Opal

SEA SIDE
SUITABLE


IP67 IK08

120-
240V

50/
60Hz

120°

**Drivers info pag. 647*






GRUND **NEW**● **70733** satin inox/inox satinado● **70735** anodized black/negro anodizado

LED HIGH POWER 2W 2700K 100lm CRI>90

Body Aluminium+Stainless Steel 316/
Aluminio+Acero Inoxidable 316**Diff** Transparent Glass/Cristal Transparente

*Drivers info pag. 647





KANE

● **70660** satin inox/inox satinado

LED 3W 3000K 120lm CRI>80

Body 316 Stainless Steel/Acero Inox 316**Diff** Transparent Glass/Cristal Transparente




*Drivers info pag. 647

GRUND **NEW**● **70734** satin inox/inox satinado● **70736** anodized black/negro anodizado

LED COB 7W 2700K 400lm CRI>90

Body Aluminium+Stainless Steel 316/
Aluminio+Acero Inoxidable 316**Diff** Transparent Glass/Cristal Transparente

*Drivers info pag. 647




KANE

● **70661** satin inox/inox satinado


LED 3W 3000K 120lm CRI>80

Body 316 Stainless Steel/Acero Inox 316**Diff** Transparent Glass/Cristal Transparente

*Drivers info pag. 647



CURTIS ASIMETRIC

● **70462N** satin inox/inox satinadoLED HIGH POWER 2W 3000K 77lm CRI>80
Driver ✓**Body** 316 Stainless Steel/Acero Inox 316**Diff** Transparent Glass/Cristal TransparenteVisit faro.es to consult how to install it.Visita faro.es para consultar su instalación.



KANE

● **70662** satin inox/inox satinado

LED 3W 3000K 120lm CRI>80

Body 316 Stainless Steel/Acero Inox 316**Diff** Transparent Glass/Cristal Transparente

*Drivers info pag. 647





TRAS ORIENTABLE

● **71701** matt black/negro mate

LED SMD 4W 3000K 462lm CRI>80
1 Power Supply 24Vdc ☒ [98324020U] x max.
4 units


Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

ORIENTABLE **IP67** IK09 71703

13° 30°/30° 175x195x127

Recessed box/Caja de empotrar

● **71703** matt black/negro mate



TRAS

● **71702** matt black/negro mate

LED SMD 8W 3000K 924lm CRI>80
1 Power Supply 24Vdc ☒ [98324020U] x max.
2 units


Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP67 IK09 71703 13° 175x195x127

*Drivers info pag. 647

Recessed box/Caja de empotrar

● **71703** matt black/negro mate



TRAS NEW

● **71716** 13° matt black/negro mate


● **71717** 40° matt black/negro mate

LED SMD 25W 3000K 2580lm CRI90
1 Power Supply 24Vdc ☒ [98310228] x max.
4 units

Body Aluminium+ABS/Aluminio+ABS
Diff Transparent Glass/Cristal Transparente

IP67 IK09 250x235x105

*Drivers info pag. 647





GEISER ORIENTABLE

● 70304 satin inox/inox satinado

GU10 MAX 8W ✕ [17324]


Cover 316 Stainless Steel/Acero Inox 316

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE ORIENTABLE ANTI-GLARE

IP67 IK08 -20°/20° 2000Kg. 4409Lb. ø116



GEISER ORIENTABLE 38°

● 70305 satin inox/inox satinado

LED COB 7W 3000K 400lm Driver ✓



Cover 316 Stainless Steel/Acero Inox 316

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE ORIENTABLE ANTI-GLARE

IP67 IK08 38° -20°/20° 2000Kg. 4409Lb. ø116



GEISER ORIENTABLE NEW

● 70310 satin inox/inox satinado

GU10 MAX 8W ✕ [97685327]

Cover 316 Stainless Steel/Acero Inox 316

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE ORIENTABLE ANTI-GLARE

IP67 IK08 -20°/20° 2000Kg. 4409Lb. ø116



GEISER ORIENTABLE

● 70302 10° satin inox/inox satinado

● 70303 38° satin inox/inox satinado

LED COB 7W 3000K 400lm Driver ✓

Cover 316 Stainless Steel/Acero Inox 316


Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE ORIENTABLE ANTI-GLARE

IP67 100-240V 50/60Hz IK08 -20°/20° 2000Kg. 4409Lb. ø116

2000Kg. 4409Lb.



GEISER ORIENTABLE NEW

● 70308 10° satin inox/inox satinado

● 70309 38° satin inox/inox satinado

LED COB 15W 3000K 900lm Driver ✓

Cover 316 Stainless Steel/Acero Inox 316


Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE ORIENTABLE ANTI-GLARE

IP67 100-240V 50/60Hz IK08 -20°/20° 2000Kg. 4409Lb. ø116

2000Kg. 4409Lb.



GEISER ORIENTABLE

● 70306 10° satin inox/inox satinado

● 70307 38° satin inox/inox satinado

LED COB 29W 3000K 1800lm Driver ✓

Cover 316 Stainless Steel/Acero Inox 316


Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE ORIENTABLE ANTI-GLARE IP67

IP67 100-240V 50/60Hz IK08 -25°/25° 2000Kg. 4409Lb. ø116

2000Kg. 4409Lb.





SURIA-3


- 70588 24° satin inox/inox satinado
- 70592N 60° satin inox/inox satinado

LED COB 3W 3000K 175lm CRI>80 Driver ✓

Body Aluminium/Aluminio**Outer ring** 316 Stainless Steel/Acero Inox 316**Box** Polycarbonate/Polycarbonato**Diff** Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE IP67 IK08 100-240V 50/60Hz

1000Kg. 2204Lb.



SURIA-12


- 70589 24° satin inox/inox satinado
- 70593N 60° satin inox/inox satinado

LED COB 12W 3000K 1280lm CRI>80 Driver ✓

Body Aluminium/Aluminio**Outer ring** 316 Stainless Steel/Acero Inox 316**Box** Polycarbonate/Polycarbonato**Diff** Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE IP67 IK08 100-240V 50/60Hz

1000Kg. 2204Lb.



SURIA-24


- 70586 24° satin inox/inox satinado
- 70587 60° satin inox/inox satinado

LED COB 24W 3000K 1870lm CRI>80 Driver ✓

Body Aluminium/Aluminio**Outer ring** 316 Stainless Steel/Acero Inox 316**Box** Polycarbonate/Polycarbonato**Diff** Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE IP67 IK08 100-240V 50/60Hz

1000Kg. 2204Lb.



LED -18


- 71496N 6000K satin inox/inox satinado
- 71498N 3000K satin inox/inox satinado

LED HIGH POWER 3W 40lm CRI>80 Driver ✓

Body 316 Stainless Steel/Acero Inox 316**Diff** Opal Glass/Cristal Opal

SEA SIDE SUITABLE IP67 IK08 100-240V 50/60Hz

1000Kg. 2204Lb.



LED -18


- 71497N 6000K satin inox/inox satinado
- 71499N 3000K satin inox/inox satinado

LED HIGH POWER 3W 40lm CRI>80 Driver ✓

Body 316 Stainless Steel/Acero Inox 316**Diff** Opal Glass/Cristal Opal

SEA SIDE SUITABLE IP67 IK08 220-240V 50/60Hz

1000Kg. 2204Lb.







SALT ASIMETRIC

● **70591** satin inox/inox satinado

LED COB 9W 3000K 500lm CRI90 Driver ✓

Body 316 Stainless Steel/Acero Inox 316
Diff Transparent Glass/Cristal Transparente




TARO

● **70449** satin inox/inox satinado

LED COB 7W 3000K 280lm CRI>80 Driver ✓

Body 316 Stainless Steel/Acero Inox 316
Diff Transparent Glass/Cristal Transparente



EDEL

● **70455** satin inox/inox satinado


LED HIGH POWER 18W 4000K 900lm CRI>80 Driver ✗ [46067]

Body 316 Stainless Steel/Acero Inox 316
Diff Opal Glass/Cristal Opal



Very important: to be used only underwater
Importante: uso exclusivo sólo bajo el agua

Visit faro.es to consult how to install it.
Visita faro.es para consultar su instalación.




TECNO-1

● **71483** satin inox/inox satinado

E27 MAX 15W LED ✗ [17463]

Body 316 Stainless Steel/Acero Inox 316
Diff Opal Glass/Cristal Opal




TECNO-6

● **71489N** satin inox/inox satinado

GU10 MAX 8W LED ✗ [17324]

Body 316 Stainless Steel/Acero Inox 316
Diff Transparent Glass/Cristal Transparente




LIO

● **71495** satin inox/inox satinado

GX53 6W 3000K 330lm ✓ [17340 100-240V]

Body 316 Stainless Steel/Acero Inox 316
Diff Opal Glass/Cristal Opal






FALLS ORIENTABLE **NEW**

● **71730** satin inox/inox satinado
LED SMD 9W 3000K 672lm CRI90
Driver ☒ [98310620]
Body 316 Stainless Steel/Acero Inox 316
Diff Transparent Glass/Cristal Transparente

IP67 IK09 III 24 Vdc 1000Kg. 2204Lb.

25° 310x52x100




FALLS ORIENTABLE **NEW**

● **71731** satin inox/inox satinado
LED SMD 9W 3000K 669lm CRI90
Driver ☒ [98310620]
Body 316 Stainless Steel/Acero Inox 316
Diff Transparent Glass/Cristal Transparente

IP67 IK09 III 24 Vdc 1000Kg. 2204Lb.

30x60° 310x52x100




FALLS ORIENTABLE **NEW**

● **71732** satin inox/inox satinado
LED SMD 18W 3000K 1367lm CRI90
Driver ☒ [98310620]
Body 316 Stainless Steel/Acero Inox 316
Diff Transparent Glass/Cristal Transparente

IP67 IK09 III 24 Vdc 1000Kg. 2204Lb.

25° 520x53x100



FALLS ORIENTABLE **NEW**

● **71733** satin inox/inox satinado
LED SMD 18W 3000K 1413lm CRI90
Driver ☒ [98310116]
Body 316 Stainless Steel/Acero Inox 316
Diff Transparent Glass/Cristal Transparente

IP67 IK09 III 24 Vdc 1000Kg. 2204Lb.

30x60° 520x53x100





FALLS **NEW**

● **71734** satin inox/inox satinado

LED SMD 6W 2700K 190lm CRI90


Driver ☒ [98310620]

Body 316 Stainless Steel/Acero Inox 316

Diff Opal Glass/Cristal Opal

IP67 IK09  24 Vdc  1000Kg. 2204Lb. 


310x52x100



OUTDOOR RECESSED / EMPOTRABLES



FALLS **NEW**

● **71735** satin inox/inox satinado

LED SMD 6W 3000K 200lm CRI90


Driver ☒ [98310620]

Body 316 Stainless Steel/Acero Inox 316

Diff Opal Glass/Cristal Opal

IP67 IK09  24 Vdc  1000Kg. 2204Lb. 


310x52x100



FALLS **NEW**

● **71736** satin inox/inox satinado

LED SMD 11W 2700K 291lm CRI90


Driver ☒ [98310620]

Body 316 Stainless Steel/Acero Inox 316

Diff Opal Glass/Cristal Opal

IP67 IK09  24 Vdc  1000Kg. 2204Lb. 


520x53x100



FALLS **NEW**

● **71737** satin inox/inox satinado

LED SMD 11W 3000K 316lm CRI90

Driver ☒ [98310620]

Body 316 Stainless Steel/Acero Inox 316

Diff Opal Glass/Cristal Opal

IP67 IK09  24 Vdc  1000Kg. 2204Lb. 


520x53x100

