swisstech Concept

SWISSTECH CONCEPT

DISTRIBUTEUR OFFICIEL DE LA GAMME

FARO
BARCELONA

GAMME INTERIEUR

2021

NEW FUJI

— Isaac Piñeiro

74465 matt black/negro mate

LED SMD 1,5W 2700K 90lm 3.7VDC ✓

Body Aluminium/Aluminio
Diff Opal polycarbonate/Policarbonato opal

IP44 III DC 3.7V Battery ✓

USB wire Type C 1.8mt cable — 10h Worktime 10h Charge — Hook ✓



25lm 45lm 90lm

USB Charger

Portables

Portátiles

JELLYFISH

— Nahtrang

24523 matt black/negro mate

24524 matt white/blanco mate

LED SMD 3W 2700K 220lm CRI>80 Driver ✓

Body Steel/Acero
Diff PMMA

DC5V-1A Battery ✓ Micro USB

9h Worktime
8h Charge



1W 100lm



2W 200lm



3W 300lm



Touch
Switch

Micro
USB

P.49
TABLE&FLOOR

HOSHI

— Xjer Studio

28386 gold+black/oro+negro

LED SMD 4W 3000K 480lm CRI>80 Driver ✓

Body Steel/Acero
Diff Opal polycarbonate/Policarbonato opal

DIM III DC5V-1A Battery ✓

Micro USB 9h Worktime 4-6h Charge



Dimmable Intensity

Micro USB

P.40
TABLE

TAKE AWAY

— Nahtrang

video

01015 matt white/blanco mate

01016 matt black/negro mate

LED 1,5W 3000K 100lm CRI>80 Driver ✓

Body Polycarbonate/Policarbonato
Diff Silicone/Silicona
Base Wood/Madera

PRESS LAMP · DC5V-1A · Battery ✓

Micro USB 2mt cable · 5h Worktime 5h Charge



30lm

55lm



100lm

Wall accessory/*Accesorio aplique*

01017 wood/madera

Body Wood/Madera



Press Lamp

Micro USB

GUADALUPE

— Faro Lab

video

20033-80 black+beige/negro+beige

20033-81 black+green/negro+green

E27 MAX 15W LED **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Steel/Acero

1.5 MT



20034-80 black+beige/negro+beige

20034-81 black+green/negro+green

E27 MAX 15W LED **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Steel/Acero

3.5 MT



P.148
WALL

Table & Floor

Mesa y Suelo

HOSHI

— Xjer Studio

28387 gold+black/oro+negro

28388 black+copper/negro+cobre

LED SMD 12W 3000K 930lm CRI>80 Driver

Body Steel/Acero
Diff Opal polycarbonate/Policarbonato opal

DIM 100-240V 50/60Hz 2.6 MT

P.35
PORTABLE



TEN

— Faro Lab

62156 shiny copper/cobre brillo
62157 satin gold/oro satinado
62168 NEW matt white/blanco mate
62169 NEW matt black/negro mate

E27 MAX 15W LED **[17429 or 17464]**

Body Steel/Acero

1.5 MT

P.195
WALL



AKANE

— Pepe Llaudet



28370 black+beige/negro+beige

E27 MAX 15W LED **[17463]**

Body Steel/Acero
Shade Papyrus/Papiro

1.7 MT

28371 black+beige/negro+beige

E27 MAX 15W LED **[17464]**

Body Steel/Acero
Shade Papyrus/Papiro

1.7 MT





NIKO

— Nahtrang

01007 white+wood/blanco+madera

Diff Opal glass/Cristal Opal

01025 white+wood/blanco+madera

Diff PMMA

LED SMD 7W 3000K 500lm CRI>80 Driver

Body Aluminium+wood/Aluminio+madera

DIM 100-240V 50/60Hz USB charger

5VDdc/2A Wireless charger



1W 80lm

4W 250lm

7W 500lm

Wireless Charger

USB Charger

Touch Switch

P.152
WALL

MINE

— Nahtrang

○ **28378** matt white/blanco mate
● **28379** dark grey/gris oscuro

Diff Opal glass/Cristal Opal

○ **28211** matt white/blanco mate
● **28212** dark grey/gris oscuro

Diff PMMA

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Aluminium+wood/Aluminio+madera

2 MT



P.105
SUSPENDED

LULA

— Marina Milà

28383 matt white/blanco mate

28385 black+white/negro+blanco

E27 MAX 15W LED **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil

1.7 MT



28380 matt white/blanco mate

28382 black+white/negro+blanco

E27 MAX 15W LED **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil

1.7 MT



ETERNA

— Lucid



*Structures and shades also sold separately 648-650/
Estructuras y pantallas también se venden por separado 648-650

BLISS

28401 wood+white/madera+blanco

E27 MAX 15W LED **[17463/*Smart* 17498]**

Body Beech wood/Madera haya
Shade Textile/Téxtil

1.8 MT

NIDIA

68423 nickel+white/níquel+blanco

E27 MAX 15W LED **[17463]**

Body Steel/Acero
Shade Textile/Téxtil

1.8 MT

24008-13 chrome+white/cromo+blanco
24008-14 chrome+beige/cromo+beige
24008-15 chrome+black/cromo+negro

E27 MAX 15W LED **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil

1.8 MT







P.163
WALL

ANOUK

53414 matt white/blanco mate
53415 matt black/negro mate

LED SMD 8W 4000K 530lm CRI>80 Driver ✓

Body ABS

DIM 220-240V 50/60Hz 1.5 MT USB charger



OTTO

52064 matt black/negro mate
52065 matt white/blanco mate

LED SMD 6W 4000K 500lm CRI>80 Driver ✓

Body Aluminium+ABS+Silicone/
Aluminio+ABS+Silicona
Diff Opal PMMA/PMMA Opal

DIM 100-240V 50/60Hz 1.8 MT

Electronic Adapteur
11V 500mA ✓



LENA

52057 matt white/blanco mate
52058 matt black/negro mate

LED SMD 3W 4000K 300lm CRI>80 Driver ✓

Body Aluminium+ABS+Silicone/
Aluminio+ABS+Silicona
Diff Glass/Cristal

100-240V 50/60Hz 70° 1.8 MT

Electronic Adapteur
11V 350mA ✓



GRU

51916 matt white/blanco mate
51917 matt black/negro mate

E27 MAX 15W LED ✗ **[17463/*Smart* 17498]**

Body Steel/Acero

1.7 MT



BAOBAB

51908 matt white/blanco mate
51909 matt black/negro mate
51910 grey/gris

E14 MAX 8W LED ✗ **[17461]**

Body Steel/Acero

1.7 MT



ITO

52071 matt black/negro mate

LED SMD 5W 3000K 390lm CRI>80 Driver

Body ABS+Aluminium/ABS+Aluminio
Diff Opal PMMA/PMMA Opal

DIM 220-240V 50/60Hz 1.8 MT clip



BANKER

68334 old gold+green/oro viejo+verde

E27 MAX 15W LED **[17463/*Smart* 17498]**

Body Steel/Acero
Diff Glass/Cristal

1.9 MT 90º 90º



SNAP

57400 off white+grey/blanco roto+gris
57401 dark grey/gris oscuro

E27 MAX 15W LED **[17463/*Smart* 17498]**

Body Steel/Acero

1.8 MT



P.199
WALL

GUEST

— Andreu Carulla

video

01046 matt black/negro mate

E27 MAX 15W LED **[17429]**

Body Steel/Acero

1.5 MT



Switch

Cork included

P.149
WALL

JELLYFISH

— Nahtrang

24521 black+gold/negro+oro

LED SMD 6W 3000K 500lm CRI>80 Driver

Body Steel/Acero
Diff Opal PMMA/PMMA Opal

220-240V 50/60Hz 4.3 MT



24522 black+gold/negro+oro

LED SMD 6W 3000K 500lm CRI>80 Driver

Body Steel/Acero
Diff Opal PMMA/PMMA Opal

220-240V 50/60Hz 1.8 MT



P.34
PORTABLE

video

29692D shiny gold/oro brillo

29697 matt black/negro mate

LED 6W 2700K 570lm CRI>80 Driver

Body Steel/Acero
Diff Opal glass/Cristal Opal

DIM 100-240V 50/60Hz 2 MT



1W 95lm

4W 380lm

6W 570lm

Touch dimmer

LE VITA

— Nahtrang

29693D shiny gold/oro brillo

29698 matt black/negro mate

LED 6W 2700K 570lm CRI>80 Driver ✔

Body Steel/Acero
Diff Opal glass/Cristal Opal

DIM 100-240V 50/60Hz 2 MT





Touch dimmer

P.87 SUSPENDED

P.143 WALL

LOOP

— Estudi Ribaudí

29569 black+wood/negro+madera

Shade Cherry Tree Wood/Madera Cerezo

29399 NEW black+wood/negro+madera

Shade Ash Tree Wood/Madera Fresno

LED SMD 7W 3000K 500lm CRI>80 Driver

Body Steel/Acero

DIM 100-240V 50/60Hz 2 MT 350º



1W 100lm | 3W 300lm | 6W 600lm

Cherry tree
Wood shade



Ash tree
Wood shade

29568 black+wood/negro+madera

Shade Cherry Tree Wood/Madera Cerezo

29398 NEW black+wood/negro+madera

Shade Ash Tree Wood/Madera Fresno

LED SMD 6W 2700K 600lm CRI>80 Driver ✓

Body Steel/Acero

DIM 100-240V 50/60Hz 2 MT 350º

clip ✓ max.55mm



Clip Included

Touch Switch

P.107 SUSPENDED

P.155 WALL

STOOD

— Lucid

29846 black+wood/negro+madera

E27 MAX 15W LED **[17464]**

Body Steel/Acero
Shade Cherry Tree Wood/Madera Cerezo

2 MT

29847 black+wood/negro+madera

E27 MAX 15W LED **[17464]**

Body Steel/Acero
Shade Cherry Tree Wood/Madera Cerezo

2 MT

Cherry tree
Wood shade





P.106
SUSPENDED



P.154
WALL

LINK

— Estudi Ribaudí

○ **29883** matt white/blanco mate
● **29884** matt black/negro mate
● **29899** bronze/bronce

GU10 MAX 8W LED ⊗ **[97685327]**

Body Steel/Acero

1.9 MT 350º 90º 90º



○ **29881** matt white/blanco mate
● **29882** matt black/negro mate
● **29898** bronze/bronce

GU10 MAX 8W LED ⊗ **[97685327]**

Body Steel/Acero

1.9 MT 350º 90º 90º



P.132
CEILING

P.220
SPOT

P.244
TRACK

LAO

— Nahtrang

● **29049** matt black/negro mate
○ **29050** matt white/blanco mate

LED SMD 4W 3000K 400lm CRI>80 Driver ✓

Body Aluminium+ABS/Aluminio+ABS
Diff PMMA

100-240V 50/60Hz 2 MT 350º 90º 90º



● **29047** matt black/negro mate
○ **29048** matt white/blanco mate

LED SMD 4W 3000K 400lm CRI>80 Driver ✓

Body Aluminium+ABS/Aluminio+ABS
Diff PMMA

100-240V 50/60Hz 2 MT 350º 90º 90º



P.220 SPOT

P.244 TRACK

WHIZZ

— Christoph F. Wagner

20164-95 black+gold/negro+oro

20164-96 gold+black/oro+negro

E27 MAX 15W LED **[17426/17496]**

Body Steel/Acero

3.7 MT



Adjustable
Shade

P.89
SUSPENDED

P.145
WALL

STAND-UP — Estudi Ribaudí

- **57210** matt silver+white/plata mate+blanco
- **57211** black+white/negro+blanco
- **57212** matt silver+black/plata mate+negro
- **57213** black+black/negro+negro
- **57214** matt silver+grey/plata mate+gris
- **57215** black+grey/negro+gris

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Aluminium/Aluminio
Shade Textilene/Textileno

2 MT

57210 **57211** **57212** **57213** **57214** **57215**



Switch

Adjustable shade

DRUM

— Nahtrang

24023-33 black+beige/negro+beige

24023-34 black+grey/negro+gris

E27 MAX 15W LED **[17464]**

Body Steel/Acero
Shade Textile/Téxtil
Diff Opal Polycarbonate/Policarbonato Opal

2.1 MT



24020-31 black+beige/negro+beige

24020-32 black+grey/negro+gris

E27 MAX 15W LED **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil
Diff Opal Polycarbonate/Policarbonato Opal

1.8 MT



64317-47 black+rattan/negro+rattan

E27 MAX 15W LED **[17463]**

Body Steel/Acero
Shade Rattan

1.5 MT



64311-48 black+rattan/negro+rattan

E27 MAX 15W LED **[17463]**

Body Steel/Acero
Shade Rattan

1.5 MT

*Structures and shades also sold separately 648-650/
Estructuras y pantallas también se venden por separado 648-650



video

MAMBO

— Faro Lab

64313-49 black+rattan/negro+rattan

E27 MAX 15W LED **[17464]**

Body Steel/Acero
Shade Rattan

1.8 MT

Switch

P.110
SUSPENDED

P.159
WALL



NEW

CONGA

— Faro Lab

64316-01 white+white/blanco+blanco
64316-02 white+beige/blanco+beige
64317-03 black+black/negro+negro

E27 MAX 15W LED **[17463]**

Body Steel/Acero
Shade Textile/Téxtil

1.5 MT



*Structures and shades also sold separately 648-650/
Estructuras y pantallas también se venden por separado 648-650

64312-07 white+white/blanco+blanco
64312-08 white+beige/blanco+beige
64313-09 black+black/negro+negro

E27 MAX 15W LED **[17464]**

Body Steel/Acero
Shade Textile/Téxtil

1.8 MT



64310-04 white+white/blanco+blanco
64310-05 white+beige/blanco+beige
64311-06 black+black/negro+negro

E27 MAX 15W LED **[17463]**

Body Steel/Acero
Shade Textile/Téxtil

1.5 MT



P.113 SUSPENDED

P.160 WALL

NEW

SAMBA

— Faro Lab

- **64316-35** white+beige/blanco+beige
- **64316-36** white+yellow/blanco+amarillo
- **64316-37** white+green/blanco+verde
- **64317-35** black+beige/negro+beige
- **64317-36** black+yellow/negro+amarillo
- **64317-37** black+green/negro+verde

E27 MAX 15W LED ⊗ **[17463]**

Body Steel/Acero
Shade Textile/Téxtil

1.5 MT



*Structures and shades also sold separately 648-650/
Estructuras y pantallas también se venden por separado 648-650

- **64312-41** white+beige/blanco+beige
- **64312-42** white+yellow/blanco+amarillo
- **64312-43** white+green/blanco+verde
- **64313-41** black+beige/negro+beige
- **64313-42** black+yellow/negro+amarillo
- **64313-43** black+green/negro+verde

E27 MAX 15W LED ⊗ **[17464]**

Body Steel/Acero
Shade Textile/Téxtil

1.8 MT



- **64310-38** white+beige/blanco+beige
- **64310-39** white+yellow/blanco+amarillo
- **64310-40** white+green/blanco+verde
- **64311-38** black+beige/negro+beige
- **64311-39** black+yellow/negro+amarillo
- **64311-40** black+green/negro+verde

E27 MAX 15W LED ⊗ **[17463]**

Body Steel/Acero
Shade Textile/Téxtil

1.5 MT



P.112 SUSPENDED

P.161 WALL

MONTREAL

— Nahtrang

- **24034-04** white+white/blanco+blanco
- **24034-05** white+beige/blanco+beige
- **24035-04** chrome+white/cromo+blanco
- **24035-05** chrome+beige/cromo+beige
- **24035-06** chrome+black/cromo+negro

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil

1.8 MT



*Structures and shades also sold separately 648-650/
Estructuras y pantallas también se venden por separado 648-650

- **24036-07** white+white/blanco+blanco
- **24036-08** white+beige/blanco+beige
- **24037-07** chrome+white/cromo+blanco
- **24037-08** chrome+beige/cromo+beige
- **24037-09** chrome+black/cromo+negro

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil

2.1 MT



P.156
WALL

SAVOY

— Isaac Piñeiro

20304-82 white+white/blanco+blanco
20305-83 black+black/negro+negro
20305-84 black+green/negro+verde

E27 MAX 15W LED **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil
Diff Steel/Acero

2 MT

video

20306-85 white+white/blanco+blanco
20307-86 black+black/negro+negro
20307-87 black+green/negro+verde

E27 MAX 15W LED **[17464]**

Body Steel/Acero
Shade Textile/Téxtil
Diff Steel/Acero

2 MT



P.109
SUSPENDED

P.157
WALL

REM

— Àlex & Manel Lluscà

*Structures and shades also sold separately 648-650/
Estructuras y pantallas también se venden por separado 648-650

29684-04 matt nickel+white/níquel mate+blanco
29684-05 matt nickel+beige/níquel mate+beige
29684-06 matt nickel+black/níquel mate+negro
29685-04 bronze+white/bronce+blanco
29685-05 bronze+beige/bronce+beige
29685-06 bronze+black/bronce+negro

E27 MAX 15W LED **[17463/*Smart* 17498]**

Body Steel/Acero **Shade** Textile/Téxtil

1.6 MT



- **29686-07** matt nickel+white/níquel mate+blanco
- **29686-08** matt nickel+beige/níquel mate+beige
- **29686-09** matt nickel+black/níquel mate+negro
- **29687-07** bronze+white/bronce+blanco
- **29687-08** bronze+beige/bronce+beige
- **29687-09** bronze+black/bronce+negro

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero **Shade** Textile/Téxtil

1.9 MT



P.165
WALL

ARTIS

— Àlex & Manel Lluscà

68489 old bronze/bronce envejecido

E27 MAX 15W LED **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil

3.2 MT 350º



Adjustable Shade

68488 old bronze/bronce envejecido

E27 MAX 15W LED **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil

2.4 MT 350º



P.162
WALL

VESPER

— Nahtrang

29978 white+beige/blanco+beige

29979 brown+beige/marrón+beige

2 E27 MAX 15W LED **[17463]**

Body Steel/Acero
Shade Textile/Téxtil
Diff Textile/Téxtil

3.5 MT



29984 white+beige/blanco+beige

29985 brown+beige/marrón+beige

2 E27 MAX 15W LED **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil
Diff Textile/Téxtil

1.7 MT



P.122
SUSPENDED

P.172
WALL



LINDA

— Estudi Ribaudí

29312 black+beige/negro+beige

E27 MAX 15W LED **[17464]**

Body Steel/Acero
Shade Textile/Téxtil

2.8 MT



29307 white+beige/blanco+beige

29311 black+beige/negro+beige

E27 MAX 15W LED **[17463]**

Body Steel/Acero
Shade Textile/Téxtil

2 MT



P.120
SUSPENDED

P.196
WALL

LUPE

— Jordi Busquets

29998 chrome+beige/cromo+beige

20034-88 black+beige/negro+beige

E27 MAX 15W LED **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil

2 MT



29997 chrome+beige/cromo+beige

E27 MAX 15W LED **[17463]**

Body Steel/Acero
Shade Textile/Téxtil

1.8 MT



P.166
WALL

TREE

— Estudi Ribaudí

29866 matt black/negro mate

29867 matt white/blanco mate

E27 MAX 15W LED **[17464]**

Body Steel/Acero
Shade Textile/Téxtil

1.8 MT



29868 matt black/negro mate

29869 matt white/blanco mate

E27 MAX 15W LED **[17464]**

Body Steel/Acero
Shade Textile/Téxtil

2 MT



P.120
SUSPENDED

SWEET

— Estudi Ribaudí

29938 nickel+white/níquel+blanco
29958 matt white/blanco mate
29959 matt black/negro mate

E27 MAX 15W LED **[17464]**

Body Steel/Acero
Shade Textile/Téxtil
Top Diff Textile/Téxtil

1.7 MT



29937 nickel+white/níquel+blanco
29954 matt white/blanco mate
29955 matt black/negro mate

E27 MAX 15W LED **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil
Top Diff Textile/Téxtil

1.9 MT



P.173
WALL

BERNI

— Nahtrang

29332 matt white/blanco mate

29333 matt black/negro mate

E27 MAX 15W LED **[17463]**

Body Steel/Acero
Shade Textile/Téxtil
Top Diff Steel/Acero

1.5 MT



29335 matt white/blanco mate

29336 matt black/negro mate

E27 MAX 15W LED **[17464]**

Body Steel/Acero
Shade Textile/Téxtil

1.5 MT



P.173
WALL

VOLTA

— Estudi Ribaudí

20025 nickel+white/níquel+blanco

20026 nickel+black/níquel+negro

E27 MAX 15W LED **[17463]**

Body Steel/Acero
Shade Textile/Téxtil

2 MT



20029 nickel+white/níquel+blanco

20030 nickel+black/níquel+negro

E27 MAX 15W LED **[17463]**

Body Steel/Acero
Shade Textile/Téxtil

2 MT



P.170
WALL

HOTEL

— Àlex & Manel Lluscà

29942 chrome+white/cromo+blanco
29947 chrome+black/cromo+negro

E27 MAX 15W LED **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil
Top Diff Textile/Téxtil

1.9 MT 90º 90º 350º



29943 chrome+white/cromo+blanco
29948 chrome+black/cromo+negro

E27 MAX 15W LED **[17464]**

Body Steel/Acero
Shade Textile/Téxtil

1.9 MT



P.121
SUSPENDED

P.171
WALL



MOMA

68502 chrome+white/cromo+blanco

68503 chrome+black/cromo+negro

E27 MAX 15W LED **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil
Diff Opal Polycarbonate/Policarbonato Opal

2.1 MT



MOMA

68500 chrome+white/cromo+blanco

68501 chrome+black/cromo+negro

E27 MAX 15W LED **[17463]**

Body Steel/Acero
Shade Textile/Téxtil
Diff Opal Polycarbonate/Policarbonato Opal

1.9 MT



P.174
WALL



BLACK

● **29764** matt black/negro mate

E27 MAX 15W LED ⊗ **[17464]**

Body Steel/Acero
Shade Textile/Téxtil

2.5 MT



PAPUA

○ **68462** matt white/blanco mate

● **68463** matt black/negro mate

E27 MAX 15W LED ⊗ **[17464]**

Body Steel/Acero
Shade Textile/Téxtil

2 MT



THANA

68531 nickel+white/níquel+blanco

E27 MAX 15W LED **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil

2 MT



THANA

68530 nickel+white/níquel+blanco

E27 MAX 15W LED **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil

1.5 MT



P.123
SUSPENDED

P.174
WALL

MITIC

68418 nickel+beige/níquel+beige

E27 MAX 15W LED **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil

1.5 MT



MITIC

68417 nickel+beige/níquel+beige

E14 MAX 8W LED **[17461]**

Body Steel/Acero
Shade Textile/Téxtil

1.8 MT



P.176
WALL

SABA

68546 nickel+black/níquel+negro

E27 MAX 15W LED **[17463/*Smart* 17498]**

Body Steel/Acero
Shade (double) Textile/Téxtil

1.5 MT



SABA

68545 nickel+black/níquel+negro

E27 MAX 15W LED **[17463]**

Body Steel/Acero
Shade (double) Textile/Téxtil

1.7 MT



SABA

68547 nickel+black/níquel+negro

E27 MAX 15W LED **[17464]**

Body Steel/Acero
Shade (double) Textile/Téxtil

2.1 MT



P.123
SUSPENDED

P.176
WALL

KOMBO— Nutcreatives

68591-1L grey+black/gris+negro
68592-1L beige+black/beige+negro

E27 MAX 15W LED **[17463/*Smart* 17498]**

Body Steel/Acero

1.5 MT

68593-1L grey+black/gris+negro
68594-1L beige+black/beige+negro

E27 MAX 15W LED **[17463/*Smart* 17498]**

Body Steel/Acero

1.5 MT



68595-1L grey+black/gris+negro
68596-1L beige+black/beige+negro
68597-1L terracotta+black/terracota+negro

E27 MAX 15W LED **[17463/*Smart* 17498]**

Body Steel/Acero

1.5 MT



video

Suspended
Suspensión

29691 shiny gold/oro brillo

29696 matt black/negro mate

LED 13W 2700K 570lm CRI>80 Driver ✓

Body Steel/Acero
Diff Opal Glass/Cristal Opal

100-240V 50/60HZ 1.5 MT



LE VITA

— Nahtrang

video

29694 shiny gold/oro brillo

29699 matt black/negro mate

LED 6W 2700K 570lm CRI>80 Driver

Body Steel/Acero
Diff Opal Glass/Cristal Opal

100-240V 50/60HZ 1.5 MT



*Max. ceiling height 3mts./*Altura max. techo 3mts.*

P.51
TABLE&FLOOR

P.143
WALL

SLIM

— Àlex & Manel Lluscà



24500 matt white/blanco mate

24501 black+matt gold/negro+oro mate

LED 20W 3000K 1150lm CRI>80 Driver ✓

Body Steel/Acero
Diff Opal Glass/Cristal Opal

220-240V 50/60HZ 2MT



Pendant & Wall

24504 matt white/blanco mate

24505 black+gold/negro+oro

LED 2 x 20W 3000K 1150lm CRI>80 Driver ✓

Body Steel/Acero
Diff Opal Glass/Cristal Opal

220-240V 50/60HZ



Articulated

P.146
WALL

WHIZZ

— Christoph F. Wagner

20160 black+satin gold/negro+oro

20161 satin gold+black/oro+negro

E27 MAX 15W LED [**17426** **17496**]

Body Steel/Acero

1.5 MT

20166-95 black+satin gold/negro+oro

20166-96 satin gold+black/oro+negro

E27 MAX 15W LED [**17426** **17496**]

Body Steel/Acero

3.7 MT



P.57
TABLE&FLOOR



P.144
WALL



DOLME

— Xjer Studio

64098 matt black/negro mate

64099 matt white/blanco mate

LED SMD 24W 3000K 1260lm CRI>80 Driver

Body Steel/Acero
Diff Opal Polycarbonate/Policarbonato Opal

220-240V 50/60HZ 1.6 MT



P.130
CEILING

COCOTTE

— Jordi Llopis

64182 shiny white/blanco brillo

64183 shiny matt black/negro brillo

LED SMD 38W 3000K 1700lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

100-240V 50/60HZ



64250 shiny white/blanco brillo

64251 shiny matt black/negro brillo

LED SMD 30W 3000K 1300lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

100-240V 50/60HZ

ø430 Suspended Kit

64184 matt white/blanco mate

64185 matt black/negro mate



ø550 Suspended Kit

64186 matt white/blanco mate

64187 matt black/negro mate





NAOS

— Àlex & Manel Lluscà



64500 matt white/blanco mate

E27 MAX 15W LED **[17463/*Smart* 17498]**

Body Steel/Acero
Diff Opal Glass/Cristal Opal

1.8 MT

2 rings incl.

64501 matt white/blanco mate

E27 MAX 15W LED **[17463/*Smart* 17498]**

Body Steel/Acero
Diff Opal Glass/Cristal Opal

1.8 MT



2 rings incl.

PLUMA — Nahtrang

64170 matt white/blanco mate
64172 black+gold/negro+oro

LED SMD 6W 3000K 450lm CRI>80 Driver

Body Aluminium/Aluminio

100-240V 50/60HZ 1.5 MT



SIDE — Àlex & Manel Lluscà

62136 matt white/blanco mate
62137 white+nickel/blanco+níquel
62138 black+gold/negro+oro
62139 black+copper/negro+cobre

G9 MAX 6W LED **[17443]**

Body Steel/Acero
Diff Opal Glass/Cristal Opal

1.5 MT



P.131
CEILING



RETRO

— Àlex & Manel Lluscà

20046 matt copper/cobre mate

20050 black+copper/negro+cobre

E14 MAX 8W LED **[17461]**

Body Steel/Acero

1.6 MT



20047 matt copper/cobre mate

20048 black+copper/negro+cobre

20051 black+gold/negro+oro

12 E14 MAX 8W LED **[17461]**

Body Steel/Acero

3 MT

P.196
WALL

20048

20051



CRÁTER

68461 black+gold/negro+oro

3 E27 MAX 15W LED **[17463/*Smart* 17498]**

Body Aluminium/Aluminio

1.5 MT

MAGMA

28398 white+silver/blanco+plata

28399 white+gold/blanco+oro

29468 black+shiny gold/negro+oro

3 E27 MAX 15W LED **[17464]**

Body Fiber Glass/Fibra de Vidrio

FIBER GLASS
FIBRA VIDRIO

2 MT





Project Elena Castells Poch

ART

64137 old gold/oro envejecido
65134 matt black/negro mate

E27 MAX 15W LED **[17425]**

Body Steel/Acero

1.5 MT **64137** 2 MT **65134**



LIZ

65080 old gold/oro envejecido

E27 MAX 15W LED **[17428]**

Body Steel/Acero
Diff Transparent Glass/Cristal Transparente

1.3 MT



CLARA

64128 matt black/negro mate

E27 MAX 15W LED **[17428]**

Body Steel/Acero
Diff Transparent Glass/Cristal Transparente

2 MT



MARLIN

64133 gold+ black/oro+negro

E27 MAX 15W LED **[17428]**

Body Steel/Acero

1.5 MT

HALITA

65071 old gold/oro envejecido

E27 MAX 15W LED **[17428]**

Body Steel/Acero
Diff Transparent Glass/Cristal Transparente

1.5 MT

PLAT

68145 matt black/negro mate
68146 matt white/blanco mate

E27 MAX 15W LED **[17271/17464]**

Body Steel/Acero

1.5 MT



P.199
WALL





ROSE

65082 matt black/negro mate

E27 MAX 15W LED **[17429]**

Body Steel/Acero
Diff Transparent Glass/Cristal Transparente

1.5 MT



ROSE

65081 matt black/negro mate

4 E27 MAX 15W LED **[17429]**

Body Steel/Acero
Diff Transparent Glass/Cristal Transparente



LOU

62800 shiny black/negro brillo
62801 shiny green/verde brillo

E27 MAX 15W LED **[17463/*Smart* 17498]**

Body Steel/Acero

ENAMEL ESMALTE 0.9 MT



LANG

62804 shiny black/negro brillo
62805 shiny green/verde brillo

E27 MAX 15W LED **[17426]**

Body Steel/Acero

ENAMEL ESMALTE 1.4 MT



MOU

62806 shiny black/negro brillo

E27 MAX 15W LED **[17463/*Smart* 17498]**

Body Steel/Acero

ENAMEL ESMALTE 350º



CLAIRE

62802 shiny black/negro brillo
62803 shiny green/verde brillo

E27 MAX 15W LED **[17426]**

Body Steel/Acero

ENAMEL ESMALTE 1.4 MT

Project Upper Interiorismo

COSMOS

64224 bronze/bronce

LED 5W 3000K 360lm CRI>80 Driver ✓

Body Aluminium+Steel/Aluminio+Acero
Diff Opal Glass/Cristal Opal

100-240V 50/60HZ 1.4 MT 180º

PAM

64162 black+gold/negro+oro

LED SMD 24W 3000K 1875lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff PMMA

100-240V 50/60HZ 1.5 MT 120º



PAM

64159 matt white/blanco mate
64160 black+gold/negro+oro

LED SMD 11W 3000K 900lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff PMMA

100-240V 50/60HZ 1.5 MT 120º



DANKA

64222 nickel+black/níquel+negro
64223 gold+black/oro+negro

LED COB 6W 3000K 530lm CRI>80 Driver ✓

Body Aluminium/Aluminio

100-240V 50/60HZ 3 MT 60º



Thanks to Salto Proyectos Arquitectura Photo by Architectural Matter

P.136
CEILING

P.232
RECESSED

P.218
SPOT

P.242
TRACK

P.202
WALL

STAN

43754 matt white/blanco mate
43755 matt black/negro mate
43756 **NEW** gold/oro

GU10 MAX 8W LED **[97685327]**

Body Aluminium/Aluminio

1.5 MT

*Accessories page 219 (except ring)
Accesorios en página 219 (excepto aro)



ORA

29894 matt white/blanco mate
29895 matt black/negro mate

LED SMD 4W 3000K 350lm CRI>80 Driver

Body Aluminium/Aluminio
Diff PMMA

100-240V 50/60HZ 1.5 MT 120º

LISE

29886 matt white/blanco mate
29887 matt black/negro mate

LED COB 6W 2700K 370lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Optical Glass/Cristal óptico

100-240V 50/60HZ 1.3 MT 80º

SABI

64320 matt white/blanco mate
64321 matt black/negro mate

LED SMD 3W 2700K 280lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Optical Glass/Cristal óptico

1.2 MT 30º



P.202
WALL



P.202
WALL



NUDOS

68139 dark brown/marrón oscuro

E27 MAX 15W LED **[17462]**

Body Steel+Jute/Acero+Yute
Diff Transparent Glass/Cristal Transparente

1MT



P.198
WALL



LIANA

68569 brown/marrón

E27 MAX 15W LED **[17464]**

Body Steel+Hemp/Acero+Cáñamo

1.2 MT

NIDO

68153 brown/marrón

E27 MAX 15W LED **[17464]**

Body Cane+Steel/Caña+Acero

1.5 MT



MARINA

60004 matt black/negro mate

E27 MAX 15W LED **[17428]**

Body Steel/Acero
Diff Transparent Glass/Cristal Transparente

1.5 MT

CHARLOTTE

68562 dark grey/gris oscuro

68563 matt white/blanco mate

E27 MAX 15W LED **[17464]**

Body Steel/Acero
Diff Opal Polycarbonate/Policarbonato Opal

1.2 MT

MARGOT

68561 matt black/negro mate

68564 matt white/blanco mate

E27 MAX 15W LED **[17464]**

Body Aluminium+Wood/Aluminio+Madera

1.2 MT



P.197
WALL





WINCH — Àlex & Manel Lluscà

66204 brown/marrón

E27 MAX 15W LED **[17463/*Smart* 17498]**

Body Steel/Acero
Diff Transparent Glass/Cristal Transparente

1 MT



WINCH — Àlex & Manel Lluscà

66205 brown/marrón

E27 MAX 15W LED **[17463/*Smart* 17498]**

Body Steel/Acero
Diff Transparent Glass/Cristal Transparente

1.5 MT



BRUME — Àlex & Manel Lluscà

40078 old steel/Acero envejecido

LED SMD 3W 2700K 200lm CRI>80 Driver

Body Steel/Acero
Diff Transparent+Opal Glass/
Cristal Transparente+Opal

IP44 100-240V 50/60HZ 1 MT



P.209
WALL

○ **28375** matt white/blanco mate
● **28376** dark grey/gris oscuro

Diff Opal Glass/Cristal Opal

○ **28209** matt white/blanco mate
● **28210** dark grey/gris oscuro

Diff PMMA

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Aluminium+Wood/Aluminio+Madera

4 MT 1 HOOK ✓



Thanks to DOS architects / Tavis Wright Photo by Tomeu Canyellas

Thanks to Lafincaroja Photo by Jorge Peiro

MINE — Nahtrang

Restaurant & Bar Product Design Awards — Winner

GERMAN DESIGN AWARD SPECIAL 2018

○ **28375-1L** matt white/blanco mate
● **28376-1L** dark grey/gris oscuro

Diff Opal Glass/Cristal Opal

○ **28209-1L** matt white/blanco mate
● **28210-1L** dark grey/gris oscuro

Diff PMMA

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

2 MT 1 HOOK ✓

○ **28375-2L** matt white/blanco mate
● **28376-2L** dark grey/gris oscuro

Diff Opal Glass/Cristal Opal

○ **28209-2L** matt white/blanco mate
● **28210-2L** dark grey/gris oscuro

Diff PMMA

2 E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

4 MT 2 HOOK ✓

○ **28375-3L** matt white/blanco mate
● **28376-3L** dark grey/gris oscuro

Diff Opal Glass/Cristal Opal

○ **28209-3L** matt white/blanco mate
● **28210-3L** dark grey/gris oscuro

Diff PMMA

3 E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

6 MT 3 HOOK ✓



○ **28375-4L** matt white/blanco mate
● **28376-4L** dark grey/gris oscuro

Diff Opal Glass/Cristal Opal

○ **28209-4L** matt white/blanco mate
● **28210-4L** dark grey/gris oscuro

Diff PMMA

4 E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

8 MT 4 HOOK ✓



○ **28375-5L** matt white/blanco mate
● **28376-5L** dark grey/gris oscuro

Diff Opal Glass/Cristal Opal

○ **28209-5L** matt white/blanco mate
● **28210-5L** dark grey/gris oscuro

Diff PMMA

5 E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

10 MT 5 HOOK ✓

Hook accessory/*Accesorio gancho*

○ **28373** matt white/blanco mate
● **28374** grey/gris

CUSTOMIZE YOUR MINE

Nº of lights/*nº de luces*
Mts of cable/*mts de cable*
Nº of hooks/*nº de ganchos*

Send your demand on/*envíanos tu petición a* **customize@faro.es**

P.43
TABLE

STOOD

— Lucid

29849 black+wood/negro+madera

5 E27 MAX 15W LED **[17464]**

Body Steel/Acero
Shade Cherry Tree Wood/Madera Cerezo

2 MT



Cherry tree
Wood shade

29848 black+wood/negro+madera

E27 MAX 15W LED **[17464]**

Body Steel/Acero
Shade Cherry Tree Wood/Madera Cerezo

2 MT



P.54
TABLE&FLOOR

P.154
WALL

LOOP

— Estudi Ribaudí

29567 black+wood/negro+madera

Shade Cherry Tree Wood/Madera Cerezo

29397 **NEW** black+wood/negro+madera

Shade Ash Tree Wood/Madera Fresno

LED SMD 3 x 6W 2700K 500lm CRI>80 Driver

Body Steel

100-240V 50/60HZ 1.2 MT 350º





Cherry tree
Wood shade



Ash tree
Wood shade

P.52
TABLE&FLOOR

P.155
WALL

PAULINE

— Nahtrang

20100 wood/wood

LED SMD 24W 2700K 2000lm CRI>80
Driver ✓

Body Steel+Wood/Acero+Madera
Diff Opal Polycarbonate/Policarbonato Opal

DIM TRIAC L 220-240V 50/60HZ 1.5 MT



PHILL

— Nahtrang

20099 black+wood/negro+madera

LED SMD 24W 3000K 1700lm CRI>80 Driver ✓

Body Steel+Wood/Acero+Madera
Diff Opal Polycarbonate/Policarbonato Opal

DIM TRIAC L 200-240V 50/60HZ 1.2 MT



SAVOY

— Isaac Piñeiro

video

20308-89 matt white/blanco mate
20309-90 matt black/matt black
20309-91 black+green/negro+verde

E27 MAX 15W LED **[17464]**

Body Steel/Acero
Shade Textile/Téxtil
Diff Papyrus/Papiro

0.8 MT

INDOOR SUSPENDED / SUSPENSIÓN

P.67
TABLE&FLOOR

P.157
WALL

video

MAMBO

— Faro Lab

*Structures and shades also sold separately 648-650/
Estructuras y pantallas también se venden por separado 648-650

P.60
TABLE&FLOOR

P.159
WALL

64314-47 black+rattan/negro+rattan

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Rattan

1.5 MT



64314-48 black+rattan/negro+rattan

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Rattan

1.5 MT



64314-49 black+rattan/negro+rattan

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Rattan

1.5 MT



64315-47 black+rattan/negro+rattan

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Rattan

1.7 MT



64315-48 black+rattan/negro+rattan

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Rattan

1.7 MT



64315-49 black+rattan/negro+rattan

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Rattan

1.7 MT



NEW SAMBA

— Faro Lab

- **64315-44** black+beige/negro+beige
- **64315-45** black+yellow/negro+amarillo
- **64315-46** black+green/negro+verde

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil
Diff Opal PMMA/PMMA opal

1.7 MT



- **64314-44** black+beige/negro+beige
- **64314-45** black+yellow/negro+amarillo
- **64314-46** black+green/negro+verde

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil
Diff Opal PMMA/PMMA opal

1.5 MT



P.63 TABLE&FLOOR

P.161 WALL

*Structures and shades also sold separately 648-650/
Estructuras y pantallas también se venden por separado 648-650

NEW CONGA

— Faro Lab

64315-54 black+white/negro+blanco
64315-55 black+beige/negro+beige
64315-56 black/negro

E27 MAX 15W LED **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil
Diff Opal PMMA/PMMA opal

1.7 MT



64314-54 black+white/negro+blanco
64314-55 black+beige/negro+beige
64314-56 black/negro

E27 MAX 15W LED **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil
Diff Opal PMMA/PMMA opal

1.5 MT



P.62
TABLE&FLOOR

P.160
WALL

*Structures and shades also sold separately 648-650/
Estructuras y pantallas también se venden por separado 648-650

HUE-IN

— Nahtrang

video

20124 white ivory/blanco marfil
20125 matt white/blanco mate
20126 terracotta/terracota
20127 matt black/negro mate
20128 yellow/amarillo
20129 burgundy/granate
20130 olive green/verde oliva
20131 brown/marrón

4 E27 MAX 15W LED **[17464]**

Body Steel/Acero
Shade Beige Ribbon Shade/Tela encintada
Diff Papyrus/Papiro

1.6 MT

20116 white ivory/blanco marfil
20117 matt white/blanco mate
20118 terracotta/terracota
20119 matt black/negro mate
20120 yellow/amarillo
20121 burgundy/granate
20122 olive green/verde oliva
20123 brown/marrón

3 E27 MAX 15W LED **[17463]**

Body Steel/Acero
Shade Beige Ribbon Shade/Tela encintada
Diff Papyrus/Papiro

1.6 MT



20124/20116 **20125/20117** **20126/20118** **20127/20119** **20128/20120** **20129/20121** **20130/20122** **20131/20123**

INDOOR SUSPENDED / SUSPENSIÓN

video

FONOVIA

— Faro Lab

20110 grey+grey/gris+gris

LED SMD 25W 3000K 1800lm CRI>80 Driver ✓

20109 **NEW** grey+grey/gris+gris

LED SMD 25W 4000K 1900lm CRI>80 Driver ✓

Body Steel/Acero
Shade Recycled PET+Textile Fiber/
PET Reciclado+Fibra Téxtil
Diff Opal Polycarbonate/Policarbonato Opal

220-240V 50/60HZ 2MT α =0.4



20107 **NEW** grey+grey/gris+gris

LED SMD 50W 3000K 3600lm CRI>80 Driver ✓

20108 **NEW** grey+grey/gris+gris

LED SMD 50W 4000K 3800lm CRI>80 Driver ✓

Body Steel/Acero
Shade Recycled PET+Textile Fiber/
PET Reciclado+Fibra Téxtil
Diff Opal Polycarbonate/Policarbonato Opal

220-240V 50/60HZ 2MT α =0.4



CONFIDENCE IN TEXTILES
Tested for harmful substances
according to Oeko-Tex® Standard 100
00000000 Institute

Recycled PET



Sound Absorbing α =0.4

*Modular option available on page 479/*Ver opción modular en página 479*

INDOOR SUSPENDED / SUSPENSIÓN

Thanks to BE_DE_O

MUTE

— Nahtrang

video

20101 dark grey+grey/gris oscuro+gris
20102 dark grey+brown/gris oscuro+marrón

LED SMD 24W 3000K 2500lm CRI>80 Driver

20103 dark grey+grey/gris oscuro+gris
20104 dark grey+brown/gris oscuro+marrón

LED SMD 24W 4000K 2650lm CRI>80 Driver

Body Steel/Acero
Shade Recycled PET+Textile Fiber/
PET Reciclado+Fibra Téxtil
Diff Opal Glass/Cristal Opal

100-240V 50/60HZ 2MT α =0.4



References ending in DA are compatible with
1/10V - Push - DALI

20101DA dark grey+grey/gris oscuro+gris
20102DA dark grey+brown/gris oscuro+marrón

LED SMD 24W 3000K 2500lm CRI>80 Driver

20103DA dark grey+grey/gris oscuro+gris
20104DA dark grey+brown/gris oscuro+marrón

LED SMD 24W 4000K 2500lm CRI>80 Driver

Body Steel/Acero
Shade Recycled PET+Textile Fiber/PET Reciclado+Fibra Téxtil
Diff Opal Glass/Cristal Opal

DIM 100-240V 50/60HZ 2MT α =0.4



CONFIDENCE IN TEXTILES
Tested for harmful substances
according to Oeko-Tex® Standard 100
00000000 Institute

Sound Absorbing
α =0.4

Pendant
& Ceiling



Recycled
PET

Showroom docontract Madrid

INDOOR SUSPENDED / SUSPENSIÓN

LINDA

— Estudi Ribaudí

◯ **29309** matt white/blanco mate

◐ **29313** black+white/negro+blanco

E27 MAX 15W LED ⊗ **[17464]**

Body Steel/Acero
Shade Textile/Téxtil

1.2 MT



P.72 TABLE&FLOOR

P.196 WALL

TREE

— Estudi Ribaudí

● **29864** matt black/negro mate

◯ **29865** matt white/blanco mate

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil

1.3 MT



P.74 TABLE&FLOOR

HOTEL

— Àlex & Manel Lluscà

29944 chrome+white/cromo+blanco

3 E27 MAX 15W LED **[17462]**

Body Steel/Acero
Shade Textile/Téxtil
Bottom Diff Textile/Téxtil

1 MT



P.78 TABLE&FLOOR

P.171 WALL

FUSTA

— Àlex & Manel Lluscà

28393 black+wood/negro+madera

28394 white+wood/blanco+madera

E27 MAX 15W LED **[17464]**

Body Steel+Wood/Acero+Madera
Shade Textile/Téxtil

1.7 MT



VESPER

— Nahtrang

29986 white+beige/blanco+beige

29987 brown+beige/marrón+beige

2 E27 MAX 15W LED **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil
Diff Opal Polycarbonate/Policarbonato Opal

2 MT



29988 white+beige/blanco+beige

29989 brown+beige/marrón+beige

3 E27 MAX 15W LED **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil
Diff Opal Polycarbonate/Policarbonato Opal

2 MT



P.71
TABLE&FLOOR

P.172
WALL

THANA

68533 nickel+white/níquel+blanco

3 E27 MAX 15W LED **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil

P.82
TABLE&FLOOR

P.174
WALL



SABA

68548 nickel+black/níquel+negro

E27 MAX 15W LED **[17464]**

Body Steel/Acero
Shade (double) Textile/Téxtil
Diff Opal Polycarbonate/Policarbonato Opal

1.2 MT

P.83
TABLE&FLOOR

P.176
WALL



SABA

68549 nickel+black/níquel+negro

3 E27 MAX 15W LED **[17464]**

Body Steel/Acero
Shade (double) Textile/Téxtil
Diff Opal Polycarbonate/Policarbonato Opal

1.2 MT



AINA

64174 matt white/blanco mate

LED SMD 40W 2700K 3000lm CRI>80 Driver

Body Opal Polycarbonate/Policarbonato Opal
Shade Textile/Téxtil

IP44 220-240V 50/60HZ 1.3 MT



SEVEN

68283 matt white/blanco mate

2 E27 MAX 15W LED **[17463/*Smart* 17498]**

Body Steel+PVC/Acero+PVC
Shade Textile/Téxtil
Diff Textile/Téxtil

0.9 MT



P.136
CEILING

SEVEN

68284 matt white/blanco mate

3 E27 MAX 15W LED **[17463/*Smart* 17498]**

Body Steel+PVC/Acero+PVC
Shade Textile/Téxtil
Diff Textile/Téxtil

0.9 MT



Standard combination multiple canopy / *Combinaciones con florón múltiple*

	3 lights/*luces*	5 lights/*luces*	7 lights/*luces*
Retro	**20046-3L** matt copper/cobre mate **20050-3L** black+copper/negro+cobre	**20046-5L** matt copper/cobre mate **20050-5L** black+copper/negro+cobre	**20046-7L** matt copper/cobre mate **20050-7L** black+copper/negro+cobre
Plat	**68145-3L** matt black/negro mate **68146-3L** matt white/blanco mate	**68145-5L** matt black/negro mate **68146-5L** matt white/blanco mate	**68145-7L** matt black/negro mate **68146-7L** matt white/blanco mate
Whizz	**20160-3L** black+gold/negro+oro **20161-3L** gold+black/oro+negro	**20160-5L** black+gold/negro+oro **20161-5L** gold+black/oro+negro	**20160-7L** black+gold/negro+oro **20161-7L** gold+black/oro+negro
Art	**64137-3L** old gold/oro envejecido **64135-3L** matt black/negro mate	**64137-5L** old gold/oro envejecido **64135-5L** matt black/negro mate	**64137-7L** old gold/oro envejecido **64135-7L** matt black/negro mate
Liz	**65080-3L** old gold/oro envejecido	**65080-5L** old gold/oro envejecido	**65080-7L** old gold/oro envejecido
Marlin	**64133-3L** gold+ black/oro+negro	**64133-5L** gold+ black/oro+negro	**64133-7L** gold+ black/oro+negro
Clara	**64128-3L** matt black/negro mate	**64128-5L** matt black/negro mate	**64128-7L** matt black/negro mate
Claire	**62802-3L** matt black/negro mate **62803-3L** green/verde	**62802-5L** matt black/negro mate **62803-5L** green/verde	**62802-7L** matt black/negro mate **62803-7L** green/verde
Lang	**62804-3L** matt black/negro mate **62805-3L** green/verde	**62804-5L** matt black/negro mate **62805-5L** green/verde	**62804-7L** matt black/negro mate **62805-7L** green/verde
Samba	**64314-44-3L** beige/beige **64314-45-3L** yellow/amarillo **64314-46-3L** green/verde	**64314-44-5L** beige/beige **64314-45-5L** yellow/amarillo **64314-46-5L** green/verde	**64314-44-7L** beige/beige **64314-45-7L** yellow/amarillo **64314-46-7L** green/verde
Conga	**64314-54-3L** matt white/blanco mate **64314-55-3L** beige/beige **64314-56-3L** matt black/negro mate	**64314-54-5L** matt white/blanco mate **64314-55-5L** beige/beige **64314-56-5L** matt black/negro mate	**64314-54-7L** matt white/blanco mate **64314-55-7L** beige/beige **64314-56-7L** matt black/negro mate
Kombo	**68591-3L** grey/gris **68592-3L** beige/beige	**68591-5L** grey/gris **68592-5L** beige/beige	**68591-7L** grey/gris **68592-7L** beige/beige
Kombo	**68593-3L** grey/gris **68594-3L** beige/beige	**68593-5L** grey/gris **68594-5L** beige/beige	**68593-7L** grey/gris **68594-7L** beige/beige
Kombo	**68595-3L** grey/gris **68596-3L** beige/beige **68597-3L** terracotta/terracota	**68595-5L** grey/gris **68596-5L** beige/beige **68597-5L** terracotta/terracota	**68595-7L** grey/gris **68596-7L** beige/beige **68597-7L** terracotta/terracota
Mambo	**64314-47-3L** rattan/mimbre	**64314-47-5L** rattan/mimbre	**64314-47-7L** rattan/mimbre
Mambo	**64314-48-3L** rattan/mimbre	**64314-48-5L** rattan/mimbre	**64314-48-7L** rattan/mimbre
Mambo	**64314-49-3L** rattan/mimbre	**64314-49-5L** rattan/mimbre	**64314-49-7L** rattan/mimbre

Solutions

Multiple canopy
Florón múltiple

STANDARD REQUESTS

See standard combination / *ver tabla combinaciones*

SPECIAL REQUESTS

Send your demand on /*envíanos tu petición a* **customize@faro.es**

Canopy recessed
Florón empotrable

with frame / *con marco*

64231 matt white/blanco mate

135X85



trimless / *sin marco*

64232 matt white/blanco mate

135X85



*Compatible in these situations.
Compatibles en estas situaciones.

✓ Electrical wire+Turnbuckle
Cable eléctrico+
Tensor independiente



✓ Canopy with lamp holder
Florón con portalámparas
E14 / E27

✗ Canopy with turnbuckle
Florón con tensor



✗ Canopy with driver
Florón con driver



Hook accessory for displaced light output.
Accesorio gancho para punto de luz desplazado.

68602 matt black/negro mate

Track connector for suspension
Conector carril para suspensión

01997001 white/blanc

01997002 matt black/negro mate



*Accessories compatible with all pendants with bulb and without turnbuckle.
Accesorios compatibles con todos los colgantes con bombilla y sin tensor/es

Suspended 5 Mt. cable with plug (hook incl.)
Colgante con clavija 5 Mt. de cable (gancho incl.)

68604-44 beige/beige
68604-45 yellow/amarillo
68604-46 green/verd

68604-54 white/blanco
68604-55 beige/beige
68604-56 black/negro

68604-62 grey/gris
68604-63 beige/beige

68604-64 grey/gris
68604-65 beige/beige

68604-66 grey/gris
68604-67 beige/beige
68604-68 terracotta/terracota

68604-47 rattan/mimbre

68604-48 rattan/mimbre

68604-49 rattan/mimbre

TENDER

— Nahtrang

20094 black+wood/negro+madera

20095 white+wood/blanco+madera

LED SMD 24W 3000K 1369lm CRI>80 Driver ✓

Body Steel+Wood/Acero+Madera
Diff Opal PMMA/PMMA Opal

100-240V 50/60HZ

Ceiling
Techo

DOLME

— Xjer Studio

64096 matt black/negro mate

64097 matt white/blanco mate

LED SMD 24W 3000K 1260lm CRI>80 Driver

Body Steel/Acero
Diff Opal Polycarbonate/Policarbonato Opal

220-240V 50/60HZ



P.90
SUSPENDED

SIDE — Àlex & Manel Lluscà

- **62132** matt white/blanco mate
- **62133** white+nickel/blanco+níquel
- **62134** black+gold/negro+oro
- **62135** black+copper/negro+cobre

G9 MAX 6W LED ✕ **[17443]**

Body Steel/Acero
Diff Opal Glass/Cristal Opal

SIDE — Àlex & Manel Lluscà

- **62140** matt white/blanco mate
- **62141** white+nickel/blanco+níquel
- **62142** black+gold/negro+oro
- **62143** black+copper/negro+cobre

LED SMD 15W 3000K 860lm CRI>80 Driver ✓

Body Steel/Acero
Diff Opal Glass/Cristal Opal

100-240V 50/60HZ

SIDE — Àlex & Manel Lluscà

- **62144** matt white/blanco mate
- **62145** white+nickel/blanco+níquel
- **62146** black+gold/negro+oro
- **62147** black+copper/negro+cobre

LED SMD 17W 3000K 1000lm CRI>80 Driver ✓

Body Steel/Acero
Diff Opal Glass/Cristal Opal

100-240V 50/60HZ



P.93
SUSPENDED











Project Salto Proyectos Photo Architectural Matter

LINK

— Estudi Ribaudí

○ **29877** matt white/blanco mate

● **29878** matt black/negro mate

GU10 MAX 8W LED ⊗ **[97685327]**

Body Steel/Acero

350º 90º 90º



○ **29879** matt white/blanco mate

● **29880** matt black/negro mate

4 GU10 MAX 8W LED ⊗ **[97685327]**

Body Steel/Acero

350º 90º 90º



P.220 SPOT

P.55 TABLE&FLOOR

P.244 TRACK

ORLEANS

— Nahtrang

○ **43532** matt white/blanco mate
● **43533** matt black/negro mate
◐ **43534** chrome+black/cromo+negro

2 GU10 MAX 8W LED ⊗ **[97685327]**

Body Steel/Acero

350º 90º 90º



○ **43529** matt white/blanco mate
● **43530** matt black/negro mate
◐ **43531** chrome+black/cromo+negro

GU10 MAX 8W LED ⊗ **[97685327]**

Body Steel/Acero

350º 90º 90º



P.223
SPOT

P.245
TRACK

TECTO

63270 matt white/blanco mate

63271 matt black/negro mate

GU10 MAX 8W LED ⊗ [○ **17316** /● **17324]**

Body Aluminium/Aluminio



TECTO

63272 matt white/blanco mate

63273 matt black/negro mate

2 GU10 MAX 8W LED ⊗ [○ **17316** /● **17324]**

Body Aluminium/Aluminio



TECTO QR111

63276 matt white/blanco mate

63277 matt black/negro mate

2 QR111 MAX 15W LED ⊗ **[97411]**
LED transformer ⊗ **[2 x 98111020]**

Body Aluminium/Aluminio

12V 180º



TECTO QR111

63274 matt white/blanco mate

63275 matt black/negro mate

QR111 MAX 15W LED ⊗ **[97684227]**
LED transformer ⊗ **[98111020]**

Body Aluminium/Aluminio

12V 180º



SVEN

63268 matt white/blanco mate

GU10 MAX 8W LED ⊗ **[97685327]**

Body Plaster/Yeso

PLASTER YESO



SVEN

63269 matt white/blanco mate

GU10 MAX 8W LED ⊗ **[97685327]**

Body Plaster/Yeso

PLASTER YESO



REL

64200 matt white/blanco mate

64201 matt black/negro mate

LED COB 25W 2700K 2230lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

100-240V 50/60HZ 60º



REL

64198 matt white/blanco mate

64199 matt black/negro mate

LED COB 15W 2700K 1340lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

100-240V 50/60HZ 60º



JANET

65137 white+gold/blanco+oro

E27 MAX 15W LED ✗ **[17462]**

Body Steel/Acero



HARU

64206 matt white/blanco mate

64207 matt black/negro mate

LED SMD 6W 3000K 350lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

100-240V 50/60HZ 120º



NATSU

64204 matt white/blanco mate

64205 matt black/negro mate

LED 30W 3000K 1275lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

100-240V 50/60HZ 120º



POTE

63124 matt white/blanco mate

63125 matt black/negro mate

E27 MAX 15W LED ✗ **[17463/*Smart* 17498]**

Body Aluminium/Aluminio



STAN

43746 matt white/blanco mate
43747 matt black/negro mate
43758 NEW gold/oro

GU10 MAX 8W LED **[97685327]**

Body Aluminium/Aluminio

*Accessories page 219/*Accesorios en página 219*



P.232
RECESSED

P.218
SPOT

P.100
SUSPENDED

P.242
TRACK

P.202
WALL

SEVEN

68323 matt white/blanco mate

LED SMD 20W CRI>80 Driver
3000K 1313lm 4000K 1274lm 6000K 1234lm

Body Textile/Téxtil
Diff Opal Acrylic/Acrílico Opal

DIM 220-240V 50/60HZ



SEVEN

68298 matt white/blanco mate

2 E27 MAX 15W LED **[17463/*Smart* 17498]**

Body Textile/Téxtil
Diff Opal Acrylic/Acrílico Opal



P.127
SUSPENDED

SEVEN

68317 matt white/blanco mate

3 E27 MAX 15W LED **[17463/*Smart* 17498]**

Body Textile/Téxtil
Diff Opal Acrylic/Acrílico Opal



IRIS

63393 grey/gris

LED SMD 15W 3000K 1200lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

100-240V 50/60HZ



IRIS

63394 grey/gris

LED SMD 20W 3000K 1600lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

100-240V 50/60HZ



IRIS

63395 grey/gris

LED SMD 30W 3000K 2400lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

100-240V 50/60HZ



BIC

63408 matt white/blanco mate

LED SMD 60W 3000K 4000lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

DIM TRIAC C 220-240V 50/60HZ



MEGA— Jordi Llopis

63410 matt white/blanco mate

LED SMD 52W 2700K 0-3600lm CRI>80 Driver

Body Steel/Acero
Diff Opal Polycarbonate/Policarbonato Opal

DIM TRIAC C 220-240V 50/60HZ



AMI

63397 matt white/blanco mate

63398 aluminium/aluminio

LED SMD 15W 2700K 1200lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

220-240V 50/60HZ



CLOE

63403 shiny chrome/cromo brillo

LED SMD 24W 2700K 2000lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

IP44 100-240V 50/60HZ



FORO

63404 matt white/blanco mate

63405 aluminium/aluminio

LED SMD 24W 3000K 2000lm CRI>80 Driver

Body Aluminium/Aluminio
Diff PMMA

IP44 100-240V 50/60HZ



TOLA

62968 matt white/blanco mate

62983 aluminium/aluminio

E27 MAX 15W LED **[17437]**

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP44



TOLA

62969 matt white/blanco mate

2 E27 MAX 15W LED **[17437]**

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP44



LOGOS

62966 matt white/blanco mate

62981 aluminium/aluminio

2 E27 MAX 15W LED **[17437]**

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP44



LOGOS

62965 matt white/blanco mate

62980 aluminium/aluminio

E27 MAX 15W LED **[17437]**

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP44





BRUME — Àlex & Manel Lluscà

40077 anthracite/antracita

LED SMD 3W 2700K 200lm CRI>80 Driver

Body Steel/Acero
Diff Transparent+Opal Glass/
Cristal Transparente+Opal

IP44 100-240V 50/60HZ



P.209
WALL

VUK

64188 matt white/blanco mate

LED SMD 40W 2700K 3000lm CRI>80 Driver

Body Steel/Acero
Diff Opal Polycarbonate/Policarbonato Opal

IP44 220-240V 50/60HZ

KAO

63399 shiny chrome/cromo brillo

LED SMD 35W 3000K 2800lm CRI>80 Driver

Body Steel/Acero
Diff Opal PMMA/PMMA Opal

IP44 100-240V 50/60HZ

ZON

63291 matt white/blanco mate

LED 18W 3000K 1600lm Driver

Body Polycarbonate/Policarbonato
Diff Opal PMMA/PMMA Opal

DIM TRIAC C IP54 220-240V 50HZ









NEW KLEE

— Isaac Piñeiro

Right reader/*Lector derecho*

20065 grey textured/gris texturizado

LED SMD 10W 3000K 221lm CRI>80 Driver
Reader LED COB 3W 2700K 85lm CRI>80 Driver

Body Steel+Melamine/Acero+Melamina
Diff Opal PMMA/PMMA opal

DIM 100-240V 50/60Hz 45º



Left reader/*Lector izquierdo*

20066 grey textured/gris texturizado

LED SMD 10W 3000K 221lm CRI>80 Driver
Reader LED COB 3W 2700K 85lm CRI>80 Driver

Body Steel+Melamine/Acero+Melamina
Diff Opal PMMA/PMMA opal

DIM 100-240V 50/60Hz 45º

Dimmable Intensity

Surface
Superficie

MOY
— Nahtrang

40090 satin gold/oro satinado
40091 satin aluminium/aluminio satin.
40092 bronze/bronce

LED 4W 3000K 300lm CRI>80 Driver

Body Steel/Acero
Diff Opal Glass/Cristal Opal

IP44 100-240V 50/60Hz



JOY— Nahtrang

64027 matt black/negro mate
64028 matt white/blanco mate

LED 3W 3000K 360lm CRI>80 Driver

Body Steel/Acero
Diff Opal Glass/Cristal Opal

100-240V 50/60Hz



LE VITA

— Nahtrang

video

29690 shiny gold/oro brillo

29695 matt black/negro mate

LED 6W 2700K 570lm CRI>80 Driver

Body Steel/Acero
Diff Opal Glass/Cristal Opal

100-240V 50/60Hz



P.50
TABLE&FLOOR

P.87
SUSPENDED

20167 black+satin gold/negro+oro sat.
20168 satin gold+black/oro sat.+negro

E27 MAX 15W LED **[17426/17496]**

Body Steel/Acero

2 MT 180º



P.57
TABLE&FLOOR

P.89
SUSPENDED

Adjustable

WHIZZ

— Christoph F. Wagner

20165-95 black+satin gold/negro+oro

20165-96 satin gold+black/oro+negro

E27 MAX 15W LED **[17426/17496]**

Body Steel/Acero

3.7 MT





Adjustable
Shade

SLIM

— Àlex & Manel Lluscà

2 Installation Modes/*2 Modos de instalación*

24502 matt white/blanco mate

24503 black+gold/negro+oro

LED 20W 3000K 1150lm CRI>80 Driver

Body Steel/Acero
Diff Opal Glass/Cristal Opal

220-240V 50/60Hz 1.9MT 180º



P.88
SUSPENDED

HAN

— Goula/Figuera

○ **01000** matt white/blanco mate
● **01001** matt black/negro mate

LED SMD 6W 2700K 500lm CRI>80 Driver ✓

Body Steel/Acero
Diff Opal PMMA/PMMA Opal

100-240V 50/60Hz



INDOOR SURFACE / SUPERFICIE





Hanger


Thanks to MIKMAX

Thanks to Studio Tamat Photo by Seven'ZArt

GUADALUPE

— Faro Lab

video

20031-80 black+beige/negro+beige

20031-81 black+green/negro+green

E27 MAX 15W LED **[17463]**

Body Steel/Acero
Shade Steel/Acero

20032-80 black+beige/negro+beige

20032-81 black+green/negro+green

E27 MAX 15W LED **[17463]**
Reader LED HIGH POWER 1W 3000K 100lm CRI>80 Driver

Body Steel/Acero
Shade Steel/Acero

100-240V 50/60Hz





P.38
TABLE&FLOOR



GUEST

— Andreu Carulla

video

Thanks to MIKMAX

01045 matt black/negro mate

E27 MAX 15W LED **[17429]**

Body Aluminium/Aluminio



P.48
FLOOR

PURE

— Nahtrang

24527 matt white/blanco mate

24528 matt black/negro mate

LED SMD 6W 3000K 1150lm CRI>80 Driver

Body Steel/Acero
Diff Transparent PMMA/PMMA Transparente

220-240V 50/60Hz 120º



NEW MAGOS

— Faro Lab

20330 matt black/negro mate

20331 black+maple/negro+arce

20332 black+walnut/negro+nogal

LED SMD 6W 2700K 600lm CRI>80
Reader LED 3W 2700K 160lm CRI90
Driver ✓

Body Aluminium+ABS+Wood/Aluminio+ABS+Madera
Diff Opal Polycarbonate/Policarbonato Opal

DIM 100-240V 50/60Hz Wireless charger



NIKO

— Nahtrang

Right reader/*Lector derecho*

01009 white+wood/blanco+madera

Diff Opal Glass/Cristal Opal

01027 white+wood/blanco+madera

Diff Opal Polycarbonate/Policarbonato Opal

LED SMD 7W 3000K 500lm CRI>80 Driver

Body Aluminium+wood/Aluminio+madera

DIM 100-240V 50/60Hz

USB charger Wireless charger





1W 80lm

4W 250lm

7W 500lm

Left reader/*Lector izquierdo*

01014 white+wood/blanco+madera

Diff Opal Glass/Cristal Opal

01026 white+wood/blanco+madera

Diff PMMA

LED SMD 7W 3000K 500lm CRI>80 Driver

Body Aluminium+wood/Aluminio+madera

DIM 100-240V 50/60Hz

USB charger Wireless charger



P.42
TABLE

Wireless Charger

USB Charger



Touch Switch

MOOD — Nahtrang

20061 black+wood/negro+madera

LED 2 x 3W 3000K 67lm CRI>80 Driver

Body Steel+wood/Acero+madera

100-240V 50/60Hz

20062 black+wood/negro+madera

LED 2 x 3W 3000K 67lm CRI>80
Reader LED 2W 3000K 105lm CRI>80 Driver

Body Steel+wood/Acero+madera

REVERSIBLE 100-240V 50/60Hz

20060 black+wood/negro+madera

LED 2W 3000K 105lm CRI>80 Driver

Body Steel+wood/Acero+madera

100-240V 50/60Hz 45º







STOOD

— Lucid

29844 black+wood/negro+madera

E27 MAX 15W LED **[17462]**

Body Steel/Acero
Shade Cherry Tree Wood/Madera Cerezo

20º



29845 black+wood/negro+madera

E27 MAX 15W LED **[17462]**

Body Steel/Acero
Shade Cherry Tree Wood/Madera Cerezo

2.4 MT



P.106
SUSPENDED



P.54
TABLE&FLOOR

LOOP

— Estudi Ribaudí

29566 black+wood/negro+madera

Shade Cherry Tree Wood/Madera Cerezo

29396 NEW black+wood/negro+madera

Shade Ash Tree Wood/Madera Fresno

LED SMD 6W 2700K 500lm CRI>80 Driver

Body Steel/Acero

DIM 100-240V 50/60Hz 350º



29565 black+wood/negro+madera

Shade Cherry Tree Wood/Madera Cerezo

29395 NEW black+wood/negro+madera

Shade Ash Tree Wood/Madera Fresno

LED SMD 6W 2700K 500lm CRI>80 Driver

Body Steel/Acero

DIM 100-240V 50/60Hz 350º



P.107
SUSPENDED

P.52
TABLE&FLOOR

MONTREAL

— Nahtrang

*Structures and shades also sold separately 648-650/
Estructuras y pantallas también se venden por separado 648-650

24030-01 matt white/blanco mate
24030-02 white+beige/blanco+beige
24031-01 chrome+white/cromo+blanco
24031-02 chrome+beige/cromo+beige
24031-03 chrome+black/cromo+negro

E27 MAX 15W LED **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil



24032-01 matt white/blanco mate
24032-02 white+beige/blanco+beige
24033-01 chrome+white/cromo+blanco
24033-02 chrome+beige/cromo+beige
24033-03 chrome+black/cromo+negro

E27 MAX 15W LED **[17463/*Smart* 17498]**
LED SMD 3W 2700K 150lm CRI>80 Driver

Body Steel/Acero
Shade Textile/Téxtil

100-240V 50/60Hz



P.64
TABLE&FLOOR

video

SAVOY

— Isaac Piñeiro



20300-92 matt white/blanco mate
20301-93 matt black/negro mate
20301-94 black+green/negro+verde

E27 MAX 15W LED ✕ **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil
Diff Steel/Acero





20302-92 matt white/blanco mate
20303-93 matt black/negro mate
20303-94 black+green/negro+verde

E27 MAX 15W LED ✕ **[17463/*Smart* 17498]**
LED SMD 3W 3000K 160lm CRI>80 Driver ✓

Body Steel/Acero
Shade Textile/Téxtil
Diff Steel/Acero

230V 50Hz



P.109
SUSPENDED

P.67
TABLE&FLOOR

*Structures and shades also sold separately 648-650/
Estructuras y pantallas también se venden por separado 648-650

64307-47 black+rattan/negro+rattan

E27 MAX 15W LED **[17463]**

Body Steel/Acero
Shade Rattan



64309-47 black+rattan/negro+rattan

E27 MAX 15W LED **[17463]**
LED SMD 3W 3000K 280lm CRI>80 Driver

Body Steel/Acero
Shade Rattan

100-240V 50/60Hz

P.61 TABLE&FLOOR
P.110 SUSPENDED



video

NEW MAMBO

— Faro Lab

64307-61 black+rattan/negro+rattan

E27 MAX 15W LED **[17463]**

Body Steel/Acero
Shade Rattan



64309-61 black+rattan/negro+rattan

E27 MAX 15W LED **[17463]**
LED SMD 3W 3000K 280lm CRI>80 Driver

Body Steel/Acero
Shade Rattan

100-240V 50/60Hz



NEW CONGA

— Faro Lab



64306-01 matt white/blanco mate
64306-02 matt white+beige/blanco+beige
64307-03 matt black/negro mate

E27 MAX 15W LED **[17463]**

Body Steel/Acero
Shade Textile/Téxtil



64308-01 matt white/blanco mate
64308-02 matt white+beige/blanco+beige
64309-03 matt black/negro mate

E27 MAX 15W LED **[17463]**
LED SMD 3W 3000K 280lm CRI>80 Driver

Body Steel/Acero
Shade Textile/Téxtil



P.62
TABLE&FLOOR

P.113
SUSPENDED

*Structures and shades also sold separately 648-650/
Estructuras y pantallas también se venden por separado 648-650

NEW SAMBA

— Faro Lab

- **64306-35** white+beige/blanco+beige
- **64306-36** white+yellow/blanco+amarillo
- **64306-37** white+green/blanco+verde
- **64307-35** black+beige/negro+beige
- **64307-36** black+yellow/negro+amarillo
- **64307-37** black+green/negro+verde

E27 MAX 15W LED **[17463]**

Body Steel/Acero
Shade Textile/Téxtil



- **64308-35** white+beige/blanco+beige
- **64308-36** white+yellow/blanco+amarillo
- **64308-37** white+green/blanco+verde
- **64309-35** black+beige/negro+beige
- **64309-36** black+yellow/negro+amarillo
- **64309-37** black+green/negro+verde

E27 MAX 15W LED **[17463]**
LED SMD 3W 3000K 280lm CRI>80 Driver

Body Steel/Acero
Shade Textile/Téxtil



P.63 TABLE&FLOOR
P.112 SUSPENDED

*Structures and shades also sold separately 648-650/
Estructuras y pantallas también se venden por separado 648-650

ARTIS

— Àlex & Manel Lluscà

*Structures and shades also sold separately 648-650/
Estructuras y pantallas también se venden por separado 648-650

- **68490-01** bronze+white/bronce+blanco
- **68490-02** bronze+beige/bronce+beige
- **68490-03** bronze+black/bronce+black
- **68491-01** chrome+white/cromo+blanco
- **68491-02** chrome+beige/cromo+beige
- **68491-03** chrome+black/cromo+black

E27 MAX 15W LED ✕ **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil



- **68492-01** bronze+white/bronce+blanco
- **68492-02** bronze+beige/bronce+beige
- **68492-03** bronze+black/bronce+black
- **68493-01** chrome+white/cromo+blanco
- **68493-02** chrome+beige/cromo+beige
- **68493-03** chrome+black/cromo+black

E27 MAX 15W LED ✕ **[17463/*Smart* 17498]**
LED 1W 3000K 140lm CRI>80 Driver ✓

Body Steel/Acero
Shade Textile/Téxtil

100-240V 50/60Hz



- **68494-01** bronze+white/bronce+blanco
- **68494-02** bronze+beige/bronce+beige
- **68494-03** bronze+black/bronce+black
- **68495-01** chrome+white/cromo+blanco
- **68495-02** chrome+beige/cromo+beige
- **68495-03** chrome+black/cromo+black

E27 MAX 15W LED ✕ **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil



P.70
TABLE&FLOOR



ETERNA

— Lucid



*Structures and shades also sold separately 648-650/
Estructuras y pantallas también se venden por separado 648-650

24007-10 chrome+white/cromo+blanco
24007-11 chrome+beige/cromo+beige
24007-12 chrome+black/cromo+negro

E27 MAX 15W LED ✕ **[17463/*Smart* 17498]**
LED HIGH POWER 1W 2700K 90 lm CRI>80
Driver ✓

Body Steel/Acero
Shade Textile/Téxtil

24006-10 chrome+white/cromo+blanco
24006-11 chrome+beige/cromo+beige
24006-12 chrome+black/cromo+negro

E27 MAX 15W LED ✕ **[17463/*Smart* 17498]**
LED HIGH POWER 1W 2700K 90 lm CRI>80
Driver ✓

Body Steel/Acero
Shade Textile/Téxtil

24005-10 chrome+white/cromo+blanco
24005-11 chrome+beige/cromo+beige
24005-12 chrome+black/cromo+negro

E27 MAX 15W LED ✕ **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil







P.45
TABLE

FRAME

— Nahtrang

- **20170-01** matt nickel+white/níquel mate+blanco
- **20170-02** matt nickel+beige/níquel mate+beige
- **20170-03** matt nickel+black/níquel mate+negro
- **20171-01** old gold+white/oro viejo+blanco
- **20171-02** old gold+beige/oro viejo+beige
- **20171-03** old gold+black/oro viejo+negro

E27 MAX 15W LED ✕ **[17463/*Smart* 17498]**

Body Aluminium/Aluminio
Shade Textile/Téxtil



- **20172-01** matt nickel+white/níquel mate+blanco
- **20172-02** matt nickel+beige/níquel mate+beige
- **20172-03** matt nickel+black/níquel mate+negro
- **20173-01** old gold+white/oro viejo+blanco
- **20173-02** old gold+beige/oro viejo+beige
- **20173-03** old gold+black/oro viejo+negro

E27 MAX 15W LED ✕ **[17463/*Smart* 17498]**
LED SMD 3W 3000K 100lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Shade Textile/Téxtil

100-240V 50/60Hz





*Structures and shades also sold separately 648-650/
Estructuras y pantallas también se venden por separado 648-650

REM

— Àlex & Manel Lluscà



*Structures and shades also sold separately 648-650/
Estructuras y pantallas también se venden por separado 648-650

- **29680-19** matt nickel+white/níquel mate+blanco
- **29680-20** matt nickel+beige/níquel mate+beige
- **29680-21** matt nickel+black/níquel mate+negro
- **29681-19** old gold+white/oro viejo+blanco
- **29681-20** old gold+beige/oro viejo+beige
- **29681-21** old gold+black/oro viejo+negro

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero **Shade** Textile/Téxtil



- **29682-19** matt nickel+white/níquel mate+blanco
- **29682-20** matt nickel+beige/níquel mate+beige
- **29682-21** matt nickel+black/níquel mate+negro
- **29683-19** old gold+white/oro viejo+blanco
- **29683-20** old gold+beige/oro viejo+beige
- **29683-21** old gold+black/oro viejo+negro

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**
LED HIGH POWER 4W 3000K 120lm CRI>80
Driver ✓

Body Steel/Acero **Shade** Textile/Téxtil

100-240V 50/60Hz



P.69
TABLE&FLOOR

LUPE

— Jordi Busquets

29995 chrome+beige/cromo+beige

20031-88 black+beige/negro+beige

E27 MAX 15W LED **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil



29996 chrome+beige/cromo+beige

20032-88 black+beige/negro+beige

E27 MAX 15W LED **[17463/*Smart* 17498]**
LED HIGH POWER 1W 3000K 100lm CRI>80
Driver

Body Steel/Acero
Shade Textile/Téxtil

100-240V 50/60Hz



P.73
TABLE&FLOOR

RON

— Pepe Llaudet

- **64400-10** dark grey+white/gris oscuro+blanco
- **64400-11** dark grey+beige/gris oscuro+beige
- **64400-12** dark grey+black/gris oscuro+negro

E27 MAX 15W LED **[17463/*Smart* 17498]**

Body Steel+Bamboo/Acero+Bambú
Shade Textile/Téxtil



*Structures and shades also sold separately 648-650/
Estructuras y pantallas también se venden por separado 648-650





BLOME — Estudi Ribaudí

62099 matt white/blanco mate

62100 matt black/negro mate

LED SMD 3W 3000K 150lm CRI>90 Driver

Body Steel+Silicone/Acero+Silicona
Shade Textile/Téxtil
Diff Opal Glass/Cristal Opal

100-240V 50/60Hz



SABANA — Pepe Llaudet

29993 nickel+beige/níquel+beige

E27 MAX 15W LED **[17462]**

Body Steel/Acero
Shade Textile/Téxtil



SABANA — Pepe Llaudet

29991 nickel+beige/níquel+beige

E27 MAX 15W LED **[17462]**
LED HIGH POWER 1W 4000K CRI>80 Driver

Body Steel/Acero
Shade Textile/Téxtil

100-240V 50/60Hz



SABANA — Pepe Llaudet

29992 nickel+beige/níquel+beige

E27 MAX 15W LED **[17462]**
LED HIGH POWER 1W 4000K CRI>80 Driver

Body Steel/Acero
Shade Textile/Téxtil

100-240V 50/60Hz



FOLD

— Nutcreatives

64302 matt white/blanco mate

64303 matt black/negro mate

E27 MAX 15W LED **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil
Diff Steel/Acero



64304 matt white/blanco mate

64305 matt black/negro mate

E27 MAX 15W LED **[17463/*Smart* 17498]**
LED SMD 3W 3000K 200lm CRI>80 Driver

Body Steel/Acero
Shade Textile/Téxtil
Diff Steel/Acero

100-240V 50/60Hz



VOLTA — Estudi Ribaudí

20021 nickel+white/níquel+blanco

20022 nickel+black/níquel+negro

E27 MAX 15W LED **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil



VOLTA — Estudi Ribaudí

20023 nickel+white/níquel+blanco

20024 nickel+black/níquel+negro

E27 MAX 15W LED **[17463/*Smart* 17498]**
LED HIGH POWER 3W 3000K 200lm CRI>80
Driver

Body Steel/Acero
Shade Textile/Téxtil

100-240V 50/60Hz

P.77
TABLE&FLOOR



ROOM — Àlex & Manel Lluscà

29974 nickel+white/níquel+blanco

29975 nickel+black/níquel+negro

E27 MAX 15W LED **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil





ROOM — Àlex & Manel Lluscà

29976 nickel+white/níquel+blanco

29977 nickel+black/níquel+negro

E27 MAX 15W LED **[17463/*Smart* 17498]**
LED HIGH POWER 3W 3000K 200lm CRI>80
Driver

Body Steel/Acero
Shade Textile/Téxtil

100-240V 50/60Hz



HOTEL

— Àlex & Manel Lluscà



Thanks to Minúscula

29941 chrome+white/cromo+blanco

29946 chrome+black/cromo+negro

E27 MAX 15W LED **[17463/*Smart* 17498]**
LED HIGH POWER 1W 3500K CRI>80 Driver

Body Steel/Acero
Shade Textile/Téxtil

100-240V 50/60Hz

29940 chrome+white/cromo+blanco

29945 chrome+black/cromo+negro

E27 MAX 15W LED **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil





P.121 SUSPENDED

P.78 TABLE&FLOOR

Thanks to Natalia Zubizarreta

VESPER — Nahtrang

29982 white+beige/blanco+beige

29983 brown+beige/marrón+beige

E14 MAX 8W LED **[17461]**
LED HIGH POWER 1W 3000K 120lm CRI>80
Driver

Body Steel/Acero
Shade Textile/Téxtil

100-240V 50/60Hz



VESPER — Nahtrang

29980 white+beige/blanco+beige

29981 brown+beige/marrón+beige

E14 MAX 8W LED **[17461]**

Body Steel/Acero
Shade Textile/Téxtil



P.122
SUSPENDED

P.71
TABLE&FLOOR

BERNI — Nahtrang

- **29329** matt white/blanco mate
- **29330** matt black/negro mate
- **29331** satin nickel/níquel satinado

E27 MAX 15W LED ✕ **[17463/*Smart* 17498]**
LED HIGH POWER 3W 3000K 200lm CRI>80
Driver ✓

Body Steel/Acero
Shade Textile/Téxtil
Top Diff Steel/Acero

100-240V 50/60Hz



P.76
TABLE&FLOOR

Thanks to Elena Castells Poch

BERNI — Nahtrang

- **29326** matt white/blanco mate
- **29327** matt black/negro mate
- **29328** satin nickel/níquel satinado

E27 MAX 15W LED ✕ **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil
Top Diff Steel/Acero



SWEET — Estudi Ribaudí

- **29936** nickel+white/níquel+blanco
- **29952** matt white/blanco mate
- **29953** matt black/negro mate

E27 MAX 15W LED ✕ **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil
Top Diff Textile/Téxtil



SWEET — Estudi Ribaudí

- **29935** nickel+white/níquel+blanco
- **29950** matt white/blanco mate
- **29951** matt black/negro mate

E27 MAX 15W LED ✕ **[17463/*Smart* 17498]**
LED HIGH POWER 1W 3000K 200lm CRI>80
Driver ✓

Body Steel/Acero
Shade Textile/Téxtil
Top Diff Textile/Téxtil

100-240V 50/60Hz



P.75
TABLE&FLOOR

HANNA

64301 nickel+beige/níquel+beige

E27 MAX 15W LED **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil



HANNA

64300 nickel+beige/níquel+beige

E27 MAX 15W LED **[17463/*Smart* 17498]**
LED HIGH POWER 3W 3000K 250lm CRI>80
Driver

Body Steel/Acero
Shade Textile/Téxtil

100-240V 50/60Hz



THANA

68532 nickel+white/níquel+blanco

E14 MAX 8W LED **[17463]**

Body Steel/Acero
Shade Textile/Téxtil

P.123
SUSPENDED



P.82
TABLE&FLOOR

MOMA

68506 chrome+white/cromo+blanco
68507 chrome+black/cromo+negro

E27 MAX 15W LED **[17463]**
LED HIGH POWER 1W 6000K 80lm
Driver

Body Steel/Acero
Shade Textile/Téxtil

100-240V 50/60Hz



MOMA

68504 chrome+white/cromo+blanco
68505 chrome+black/cromo+negro

E27 MAX 15W LED **[17463]**

Body Steel/Acero
Shade Textile/Téxtil



P.79
TABLE&FLOOR

TIRA

64322 matt white/blanco mate
64323 matt black/negro mate

E27 MAX 15W LED **[17463/*Smart* 17498]**
LED HIGH POWER 3W 3000K 280lm
Driver

Body Steel/Acero
Shade Textile/Téxtil

100-240V 50/60Hz



HANDY

— Jordi Blasi

28413 matt white/blanco mate

E27 MAX 15W LED ✕ **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil

28415 matt white/blanco mate

E27 MAX 15W LED ✕ **[17463/*Smart* 17498]**
LED HIGH POWER 3W 3000K 140lm CRI>80
Driver ✓

Body Steel/Acero
Shade Textile/Téxtil

100-240V 50/60Hz USB charger

28414 matt white/blanco mate

E27 MAX 15W LED ✕ **[17463/*Smart* 17498]**
LED HIGH POWER 3W 3000K 140lm CRI>80
Driver ✓

Body Steel/Acero
Shade Textile/Téxtil

100-240V 50/60Hz USB charger







SAHARA

62705 chrome+linen/cromo+lino

62706 chrome+white/cromo+blanco

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil



ESSENTIAL

29340 nickel+white/níquel+blanco

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil



ESSENTIAL

29341 nickel+white/níquel+blanco

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**
LED HIGH POWER 3W 2700K 200lm CRI>80
Driver ✓

Body Steel/Acero
Shade Textile/Téxtil

100-240V 50/60Hz



SABA

68544 nickel+black/níquel+negro

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero
Shade (double) Textile/Téxtil



P.123
SUSPENDED

P.83
TABLE&FLOOR

MITIC

68420 nickel+brown/níquel+marrón

E14 MAX 8W LED ⊗ **[17461]**

Body Steel/Acero
Shade Textile/Téxtil



P.82
TABLE&FLOOR

RODA

62988 nickel+white/níquel+blanco

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil



AUREA — Estudi Ribaudí

62115 matt white/blanco mate

LED SMD 8W 2700K 300lm CRI>80 Driver

Body Steel+Aluminium/Acero+Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

100-240V 50/60Hz 350º 90º



BOC

62707 matt white/blanco mate
62708 matt black/negro mate
62709 satin nickel/níquel satinado
62710 shiny chrome/cromo brillo
62711 bronze/bronce

LED HIGH POWER 3W 3000K 130lm CRI>80 Driver

Body Aluminium/Aluminio

100-240V 50/60Hz 350º 90º



ROB

68497 bronze/bronce
68499 satin nickel/níquel satinado

LED HIGH POWER 3W 3000K 160lm CRI>80 Driver

Body Aluminium+Steel/Aluminio+Acero

220-240V 50/60Hz 350º 90º



ROB

68496 bronze/bronce
68498 satin nickel/níquel satinado

E27 MAX 15W LED **[17463/*Smart* 17498]**
LED HIGH POWER 3W 3000K 160lm CRI>80 Driver

Body Steel+Aluminium/Acero+Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

220-240V 50/60Hz 350º 90º



PIXIE

— Nahtrang

○ **24015** matt white/blanco mate

● **24016** matt black/negro mate

LED HIGH POWER 2W 2700K 90lm CRI>80
Driver ✓

Body Aluminium+Silicone/Aluminio+Silicona

100-240V 50/60Hz 350º 90º 45º



FLIN

○ **64318** matt white/blanco mate

● **64319** matt black/negro mate

LED HIGH POWER 3W 3000K 280lm CRI>80
Driver ✓

Body Aluminium+Silicone/Aluminio+Silicona

100-240V 50/60Hz 350º 90º 30º

LOKE

◐ **40994** shiny chrome/cromo brillo

○ **41019** matt white/blanco mate

● **41020** matt black/negro mate

LED HIGH POWER 3W 3000K 150lm CRI>80
Driver ✓

Body Aluminium+Silicone/Aluminio+Silicona

100-240V 50/60Hz 350º 90º 30º



LOKE

◐ **40996** shiny chrome/cromo brillo

LED HIGH POWER 3W 3000K 150lm CRI>80
Driver ✓

Body Aluminium/Aluminio

RECESSED 100-240V 50/60Hz 350º 90º 30º

ø60



PEPPER

64168 beige/beige

64169 matt black/negro mate

E27 MAX 15W LED **[17462]**

Body Steel/Acero

1.7 MT 360º 180º 180º

STUDIO — Nahtrang

51133 black+creme/negro+crema

51134 shiny chrome/cromo brillo

51135 shiny white/blanco brillo

E14 MAX 15W LED **[17461]**

Body Steel/Acero

1.6 MT

Wall accessory/*Accesorio aplique*

51129 matt black/negro mate

Body Steel/Acero







JULIET

41025N shiny chrome/cromo brillo

LED HIGH POWER 3W 3000K 150lm CRI>80 Driver ✓

Body Aluminium/Aluminio

100-240V 50/60Hz 30º USB charger



BEL

41028 shiny chrome/cromo brillo

41029 matt white/blanco mate

41030 matt black/negro mate

LED HIGH POWER 3W 3000K 150lm CRI>80 Driver ✓

Body Aluminium+Silicone/Aluminio+Silicona

100-240V 50/60Hz 30º



BOKEN

41031 matt white/blanco mate

41032 matt black/negro mate

LED HIGH POWER 3W 3000K 150lm CRI>80 Driver ✓

Body Aluminium+Silicone/Aluminio+Silicona

100-240V 50/60Hz 30º



LESER

41026 satin nickel/níquel satinado

LED 5W 3000K 300lm CRI>80 Driver ✓

Body Aluminium+Silicone/Aluminio+Silicona

100-240V 50/60Hz 36º

SAMI

41023 matt white/blanco mate

LED HIGH POWER 3W 2700K 120lm CRI>80 Driver ✓

Body Aluminium+Silicone/Aluminio+Silicona

100-240V 50/60Hz 30º

LENA

52059 matt white/blanco mate

52061 matt black/negro mate

LED SMD 3W 4000K 300lm CRI>80 Driver ✓

Body Aluminium+Silicone/Aluminio+Silicona

100-240V 50/60Hz 30º 1.7 MT

Electronic Adapteur11V 300mA ✓







P.46
TABLE&FLOOR



KALE

62703 matt black/negro mate

LED HIGH POWER 3W 3000K 180lm CRI>80
Driver

Body Aluminium+Silicone/Aluminio+Silicona

100-240V 50/60Hz 45º



LEAD

62704 bronze+brown/bronce+marrón

LED 3W 3000K 180lm CRI>80 Driver

Body Aluminium+Leather/Aluminio+Piel

LEATHER PIEL 100-240V 50/60Hz 45º



NEW TILA

— Estudi Ribaudí
Thanks to MIKMAX

○ **62360** matt white/blanco mate
● **62361** matt black/negro mate

E27 MAX 15W LED ⊗ **[17462]**

Body Steel/Acero

1.5 MT



2 Installation Modes/2 *Modos de instalación*





PRESS

— Jordi Blasi



- **62350** shiny white/blanco brillo
- **62351** shiny black/negro brillo
- **62352** shiny red/rojo brillo
- **62353** shiny yellow/amarillo brillo

LED SMD 3W 3000K 180lm CRI>80 Driver ✓

Body Aluminium/Aluminio

PRESS LAMP | 350º | 90º | 100-240V | 50/60Hz




Thanks to MIKMAX

LE PETIT

— Àlex & Manel Lluscà

Thanks to MIKMAX

- **62161** matt white/blanco mate
- **62162** matt black/negro mate
- **62163** satin gold/oro satinado
- **62164** bronze/bronce

LED SMD 4W 3000K 130lm CRI>80 Driver

Body Aluminium+Steel/Aluminio+Acero

100-240V 50/60Hz 60º 45º



Thanks to DOS architects / Tavis Wright Photo by Tomeu Canyellas

NIT

— Goula/Figuera

Thanks to MIKMAX

Left/*izquierdo* **NEW**

◯ **01003** matt white/blanco mate

● **01004** matt black/negro mate

E27 MAX 15W LED ⊗ **[17429/17464]**

Body Steel/Acero

1.7 MT



2 Installation Modes/*2 Modos de instalación*

Right/*derecho*

◯ **01005** matt white/blanco mate

● **01006** matt black/negro mate

E27 MAX 15W LED ⊗ **[17429/17464]**

Body Steel/Acero

1.7 MT



Right reader/*Lector derecho*

62122 matt white/blanco mate

62123 silver/plata

LED HIGH POWER 3W 3000K 140lm CRI>80
Driver

Body Aluminium+Steel/Aluminio+Acero

100-240V 50/60Hz 30º 350º 90º

USB charger

Left reader/*Lector izquierdo*

62124 matt white/blanco mate

62125 silver/plata

LED HIGH POWER 3W 3000K 140lm CRI>80
Driver

Body Aluminium+Steel/Aluminio+Acero

100-240V 50/60Hz 30º 350º 90º

USB charger

62116 matt black/negro mate

62117 matt white/blanco mate

LED HIGH POWER 3W 3000K 140lm CRI>80
Driver

Body Aluminium+Steel/Aluminio+Acero

100-240V 50/60Hz 30º 350º 90º

USB charger











Thanks to Lafincaroja Photo by Jorge Peiro

SUAU

— Nahtrang

62104 NEW bronze/bronce
62118 matt black/negro mate
62120 matt white/blanco mate
62121 silver/plata

LED HIGH POWER 3W 3000K 140lm CRI>80
Driver ✓

Body Aluminium+Steel/Aluminio+Acero

100-240V 50/60Hz 30º 350º 90º



62126 satin nickel/níquel satinado
62128 matt black/negro mate
62129 matt white/blanco mate
62111 NEW bronze/bronce
62114 satin gold/oro satinado

LED HIGH POWER 3W 3000K 140lm CRI>80
Driver ✓

Body Aluminium+Steel/Aluminio+Acero

RECESSED 100-240V 50/60Hz 30º 350º 90º 255x80



NOON

— Alegre Design


Thanks to MIKMAX

◯ **62355** matt white/blanco mate

G45 E27 MAX 15W LED ⊗ **[17462]**

Body Steel/Acero

350º 45º



Thanks to MIKMAX

WELL NEW

64030 matt white/blanco mate

LED SMD 7W 2700K 340lm CRI90 Driver

Body Aluminium+Polypropylene/
Aluminio+Polipropileno
Diff Opal PMMA/PMMA Opal

DIM 100-240V 50/60Hz USB charger & Wireless charger



Thanks to MIKMAX

CORB NEW

40135 matt white/blanco mate
40136 matt black/negro mate

GU10 MAX 8W LED [● **17316** /○ **17324**]

Body Steel/Acero

USB charger



USB Charger

SMILE

— Jordi Busquets

62130 matt white/blanco mate

62131 matt black/negro mate

E27 MAX 15W LED **[17463/*Smart* 17498]**

Body Steel/Acero



Thanks to Salto Proyectos Arquitectura

ERES

64026 matt white/blanco mate

E27 MAX15W **[17463/*Smart* 17498]**

Body Steel/Acero



OVO — Estudi Ribaudí

62108 matt white/blanco mate

R7s 118mm MAX 15W LED **[17497]**

Body Steel/Acero



OVO — Estudi Ribaudí

62105 matt white/blanco mate

R7s 78mm MAX 8W LED **[17499]**

Body Steel/Acero



COTTON

66403 beige/beige

66404 matt black/negro mate

E27 MAX 15W LED **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil



COTTON

66405 beige/beige

66406 matt black/negro mate

2 E27 MAX 15W LED **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil



COTTON

66407 beige/beige

66408 matt black/negro mate

E27 MAX 15W LED **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil



COTTON

66409 beige/beige

66410 matt black/negro mate

2 E27 MAX 15W LED **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil



COTTON

66411 beige/beige

66412 matt black/negro mate

E27 MAX 15W LED **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil



COTTON

66413 beige/beige

66414 matt black/negro mate

2 E27 MAX 15W LED **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil



COTTON

66415 beige/beige

66416 matt black/negro mate

2 E27 MAX 15W LED **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil



HOMS

◯ **63167** matt white/blanco mate

R7s 78mm MAX 8W LED ⊗ **[17499]**

Body Steel/Acero

20º
20º



KERA

◯ **62300** shiny white/blanco brillo

● **62301** shiny black/negro brillo

E27 MAX 15W LED ⊗ **[17462]**

Body Ceramic/Cerámica

CERAMICS
CERÁMICA



SERA

◯ **62302** shiny white/blanco brillo

● **62303** shiny black/negro brillo

E27 MAX 15W LED ⊗ **[17462]**

Body Ceramic/Cerámica

CERAMICS
CERÁMICA





140mm NEW

◯ **62170** matt white/blanco mate

● **62171** matt black/negro mate

● **62172** satin gold/oro satinado

E27 MAX 15W LED ⊗ **[17429/17464]**

Body Aluminium/Aluminio







TEN

— Faro Lab

70mm

- **62150** matt white/blanco mate
- **62151** matt black/negro mate
- **62152** satin gold/oro satinado
- **62153** satin gold/oro satinado
- **62154** shiny copper/cobre brillo
- **62155** satin nickel/níquel satinado

E27 MAX 15W LED **[17429/17464]**

Body Aluminium/Aluminio

P.40
TABLE



RETRO — Àlex & Manel Lluscà

20045 matt copper/cobre mate

20049 black+copper/negro+cobre

E14 MAX 8W LED **[17461]**

Body Steel/Acero

350º 270º 270º



LINDA — Estudi Ribaudí

29306 matt white/blanco mate

29310 black+white/negro+blanco

2 E27 MAX 15W LED **[17463/*Smart* 17498]**

Body Steel/Acero
Diff Textile/Téxtil



P.120
SUSPENDED

P.72
TABLE&FLOOR

SAC — Àlex & Manel Lluscà

66191 brown+beige/marrón+beige

2 E14 MAX 8W LED **[17461]**

Body Steel/Acero
Shade Textile/Téxtil



LOA

62809 matt black/negro mate

E27 MAX 15W LED **[17463/*Smart* 17498]**

Body Steel/Acero

ENAMEL
ESMALTE



HUDSON

62810 matt black/negro mate

E27 MAX 15W LED **[17463/*Smart* 17498]**

Body Steel/Acero
Diff Transparent Glass/Cristal Transparente

ENAMEL
ESMALTE



MARINA

60005 matt black/negro mate

E27 MAX 15W LED **[17428]**

Body Steel/Acero
Diff Transparent Glass/Cristal Transparente



P.102
SUSPENDED

CELIA

40070 matt black/negro mate

E14 MAX 8W LED **[17461]**

Body Steel/Acero

1.8 MT



LIST

60000 matt black/negro mate

E27 MAX 15W LED **[17463/*Smart* 17498]**

Body Steel/Acero

350º 90º 90º



NUDOS

68138 dark brown/marrón oscuro

E27 MAX 15W LED **[17462]**

Body Steel+Wood/Acero+Madera
Diff Transparent Glass/Cristal Transparente



P.100
SUSPENDED



REMAKE

50121 matt black/negro mate

50122 shiny chrome/cromo brillo

E27 MAX 15W LED **[17463/*Smart* 17498]**

Body Steel/Acero





MARLIN

65133 satin gold+black/oro sat.+negro

E27 MAX 15W LED **[17428]**

Body Steel/Acero



P.96
SUSPENDED

RAS

62807 matt black/negro mate

E27 MAX 15W LED **[17463/*Smart* 17498]**

Body Steel/Acero

ENAMEL ESMALTE · 2 MT · 200º · 90º

PETRA

40062 shiny chrome/cromo brillo

E14 MAX 8W LED **[17461]**

Body Steel/Acero

160º · 90º

SNAP NEW

57402 off white+grey/blanco roto+gris

57403 dark grey/gris oscuro

E27 MAX 15W LED **[17463/*Smart* 17498]**

Body Steel/Acero







P.47
TABLE

BOARD

01040 matt black/negro mate

LED SMD 7W 2700K 450lm CRI>80 Driver

Body Steel+Board paint/Acero+Pintura pizarra
Diff Opal PMMA/PMMA Opal

BLACKBOARD PIZARRA 100-240V 50/60Hz



BOARD

01041 matt black/negro mate

LED SMD 12W 2700K 700lm CRI>80 Driver

Body Steel+Board paint/Acero+Pintura pizarra
Diff Opal PMMA/PMMA Opal

BLACKBOARD PIZARRA 100-240V 50/60Hz



NEW TOU — Faro Lab

01205 burgundy/burdeos
01207 grey/gris

LED SMD 7W 2700K 450lm CRI>80 Driver

Body Aluminium+foam/Aluminio+espuma
Diff Opal PMMA/PMMA Opal
Shade Textile/Téxtil

100-240V 50/60Hz



01206 burgundy/burdeos
01208 grey/gris

LED SMD 12W 2700K 750lm CRI>80 Driver

Body Aluminium+foam/Aluminio+espuma
Diff Opal PMMA/PMMA Opal
Shade Textile/Téxtil

100-240V 50/60Hz



P.136
CEILING

P.232
RECESSED

P.218
SPOT

P.100
SUSPENDED

P.242
TRACK

STAN

◯ **43750** matt white/blanco mate
● **43751** matt black/negro mate
43760 NEW satin gold/oro satinado

2 GU10 MAX 8W LED ⊗ **[97685327]**

Body Aluminium/Aluminio

*Accessories page 219 (except ring)
Accesorios en página 219 (excepto aro)



ORA

◯ **29890** matt white/blanco mate
● **29891** matt black/negro mate

LED SMD 4W 3000K 350lm CRI>80 Driver ✓

Body Aluminium/Aluminio

100-240V 50/60Hz 120º 350º 90º

LISE

◯ **29888** matt white/blanco mate
● **29889** matt black/negro mate

LED 2COB 6W 2700K 740lm CRI>80 Driver ✓

Body Aluminium/Aluminio

220-240V 50/60Hz 80º

STAN

◯ **43748** matt white/blanco mate
● **43749** matt black/negro mate
43759 NEW satin gold/oro satinado

GU10 MAX 8W LED ⊗ **[97685327]**

Body Aluminium/Aluminio

*Accessories page 219/*Accesorios en página 219*



P.100
SUSPENDED



P.100
SUSPENDED



CONIK — Àlex & Manel Lluscà

64219 matt white/blanco mate

LED SMD 8W 3000K 800lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff PMMA

100-240V 50/60Hz



DALLAS

63199 matt white/blanco mate

LED COB 5W 3000K 435lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

100-240V 50/60Hz

NASH

62819 matt white/blanco mate

62821 NEW matt black/negro mate

LED SMD 8W 3000K 450lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

100-240V 50/60Hz

NASH

62820 matt white/blanco mate

62822 NEW matt black/negro mate

LED SMD 16W 3000K 990lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

100-240V 50/60Hz







CHERAS

◯ **63173** matt white/blanco mate

R7s JP78mm MAX 8W LED ⊗ **[17499]**

Body Plaster/Yeso

PLASTER YESO



CHERAS

◯ **63174** matt white/blanco mate

G9 MAX 6W LED ⊗ **[17466]**

Body Plaster/Yeso

PLASTER YESO





CHERAS

◯ **63175** matt white/blanco mate

R7s JP78mm MAX 8W LED ⊗ **[17499]**

Body Plaster/Yeso

PLASTER YESO





EACO

◯ **63176** matt white/blanco mate

G9 MAX 6W LED ⊗ **[17466]**

Body Plaster/Yeso

PLASTER YESO





EACO

◯ **63177** matt white/blanco mate

2 G9 MAX 6W LED ⊗ **[17466]**

Body Plaster/Yeso

PLASTER YESO



EACO

◯ **63178** matt white/blanco mate

R7s JP78mm MAX 8W LED ⊗ **[17499]**

Body Plaster/Yeso

PLASTER YESO



Thanks to BAOBARQ

OSLO

63284 matt white/blanco mate

G9 MAX 6W LED **[17466]**

Body Plaster/Yeso

PLASTER YESO



OLAF

63278 matt white/blanco mate

2 E14 MAX 8W LED **[17461]**

Body Plaster/Yeso
Diff Glass/Cristal

PLASTER YESO

SNOW

63285 matt white/blanco mate

E14 MAX 8W LED **[17461]**

Body Plaster/Yeso

PLASTER YESO

ELSA

63279 matt white/blanco mate

LED SMD 8W 3000K 300lm CRI>80 Driver

Body Plaster/Yeso
Diff Translucent PMMA/PMMA Translúcido

PLASTER YESO 220-240V 50/60Hz







COVE NEW

63480 matt white/blanco mate

LED SMD 4W 3000K 400lm CRI>80 Driver

Body Plaster/Yeso

PLASTER YESO 220-240V 50/60Hz

TERA

63184 matt white/blanco mate

LED SMD 6W 2700K 530lm CRI>80 Driver

Body Plaster/Yeso

PLASTER YESO 220-240V 50/60Hz

LUNA

63225 matt white/blanco mate

LED SMD 5W 2700K 300lm CRI>80 Driver

Body Plaster/Yeso
Diff Opal PMMA/PMMA Opal

PLASTER YESO 220-240V 50/60Hz







KAMEN

63311 beige/beige
63312 grey/gris

G9 MAX 6W LED **[17466]**

Body Concrete/Cemento

CONCRETE CEMENTO



MAGRITTE

61080 satin nickel/níquel satinado
61083 satin gold/oro satinado
61086 NEW matt black/negro mate

LED SMD 6W 3000K 380lm CRI>80 Driver

Body Steel+Aluminium/Acero+Aluminio
Diff Opal PMMA/PMMA Opal

100-240V 50/60Hz 90º 90º



LIRIA

63156 satin nickel/níquel satinado

E27 MAX 15W LED **[17463/*Smart* 17498]**

Body Steel/Acero
Diff Opal Glass/Cristal Opal



MAGRITTE

61081 satin nickel/níquel satinado
61084 satin gold/oro satinado
61087 NEW matt black/negro mate

LED SMD 8W 3000K 500lm CRI>80 Driver

Body Steel+Aluminium/Acero+Aluminio
Diff Opal PMMA/PMMA Opal

100-240V 50/60Hz 90º 90º



DIULA

62986 satin nickel/níquel satinado

2 E27 MAX 15W LED **[17463/*Smart* 17498]**

Body Steel/Acero
Diff Opal Glass/Cristal Opal



MAGRITTE

61082 satin nickel/níquel satinado
61085 satin gold/oro satinado
61088 NEW matt black/negro mate

LED SMD 12W 3000K 750lm CRI>80 Driver

Body Steel+Aluminium/Acero+Aluminio
Diff Opal PMMA/PMMA Opal

100-240V 50/60Hz 90º 90º



DIULA

62987 satin nickel/níquel satinado

E27 MAX 15W LED **[17463/*Smart* 17498]**

Body Steel/Acero
Diff Opal Glass/Cristal Opal



PERLA — Àlex & Manel Lluscà

40085 old gold/oro envejecido
40086 shiny chrome/cromo brillo
40087 bronze/bronce

G9 MAX 6W LED **[17443]**

Body Steel/Acero
Diff Opal Glass+Transparent Glass/
Cristal Opal+Cristal Transparente

IP44 100-240V 50/60Hz

BIANCA — Àlex & Manel Lluscà

63510 shiny chrome/cromo brillo

G9 MAX 6W LED **[17443]**

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

IP44 100-240V 50/60Hz



BRUME — Àlex & Manel Lluscà

40076 anthracite/antracita

LED 3W 2700K 200lm CRI>80 Driver

Body Steel+Aluminium/Acero+Aluminio
Diff Opal Glass+Transparent Glass/
Cristal Opal+Cristal Transparente

IP44 100-240V 50/60Hz



P.135
CEILING

GALA

63504 shiny chrome/cromo brillo
63505 satin gold/oro satinado

G9 MAX 6W LED **[17495]**

Body Steel/Acero
Diff Opal Glass/Cristal Opal

IP44 100-240V 50/60Hz



LAGO

63503 shiny chrome/cromo brillo

G9 MAX 6W LED **[17495]**

Body Steel/Acero
Diff Opal Glass/Cristal Opal

IP44 100-240V 50/60Hz



DOKA

63323 shiny chrome/cromo brillo

2 E14 MAX 8W LED **[17461]**

Body Steel/Acero
Diff Opal Glass/Cristal Opal

IP44



LAOS

63321 shiny chrome/cromo brillo

2 E14 MAX 8W LED **[17461]**

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

IP44



DOKA

63322 shiny chrome/cromo brillo

E14 MAX 8W LED **[17461]**

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

IP44



RELAX

63038 shiny chrome/cromo brillo

2 G9 MAX 6W LED **[17466]**

Body Steel/Acero
Diff Glass/Cristal

MIRROR ESPEJO IP44



LAOS

63320 shiny chrome/cromo brillo

E14 MAX 8W LED **[17461]**

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

IP44



LASS

63009 mirror/espejo

5 G9 MAX 6W LED **[17466]**

Body Steel+Mirror/Acero+Espejo
Diff Opal Glass/Cristal Opal

IP44



LASS

63008 mirror/espejo

4 G9 MAX 6W LED **[17466]**

Body Steel+Mirror/Acero+Espejo
Diff Opal Glass/Cristal Opal

IP44



TERMA

63148 shiny chrome/cromo brillo

LED SMD 7W 4000K 500lm CRI>80 Driver

Body Steel+Aluminium/Acero+Aluminio
Diff Translucent PMMA/PMMA Translúcido

MIRROR ESPEJO | IP44 | 100-240V | 50/60Hz | 0.5 MT



VOLGA

63507 shiny chrome/cromo brillo

63512 NEW matt black/negro mate

LED SMD 5W 3000K 350lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP44 100-240V 50/60Hz



VOLGA

63508 shiny chrome/cromo brillo

63513 NEW matt black/negro mate

LED SMD 12W 3000K 850lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP44 100-240V 50/60Hz



VOLGA

63509 shiny chrome/cromo brillo

63514 NEW matt black/negro mate

LED SMD 18W 3000K 1300lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP44 100-240V 50/60Hz



DANUBIO

63600 shiny chrome/cromo brillo

63603 NEW bronze/bronce

LED SMD 9W 2700K 600Lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

IP44 100-240V 50/60Hz



DANUBIO

63601 shiny chrome/cromo brillo

63604 NEW bronze/bronce

LED SMD 12W 2700K 800Lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

IP44 100-240V 50/60Hz



DANUBIO

63602 shiny chrome/cromo brillo

63605 NEW bronze/bronce

LED SMD 18W 2700K 1080Lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

IP44 100-240V 50/60Hz







NILO

63318 shiny chrome/cromo brillo

63316 NEW matt black/negro mate

LED SMD 12W 3000K 950 lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP44 100-240V 50/60Hz



NILO

63319 shiny chrome/cromo brillo

63317 NEW matt black/negro mate

LED SMD 18W 3000K 1400lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP44 100-240V 50/60Hz



EDGE

63501 shiny chrome/cromo brillo

LED SMD 12W 4000K 870lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP44 100-240V 50/60Hz



EDGE

63500 shiny chrome/cromo brillo

LED SMD 8W 4000K 500lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP44 100-240V 50/60Hz

EDGE

63502 shiny chrome/cromo brillo

LED SMD 18W 4000K 1300lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP44 100-240V 50/60Hz





INDO

63146 shiny chrome/cromo brillo

LED SMD 9W 4000K 600lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP44 100-240V 50/60Hz



COCO— Faro Lab

○ **40660** matt white/blanco mate
● **40661** matt black/negro mate
◐ **40662** black+green/negro+verde
◐ **40663** black+terracotta/negro+terracota

GU10 MAX 8W LED ⊗ **[97685327]**

Body Steel+ABS/Acero+ABS

350º 45º

○ **40664** matt white/blanco mate
● **40665** matt black/negro mate

2 GU10 MAX 8W LED ⊗ **[97685327]**

Body Steel+ABS/Acero+ABS

350º 45º

○ **40666** matt white/blanco mate
● **40667** matt black/negro mate

3 GU10 MAX 8W LED ⊗ **[97685327]**

Body Steel+ABS/Acero+ABS

350º 45º







Spotlights

Focos

STAN

○ **43726** matt white/blanco mate
● **43727** matt black/negro mate

LED 15W 2700K 1200lm CRI>90 Driver ✓

Body Aluminium/Aluminio
Diff Transp. Polycarbonate/Policarbonato Transp.

100-240V 50/60HZ 350º 90º 90º





STAN

○ **43722** matt white/blanco mate
● **43723** matt black/negro mate
43762 **NEW** satin gold/oro satinado

GU10 MAX 8W LED ⊗ **[97685327]**

Body Aluminium/Aluminio

350º 90º





P.136
CEILING

P.232
RECESSED

P.100
SUSPENDED

P.242
TRACK

P.202
WALL

STAN

◯ **43740** matt white/blanco mate
● **43741** matt black/negro mate

GU10 MAX 8W LED ⊗ **[97685327]**

Body Aluminium/Aluminio



STAN

◯ **43742** matt white/blanco mate
● **43743** matt black/negro mate

2 GU10 MAX 8W LED ⊗ **[97685327]**

Body Aluminium/Aluminio



STAN

◯ **43744** matt white/blanco mate
● **43745** matt black/negro mate

3 GU10 MAX 8W LED ⊗ **[97685327]**

Body Aluminium/Aluminio



Ring accessory

◯ **43728** matt white/blanco mate
● **43729** matt gold/oro mate

Diff honey comb

◯ **43730** matt black/negro mate

Linear spread lens

◯ **43732** matt white/blanco mate

Spread lens

◯ **43731** matt white/blanco mate

LAO — Nahtrang

● **29039** matt black/negro mate

○ **29040** matt white/blanco mate

LED SMD 4.5W 3000K 400lm CRI>80 Driver ✓

Body Aluminium+ABS/Aluminio+ABS
Diff Opal PMMA/PMMA Opal

220-240V 50/60HZ 350º 90º 90º





LAO — Nahtrang

● **29041** matt black/negro mate

○ **29042** matt white/blanco mate

LED 2xSMD 4.5W 3000K 400lm CRI>80 Driver ✓

Body Aluminium+ABS/Aluminio+ABS
Diff Opal PMMA/PMMA Opal

220-240V 50/60HZ 350º 90º 90º



LAO — Nahtrang

● **29043** matt black/negro mate

○ **29044** matt white/blanco mate

LED 3xSMD 4.5W 3000K 400lm CRI>80 Driver ✓

Body Aluminium+ABS/Aluminio+ABS
Diff Opal PMMA/PMMA Opal

220-240V 50/60HZ 350º 90º 90º



LINK — Estudi Ribaudí

○ **29873** matt white/blanco mate

● **29874** matt black/negro mate

● **29897** bronze/bronce

GU10 MAX 8W LED ✗ **[97685327]**

Body Steel/Acero

350º 90º 90º



LINK — Estudi Ribaudí

○ **29875** matt white/blanco mate

● **29876** matt black/negro mate

2 GU10 MAX 8W LED ✗ **[97685327]**

Body Steel/Acero

350º 90º 90º



P.132
CEILING

P.55
TABLE&FLOOR

P.244
TRACK

STONE — Àlex & Manel Lluscà

43500 grey/gris

GU10 MAX 8W LED ⊗ **[97685327]**

Body Steel+Concrete/Acero+Cemento

350º 90º 90º

43501 grey/gris

2 GU10 MAX 8W LED ⊗ **[97685327]**

Body Steel+Concrete/Acero+Cemento

350º 90º 90º

43502 grey/gris

3 GU10 MAX 8W LED ⊗ **[97685327]**

Body Steel+Concrete/Acero+Cemento

350º 90º 90º







RING — Àlex & Manel Lluscà

40553 matt white/blanco mate
40554 dark grey/gris oscuro
40555 satin nickel/níquel satinado

2 GU10 MAX 8W LED ⊗ **[97685327]**

Body Steel/Acero

350º 90º 90º

40556 matt white/blanco mate
40557 dark grey/gris oscuro

3 GU10 MAX 8W LED ⊗ **[97685327]**

Body Steel/Acero

350º 90º 90º

40559 matt white/blanco mate

4 GU10 MAX 8W LED ⊗ **[97685327]**

Body Steel/Acero

350º 90º 90º







40550 matt white/blanco mate
40551 dark grey/gris oscuro
40552 satin nickel/níquel satinado

GU10 MAX 8W LED ⊗ **[97685327]**

Body Steel/Acero

350º 90º 90º

P.244
TRACK





ORLEANS — Nahtrang

43520 matt white/blanco mate
43521 matt black/negro mate
43522 chrome+black/cromo+negro

GU10 MAX 8W LED **[97685327]**

Body Steel/Acero

350º 90º 90º

43523 matt white/blanco mate
43524 matt black/negro mate
43525 chrome+black/cromo+negro

2 GU10 MAX 8W LED **[97685327]**

Body Steel/Acero

350º 90º 90º

43526 matt white/blanco mate
43527 matt black/negro mate
43528 chrome+black/cromo+negro

3 GU10 MAX 8W LED **[97685327]**

Body Steel/Acero

350º 90º 90º







NEW DOMINO

— Aldanondoyfdez

63313 matt white/blanco mate

LED SMD 6W 2700K 200lm CRI90 Driver

Body Plaster/Yeso
Diff Opal PMMA/PMMA Opal

PLASTER YESO | 100-240V | 50/60HZ | 265X160





Recessed
Empotrables

TROOP

43700 white+black/blanco+negro

LED 2W 3000K 210lm CRI>90
Driver 700mA ⊗

Body Aluminium/Aluminio
Diff Transp. Polycarbonate/Policarbonato Transp.

III 30º 36X36

*Drivers info pag. 646

Remote driver to be installed in an accessible place
Driver remoto para ser instalado en un lugar accesible





TROOP

43701 white+black/blanco+negro

LED 3x2W 3000K 630lm CRI>90
Driver 700mA ⊗

Body Aluminium/Aluminio
Diff Transp. Polycarbonate/Policarbonato Transp.

III 30º 83X36

*Drivers info pag. 646

Remote driver to be installed in an accessible place
Driver remoto para ser instalado en un lugar accesible





TROOP

43702 white+black/blanco+negro

LED 5x2W 3000K 1050lm CRI>90
Driver 700mA ⊗

Body Aluminium/Aluminio
Diff Transp. Polycarbonate/Policarbonato Transp.

III 30º 130X36

*Drivers info pag. 646

Remote driver to be installed in an accessible place
Driver remoto para ser instalado en un lugar accesible





TROOP

43703 white+black/blanco+negro

LED 10x2W 3000K 2100lm CRI>90
Driver 700mA ⊗

Body Aluminium/Aluminio
Diff Transp. Polycarbonate/Policarbonato Transp.

III 30º 263X36

*Drivers info pag. 646

Remote driver to be installed in an accessible place
Driver remoto para ser instalado en un lugar accesible





TROOP WALL WASHER

43710 white+black/blanco+negro

LED 5x2W 3000K 1250lm CRI>90
Driver 700mA ⊗

Body Aluminium/Aluminio
Diff Transp. Polycarbonate/Policarbonato Transp.

III 30º 130X36

*Drivers info pag. 646

Remote driver to be installed in an accessible place
Driver remoto para ser instalado en un lugar accesible





TROOP TRIMLESS

43704 matt black/negro mate

LED 2W 3000K 210lm CRI>90 Driver 700mA

Body Aluminium/Aluminio
Diff Transp. Polycarbonate/Policarbonato Transp.

III 30º 36X36

*Drivers info pag. 646

Remote driver to be installed in an accessible place
Driver remoto para ser instalado en un lugar accesible





TROOP TRIMLESS

43705 matt black/negro mate

LED 3x2W 3000K 630lm CRI>90 Driver 700mA

Body Aluminium/Aluminio
Diff Transp. Polycarbonate/Policarbonato Transp.

III 30º 83X36

*Drivers info pag. 646

Remote driver to be installed in an accessible place
Driver remoto para ser instalado en un lugar accesible





TROOP TRIMLESS

43706 matt black/negro mate

LED 5x2W 3000K 1050lm CRI>90
Driver 700mA

Body Aluminium/Aluminio
Diff Transp. Polycarbonate/Policarbonato Transp.

III 30º 130X36

*Drivers info pag. 646

Remote driver to be installed in an accessible place
Driver remoto para ser instalado en un lugar accesible





TROOP TRIMLESS

43707 matt black/negro mate

LED 10x2W 3000K 2100lm CRI>90
Driver 700mA

Body Aluminium/Aluminio
Diff Transp. Polycarbonate/Policarbonato Transp.

III 30º 263X36

*Drivers info pag. 646

Remote driver to be installed in an accessible place
Driver remoto para ser instalado en un lugar accesible



HYDE

⚪ **40118** matt white/blanco mate

⚫ **40119** matt black/negro mate

GU10 MAX 8W LED ⊗ [○ **17316** ● **17324 or *LED MODULE]** Socket GU10 ⊗ **[43065]**

Body Steel/Acero

ORIENTABLE 30º 30º Ø83

LED MODULE information on page 640 /
Más información del MÓDULO LED en página 640



HYDE

⚪ **40114** matt white/blanco mate

⚫ **40115** matt black/negro mate

GU10 MAX 8W LED ⊗ [○ **17316** ● **17324 or *LED MODULE]** Socket GU10 ⊗ **[43065]**

Body Steel/Acero

IP44 Ø83

LED MODULE information on page 640 /
Más información del MÓDULO LED en página 640



HYDE TRIMLESS

⚪ **40110** matt white/blanco mate

⚫ **40111** matt black/negro mate

GU10 MAX 8W LED ⊗ [○ **17316** ● **17324 or *LED MODULE]** Socket GU10 ⊗ **[43065]**

Body Steel/Acero

ORIENTABLE 30º 30º Ø83

LED MODULE information on page 640 /
Más información del MÓDULO LED en página 640



HYDE

⚪ **40120** matt white/blanco mate

⚫ **40121** matt black/negro mate

GU10 MAX 8W LED ⊗ [○ **17316** ● **17324 or *LED MODULE]** Socket GU10 ⊗ **[43065]**

Body Steel/Acero

ORIENTABLE 30º 30º 83X83

LED MODULE information on page 640 /
Más información del MÓDULO LED en página 640



HYDE

⚪ **40116** matt white/blanco mate

⚫ **40117** matt black/negro mate

GU10 MAX 8W LED ⊗ [○ **17316** ● **17324 or *LED MODULE]** Socket GU10 ⊗ **[43065]**

Body Steel/Acero

IP44 83X83

LED MODULE information on page 640 /
Más información del MÓDULO LED en página 640



HYDE TRIMLESS

⚪ **40112** matt white/blanco mate

⚫ **40113** matt black/negro mate

GU10 MAX 8W LED ⊗ [○ **17316** ● **17324 or *LED MODULE]** Socket GU10 ⊗ **[43065]**

Body Steel/Acero

ORIENTABLE 30º 30º 102X93

LED MODULE information on page 640 /
Más información del MÓDULO LED en página 640



HYDE

⬤ **40126** matt white/blanco mate

⬤ **40127** matt black/negro mate

2 GU10 MAX 8W LED ⊗ [○ **17316** ● **17324 or *LED MODULE]** Socket GU10 ⊗ **[43065]**

Body Steel/Acero

ORIENTABLE 30º 30º 83X165

LED MODULE information on page 640 /
Más información del MÓDULO LED en página 640

HYDE

⬤ **40124** matt white/blanco mate

⬤ **40125** matt black/negro mate

2 GU10 MAX 8W LED ⊗ [○ **17316** ● **17324 or *LED MODULE]** Socket GU10 ⊗ **[43065]**

Body Steel/Acero

IP44 83X165

LED MODULE information on page 640 /
Más información del MÓDULO LED en página 640

HYDE TRIMLESS

⬤ **40122** matt white/blanco mate

⬤ **40123** matt black/negro mate

2 GU10 MAX 8W LED ⊗ [○ **17316** ● **17324 or *LED MODULE]** Socket GU10 ⊗ **[43065]**

Body Steel/Acero

ORIENTABLE 30º 30º 182X93

LED MODULE information on page 640 /
Más información del MÓDULO LED en página 640







NAIS NEW

○ **02121001** matt white/blanco mate

● **02121002** matt black/negro mate

SMD COB 7W 2700K 625lm CRI>90 Driver ⊗

Body Aluminium+steel/Aluminio+acero
Diff Transparent PMMA/PMMA transparente

III Ø76 36º

*Drivers info pag. 646



NAIS ORIENTABLE NEW

○ **02111001** matt white/blanco mate

● **02111002** matt black/negro mate

SMD COB 7W 2700K 625lm CRI>90 Driver ⊗

Body Aluminium+steel/Aluminio+acero
Diff Transparent PMMA/PMMA transparente

ORIENTABLE III 15º 15º Ø76 36º

*Drivers info pag. 646



KOI

○ **42921** matt white/blanco mate

LED SMD 6W 3000K 400lm CRI>80 Driver ✓

Body Opal Polycarbonate/Policarbonato Opal
Diff Opal Polycarbonate/Policarbonato Opal

ORIENTABLE □ 100-240V 50/60HZ 15º 15º Ø72





RADÓN

○ **43396** matt white/blanco mate

● **43406** matt black/negro mate

GU10 MAX 8W LED ⊗
[○ 17316 ● 17324 or *LED MODULE]
Socket GU10 ⊗ **[43065]**

Body Aluminium/Aluminio

ORIENTABLE 30º 30º Ø80

LED MODULE information on page 640 /
Más información del MÓDULO LED en página 640



RADÓN

○ **43397** matt white/blanco mate

● **43407** matt black/negro mate

GU10 MAX 8W LED ⊗
[○ 17316 ● 17324 or *LED MODULE]
Socket 2 x GU10 ⊗ **[43065]**

Body Aluminium/Aluminio

ORIENTABLE 30º 30º 80X170

LED MODULE information on page 640 /
Más información del MÓDULO LED en página 640



RADÓN

○ **43398** matt white/blanco mate

● **43408** matt black/negro mate

GU10 MAX 8W LED ⊗
[○ 17316 ● 17324 or *LED MODULE]
Socket GU10 ⊗ **[43065]**

Body Aluminium/Aluminio

ORIENTABLE 30º 30º Ø80

LED MODULE information on page 640 /
Más información del MÓDULO LED en página 640



ARGÓN

○ **43401** matt white/blanco mate

● **43411** matt black/negro mate

GU10 MAX 8W LED ⊗
[○ 17316 ● 17324 or *LED MODULE]
Socket GU10 ⊗ **[43065]**

Body Aluminium/Aluminio

ORIENTABLE 60º 60º Ø100

LED MODULE information on page 640 /
Más información del MÓDULO LED en página 640



ARGÓN

○ **43403** matt white/blanco mate

● **43413** matt black/negro mate

2 GU10 MAX 8W LED ⊗
[○ 17316 ● 17324 or *LED MODULE]
Socket 2 x GU10 ⊗ **[43065]**

Body Aluminium/Aluminio

ORIENTABLE 60º 60º 220X102

LED MODULE information on page 640 /
Más información del MÓDULO LED en página 640



ARGÓN

○ **43402** matt white/blanco mate

● **43412** matt black/negro mate

GU10 MAX 8W LED ⊗
[○ 17316 ● 17324 or *LED MODULE]
Socket GU10 ⊗ **[43065]**

Body Aluminium/Aluminio

ORIENTABLE 60º 60º 100X100

LED MODULE information on page 640 /
Más información del MÓDULO LED en página 640



NEÓN

○ **43399** matt white/blanco mate

● **43409** matt black/negro mate

GU10 MAX 8W LED ⊗
[○ 17316 ● 17324 or *LED MODULE]
Socket GU10 ⊗ **[43065]**

Body Aluminium/Aluminio

Ø65

LED MODULE information on page 640 /
Más información del MÓDULO LED en página 640



NEÓN

○ **43400** matt white/blanco mate

● **43410** matt black/negro mate

GU10 MAX 8W LED ⊗
[○ 17316 ● 17324 or *LED MODULE]
Socket GU10 ⊗ **[43065]**

Body Aluminium/Aluminio

70X70

LED MODULE information on page 640 /
Más información del MÓDULO LED en página 640



GAS

○ **43404** matt white/blanco mate

● **43405** matt black/negro mate

GU10 MAX 8W LED ⊗
[○ 17316 ● 17324 or *LED MODULE]
Socket GU10 ⊗ **[43065]**

Body Aluminium/Aluminio

Ø76

LED MODULE information on page 640 /
Más información del MÓDULO LED en página 640



P.136
CEILING

P.218
SPOT

P.100
SUSPENDED

P.242
TRACK

P.202
WALL

STAN

43752 matt white/blanco mate
43753 matt black/negro mate
43761 NEW satin gold/oro satinado

GU10 MAX 8W LED **[97685327]**

Body Aluminium/Aluminio

100-240V 50/60HZ Ø50

*Accessories page 219/*Accesorios en página 219*

EBBA

42919 silver/plata

LED SMD 4W 3000K 304lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP44 220-240V 50/60HZ Ø63

WABI DIM TO WARM

43900 matt white/blanco mate

LED 10W 1800-3200K max.600lm CRI>80
Driver 250mA **[98310510C]**

Body Aluminium/Aluminio

DIM 1800K 3200K III 60º Ø70

*Drivers info pag. 646







FOX

02101001 matt white/blanco mate

02101002 matt black/negro mate

LED COB 3-5W 2700K 500lm CRI 90
3W Driver 350mA ⊗
5W Driver 500mA ⊗

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

DIM III 25º Ø35

*Drivers info pag. 646

Remote driver to be installed in an accessible place
Driver remoto para ser instalado en un lugar accesible



FOX TRIMLESS

02101101 matt white/blanco mate

02101102 matt black/negro mate

LED COB 3-5W 2700K 500lm CRI 90
3W Driver 350mA ⊗
5W Driver 500mA ⊗

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

DIM III 25º Ø45

*Drivers info pag. 646

Remote driver to be installed in an accessible place
Driver remoto para ser instalado en un lugar accesible



FOX ORIENTABLE

02101301 matt white/blanco mate

02101302 matt black/negro mate

LED COB 3-5W 2700K 500lm CRI 90
3W Driver 350mA ⊗
5W Driver 500mA ⊗

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

DIM III 25º Ø45

*Drivers info pag. 646

Remote driver to be installed in an accessible place
Driver remoto para ser instalado en un lugar accesible



FOX

02101501 matt white/blanco mate

LED COB 7W 2700K 535lm CRI>80
Driver 350mA ⊗

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

DIM III 36º Ø40





FOX

02101601 matt white/blanco mate

LED COB 10W 2700K 680lm CRI>80
Driver 500mA ⊗

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

DIM III 36º Ø55







AIM

02100401 matt white/blanco mate

LED COB 3W 3000K 256lm CRI>80 350mA
Driver

Body Steel/Acero
Diff Transparent Glass/Cristal Transparente

DIM IP65 III 36° Ø49

*Drivers info pag. 646



MOIST

02100901 matt white/blanco mate

GU10 MAX 8W LED **[17316]**

Body Steel/Acero
Diff Transparent Glass/Cristal Transparente

IP44 78X78

CLEAR

02100301 matt white/blanco mate

LED COB 7W 3000K 403lm CRI>80 350mA
Driver

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

DIM IP65 III 36° Ø60

*Drivers info pag. 646

FRESH E27 TRIMLESS NEW

02300101 matt white/blanco mate

E27 MAX 15W LED **[17464]**

Body Aluminium/Aluminio

Ø90







FRESH WALL WASHER

02100601 matt white/blanco mate
02100602 matt black/negro mate
02100603 gold/oro

GU10 MAX 8W LED **[17316]**

Body Aluminium/Aluminio

Ø83



FRESH IP65

02101401 matt white/blanco mate
02101402 NEW matt black/negro mate

GU10 MAX 8W LED **[17316]**

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP65 Ø83



FRESH IP65 TRIMLESS NEW

02400101 matt white/blanco mate
02400102 matt black/negro mate

GU10 MAX 8W LED **[17316]**

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP65 III Ø83



FRESH IP44

02200501 matt white/blanco mate
02200502 matt black/negro mate
02200503 gold/oro

GU10 MAX 8W LED **[17316 or *LED MODULE]**

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP44 Ø83

LED MODULE information on page 640 /
Más información del MÓDULO LED en página 640



FRESH

02100501 matt white/blanco mate
02100502 matt black/negro mate
02100503 gold/oro

GU10 MAX 8W LED **[17316 or *LED MODULE]**

Body Aluminium/Aluminio

Ø83

LED MODULE information on page 640 /
Más información del MÓDULO LED en página 640



FRESH TRIMLESS

02100701 matt white/blanco mate
02100702 matt black/negro mate

GU10 MAX 8W LED **[17316 or *LED MODULE]**

Body Aluminium/Aluminio

Ø90

LED MODULE information on page 640 /
Más información del MÓDULO LED en página 640



MÓVIL

43056 matt white/blanco mate
43057 satin nickel/níquel satinado
43059 Aluminium/Aluminio

GU10 MAX 8W LED
Socket MR16
Socket GU10 **[43065]**

Body Aluminium/Aluminio

ORIENTABLE 50º Ø74



WET

02100801 matt white/blanco mate

LED GU10 MAX 8W LED
[17316 or *LED MODULE]

Body Steel/Acero
Diff Transparent Glass/Cristal Transparente

IP44 100-240V 50/60HZ Ø65

LED MODULE information on page 640 /
Más información del MÓDULO LED en página 640



GINGKO QR111

03030101 matt white/blanco mate
03030102 matt black/negro mate
03030103 grey/gris

G53 MAX 15W LED **[97411]**
Transformer **[98111020]**

Body Steel/Acero

ORIENTABLE 12V 30º 30º 30º 170X175





FALCON

03020401 matt white/blanco mate
03020402 matt black/negro mate

GU10 MAX 8W LED **[17316]**

Body Steel/Acero

ORIENTABLE 30º 30º 30º 91X100

FALCON WITH FRAME

03020503 grey/gris

2 GU10 MAX 8W LED [**17316**]

Body Steel/Acero

ORIENTABLE 30º 30º 30º 180X100



GINGKO QR111

03030201 matt white/blanco mate
03030202 matt black/negro mate

2 G53 MAX 15W LED **[97411]**
Transformer **[2x98111020]**

Body Steel/Acero

ORIENTABLE 12V 30º 30º 30º 313X169



BOW

02150101 matt white/blanco mate

LED COB 7W 2700K 520lm CRI>90 350mA Driver

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

DIM III 36° Ø45

*Drivers info pag. 646



BOW

02150201 matt white/blanco mate

LED COB 10W 2700K 655lm CRI>90 500mA Driver

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

DIM III 36° Ø65

*Drivers info pag. 646



BOW

02150301 matt white/blanco mate

LED COB 18W 2700K 1575lm CRI>90 500mA Driver

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

DIM III 36° Ø80

*Drivers info pag. 646



CROC NEW

43780 matt white/blanco mate

LED SMD 9W 2700K 1021lm CRI90 Driver

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA opal

IP44 DIM III Ø89

*Drivers info pag. 646



CROC NEW

43781 matt white/blanco mate

LED SMD 13W 2700K 856lm CRI90 Driver

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA opal

IP44 DIM III Ø126

*Drivers info pag. 646





CROC NEW

43782 matt white/blanco mate

LED SMD 19W 2700K 1958lm CRI90 Driver

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA opal

IP44 DIM III Ø176

*Drivers info pag. 646



SON

42928 matt white/blanco mate

LED SMD 8W 2700K 580lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

220-240V 50/60HZ Ø100



SON

42929 matt white/blanco mate

LED SMD 24W 2700K 2000lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

220-240V 50/60HZ Ø205



SON

42930 matt white/blanco mate

LED SMD 24W 4000K 2000lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

220-240V 50/60HZ Ø205



LUAN

42931 matt white/blanco mate

LED SMD 40W 3000K 3200lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP44 100-240V 50/60HZ Ø375





TED

42926 matt white/blanco mate

LED SMD 15W 3000K 1200lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP44 220-240V 50/60HZ 160º Ø150



TOD

42927 matt white/blanco mate

LED SMD 24W 3000K 2000lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP44 220-240V 50/60HZ 160º Ø195



NEU TRIMLESS

63286 matt white/blanco mate

LED MR16 8W Gear **98101050**
Socket MR16

Body Plaster/Yeso

PLASTER YESO | III | 12V | 30º 30º | Ø160



NORD

63290 matt white/blanco mate

LED SMD 18W 3000K 1100lm CRI>80
Driver DC 350mA **[98310118LC]**

Body Plaster/Yeso
Diff Opal PMMA/PMMA Opal

PLASTER YESO | III | Ø305

*Drivers info pag. 646



SIGNAL ASIMETRIC

02100101 grey/gris

LED COB 3W 3000K 102lm CRI>80 350mA
Driver **[98310110]**

Body Aluminium/Aluminio

DIM | IP65 | III | 36º | Ø49

Recessed box **[02100101C]**

*Drivers info pag. 646



NAVI NEW

63481 matt white/blanco mate

LED SMD 12W 3000K 1100lm CRI>80 Driver

Body Plaster/Yeso

PLASTER YESO | 273X273

Remote driver to be installed in an accessible place
Driver remoto para ser instalado en un lugar accesible



PLAS

◯ **63283** matt white/blanco mate

LED HIGH POWER 1W 3000K 112lm CRI>80
Driver 3W 350mA ⊗ **[46060]**

Body Plaster/Yeso

PLASTER YESO III 155X110

*Drivers info pag. 646

Remote driver to be installed in an accessible place
Driver remoto para ser instalado en un lugar accesible



PLAS NEW

◯ **63490** matt white/blanco mate

LED HIGH POWER 1W 2700K 112lm CRI>80
Driver 3W 350mA ⊗ **[46060]**

Body Plaster/Yeso

PLASTER YESO 248X113

Remote driver to be installed in an accessible place
Driver remoto para ser instalado en un lugar accesible



PLAS

◯ **63281** matt white/blanco mate

LED HIGH POWER 1W 3000K 112lm CRI>80
Driver 3W 350mA ⊗ **[46060]**

Body Plaster/Yeso

PLASTER YESO III 175X110

*Drivers info pag. 646

Remote driver to be installed in an accessible place
Driver remoto para ser instalado en un lugar accesible



PLAS

◯ **63282** matt white/blanco mate

LED HIGH POWER 1W 3000K 112lm CRI>80
Driver 3W 350mA ⊗ **[46060]**

Body Plaster/Yeso

PLASTER YESO III 231X85

*Drivers info pag. 646

Remote driver to be installed in an accessible place
Driver remoto para ser instalado en un lugar accesible



STAN

◯ **43724** matt white/blanco mate
● **43725** matt black/negro mate

LED 15W 2700K 1200lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transp. Polycarbonate/Policarbonato Transp.

100-240V 50/60Hz 350º 90º 90º

*Accessories page 219/*Accesorios en página 219*





STAN

◯ **43720** matt white/blanco mate
● **43721** matt black/negro mate
43757 **NEW** satin gold/oro satinado

GU10 MAX 8W LED ✗ **[97685327]**

Body Aluminium/Aluminio

350º 90º

*Accessories page 219/*Accesorios en página 219*



P.136 CEILING
P.232 RECESSED
P.218 SPOT
P.100 SUSPENDED
P.202 WALL

Track
Carril



LAO — Nahtrang

29045 matt black/negro mate

LED SMD 4.5W 3000K 400lm CRI>80 Driver

Body Aluminium+ABS/Aluminio+ABS
Diff Opal PMMA/PMMA Opal

220-240V 50/60Hz 350º 90º 90º



P.220
SPOT

LINK — Estudi Ribaudí

29871 matt white/blanco mate
29872 matt black/negro mate
29896 bronze/bronce

GU10 MAX 8W LED **[97685327]**

Body Steel/Acero

350º 90º 90º



P.132
CEILING

P.220
SPOT

P.55
TABLE&FLOOR

RING — Àlex & Manel Lluscà

40562 matt white/blanco mate
40563 dark grey/gris oscuro

GU10 MAX 8W LED **[97685327]**

Body Steel/Acero

350º 90º 90º



P.222
SPOT

ORLEANS — Nahtrang

43535 matt white/blanco mate
43536 matt black/negro mate

GU10 MAX 8W LED ⊗ **[97685327]**

Body Steel/Acero

350º 90º 90º

P.133
CEILING

P.223
SPOT



PLOT

○ **64202** matt white/blanco mate
● **64203** matt black/negro mate

GU10 MAX 8W LED ⊗ [○ **17316** ● **17324]**

Body Steel/Acero

350º 90º 90º

RAM

● **40101** matt black/negro mate

E27 MAX 15W LED ⊗ **[97687127]**

Body Aluminium/Aluminio

350º 90º 90º



Surface track kit 1mt/*Kit carril de superficie 1mt*

○ **64210** matt white/blanco mate
● **64212** matt black/negro mate
● **64214** grey/gris

Surface track kit 2mts/*Kit carril de superficie 2mts*

○ **64211** matt white/blanco mate
● **64213** matt black/negro mate
● **64215** grey/gris

Body Steel

Track/feed/end cap
Carril/alimentación/tapa final ✓







16:22
3G
Grupo
Hall
Editar
FUGA
CYLINDER
SIGMA
Todas las lámparas
Lámparas cercanas
Lámparas
Galería
Escenas
Más

Smart Lighting

CASAMBI

Create scenes, regulate light intensity and much more in a simple way, contributing to energy saving and providing Well-being to the user.

Colin | Cylinder | Deep | Fuga | Optic | Sigma | Synch | Teko | Ledstrip

Multiple features
Múltiples funcionalidades

On/Off | Grouping | Scenes | Animation | Gallery | Intensity | Calendar | Timer | Sunrise &Sunset

ANDROID APP ON Google play

Available on the iPhone App Store



Surface *Superfície*



Recessed *Empotrable*

Tracks are available for recessed, suspended and surface installation.

Los carriles están disponibles para instalación empotrada, suspendida y de superficie.

Suspended *Suspendida*

video

Neso



Neso is a magnetic track system that allows you to combine different types of luminaires for both general and accent lighting.

1

Choose your Neso track
Escoge tu carril Neso



2

Join them to build continuous lines
Únelos para construir líneas contínuas



MECHANICAL CONNECTOR
For surface, pendant and recessed.
Para superficie, colgante y empotrado.



L AND T ACCESORIES INNER AND OUTER CORNERS
For surface, pendant and recessed.
Para superficie, colgante y empotrado.



INPUT TERMINAL
Necessary for recessed track.
Necesario para carril empotrado.

3

Turn your Neso track surface into pendant
Convierte tu carril Neso superficie en colgante

4

Add luminaires to your Neso track
Añade luminarias a tu carril Neso

Magnetic fixing

Neso allows the integration of lighting in any type of architecture. The luminaires are attached to the rail by means of magnets. This makes it very easy to change their position.
Imagination and creativity to power!

Neso permite la integración de la iluminación en cualquier tipo de arquitectura. las luminarias se fijan al carril mediante imanes. Esto hace que sea muy fácil cambiarlas de posición. ¡Imaginación y creatividad al poder!

Track Recessed

Track **1m**	5020120102	●
Track **1m** Dali	5020120102D	●
Track **2m**	5020120202	●
Track **2m** Dali	5020120202D	●

IP20 | III | SE LV | 24V



Accessories



Input terminal

	5020221402	●
Dali	5020221402D	●



Mechanical connector

	5020200102	●

Power supply

120W	98324120	●
180W	98324180	●
150W	98324150U	●



L

	5020221002	●
Dali	5020221002D	●



T

	5020221102	●
Dali	5020221102D	●



Inner corner

	5020221202	●
Dali	5020221202D	●



Outer corner

	5020221302	●
Dali	5020221302D	●

Track Surface & Suspension

Track **1m**	5020110102	●
Track **1m** Dali	5020110102D	●
Track **2m**	5020110202	●
Track **2m** Dali	5020110202D	●

IP20 | III | SE LV | 24V



Accessories



Mechanical connector

	5020200102	●

Driver box

	5020210002	●
Dali	5020210002D	●

Pendant Kit for driver box

	5020210202	●
Dali	5020210202D	●

SteelWire

	5020210102	●

Power supply

120W	98324120	●
180W	98324180	●
150W	98324150U	●



L

	5020211002	●
Dali	5020211002D	●



T

	5020211102	●
Dali	5020211102D	●



Inner corner

	5020211202	●
Dali	5020211202D	●



Outer corner

	5020211302	●
Dali	5020211302D	●



Input Terminal

	5020210302	●
Dali	5020210302D	●

Neso **Point 3L**

		P	BEAM	CCT	FLUX
5010192712	●	4W	12º	2700K	220lm
5010192722	●	4W	34º	2700K	220lm
5010193012	●	4W	12º	3000K	250lm
5010193022	●	4W	34º	3000K	250lm

LED | IP20 | III | SE LV | CRI>90 | 24V | incl. | 12º/34º

Neso **Point 6L**

		P	BEAM	CCT	FLUX
5010292712	●	8W	12º	2700K	490lm
5010292722	●	8W	34º	2700K	490lm
5010293012	●	8W	12º	3000K	510lm
5010293022	●	8W	34º	3000K	510lm

LED | IP20 | III | SE LV | CRI>90 | 24V | incl. | 12º/34º

*DALI option

Add a D at the end of the ref.

Neso **Point 12L**

		P	BEAM	CCT	FLUX
5010392712	●	16W	12º	2700K	810lm
5010392722	●	16W	34º	2700K	810lm
5010393012	●	16W	12º	3000K	850lm
5010393022	●	16W	34º	3000K	850lm

LED | IP20 | III | SE LV | CRI>90 | 24V | incl. | 12º/34º

*DALI option

Add a D at the end of the ref.

Neso **Unik**

		P	CCT	FLUX
5010892702	●	5W	2700K	330lm

LED | IP20 | III | SE LV | CRI>90 | 24V | incl.



*DALI option

Add a D at the end of the ref.

Neso **Line 32cm**

		P	CCT	FLUX
5010492702	●	13W	2700K	550lm
5010493002	●	13W	3000K	590lm

LED | IP20 | III | SE LV | CRI>90 | 24V | incl.

*DALI option

Add a D at the end of the ref.

Neso **Line 64cm**

		P	CCT	FLUX
5010592702	●	26W	2700K	930lm
5010593002	●	26W	3000K	970lm

LED | IP20 | III | SE LV | CRI>90 | 24V | incl.

*DALI option

Add a D at the end of the ref.

Neso **Top**

		P	BEAM	CCT	FLUX
5010692712	●	5W	20°	2700K	330lm
5010692722	●	5W	40°	2700K	330lm
5010693012	●	5W	20°	3000K	360lm
5010693022	●	5W	40°	3000K	360lm

LED | IP20 | III | SE LV | CRI>90 | 24V | incl. | 20°/40°



*DALI option

Add a D at the end of the ref.

Neso **Hole**

		P	BEAM	CCT	FLUX
5010792712	●	5W	20º	2700K	330lm
5010792722	●	5W	40º	2700K	330lm
5010793012	●	5W	20º	3000K	360lm
5010793022	●	5W	40º	3000K	360lm

LED | IP20 | III | SE LV | CRI>90 | 24V | incl. | 20º/40º



*DALI option

Add a D at the end of the ref.

Neso **Hole NEW**

		P	BEAM	CCT	FLUX
5010802712	●	10W	18º	2700K	705lm
5010803012	●	10W	36º	2700K	705lm
5010802722	●	10W	18º	3000K	735lm
5010803022	●	10W	36º	3000K	735lm

LED | IP20 | III | SE LV | CRI>90 | 24V | incl. | 18º/36º



*DALI option

Add a D at the end of the ref.



Fuga

Fuga **Small**



Fuga **Medium**



Fuga **Large**



LIGHTING SOLUTIONS

Our projectors FUGA incorporate Vossloh components, to offer the latest technology available in the market and the most efficient LED.
Nuestros proyectores FUGA incorporan componentes Vossloh, para poder ofrecer la última tecnología disponible en el mercado y los led más eficientes.

Fuga **Small 7W**		P	CRI	BEAM	CCT	FLUX
011100101	○	7W	82	24º	2700K	600lm
011100102	●	7W	82	24º	2700K	600lm
011100201	○	7W	82	60º	2700K	600lm
011100202	●	7W	82	60º	2700K	600lm
011100301	○	7W	85	24º	3000K	650lm
011100302	●	7W	85	24º	3000K	650lm
011100401	○	7W	85	60º	3000K	650lm
011100402	●	7W	85	60º	3000K	650lm
011100501	○	7W	85	24º	4000K	700lm
011100502	●	7W	85	24º	4000K	700lm
011100601	○	7W	85	60º	4000K	700lm
011100602	●	7W	85	60º	4000K	700lm
Fuga Small 12W						
011100701	○	12W	82	24º	2700K	1050lm
011100702	●	12W	82	24º	2700K	1050lm
011100801	○	12W	82	60º	2700K	1050lm
011100802	●	12W	82	60º	2700K	1050lm
011100901	○	12W	85	24º	3000K	1100lm
011100902	●	12W	85	24º	3000K	1100lm
011101001	○	12W	85	60º	3000K	1100lm
011101002	●	12W	85	60º	3000K	1100lm
011101101	○	12W	85	24º	4000K	1150lm
011101102	●	12W	85	24º	4000K	1150lm
011101201	○	12W	85	60º	4000K	1150lm
011101202	●	12W	85	60º	4000K	1150lm

LED | IP20 | incl. | 180º | 90º | 850ºC | 24º/60º

*TRIAC option 12W

Add a C at the end of the ref.



Fuga **Medium 12W**		P	CRI	BEAM	CCT	FLUX
011200101	○	12W	82	24º	2700K	950lm
011200102	●	12W	82	24º	2700K	950lm
011200201	○	12W	82	60º	2700K	950lm
011200202	●	12W	82	60º	2700K	950lm
011200301	○	12W	85	24º	3000K	1000lm
011200302	●	12W	85	24º	3000K	1000lm
011200401	○	12W	85	60º	3000K	1000lm
011200402	●	12W	85	60º	3000K	1000lm
011200501	○	12W	85	24º	4000K	1100lm
011200502	●	12W	85	24º	4000K	1100lm
011200601	○	12W	85	60º	4000K	1100lm
011200602	●	12W	85	60º	4000K	1100lm

LED | IP20 | incl. | 180º | 90º | 850ºC | 24º/60º

*DALI option

Add a D at the end of the ref.

*TRIAC option

Add a C at the end of the ref.

*CASAMBI option

Add a W at the end of the ref.



Fuga **Medium 18W**

		P	CRI	BEAM	CCT	FLUX
011200701	○	18W	82	24º	2700K	1450lm
011200702	●	18W	82	24º	2700K	1450lm
011200801	○	18W	82	60º	2700K	1450lm
011200802	●	18W	82	60º	2700K	1450lm
011200901	○	18W	85	24º	3000K	1500lm
011200902	●	18W	85	24º	3000K	1500lm
011201001	○	18W	85	60º	3000K	1500lm
011201002	●	18W	85	60º	3000K	1500lm
011201101	○	18W	85	24º	4000K	1600lm
011201102	●	18W	85	24º	4000K	1600lm
011201201	○	18W	85	60º	4000K	1600lm
011201202	●	18W	85	60º	4000K	1600lm

LED | IP20 | incl. | 180º | 90º | 850ºC | 24º/60º

*DALI option
Add a D at the end of the ref.

*TRIAC option
Add a C at the end of the ref.

*CASAMBI option
Add a W at the end of the ref.



Fuga **Medium 17W**

CRI95

		P	CRI	BEAM	CCT	FLUX
011201301	○	17W	95	24º	2700K	1250lm
011201302	●	17W	95	24º	2700K	1250lm
011201401	○	17W	95	60º	2700K	1250lm
011201402	●	17W	95	60º	2700K	1250lm
011201501	○	17W	95	24º	3000K	1300lm
011201502	●	17W	95	24º	3000K	1300lm
011201601	○	17W	95	60º	3000K	1300lm
011201602	●	17W	95	60º	3000K	1300lm
011201701	○	17W	95	24º	4000K	1400lm
011201702	●	17W	95	24º	4000K	1400lm
011201801	○	17W	95	60º	4000K	1400lm
011201802	●	17W	95	60º	4000K	1400lm

LED | IP20 | incl. | 180º | 90º | 850ºC | 24º/60º

*DALI option
Add a D at the end of the ref.

*TRIAC option
Add a C at the end of the ref.

*CASAMBI option
Add a W at the end of the ref.



Fuga **Medium 24W**

CRI95

		P	CRI	BEAM	CCT	FLUX
011201901	○	24W	95	24º	2700K	1800lm
011201902	●	24W	95	24º	2700K	1800lm
011202001	○	24W	95	60º	2700K	1800lm
011202002	●	24W	95	60º	2700K	1800lm
011202101	○	24W	95	24º	3000K	1850lm
011202102	●	24W	95	24º	3000K	1850lm
011202201	○	24W	95	60º	3000K	1850lm
011202202	●	24W	95	60º	3000K	1850lm
011202301	○	24W	95	24º	4000K	1950lm
011202302	●	24W	95	24º	4000K	1950lm
011202401	○	24W	95	60º	4000K	1950lm
011202402	●	24W	95	60º	4000K	1950lm

LED | IP20 | incl. | 180º | 90º | 850ºC | 24º/60º

*DALI option
Add a D at the end of the ref.

*TRIAC option
Add a C at the end of the ref.

*CASAMBI option
Add a W at the end of the ref.



Fuga **Medium 28W**			P	CRI	BEAM	CCT	FLUX
HIGH EFFICIENCY LED	011202501	○	28W	82	24°	2700K	2000lm
	011202502	●	28W	82	24°	2700K	2000lm
	011202601	○	28W	82	60°	2700K	2000lm
	011202602	●	28W	82	60°	2700K	2000lm
	011202701	○	28W	85	24°	3000K	2050lm
	011202702	●	28W	85	24°	3000K	2050lm
	011202801	○	28W	85	60°	3000K	2050lm
	011202802	●	28W	85	60°	3000K	2050lm
	011202901	○	28W	85	24°	4000K	2150lm
	011202902	●	28W	85	24°	4000K	2150lm
	011203001	○	28W	85	60°	4000K	2150lm
	011203002	●	28W	85	60°	4000K	2150lm

LED | IP20 | incl. | 180° | 90° | 850°C | 24°/60°

*DALI option
Add a D at the end of the ref.

*TRIAC option
Add a C at the end of the ref.

*CASAMBI option
Add a W at the end of the ref.



Fuga **Medium 28W**			P	CRI	BEAM	CCT	FLUX
FOOD LIGHTING LED	011203101	○	28W	85	24°	fruits ●	1600lm
	011203102	●	28W	85	24°	fruits ●	1600lm
	011203201	○	28W	85	60°	fruits ●	1600lm
	011203202	●	28W	85	60°	fruits ●	1600lm
	011203301	○	28W	85	24°	fish ●	1700lm
	011203302	●	28W	85	24°	fish ●	1700lm
	011203401	○	28W	85	60°	fish ●	1700lm
	011203402	●	28W	85	60°	fish ●	1700lm
	011203501	○	28W	70	24°	meat ●	1500lm
	011203502	●	28W	70	24°	meat ●	1500lm
	011203601	○	28W	70	60°	meat ●	1500lm
	011203602	●	28W	70	60°	meat ●	1500lm

LED | IP20 | incl. | 180° | 90° | 850°C | 24°/60°

*DALI option
Add a D at the end of the ref.

*TRIAC option
Add a C at the end of the ref.

*CASAMBI option
Add a W at the end of the ref.



Fuga **Medium 21W**			P	CRI	BEAM	CCT	FLUX
RETAIL LIGHTING LED	011203701	○	21W	95	24°	3100K	1300lm
	011203702	●	21W	95	24°	3100K	1300lm
	011203801	○	21W	95	56°	3100K	1300lm
	011203802	●	21W	95	56°	3100K	1300lm
Fuga **Medium 28W**							
RETAIL LIGHTING LED	011203901	○	28W	95	24°	3100K	1800lm
	011203902	●	28W	95	24°	3100K	1800lm
	011204001	○	28W	95	56°	3100K	1800lm
	011204002	●	28W	95	56°	3100K	1800lm

LED | IP20 | incl. | 180° | 90° | 850°C | 24°/56°

*DALI option 21W
Add a D at the end of the ref.

*TRIAC option 21W
Add a C at the end of the ref.

*CASAMBI option 21W
Add a W at the end of the ref.

*DALI option 28W
Add a D at the end of the ref.

*TRIAC option 28W
Add a C at the end of the ref.

*CASAMBI option 28W
Add a W at the end of the ref.

Fuga **Large 18W**

		P	CRI	BEAM	CCT	FLUX
011300101	○	18W	82	24º	2700K	1350lm
011300102	●	18W	82	24º	2700K	1350lm
011300201	○	18W	82	60º	2700K	1350lm
011300202	●	18W	82	60º	2700K	1350lm
011300301	○	18W	85	24º	3000K	1400lm
011300302	●	18W	85	24º	3000K	1400lm
011300401	○	18W	85	60º	3000K	1400lm
011300402	●	18W	85	60º	3000K	1400lm
011300501	○	18W	85	24º	4000K	1500lm
011300502	●	18W	85	24º	4000K	1500lm
011300601	○	18W	85	60º	4000K	1500lm
011300602	●	18W	85	60º	4000K	1500lm

LED | IP20 | incl. | 180º | 90º | 850ºC | 24º/60º

*DALI option
Add a D at the end of the ref.

*TRIAC option
Add a C at the end of the ref.

*CASAMBI option
Add a W at the end of the ref.



Fuga **Large 25W**

		P	CRI	BEAM	CCT	FLUX
011300701	○	25W	82	24º	2700K	1850lm
011300702	●	25W	82	24º	2700K	1850lm
011300801	○	25W	82	60º	2700K	1850lm
011300802	●	25W	82	60º	2700K	1850lm
011300901	○	25W	85	24º	3000K	1900lm
011300902	●	25W	85	24º	3000K	1900lm
011301001	○	25W	85	60º	3000K	1900lm
011301002	●	25W	85	60º	3000K	1900lm
011301101	○	25W	85	24º	4000K	2000lm
011301102	●	25W	85	24º	4000K	2000lm
011301201	○	25W	85	60º	4000K	2000lm
011301202	●	25W	85	60º	4000K	2000lm

LED | IP20 | incl. | 180º | 90º | 850ºC | 24º/60º

*DALI option
Add a D at the end of the ref.

*TRIAC option
Add a C at the end of the ref.

*CASAMBI option
Add a W at the end of the ref.



Fuga **Large 36W**

CRI95

		P	CRI	BEAM	CCT	FLUX
011301901	○	36W	95	24º	2700K	2800lm
011301902	●	36W	95	24º	2700K	2800lm
011302001	○	36W	95	60º	2700K	2800lm
011302002	●	36W	95	60º	2700K	2800lm
011302101	○	36W	95	24º	3000K	2850lm
011302102	●	36W	95	24º	3000K	2850lm
011302201	○	36W	95	60º	3000K	2850lm
011302202	●	36W	95	60º	3000K	2850lm
011302301	○	36W	95	24º	4000K	2950lm
011302302	●	36W	95	24º	4000K	2950lm
011302401	○	36W	95	60º	4000K	2950lm
011302402	●	36W	95	60º	4000K	2950lm

LED | IP20 | incl. | 180º | 90º | 850ºC | 24º/60º

*DALI option
Add a D at the end of the ref.

*TRIAC option
Add a C at the end of the ref.

*CASAMBI option
Add a W at the end of the ref.



Fuga **Large 41W**

HIGH EFFICIENCY LED

		P	CRI	BEAM	CCT	FLUX
011301301	○	41W	82	24°	2700K	2950lm
011301302	●	41W	82	24°	2700K	2950lm
011301401	○	41W	82	60°	2700K	2950lm
011301402	●	41W	82	60°	2700K	2950lm
011301501	○	41W	85	24°	3000K	3000lm
011301502	●	41W	85	24°	3000K	3000lm
011301601	○	41W	85	60°	3000K	3000lm
011301602	●	41W	85	60°	3000K	3000lm
011301701	○	41W	85	24°	4000K	3100lm
011301702	●	41W	85	24°	4000K	3100lm
011301801	○	41W	85	60°	4000K	3100lm
011301802	●	41W	85	60°	4000K	3100lm

LED | IP20 | incl. | 180° | 90° | 850°C | 24°/60°

*DALI option

Add a D at the end of the ref.

*TRIAC option

Add a C at the end of the ref.

*CASAMBI option

Add a W at the end of the ref.



Fuga **Large 29W**

FOOD LIGHTING LED

		P	CRI	BEAM	CCT	FLUX
011302501	○	29W	85	24°	fruits ●	1600lm
011302502	●	29W	85	24°	fruits ●	1600lm
011302601	○	29W	85	60°	fruits ●	1600lm
011302602	●	29W	85	60°	fruits ●	1600lm
011302701	○	29W	85	24°	fish ●	1700lm
011302702	●	29W	85	24°	fish ●	1700lm
011302801	○	29W	85	60°	fish ●	1700lm
011302802	●	29W	85	60°	fish ●	1700lm
011302901	○	29W	70	24°	meat ●	1500lm
011302902	●	29W	70	24°	meat ●	1500lm
011303001	○	29W	70	60°	meat ●	1500lm
011303002	●	29W	70	60°	meat ●	1500lm

Fuga **Large 41W**

FOOD LIGHTING LED

		P	CRI	BEAM	CCT	FLUX
011303101	○	41W	85	24°	fruits ●	2350lm
011303102	●	41W	85	24°	fruits ●	2350lm
011303201	○	41W	85	60°	fruits ●	2350lm
011303202	●	41W	85	60°	fruits ●	2350lm
011303301	○	41W	85	24°	fish ●	2450lm
011303302	●	41W	85	24°	fish ●	2450lm
011303401	○	41W	85	60°	fish ●	2450lm
011303402	●	41W	85	60°	fish ●	2450lm
011303501	○	41W	70	24°	meat ●	2250lm
011303502	●	41W	70	24°	meat ●	2250lm
011303601	○	41W	70	60°	meat ●	2250lm
011303602	●	41W	70	60°	meat ●	2250lm

LED | IP20 | incl. | 180° | 90° | 850°C | 24°/60°

*DALI option 29W

Add a D at the end of the ref.

*TRIAC option 29W

Add a C at the end of the ref.

*CASAMBI option 29W

Add a W at the end of the ref.

*DALI option 41W

Add a D at the end of the ref.

*TRIAC option 41W

Add a C at the end of the ref.

*CASAMBI option 41W

Add a W at the end of the ref.



Fuga **Large 29W**			P	CRI	BEAM	CCT	FLUX
RETAIL LIGHTING LED	011303701	○	29W	95	24º	3100K	1800lm
	011303702	●	29W	95	24º	3100K	1800lm
	011303801	○	29W	95	56º	3100K	1800lm
	011303802	●	29W	95	56º	3100K	1800lm
Fuga **Large 36W**							
RETAIL LIGHTING LED	011303901	○	41W	95	24º	3100K	2700lm
	011303902	●	41W	95	24º	3100K	2700lm
	011304001	○	41W	95	56º	3100K	2700lm
	011304002	●	41W	95	56º	3100K	2700lm

LED | IP20 | incl. | 180º | 90º | 850ºC | 24º/56º

*__DALI__ option 29W

Add a D at the end of the ref.

*__TRIAC__ option 29W

Add a C at the end of the ref.

*__CASAMBI__ option 29W

Add a W at the end of the ref.

*__DALI__ option 41W

Add a D at the end of the ref.

*__TRIAC__ option 41W

Add a C at the end of the ref.

*__CASAMBI__ option 41W

Add a W at the end of the ref.

Sigma

Sigma **Nano**



Sigma **Mini**



LIGHTING SOLUTIONS

Our projectors FUGA incorporate Vossloh components, to offer the latest technology available in the market and the most efficient LED.
Nuestros proyectores FUGA incorporan componentes Vossloh, para poder ofrecer la última tecnología disponible en el mercado y los led más eficientes.



Sigma **Nano 10W**		P	CRI	BEAM	CCT	FLUX
011000102	●	10W	82	20º	2700K	600lm
011000202	●	10W	82	56º	2700K	600lm
011000302	●	10W	85	20º	3000K	650lm
011000402	●	10W	85	56º	3000K	650lm
011000502	●	10W	85	20º	4000K	700lm
011000602	●	10W	85	56º	4000K	700lm
Sigma **Nano 15W**						
011000702	●	15W	82	20º	2700K	1050lm
011000802	●	15W	82	56º	2700K	1050lm
011000902	●	15W	85	20º	3000K	1100lm
011001002	●	15W	85	56º	3000K	1100lm
011001102	●	15W	85	20º	4000K	1150lm
011001202	●	15W	85	56º	4000K	1150lm

LED | IP20 | incl. | 358º | 180º | 850ºC | 20º/56º

*TRIAC option 15W

Add a C at the end of the ref.



Sigma **Mini 12W**

		P	CRI	BEAM	CCT	FLUX
010900102	●	12W	82	20º	2700K	950lm
010900202	●	12W	82	56º	2700K	950lm
010900302	●	12W	85	20º	3000K	1000lm
010900402	●	12W	85	56º	3000K	1000lm
010900502	●	12W	85	20º	4000K	1100lm
010900602	●	12W	85	56º	4000K	1100lm

LED | IP20 | incl. | 358º | 180º | 850ºC | 20º/56º

*DALI option
Add a D at the end of the ref.

*TRIAC option
Add a C at the end of the ref.

*CASAMBI option
Add a W at the end of the ref.



Sigma **Mini 18W**

		P	CRI	BEAM	CCT	FLUX
010900702	●	18W	82	20º	2700K	1450lm
010900802	●	18W	82	56º	2700K	1450lm
010900902	●	18W	85	20º	3000K	1500lm
010901002	●	18W	85	56º	3000K	1500lm
010901102	●	18W	85	20º	4000K	1600lm
010901202	●	18W	85	56º	4000K	1600lm

LED | IP20 | incl. | 358º | 180º | 850ºC | 20º/56º

*DALI option
Add a D at the end of the ref.

*TRIAC option
Add a C at the end of the ref.

*CASAMBI option
Add a W at the end of the ref.



Sigma **Mini 17W**

CRI95

		P	CRI	BEAM	CCT	FLUX
010901302	●	17W	95	20º	2700K	1250lm
010901402	●	17W	95	56º	2700K	1250lm
010901502	●	17W	95	20º	3000K	1300lm
010901602	●	17W	95	56º	3000K	1300lm
010901702	●	17W	95	20º	4000K	1400lm
010901802	●	17W	95	56º	4000K	1400lm

LED | IP20 | incl. | 358º | 180º | 850ºC | 20º/56º

*DALI option
Add a D at the end of the ref.

*TRIAC option
Add a C at the end of the ref.

*CASAMBI option
Add a W at the end of the ref.



Sigma **Mini 24W**			P	CRI	BEAM	CCT	FLUX
CRI95	010901902	●	24W	95	20º	2700K	1800lm
	010902002	●	24W	95	56º	2700K	1800lm
	010902102	●	24W	95	20º	3000K	1850lm
	010902202	●	24W	95	56º	3000K	1850lm
	010902302	●	24W	95	20º	4000K	1950lm
	010902402	●	24W	95	56º	4000K	1950lm

LED | IP20 | incl. | 358° | 180° | 850°C | 20°/56°

*DALI option

Add a D at the end of the ref.

*TRIAC option

Add a C at the end of the ref.

*CASAMBI option

Add a W at the end of the ref.



Sigma **Mini 24W**			P	CRI	BEAM	CCT	FLUX
HIGH EFFICIENCY LED	010902502	●	24W	82	20º	2700K	2000lm
	010902602	●	24W	82	56º	2700K	2000lm
	010902702	●	24W	85	20º	3000K	2050lm
	010902802	●	24W	85	56º	3000K	2050lm
	010902902	●	24W	85	20º	4000K	2150lm
	010903002	●	24W	85	56º	4000K	2150lm

LED | IP20 | incl. | 358° | 180° | 850°C | 20°/56°

*DALI option

Add a D at the end of the ref.

*TRIAC option

Add a C at the end of the ref.

*CASAMBI option

Add a W at the end of the ref.



Sigma **Mini 27W**			P	CRI	BEAM	CCT	FLUX
FOOD LIGHTING LED	010903102	●	27W	85	20º	fruits ●	1600lm
	010903202	●	27W	85	56º	fruits ●	1600lm
	010903302	●	27W	85	20º	fish ●	1700lm
	010903402	●	27W	85	56º	fish ●	1700lm
	010903502	●	27W	70	20º	meat ●	1500lm
	010903602	●	27W	70	56º	meat ●	1500lm

LED | IP20 | incl. | 358º | 180º | 850ºC | 20º/56º

*DALI option
Add a D at the end of the ref.

*TRIAC option
Add a C at the end of the ref.

*CASAMBI option
Add a W at the end of the ref.



Sigma **Mini 20W**			P	CRI	BEAM	CCT	FLUX
RETAIL LIGHTING LED	010903702	●	20W	95	20º	3100K	1300lm
	010903802	●	20W	95	56º	3100K	1300lm
Sigma **Mini 27W**							
RETAIL LIGHTING LED	010903902	●	27W	95	20º	3100K	1800lm
	010904002	●	27W	95	56º	3100K	1800lm

LED | IP20 | incl. | 358º | 180º | 850ºC | 20º/56º

*DALI option 20W
Add a D at the end of the ref.

*TRIAC option 20W
Add a C at the end of the ref.

*CASAMBI option 20W
Add a W at the end of the ref.

*DALI option 27W
Add a D at the end of the ref.

*TRIAC option 27W
Add a C at the end of the ref.

*CASAMBI option 27W
Add a W at the end of the ref.

Cylinder

Cylinder **Nano**

●○



Cylinder **Mini**

●○



Cylinder

●○



LIGHTING SOLUTIONS

Our projectors FUGA incorporate Vossloh components, to offer the latest technology available in the market and the most efficient LED.
Nuestros proyectores FUGA incorporan componentes Vossloh, para poder ofrecer la última tecnología disponible en el mercado y los led más eficientes.



Cylinder **Nano 7W**

		P	CRI	BEAM	CCT	FLUX
010800101	○	7W	82	20º	2700K	600lm
010800102	●	7W	82	20º	2700K	600lm
010800201	○	7W	82	56º	2700K	600lm
010800202	●	7W	82	56º	2700K	600lm
010800301	○	7W	85	20º	3000K	650lm
010800302	●	7W	85	20º	3000K	650lm
010800401	○	7W	85	56º	3000K	650lm
010800402	●	7W	85	56º	3000K	650lm
010800501	○	7W	85	20º	4000K	700lm
010800502	●	7W	85	20º	4000K	700lm
010800601	○	7W	85	56º	4000K	700lm
010800602	●	7W	85	56º	4000K	700lm

Cylinder **Nano 12W**

010800701	○	12W	82	20º	2700K	1050lm
010800702	●	12W	82	20º	2700K	1050lm
010800801	○	12W	82	56º	2700K	1050lm
010800802	●	12W	82	56º	2700K	1050lm
010800901	○	12W	85	20º	3000K	1100lm
010800902	●	12W	85	20º	3000K	1100lm
010801001	○	12W	85	56º	3000K	1100lm
010801002	●	12W	85	56º	3000K	1100lm
010801101	○	12W	85	20º	4000K	1150lm
010801102	●	12W	85	20º	4000K	1150lm
010801201	○	12W	85	56º	4000K	1150lm
010801202	●	12W	85	56º	4000K	1150lm

LED | IP20 | incl. | 355º | 180º | 850ºC | 20º/56º

*TRIAC option 12W

Add a C at the end of the ref.

*CASAMBI option 12W

Add a W at the end of the ref.



Cylinder **Mini 12W**

		P	CRI	BEAM	CCT	FLUX
010704101	○	12W	82	20º	2700K	950lm
010704102	●	12W	82	20º	2700K	950lm
010704201	○	12W	82	56º	2700K	950lm
010704202	●	12W	82	56º	2700K	950lm
010704301	○	12W	85	20º	3000K	1000lm
010704302	●	12W	85	20º	3000K	1000lm
010704401	○	12W	85	56º	3000K	1000lm
010704402	●	12W	85	56º	3000K	1000lm
010704501	○	12W	85	20º	4000K	1100lm
010704502	●	12W	85	20º	4000K	1100lm
010704601	○	12W	85	56º	4000K	1100lm
010704602	●	12W	85	56º	4000K	1100lm

LED | IP20 | incl. | 355º | 180º | 850ºC | 20º/56º

*DALI option

Add a D at the end of the ref.

*TRIAC option

Add a C at the end of the ref.

*CASAMBI option

Add a W at the end of the ref.



Cylinder **Mini 18W**

		P	CRI	BEAM	CCT	FLUX
010704701	○	18W	82	20º	2700K	1450lm
010704702	●	18W	82	20º	2700K	1450lm
010704801	○	18W	82	56º	2700K	1450lm
010704802	●	18W	82	56º	2700K	1450lm
010704901	○	18W	85	20º	3000K	1500lm
010704902	●	18W	85	20º	3000K	1500lm
010705001	○	18W	85	56º	3000K	1500lm
010705002	●	18W	85	56º	3000K	1500lm
010705101	○	18W	85	20º	4000K	1600lm
010705102	●	18W	85	20º	4000K	1600lm
010705201	○	18W	85	56º	4000K	1600lm
010705202	●	18W	85	56º	4000K	1600lm

LED | IP20 | incl. | 355º | 180º | 850ºC | 20º/56º

*DALI option

Add a D at the end of the ref.

*TRIAC option

Add a C at the end of the ref.

*CASAMBI option

Add a W at the end of the ref.



Cylinder **Mini 17W**

CRI95

		P	CRI	BEAM	CCT	FLUX
010705301	○	17W	95	20º	2700K	1250lm
010705302	●	17W	95	20º	2700K	1250lm
010705401	○	17W	95	56º	2700K	1250lm
010705402	●	17W	95	56º	2700K	1250lm
010705501	○	17W	95	20º	3000K	1300lm
010705502	●	17W	95	20º	3000K	1300lm
010705601	○	17W	95	56º	3000K	1300lm
010705602	●	17W	95	56º	3000K	1300lm
010705701	○	17W	95	20º	4000K	1400lm
010705702	●	17W	95	20º	4000K	1400lm
010705801	○	17W	95	56º	4000K	1400lm
010705802	●	17W	95	56º	4000K	1400lm

LED | IP20 | incl. | 355º | 180º | 850ºC | 20º/56º

*DALI option

Add a D at the end of the ref.

*TRIAC option

Add a C at the end of the ref.

*CASAMBI option

Add a W at the end of the ref.



Cylinder **Mini 24W**

CRI95

		P	CRI	BEAM	CCT	FLUX
010705901	○	24W	95	20º	2700K	1800lm
010705902	●	24W	95	20º	2700K	1800lm
010706001	○	24W	95	56º	2700K	1800lm
010706002	●	24W	95	56º	2700K	1800lm
010706101	○	24W	95	20º	3000K	1850lm
010706102	●	24W	95	20º	3000K	1850lm
010706201	○	24W	95	56º	3000K	1850lm
010706202	●	24W	95	56º	3000K	1850lm
010706301	○	24W	95	20º	4000K	1950lm
010706302	●	24W	95	20º	4000K	1950lm
010706401	○	24W	95	56º	4000K	1950lm
010706402	●	24W	95	56º	4000K	1950lm

LED | IP20 | incl. | 355º | 180º | 850ºC | 20º/56º

*DALI option

Add a D at the end of the ref.

*TRIAC option

Add a C at the end of the ref.

*CASAMBI option

Add a W at the end of the ref.



Cylinder **Mini 27W**			P	CRI	BEAM	CCT	FLUX
HIGH EFFICIENCY LED	010706501	○	27W	82	20°	2700K	2000lm
	010706502	●	27W	82	20°	2700K	2000lm
	010706601	○	27W	82	56°	2700K	2000lm
	010706602	●	27W	82	56°	2700K	2000lm
	010706701	○	27W	85	20°	3000K	2050lm
	010706702	●	27W	85	20°	3000K	2050lm
	010706801	○	27W	85	56°	3000K	2050lm
	010706802	●	27W	85	56°	3000K	2050lm
	010706901	○	27W	85	20°	4000K	2150lm
	010706902	●	27W	85	20°	4000K	2150lm
	010707001	○	27W	85	56°	4000K	2150lm
	010707002	●	27W	85	56°	4000K	2150lm

LED | IP20 | incl. | 355° | 180° | 850°C | 20°/56°

*DALI option

Add a D at the end of the ref.

*TRIAC option

Add a C at the end of the ref.

*CASAMBI option

Add a W at the end of the ref.



Cylinder **Mini 27W**			P	CRI	BEAM	CCT	FLUX
FOOD LIGHTING LED	010707101	○	27W	85	20°	fruits ●	1600lm
	010707102	●	27W	85	20°	fruits ●	1600lm
	010707201	○	27W	85	56°	fruits ●	1600lm
	010707202	●	27W	85	56°	fruits ●	1600lm
	010707301	○	27W	85	20°	fish ●	1700lm
	010707302	●	27W	85	20°	fish ●	1700lm
	010707401	○	27W	85	56°	fish ●	1700lm
	010707402	●	27W	85	56°	fish ●	1700lm
	010707501	○	27W	70	20°	meat ●	1500lm
	010707502	●	27W	70	20°	meat ●	1500lm
	010707601	○	27W	70	56°	meat ●	1500lm
	010707602	●	27W	70	56°	meat ●	1500lm

LED | IP20 | incl. | 355° | 180° | 850°C | 20°/56°

*DALI option

Add a D at the end of the ref.

*TRIAC option

Add a C at the end of the ref.

*CASAMBI option

Add a W at the end of the ref.



Cylinder **Mini 20W**			P	CRI	BEAM	CCT	FLUX
RETAIL LIGHTING LED	010707701	○	20W	95	20°	3100K	1300lm
	010707702	●	20W	95	20°	3100K	1300lm
	010707801	○	20W	95	56°	3100K	1300lm
	010707802	●	20W	95	56°	3100K	1300lm
Cylinder **Mini 27W**							
RETAIL LIGHTING LED	010707901	○	27W	95	20°	3100K	1800lm
	010707902	●	27W	95	20°	3100K	1800lm
	010708001	○	27W	95	56°	3100K	1800lm
	010708002	●	27W	95	56°	3100K	1800lm

LED | IP20 | incl. | 355° | 180° | 850°C | 20°/56°

*DALI option 20W

Add a D at the end of the ref.

*TRIAC option 20W

Add a C at the end of the ref.

*CASAMBI option 20W

Add a W at the end of the ref.

*DALI option 27W

Add a D at the end of the ref.

*TRIAC option 27W

Add a C at the end of the ref.

*CASAMBI option 27W

Add a W at the end of the ref.



Cylinder **18W**

		P	CRI	BEAM	CCT	FLUX
010604101	○	18W	82	20º	2700K	1350lm
010604102	●	18W	82	20º	2700K	1350lm
010604201	○	18W	82	56º	2700K	1350lm
010604202	●	18W	82	56º	2700K	1350lm
010604301	○	18W	85	20º	3000K	1400lm
010604302	●	18W	85	20º	3000K	1400lm
010604401	○	18W	85	56º	3000K	1400lm
010604402	●	18W	85	56º	3000K	1400lm
010604501	○	18W	85	20º	4000K	1500lm
010604502	●	18W	85	20º	4000K	1500lm
010604601	○	18W	85	56º	4000K	1500lm
010604602	●	18W	85	56º	4000K	1500lm

LED | IP20 | incl. | 355º | 180º | 850ºC | 20º/56º

*DALI option

Add a D at the end of the ref.

*TRIAC option

Add a C at the end of the ref.

*CASAMBI option

Add a W at the end of the ref.



Cylinder **25W**

		P	CRI	BEAM	CCT	FLUX
010604701	○	25W	85	20º	2700K	1850lm
010604702	●	25W	85	20º	2700K	1850lm
010604801	○	25W	85	56º	2700K	1850lm
010604802	●	25W	85	56º	2700K	1850lm
010604901	○	25W	85	20º	3000K	1900lm
010604902	●	25W	85	20º	3000K	1900lm
010605001	○	25W	85	56º	3000K	1900lm
010605002	●	25W	85	56º	3000K	1900lm
010605101	○	25W	85	20º	4000K	2000lm
010605102	●	25W	85	20º	4000K	2000lm
010605201	○	25W	85	56º	4000K	2000lm
010605202	●	25W	85	56º	4000K	2000lm

LED | IP20 | incl. | 355º | 180º | 850ºC | 20º/56º

*DALI option

Add a D at the end of the ref.

*TRIAC option

Add a C at the end of the ref.

*CASAMBI option

Add a W at the end of the ref.



Cylinder **36W**

CRI95

		P	CRI	BEAM	CCT	FLUX
010605901	○	36W	95	20º	2700K	2800lm
010605902	●	36W	95	20º	2700K	2800lm
010606001	○	36W	95	56º	2700K	2800lm
010606002	●	36W	95	56º	2700K	2800lm
010606101	○	36W	95	20º	3000K	2850lm
010606102	●	36W	95	20º	3000K	2850lm
010606201	○	36W	95	56º	3000K	2850lm
010606202	●	36W	95	56º	3000K	2850lm
010606301	○	36W	95	20º	4000K	2950lm
010606302	●	36W	95	20º	4000K	2950lm
010606401	○	36W	95	56º	4000K	2950lm
010606402	●	36W	95	56º	4000K	2950lm

LED | IP20 | incl. | 355º | 180º | 850ºC | 20º/56º

*DALI option

Add a D at the end of the ref.

*TRIAC option

Add a C at the end of the ref.

*CASAMBI option

Add a W at the end of the ref.



Cylinder **36W**

HIGH EFFICIENCY LED

		P	CRI	BEAM	CCT	FLUX
010605301	○	36W	82	20°	2700K	2950lm
010605302	●	36W	82	20°	2700K	2950lm
010605401	○	36W	82	56°	2700K	2950lm
010605402	●	36W	82	56°	2700K	2950lm
010605501	○	36W	85	20°	3000K	3000lm
010605502	●	36W	85	20°	3000K	3000lm
010605601	○	36W	85	56°	3000K	3000lm
010605602	●	36W	85	56°	3000K	3000lm
010605701	○	36W	85	20°	4000K	3100lm
010605702	●	36W	85	20°	4000K	3100lm
010605801	○	36W	85	56°	4000K	3100lm
010605802	●	36W	85	56°	4000K	3100lm

LED | IP20 | incl. | 355° | 180° | 850°C | 20°/56°

*DALI option

Add a D at the end of the ref.

*TRIAC option

Add a C at the end of the ref.

*CASAMBI option

Add a W at the end of the ref.



Cylinder **24W**

FOOD LIGHTING LED

		P	CRI	BEAM	CCT	FLUX
010606501	○	24W	85	20°	fruits ●	1600lm
010606502	●	24W	85	20°	fruits ●	1600lm
010606601	○	24W	85	56°	fruits ●	1600lm
010606602	●	24W	85	56°	fruits ●	1600lm
010606701	○	24W	85	20°	fish ●	1700lm
010606702	●	24W	85	20°	fish ●	1700lm
010606801	○	24W	85	56°	fish ●	1700lm
010606802	●	24W	85	56°	fish ●	1700lm
010606901	○	24W	70	20°	meat ●	1500lm
010606902	●	24W	70	20°	meat ●	1500lm
010607001	○	24W	70	56°	meat ●	1500lm
010607002	●	24W	70	56°	meat ●	1500lm

LED | IP20 | incl. | 355° | 180° | 850°C | 20°/56°

*DALI option

Add a D at the end of the ref.

*TRIAC option

Add a C at the end of the ref.

*CASAMBI option

Add a W at the end of the ref.



Cylinder **36W**

FOOD LIGHTING LED

		P	CRI	BEAM	CCT	FLUX
010607101	○	36W	85	20°	fruits ●	2350lm
010607102	●	36W	85	20°	fruits ●	2350lm
010607201	○	36W	85	56°	fruits ●	2350lm
010607202	●	36W	85	56°	fruits ●	2350lm
010607301	○	36W	85	20°	fish ●	2450lm
010607302	●	36W	85	20°	fish ●	2450lm
010607401	○	36W	85	56°	fish ●	2450lm
010607402	●	36W	85	56°	fish ●	2450lm
010607501	○	36W	70	20°	meat ●	2250lm
010607502	●	36W	70	20°	meat ●	2250lm
010607601	○	36W	70	56°	meat ●	2250lm
010607602	●	36W	70	56°	meat ●	2250lm

LED | IP20 | incl. | 355° | 180° | 850°C | 20°/56°

*DALI option

Add a D at the end of the ref.

*TRIAC option

Add a C at the end of the ref.

*CASAMBI option

Add a W at the end of the ref.

Cylinder **24W**

RETAIL LIGHTING LED

		P	CRI	BEAM	CCT	FLUX
010607701	○	24W	95	20º	3100K	1800lm
010607702	●	24W	95	20º	3100K	1800lm
010607801	○	24W	95	56º	3100K	1800lm
010607802	●	24W	95	56º	3100K	1800lm

LED | IP20 | incl. | 355º | 180º | 850ºC | 20º/56º



*DALI option

Add a D at the end of the ref.

*TRIAC option

Add a C at the end of the ref.

*CASAMBI option

Add a W at the end of the ref.

Cylinder **36W**

RETAIL LIGHTING LED

		P	CRI	BEAM	CCT	FLUX
010607901	○	36W	95	20º	3100K	2700lm
010607902	●	36W	95	20º	3100K	2700lm
010608001	○	36W	95	56º	3100K	2700lm
010608002	●	36W	95	56º	3100K	2700lm

LED | IP20 | incl. | 355º | 180º | 850ºC | 20º/56º



*DALI option

Add a D at the end of the ref.

*TRIAC option

Add a C at the end of the ref.

*CASAMBI option

Add a W at the end of the ref.

Cylinder **QR-111 LED**

		P	SOCKET	V
01065701	○	MAX 12W	G53	12
01065702	●	MAX 12W	G53	12

LED | IP20 | 355º | 180º | 850ºC

Cylinder **QR-111 LED TRIAC**

		P	SOCKET	V
01065701R	○	MAX 15W	G53	12
01065702R	●	MAX 15W	G53	12

LED | IP20 | 355º | 180º | 850ºC | DIM

How to install

3Phase track, 16 A

Outer main supply installation
Instalación con cabezal de alimentación en el exterior



Inner main supply installation
Instalación con cabezal de alimentación en el interior



1	Outer “L” JOINT
2	inner “L” JOINT
3	Outer live end
4	inner live end
5	Outer “T” INTERMEDIATE JOINT
6	inner “T” INTERMEDIATE JOINT
7	CROSS JOINT

Connection sketch
Esquema de conexiones

1 Circuit



N-conductor i = 16 A max

2 Circuit



N-conductor i = 16 A max

3 Circuit



L1 + L2 + L3 i = 16 A max

Recommended distance between fixage
Distancia recomendada entre fijaciones



Max.Weight: 19,84 lb
Peso máx.: 9 kg

Max. 3 projectors = 3,8 KVA
Máx. 3 proyectores = 3,8 KVA



Max.Weight: 33,06 lb
Peso máx.: 15 kg

Max. 5 projectors = 3,8 KVA
Máx. 5 proyectores = 3,8 KVA

Accessories



Base for surface

01991301	○
01991302	●
01991303	●



*Adapter/track connector

01997001	○
01997002	●

*Only for/Sólo para: Triphase track

3Phase Track

Compatible with IVELA & GLOBAL



Surface & pendent 3 phase track

01990101	○	1000 mm
01990102	●	1000 mm
01990103	○	1000 mm
01990201	●	2000 mm
01990202	○	2000 mm
01990203	●	2000 mm

IP20



Surface & pendent Dali track

01995001	○	1000 mm
01995002	●	1000 mm
01995003	○	1000 mm
01995101	●	2000 mm
01995102	○	2000 mm
01995103	●	2000 mm

IP20



Recessed 3 phase track

01997101	○	1000 mm
01997102	●	1000 mm
01997201	○	2000 mm
01997202	●	2000 mm

IP20

Inner live end

01990601	○
01990602	●

Outer live end

01990701	○
01990702	●

Centre feed

01993301	○
01993302	●

Dali inner live end

01993501	○
01993502	●

Dali outer live end

01993601	○
01993602	●

Dali centre feed

01993401	○
01993402	●

Inner live end

01997401	○
01997402	●

Outer live end

01997301	○
01997302	●

Centre feed

01997801	○
01997802	●

Accessories for surface&pendant 3phase track, surface&pendant Dali track

Inner “L” Joint

01990501	○
01990502	●

Outer “L” Joint

01990401	○
01990402	●

Outer “T”

01990901	○
01990902	●

Inner “T”

01991601	○
01991602	●

Ceiling kit 1piece

01991201	○

Cross Joint

01991001	○
01991002	●

Intermediate Joint

01990801	○
01990802	●

End cap

01991101	○
01991102	●

Flexible “L”

01993201	○
01993202	●

Pendant Kit 2000

01990301	○
01990302	●

Accessories for recessed 3phase track

Intermediate Joint

01997501	○
01997502	●

End cap

01997701	○
01997702	●

Ceiling Kit 1piece

01997601	○

Deep



Deep **Small**



Deep **Medium**



Deep **Large**

LIGHTING SOLUTIONS

Our projectors FUGA incorporate Vossloh components, to offer the latest technology available in the market and the most efficient LED.
Nuestros proyectores FUGA incorporan componentes Vossloh, para poder ofrecer la última tecnología disponible en el mercado y los led más eficientes.

Deep **Small** | 3 | 0 | 1 | 3 | 5 | | | | | |

TYPOLOGY	FAMILIES	POWER	LED	ANGLE	COLOR	ACCESORY
| 3 | Recessed	| 01 | Round/Redondo	| 35 | 350 mA	| 827 | 2700K 620lm	| 1 | 15º	| 1 | ○ white	| - | No accesory
	| 02 | Round Trimless/Redondo sin marco		| 830 | 3000K 650lm	| 3 | 36º	| 2 | ● black	| H | Honeycomb
	| 03 | Square/Cuadrado		| 840 | 4000K 690lm	| 6 | 60º		| S | Stripy
	| 04 | Square Trimless/Cuadrado sin marco		| 930 | 3000K 580lm CRI95			| D | Spread
			| 940 | 4000K 600lm CRI95			



Deep 60 **Round**

	P	CCT	FLUX	CRI	BEAM	
30135 | 827 | 1 | 1 |	6/11W	2700K	620lm	-	15º	○
30135 | 827 | 1 | 2 |	6/11W	2700K	620lm	-	15º	●
30135 | 827 | 3 | 1 |	6/11W	2700K	620lm	-	36º	○
30135 | 827 | 3 | 2 |	6/11W	2700K	620lm	-	36º	●
30135 | 827 | 6 | 1 |	6/11W	2700K	620lm	-	60º	○
30135 | 827 | 6 | 2 |	6/11W	2700K	620lm	-	60º	●
30135 | 830 | 1 | 1 |	6/11W	3000K	650lm	-	15º	○
30135 | 830 | 1 | 2 |	6/11W	3000K	650lm	-	15º	●
30135 | 830 | 3 | 1 |	6/11W	3000K	650lm	-	36º	○
30135 | 830 | 3 | 2 |	6/11W	3000K	650lm	-	36º	●
30135 | 830 | 6 | 1 |	6/11W	3000K	650lm	-	60º	○
30135 | 830 | 6 | 2 |	6/11W	3000K	650lm	-	60º	●
30135 | 840 | 1 | 1 |	6/11W	4000K	640lm	-	15º	○
30135 | 840 | 1 | 2 |	6/11W	4000K	690lm	-	15º	●
30135 | 840 | 3 | 1 |	6/11W	4000K	690lm	-	36º	○
30135 | 840 | 3 | 2 |	6/11W	4000K	690lm	-	36º	●
30135 | 840 | 6 | 1 |	6/11W	4000K	690lm	-	60º	○
30135 | 840 | 6 | 2 |	6/11W	4000K	690lm	-	60º	●
30135 | 930 | 1 | 1 |	6/11W	3000K	580lm	95	15º	○
30135 | 930 | 1 | 2 |	6/11W	3000K	580lm	95	15º	●
30135 | 930 | 3 | 1 |	6/11W	3000K	580lm	95	36º	○
30135 | 930 | 3 | 2 |	6/11W	3000K	580lm	95	36º	●
30135 | 930 | 6 | 1 |	6/11W	3000K	580lm	95	60º	○
30135 | 930 | 6 | 2 |	6/11W	3000K	580lm	95	60º	●
30135 | 940 | 1 | 1 |	6/11W	4000K	600lm	95	15º	○
30135 | 940 | 1 | 2 |	6/11W	4000K	600lm	95	15º	●
30135 | 940 | 3 | 1 |	6/11W	4000K	600lm	95	36º	○
30135 | 940 | 3 | 2 |	6/11W	4000K	600lm	95	36º	●
30135 | 940 | 6 | 1 |	6/11W	4000K	600lm	95	60º	○
30135 | 940 | 6 | 2 |	6/11W	4000K	600lm	95	60º	●

LED | IP23 | III | ø85 | no incl. | 1-30 | 355º | 30º | 850ºC | 15º/36º/60º

*6W 100-240V Driver not incl.
98310620

***TRIAC** 6W Driver not incl.
98310509C

*11W 100-240V Driver not incl.
98310116

***TRIAC** 11W Driver not incl.
98310114C

***DALI** 11W Driver not incl.
98310536

***CASAMBI** 11W Driver not incl.
98310538

*Accessory Honeycomb not incl.
Add an H at the end of the ref.

*Accessory Spread not incl.
Add a D at the end of the ref.

*Accessory Stripy not incl.
Add an S at the end of the ref.

Deep **Small** | 3 | 0 | 2 | 3 | 5 | | | | | |

TYPOLOGY	FAMILIES	POWER	LED	ANGLE	COLOR	ACCESORY
| 3 | Recessed	| 01 | Round/Redondo	| 35 | 350 mA	| 827 | 2700K 620lm	| 1 | 15º	| 1 | ○ white	| - | No accesory
	| 02 | Round Trimless/Redondo sin marco		| 830 | 3000K 650lm	| 3 | 36º	| 2 | ● black	| H | Honeycomb
	| 03 | Square/Cuadrado		| 840 | 4000K 690lm	| 6 | 60º		| S | Stripy
	| 04 | Square Trimless/Cuadrado sin marco		| 930 | 3000K 580lm CRI95			| D | Spread
			| 940 | 4000K 600lm CRI95			



Deep 60 **Round Trimless**	P	CCT	FLUX	CRI	BEAM	
30235 | 827 | 1 | 1	6/11W	2700K	620lm	-	15º	○
30235 | 827 | 1 | 2	6/11W	2700K	620lm	-	15º	●
30235 | 827 | 3 | 1	6/11W	2700K	620lm	-	36º	○
30235 | 827 | 3 | 2	6/11W	2700K	620lm	-	36º	●
30235 | 827 | 6 | 1	6/11W	2700K	620lm	-	60º	○
30235 | 827 | 6 | 2	6/11W	2700K	620lm	-	60º	●
30235 | 830 | 1 | 1	6/11W	3000K	650lm	-	15º	○
30235 | 830 | 1 | 2	6/11W	3000K	650lm	-	15º	●
30235 | 830 | 3 | 1	6/11W	3000K	650lm	-	36º	○
30235 | 830 | 3 | 2	6/11W	3000K	650lm	-	36º	●
30235 | 830 | 6 | 1	6/11W	3000K	650lm	-	60º	○
30235 | 830 | 6 | 2	6/11W	3000K	650lm	-	60º	●
30235 | 840 | 1 | 1	6/11W	4000K	640lm	-	15º	○
30235 | 840 | 1 | 2	6/11W	4000K	690lm	-	15º	●
30235 | 840 | 3 | 1	6/11W	4000K	690lm	-	36º	○
30235 | 840 | 3 | 2	6/11W	4000K	690lm	-	36º	●
30235 | 840 | 6 | 1	6/11W	4000K	690lm	-	60º	○
30235 | 840 | 6 | 2	6/11W	4000K	690lm	-	60º	●
30235 | 930 | 1 | 1	6/11W	3000K	580lm	95	15º	○
30235 | 930 | 1 | 2	6/11W	3000K	580lm	95	15º	●
30235 | 930 | 3 | 1	6/11W	3000K	580lm	95	36º	○
30235 | 930 | 3 | 2	6/11W	3000K	580lm	95	36º	●
30235 | 930 | 6 | 1	6/11W	3000K	580lm	95	60º	○
30235 | 930 | 6 | 2	6/11W	3000K	580lm	95	60º	●
30235 | 940 | 1 | 1	6/11W	4000K	600lm	95	15º	○
30235 | 940 | 1 | 2	6/11W	4000K	600lm	95	15º	●
30235 | 940 | 3 | 1	6/11W	4000K	600lm	95	36º	○
30235 | 940 | 3 | 2	6/11W	4000K	600lm	95	36º	●
30235 | 940 | 6 | 1	6/11W	4000K	600lm	95	60º	○
30235 | 940 | 6 | 2	6/11W	4000K	600lm	95	60º	●

LED | IP23 | III | ø85 | no incl. | 1-30 | 355º | 30º | 850ºC | 15º/36º/60º

*6W 100-240V Driver not incl.
98310620

***TRIAC** 6W Driver not incl.
98310509C

*11W 100-240V Driver not incl.
98310116

***TRIAC** 11W Driver not incl.
98310114C

***DALI** 11W Driver not incl.
98310536

***CASAMBI** 11W Driver not incl.
98310538

*Accessory Honeycomb not incl.
Add an H at the end of the ref.

*Accessory Spread not incl.
Add a D at the end of the ref.

*Accessory Stripy not incl.
Add an S at the end of the ref.

Deep **Small** | 3 | 0 | 3 | 3 | 5 | | | | | |

TYPOLOGY	FAMILIES	POWER	LED	ANGLE	COLOR	ACCESORY
| 3 | Recessed	| 01 | Round/Redondo	| 35 | 350 mA	| 827 | 2700K 620lm	| 1 | 15º	| 1 | ○ white	| - | No accesory
	| 02 | Round Trimless/Redondo sin marco		| 830 | 3000K 650lm	| 3 | 36º	| 2 | ● black	| H | Honeycomb
	| 03 | Square/Cuadrado		| 840 | 4000K 690lm	| 6 | 60º		| S | Stripy
	| 04 | Square Trimless/Cuadrado sin marco		| 930 | 3000K 580lm CRI95			| D | Spread
			| 940 | 4000K 600lm CRI95			



Deep 60 **Square**

	P	CCT	FLUX	CRI	BEAM	
30335 | 827 | 1 | 1 |	6/11W	2700K	620lm	-	15º	○
30335 | 827 | 1 | 2 |	6/11W	2700K	620lm	-	15º	●
30335 | 827 | 3 | 1 |	6/11W	2700K	620lm	-	36º	○
30335 | 827 | 3 | 2 |	6/11W	2700K	620lm	-	36º	●
30335 | 827 | 6 | 1 |	6/11W	2700K	620lm	-	60º	○
30335 | 827 | 6 | 2 |	6/11W	2700K	620lm	-	60º	●
30335 | 830 | 1 | 1 |	6/11W	3000K	650lm	-	15º	○
30335 | 830 | 1 | 2 |	6/11W	3000K	650lm	-	15º	●
30335 | 830 | 3 | 1 |	6/11W	3000K	650lm	-	36º	○
30335 | 830 | 3 | 2 |	6/11W	3000K	650lm	-	36º	●
30335 | 830 | 6 | 1 |	6/11W	3000K	650lm	-	60º	○
30335 | 830 | 6 | 2 |	6/11W	3000K	650lm	-	60º	●
30335 | 840 | 1 | 1 |	6/11W	4000K	640lm	-	15º	○
30335 | 840 | 1 | 2 |	6/11W	4000K	690lm	-	15º	●
30335 | 840 | 3 | 1 |	6/11W	4000K	690lm	-	36º	○
30335 | 840 | 3 | 2 |	6/11W	4000K	690lm	-	36º	●
30335 | 840 | 6 | 1 |	6/11W	4000K	690lm	-	60º	○
30335 | 840 | 6 | 2 |	6/11W	4000K	690lm	-	60º	●
30335 | 930 | 1 | 1 |	6/11W	3000K	580lm	95	15º	○
30335 | 930 | 1 | 2 |	6/11W	3000K	580lm	95	15º	●
30335 | 930 | 3 | 1 |	6/11W	3000K	580lm	95	36º	○
30335 | 930 | 3 | 2 |	6/11W	3000K	580lm	95	36º	●
30335 | 930 | 6 | 1 |	6/11W	3000K	580lm	95	60º	○
30335 | 930 | 6 | 2 |	6/11W	3000K	580lm	95	60º	●
30335 | 940 | 1 | 1 |	6/11W	4000K	600lm	95	15º	○
30335 | 940 | 1 | 2 |	6/11W	4000K	600lm	95	15º	●
30335 | 940 | 3 | 1 |	6/11W	4000K	600lm	95	36º	○
30335 | 940 | 3 | 2 |	6/11W	4000K	600lm	95	36º	●
30335 | 940 | 6 | 1 |	6/11W	4000K	600lm	95	60º	○
30335 | 940 | 6 | 2 |	6/11W	4000K	600lm	95	60º	●

LED | IP23 | III | 85x85 | no incl. | 1-30 | 355º | 30º | 850ºC | 15º/36º/60º | DALI optional

*6W 100-240V Driver not incl.
98310620

***TRIAC** 6W Driver not incl.
98310509C

*11W 100-240V Driver not incl.
98310116

***TRIAC** 11W Driver not incl.
98310114C

***DALI** 11W Driver not incl.
98310536

***CASAMBI** 11W Driver not incl.
98310538

*Accessory Honeycomb not incl.
Add an H at the end of the ref.

*Accessory Spread not incl.
Add a D at the end of the ref.

*Accessory Stripy not incl.
Add an S at the end of the ref.

Deep **Small** | 3 | 0 | 4 | 3 | 5 | | | | | |

TYPOLOGY	FAMILIES	POWER	LED	ANGLE	COLOR	ACCESORY
| 3 | Recessed	| 01 | Round/Redondo	| 35 | 350 mA	| 827 | 2700K 620lm	| 1 | 15º	| 1 | ○ white	| - | No accesory
	| 02 | Round Trimless/Redondo sin marco		| 830 | 3000K 650lm	| 3 | 36º	| 2 | ● black	| H | Honeycomb
	| 03 | Square/Cuadrado		| 840 | 4000K 690lm	| 6 | 60º		| S | Stripy
	| 04 | Square Trimless/Cuadrado sin marco		| 930 | 3000K 580lm CRI95			| D | Spread
			| 940 | 4000K 600lm CRI95			



Deep 60 **Square Trimless**

	P	CCT	FLUX	CRI	BEAM	
30435 | 827 | 1 | 1	6/11W	2700K	620lm	-	15º	○
30435 | 827 | 1 | 2	6/11W	2700K	620lm	-	15º	●
30435 | 827 | 3 | 1	6/11W	2700K	620lm	-	36º	○
30435 | 827 | 3 | 2	6/11W	2700K	620lm	-	36º	●
30435 | 827 | 6 | 1	6/11W	2700K	620lm	-	60º	○
30435 | 827 | 6 | 2	6/11W	2700K	620lm	-	60º	●
30435 | 830 | 1 | 1	6/11W	3000K	650lm	-	15º	○
30435 | 830 | 1 | 2	6/11W	3000K	650lm	-	15º	●
30435 | 830 | 3 | 1	6/11W	3000K	650lm	-	36º	○
30435 | 830 | 3 | 2	6/11W	3000K	650lm	-	36º	●
30435 | 830 | 6 | 1	6/11W	3000K	650lm	-	60º	○
30435 | 830 | 6 | 2	6/11W	3000K	650lm	-	60º	●
30435 | 840 | 1 | 1	6/11W	4000K	640lm	-	15º	○
30435 | 840 | 1 | 2	6/11W	4000K	690lm	-	15º	●
30435 | 840 | 3 | 1	6/11W	4000K	690lm	-	36º	○
30435 | 840 | 3 | 2	6/11W	4000K	690lm	-	36º	●
30435 | 840 | 6 | 1	6/11W	4000K	690lm	-	60º	○
30435 | 840 | 6 | 2	6/11W	4000K	690lm	-	60º	●
30435 | 930 | 1 | 1	6/11W	3000K	580lm	95	15º	○
30435 | 930 | 1 | 2	6/11W	3000K	580lm	95	15º	●
30435 | 930 | 3 | 1	6/11W	3000K	580lm	95	36º	○
30435 | 930 | 3 | 2	6/11W	3000K	580lm	95	36º	●
30435 | 930 | 6 | 1	6/11W	3000K	580lm	95	60º	○
30435 | 930 | 6 | 2	6/11W	3000K	580lm	95	60º	●
30435 | 940 | 1 | 1	6/11W	4000K	600lm	95	15º	○
30435 | 940 | 1 | 2	6/11W	4000K	600lm	95	15º	●
30435 | 940 | 3 | 1	6/11W	4000K	600lm	95	36º	○
30435 | 940 | 3 | 2	6/11W	4000K	600lm	95	36º	●
30435 | 940 | 6 | 1	6/11W	4000K	600lm	95	60º	○
30435 | 940 | 6 | 2	6/11W	4000K	600lm	95	60º	●

LED | IP23 | III | 85x85 | no incl. | 1-30 | 355º | 30º | 850ºC | 15º/36º/60º | DALI optional

*6W 100-240V Driver not incl.
98310620

***TRIAC** 6W Driver not incl.
98310509C

*11W 100-240V Driver not incl.
98310116

***TRIAC** 11W Driver not incl.
98310114C

***DALI** 11W Driver not incl.
98310536

***CASAMBI** 11W Driver not incl.
98310538

*Accessory Honeycomb not incl.
Add an H at the end of the ref.

*Accessory Spread not incl.
Add a D at the end of the ref.

*Accessory Stripy not incl.
Add an S at the end of the ref.

430 Deep **Medium** | 3 | 0 | 5 | 5 | 0 | | | | | |

TYPOLOGY	FAMILIES	POWER	LED	ANGLE	COLOR	ACCESORY
| 3 | Recessed	| 05 | Round/Redondo	| 50 | 500 mA	| 827 | 2700K 1100lm	| 1 | 15º	| 1 | ○ white	| - | No accesory
	| 06 | Round Trimless/Redondo sin marco		| 830 | 3000K 1190lm	| 3 | 36º	| 2 | ● black	| H | Honeycomb
	| 07 | Square/Cuadrado		| 840 | 4000K 1240lm	| 6 | 60º		| S | Stripy
	| 08 | Square Trimless/Cuadrado sin marco		| 930 | 3000K 950lm CRI95			| D | Spread
			| 940 | 4000K 1050lm CRI95			



Deep 78 **Round**	P	CCT	FLUX	CRI	BEAM	
30550 | 827 | 1 | 1 |	12/18W	2700K	1100lm	-	15º	○
30550 | 827 | 1 | 2 |	12/18W	2700K	1100lm	-	15º	●
30550 | 827 | 3 | 1 |	12/18W	2700K	1100lm	-	36º	○
30550 | 827 | 3 | 2 |	12/18W	2700K	1100lm	-	36º	●
30550 | 827 | 6 | 1 |	12/18W	2700K	1100lm	-	60º	○
30550 | 827 | 6 | 2 |	12/18W	2700K	1100lm	-	60º	●
30550 | 830 | 1 | 1 |	12/18W	3000K	1190lm	-	15º	○
30550 | 830 | 1 | 2 |	12/18W	3000K	1190lm	-	15º	●
30550 | 830 | 3 | 1 |	12/18W	3000K	1190lm	-	36º	○
30550 | 830 | 3 | 2 |	12/18W	3000K	1190lm	-	36º	●
30550 | 830 | 6 | 1 |	12/18W	3000K	1190lm	-	60º	○
30550 | 830 | 6 | 2 |	12/18W	3000K	1190lm	-	60º	●
30550 | 840 | 1 | 1 |	12/18W	4000K	1240lm	-	15º	○
30550 | 840 | 1 | 2 |	12/18W	4000K	1240lm	-	15º	●
30550 | 840 | 3 | 1 |	12/18W	4000K	1240lm	-	36º	○
30550 | 840 | 3 | 2 |	12/18W	4000K	1240lm	-	36º	●
30550 | 840 | 6 | 1 |	12/18W	4000K	1240lm	-	60º	○
30550 | 840 | 6 | 2 |	12/18W	4000K	1240lm	-	60º	●
30550 | 930 | 1 | 1 |	12/18W	3000K	950lm	95	15º	○
30550 | 930 | 1 | 2 |	12/18W	3000K	950lm	95	15º	●
30550 | 930 | 3 | 1 |	12/18W	3000K	950lm	95	36º	○
30550 | 930 | 3 | 2 |	12/18W	3000K	950lm	95	36º	●
30550 | 930 | 6 | 1 |	12/18W	3000K	950lm	95	60º	○
30550 | 930 | 6 | 2 |	12/18W	3000K	950lm	95	60º	●
30550 | 940 | 1 | 1 |	12/18W	4000K	1050lm	95	15º	○
30550 | 940 | 1 | 2 |	12/18W	4000K	1050lm	95	15º	●
30550 | 940 | 3 | 1 |	12/18W	4000K	1050lm	95	36º	○
30550 | 940 | 3 | 2 |	12/18W	4000K	1050lm	95	36º	●
30550 | 940 | 6 | 1 |	12/18W	4000K	1050lm	95	60º	○
30550 | 940 | 6 | 2 |	12/18W	4000K	1050lm	95	60º	●

LED | IP23 | III | ø105 | no incl. | 1-30 | 355º | 30º | 850ºC | 15º/36º/60º

*11W 100-240V Driver not incl.
98310116

***TRIAC** 11W Driver not incl.
98310114C

*18W 100-240V Driver not incl.
98310321

***TRIAC** 18W Driver not incl.
98310321LC

***DALI** 11/18W Driver not incl.
98310536

***CASAMBI** 11/18W Driver not incl.
98310538

*Accessory Honeycomb not incl.
Add an H at the end of the ref.

*Accessory Spread not incl.
Add a D at the end of the ref.

*Accessory Stripy not incl.
Add an S at the end of the ref.

Deep **Medium** | 3 | 0 | 6 | 5 | 0 | | | | | |

TYPOLOGY	FAMILIES	POWER	LED	ANGLE	COLOR	ACCESORY
| 3 | Recessed	| 05 | Round/Redondo	| 50 | 500 mA	| 827 | 2700K 1100lm	| 1 | 15°	| 1 | ○ white	| - | No accesory
	| 06 | Round Trimless/Redondo sin marco		| 830 | 3000K 1190lm	| 3 | 36°	| 2 | ● black	| H | Honeycomb
	| 07 | Square/Cuadrado		| 840 | 4000K 1240lm	| 6 | 60°		| S | Stripy
	| 08 | Square Trimless/Cuadrado sin marco		| 930 | 3000K 950lm CRI95			| D | Spread
			| 940 | 4000K 1050lm CRI95			



Deep 78 **Round Trimless**

	P	CCT	FLUX	CRI	BEAM	
30650 | 827 | 1 | 1 |	12/18W	2700K	1100lm	-	15°	○
30650 | 827 | 1 | 2 |	12/18W	2700K	1100lm	-	15°	●
30650 | 827 | 3 | 1 |	12/18W	2700K	1100lm	-	36°	○
30650 | 827 | 3 | 2 |	12/18W	2700K	1100lm	-	36°	●
30650 | 827 | 6 | 1 |	12/18W	2700K	1100lm	-	60°	○
30650 | 827 | 6 | 2 |	12/18W	2700K	1100lm	-	60°	●
30650 | 830 | 1 | 1 |	12/18W	3000K	1190lm	-	15°	○
30650 | 830 | 1 | 2 |	12/18W	3000K	1190lm	-	15°	●
30650 | 830 | 3 | 1 |	12/18W	3000K	1190lm	-	36°	○
30650 | 830 | 3 | 2 |	12/18W	3000K	1190lm	-	36°	●
30650 | 830 | 6 | 1 |	12/18W	3000K	1190lm	-	60°	○
30650 | 830 | 6 | 2 |	12/18W	3000K	1190lm	-	60°	●
30650 | 840 | 1 | 1 |	12/18W	4000K	1240lm	-	15°	○
30650 | 840 | 1 | 2 |	12/18W	4000K	1240lm	-	15°	●
30650 | 840 | 3 | 1 |	12/18W	4000K	1240lm	-	36°	○
30650 | 840 | 3 | 2 |	12/18W	4000K	1240lm	-	36°	●
30650 | 840 | 6 | 1 |	12/18W	4000K	1240lm	-	60°	○
30650 | 840 | 6 | 2 |	12/18W	4000K	1240lm	-	60°	●
30650 | 930 | 1 | 1 |	12/18W	3000K	950lm	95	15°	○
30650 | 930 | 1 | 2 |	12/18W	3000K	950lm	95	15°	●
30650 | 930 | 3 | 1 |	12/18W	3000K	950lm	95	36°	○
30650 | 930 | 3 | 2 |	12/18W	3000K	950lm	95	36°	●
30650 | 930 | 6 | 1 |	12/18W	3000K	950lm	95	60°	○
30650 | 930 | 6 | 2 |	12/18W	3000K	950lm	95	60°	●
30650 | 940 | 1 | 1 |	12/18W	4000K	1050lm	95	15°	○
30650 | 940 | 1 | 2 |	12/18W	4000K	1050lm	95	15°	●
30650 | 940 | 3 | 1 |	12/18W	4000K	1050lm	95	36°	○
30650 | 940 | 3 | 2 |	12/18W	4000K	1050lm	95	36°	●
30650 | 940 | 6 | 1 |	12/18W	4000K	1050lm	95	60°	○
30650 | 940 | 6 | 2 |	12/18W	4000K	1050lm	95	60°	●

LED | IP23 | III | ø105 | no incl. | 1-30 | 355° | 30° | 850°C | 15°/36°/60°

*11W 100-240V Driver not incl.
98310116

***TRIAC** 11W Driver not incl.
98310114C

*18W 100-240V Driver not incl.
98310321

***TRIAC** 18W Driver not incl.
98310321LC

***DALI** 11/18W Driver not incl.
98310536

***CASAMBI** 11/18W Driver not incl.
98310538

*Accessory Honeycomb not incl.
Add an H at the end of the ref.

*Accessory Spread not incl.
Add a D at the end of the ref.

*Accessory Stripy not incl.
Add an S at the end of the ref.

432 Deep **Medium** | 3 | 0 | 7 | 5 | 0 | | | | | |

TYPOLOGY	FAMILIES	POWER	LED	ANGLE	COLOR	ACCESORY
| 3 | Recessed	| 05 | Round/Redondo	| 50 | 500 mA	| 827 | 2700K 1100lm	| 1 | 15º	| 1 | ○ white	| - | No accesory
	| 06 | Round Trimless/Redondo sin marco		| 830 | 3000K 1190lm	| 3 | 36º	| 2 | ● black	| H | Honeycomb
	| 07 | Square/Cuadrado		| 840 | 4000K 1240lm	| 6 | 60º		| S | Stripy
	| 08 | Square Trimless/Cuadrado sin marco		| 930 | 3000K 950lm CRI95			| D | Spread
			| 940 | 4000K 1050lm CRI95			



*11W 100-240V Driver not incl.
98310116

***TRIAC** 11W Driver not incl.
98310114C

*18W 100-240V Driver not incl.
98310321

***TRIAC** 18W Driver not incl.
98310321LC

***DALI** 11/18W Driver not incl.
98310536

***CASAMBI** 11/18W Driver not incl.
98310538

Deep 78 **Square**	P	CCT	FLUX	CRI	BEAM	
30750 | 827 | 1 | 1 |	12/18W	2700K	1100lm	-	15º	○
30750 | 827 | 1 | 2 |	12/18W	2700K	1100lm	-	15º	●
30750 | 827 | 3 | 1 |	12/18W	2700K	1100lm	-	36º	○
30750 | 827 | 3 | 2 |	12/18W	2700K	1100lm	-	36º	●
30750 | 827 | 6 | 1 |	12/18W	2700K	1100lm	-	60º	○
30750 | 827 | 6 | 2 |	12/18W	2700K	1100lm	-	60º	●
30750 | 830 | 1 | 1 |	12/18W	3000K	1190lm	-	15º	○
30750 | 830 | 1 | 2 |	12/18W	3000K	1190lm	-	15º	●
30750 | 830 | 3 | 1 |	12/18W	3000K	1190lm	-	36º	○
30750 | 830 | 3 | 2 |	12/18W	3000K	1190lm	-	36º	●
30750 | 830 | 6 | 1 |	12/18W	3000K	1190lm	-	60º	○
30750 | 830 | 6 | 2 |	12/18W	3000K	1190lm	-	60º	●
30750 | 840 | 1 | 1 |	12/18W	4000K	1240lm	-	15º	○
30750 | 840 | 1 | 2 |	12/18W	4000K	1240lm	-	15º	●
30750 | 840 | 3 | 1 |	12/18W	4000K	1240lm	-	36º	○
30750 | 840 | 3 | 2 |	12/18W	4000K	1240lm	-	36º	●
30750 | 840 | 6 | 1 |	12/18W	4000K	1240lm	-	60º	○
30750 | 840 | 6 | 2 |	12/18W	4000K	1240lm	-	60º	●
30750 | 930 | 1 | 1 |	12/18W	3000K	950lm	95	15º	○
30750 | 930 | 1 | 2 |	12/18W	3000K	950lm	95	15º	●
30750 | 930 | 3 | 1 |	12/18W	3000K	950lm	95	36º	○
30750 | 930 | 3 | 2 |	12/18W	3000K	950lm	95	36º	●
30750 | 930 | 6 | 1 |	12/18W	3000K	950lm	95	60º	○
30750 | 930 | 6 | 2 |	12/18W	3000K	950lm	95	60º	●
30750 | 940 | 1 | 1 |	12/18W	4000K	1050lm	95	15º	○
30750 | 940 | 1 | 2 |	12/18W	4000K	1050lm	95	15º	●
30750 | 940 | 3 | 1 |	12/18W	4000K	1050lm	95	36º	○
30750 | 940 | 3 | 2 |	12/18W	4000K	1050lm	95	36º	●
30750 | 940 | 6 | 1 |	12/18W	4000K	1050lm	95	60º	○
30750 | 940 | 6 | 2 |	12/18W	4000K	1050lm	95	60º	●

LED | IP23 | III | 105x105 | no incl. | 1-30 | 355º | 30º | 850ºC | 15º/36º/60º

*Accessory Honeycomb not incl.
Add an H at the end of the ref.

*Accessory Spread not incl.
Add a D at the end of the ref.

*Accessory Stripy not incl.
Add an S at the end of the ref.

Deep **Medium** | 3 | 0 | 8 | 5 | 0 | | | | | |

TYPOLOGY	FAMILIES	POWER	LED	ANGLE	COLOR	ACCESORY
| 3 | Recessed	| 05 | Round/Redondo	| 50 | 500 mA	| 827 | 2700K 1100lm	| 1 | 15°	| 1 | ○ white	| - | No accesory
	| 06 | Round Trimless/Redondo sin marco		| 830 | 3000K 1190lm	| 3 | 36°	| 2 | ● black	| H | Honeycomb
	| 07 | Square/Cuadrado		| 840 | 4000K 1240lm	| 6 | 60°		| S | Stripy
	| 08 | Square Trimless/Cuadrado sin marco		| 930 | 3000K 950lm CRI95			| D | Spread
			| 940 | 4000K 1050lm CRI95			



Deep 78 **Square Trimless**	P	CCT	FLUX	CRI	BEAM	
30850 | 827 | 1 | 1 |	12/18W	2700K	1100lm	-	15°	○
30850 | 827 | 1 | 2 |	12/18W	2700K	1100lm	-	15°	●
30850 | 827 | 3 | 1 |	12/18W	2700K	1100lm	-	36°	○
30850 | 827 | 3 | 2 |	12/18W	2700K	1100lm	-	36°	●
30850 | 827 | 6 | 1 |	12/18W	2700K	1100lm	-	60°	○
30850 | 827 | 6 | 2 |	12/18W	2700K	1100lm	-	60°	●
30850 | 830 | 1 | 1 |	12/18W	3000K	1190lm	-	15°	○
30850 | 830 | 1 | 2 |	12/18W	3000K	1190lm	-	15°	●
30850 | 830 | 3 | 1 |	12/18W	3000K	1190lm	-	36°	○
30850 | 830 | 3 | 2 |	12/18W	3000K	1190lm	-	36°	●
30850 | 830 | 6 | 1 |	12/18W	3000K	1190lm	-	60°	○
30850 | 830 | 6 | 2 |	12/18W	3000K	1190lm	-	60°	●
30850 | 840 | 1 | 1 |	12/18W	4000K	1240lm	-	15°	○
30850 | 840 | 1 | 2 |	12/18W	4000K	1240lm	-	15°	●
30850 | 840 | 3 | 1 |	12/18W	4000K	1240lm	-	36°	○
30850 | 840 | 3 | 2 |	12/18W	4000K	1240lm	-	36°	●
30850 | 840 | 6 | 1 |	12/18W	4000K	1240lm	-	60°	○
30850 | 840 | 6 | 2 |	12/18W	4000K	1240lm	-	60°	●
30850 | 930 | 1 | 1 |	12/18W	3000K	950lm	95	15°	○
30850 | 930 | 1 | 2 |	12/18W	3000K	950lm	95	15°	●
30850 | 930 | 3 | 1 |	12/18W	3000K	950lm	95	36°	○
30850 | 930 | 3 | 2 |	12/18W	3000K	950lm	95	36°	●
30850 | 930 | 6 | 1 |	12/18W	3000K	950lm	95	60°	○
30850 | 930 | 6 | 2 |	12/18W	3000K	950lm	95	60°	●
30850 | 940 | 1 | 1 |	12/18W	4000K	1050lm	95	15°	○
30850 | 940 | 1 | 2 |	12/18W	4000K	1050lm	95	15°	●
30850 | 940 | 3 | 1 |	12/18W	4000K	1050lm	95	36°	○
30850 | 940 | 3 | 2 |	12/18W	4000K	1050lm	95	36°	●
30850 | 940 | 6 | 1 |	12/18W	4000K	1050lm	95	60°	○
30850 | 940 | 6 | 2 |	12/18W	4000K	1050lm	95	60°	●

LED | IP23 | III | 105x105 | no incl. | 1-30 | 355° | 30° | 850°C | 15°/36°/60°

*11W 100-240V Driver not incl.
98310116

***TRIAC** 11W Driver not incl.
98310114C

*18W 100-240V Driver not incl.
98310321

***TRIAC** 18W Driver not incl.
98310321LC

***DALI** 11/18W Driver not incl.
98310536

***CASAMBI** 11/18W Driver not incl.
98310538

*Accessory Honeycomb not incl.
Add an H at the end of the ref.

*Accessory Spread not incl.
Add a D at the end of the ref.

*Accessory Stripy not incl.
Add an S at the end of the ref.

434 Deep **Large** | 3 | 0 | 9 | 1 | 0 | | | | | |

TYPOLOGY	FAMILIES	POWER	LED	ANGLE	COLOR	ACCESORY
| 3 | Recessed	| 09 | Round/Redondo	| 10 | 1050 mA	| 827 | 2700K 2400lm	| 1 | 15º	| 1 | ○ white	| - | No accesory
	| 10 | Round Trimless/Redondo sin marco		| 830 | 3000K 2550lm	| 3 | 36º	| 2 | ● black	| H | Honeycomb
	| 11 | Square/Cuadrado		| 840 | 4000K 2650lm	| 6 | 60º		| S | Stripy
	| 12 | Square Trimless/Cuadrado sin marco		| 927 | 2700K 2020lm CRI95			| D | Spread
			| 930 | 3000K 2100lm CRI95			
			| 940 | 4000K 2300lm CRI95			
			| 941 | P.White 2050lm CRI95			



Deep 90 **Round**

	P	CCT	FLUX	CRI	BEAM	
30910 | 827 | 1 | 1 |	18/25/39W	2700K	2400lm	-	15º	○
30910 | 827 | 1 | 2 |	18/25/39W	2700K	2400lm	-	15º	●
30910 | 827 | 3 | 1 |	18/25/39W	2700K	2400lm	-	36º	○
30910 | 827 | 3 | 2 |	18/25/39W	2700K	2400lm	-	36º	●
30910 | 827 | 6 | 1 |	18/25/39W	2700K	2400lm	-	60º	○
30910 | 827 | 6 | 2 |	18/25/39W	2700K	2400lm	-	60º	●
30910 | 830 | 1 | 1 |	18/25/39W	3000K	2550lm	-	15º	○
30910 | 830 | 1 | 2 |	18/25/39W	3000K	2550lm	-	15º	●
30910 | 830 | 3 | 1 |	18/25/39W	3000K	2550lm	-	36º	○
30910 | 830 | 3 | 2 |	18/25/39W	3000K	2550lm	-	36º	●
30910 | 830 | 6 | 1 |	18/25/39W	3000K	2550lm	-	60º	○
30910 | 830 | 6 | 2 |	18/25/39W	3000K	2550lm	-	60º	●
30910 | 840 | 1 | 1 |	18/25/39W	4000K	2650lm	-	15º	○
30910 | 840 | 1 | 2 |	18/25/39W	4000K	2650lm	-	15º	●
30910 | 840 | 3 | 1 |	18/25/39W	4000K	2650lm	-	36º	○
30910 | 840 | 3 | 2 |	18/25/39W	4000K	2650lm	-	36º	●
30910 | 840 | 6 | 1 |	18/25/39W	4000K	2650lm	-	60º	○
30910 | 840 | 6 | 2 |	18/25/39W	4000K	2650lm	-	60º	●
30910 | 927 | 1 | 1 |	18/25/39W	2700K	2020lm	95	15º	○
30910 | 927 | 1 | 2 |	18/25/39W	2700K	2020lm	95	15º	●
30910 | 927 | 3 | 1 |	18/25/39W	2700K	2020lm	95	36º	○
30910 | 927 | 3 | 2 |	18/25/39W	2700K	2020lm	95	36º	●
30910 | 927 | 6 | 1 |	18/25/39W	2700K	2020lm	95	60º	○
30910 | 927 | 6 | 2 |	18/25/39W	2700K	2020lm	95	60º	●
30910 | 930 | 1 | 1 |	18/25/39W	3000K	2020lm	95	15º	○
30910 | 930 | 1 | 2 |	18/25/39W	3000K	2020lm	95	15º	●
30910 | 930 | 3 | 1 |	18/25/39W	3000K	2020lm	95	36º	○
30910 | 930 | 3 | 2 |	18/25/39W	3000K	2020lm	95	36º	●
30910 | 930 | 6 | 1 |	18/25/39W	3000K	2020lm	95	60º	○
30910 | 930 | 6 | 2 |	18/25/39W	3000K	2020lm	95	60º	●
30910 | 940 | 1 | 1 |	18/25/39W	4000K	2300lm	95	15º	○
30910 | 940 | 1 | 2 |	18/25/39W	4000K	2300lm	95	15º	●
30910 | 940 | 3 | 1 |	18/25/39W	4000K	2300lm	95	36º	○
30910 | 940 | 3 | 2 |	18/25/39W	4000K	2300lm	95	36º	●
30910 | 940 | 6 | 1 |	18/25/39W	4000K	2300lm	95	60º	○
30910 | 940 | 6 | 2 |	18/25/39W	4000K	2300lm	95	60º	●
30910 | 941 | 1 | 1 |	18/25/39W	P.White	2050lm	95	15º	○
30910 | 941 | 1 | 2 |	18/25/39W	P.White	2050lm	95	15º	●
30910 | 941 | 3 | 1 |	18/25/39W	P.White	2050lm	95	36º	○
30910 | 941 | 3 | 2 |	18/25/39W	P.White	2050lm	95	36º	●
30910 | 941 | 6 | 1 |	18/25/39W	P.White	2050lm	95	60º	○
30910 | 941 | 6 | 2 |	18/25/39W	P.White	2050lm	95	60º	●

LED | IP23 | III | ø125 | no incl. | 1-30 | 355º | 30º | 850ºC | 15º/36º/60º

*18W 100-240V Driver not incl.

98310321

***TRIAC** 18W Driver not incl.

98310321LC

*25W 100-240V Driver not incl.

98310233

***TRIAC** 25W Driver not incl.

98310236C

*39W 100-240V Driver not incl.

98310444

***DALI** 18/25/39W Driver not incl.

98310536

***CASAMBI** 18/25/39W Driver not incl.

98310538

*Accessory Honeycomb not incl.

Add an H at the end of the ref.

*Accessory Spread not incl.

Add a D at the end of the ref.

*Accessory Stripy not incl.

Add an S at the end of the ref.

Deep **Large** | 3 | 1 | 0 | 1 | 0 | | | | | |

TYPOLOGY	FAMILIES	POWER	LED	ANGLE	COLOR	ACCESORY
| 3 | Recessed	| 09 | Round/Redondo	| 10 | 1050 mA	| 827 | 2700K 2400lm	| 1 | 15º	| 1 | ○ white	| - | No accesory
	| 10 | Round Trimless/Redondo sin marco		| 830 | 3000K 2550lm	| 3 | 36º	| 2 | ● black	| H | Honeycomb
	| 11 | Square/Cuadrado		| 840 | 4000K 2650lm	| 6 | 60º		| S | Stripy
	| 12 | Square Trimless/Cuadrado sin marco		| 927 | 2700K 2020lm CRI95			| D | Spread
			| 930 | 3000K 2100lm CRI95			
			| 940 | 4000K 2300lm CRI95			
			| 941 | P.White 2050lm CRI95			



Deep 90 **Round Trimless**

	P	CCT	FLUX	CRI	BEAM	
31010 | 827 | 1 | 1 |	18/25/39W	2700K	2400lm	-	15º	○
31010 | 827 | 1 | 2 |	18/25/39W	2700K	2400lm	-	15º	●
31010 | 827 | 3 | 1 |	18/25/39W	2700K	2400lm	-	36º	○
31010 | 827 | 3 | 2 |	18/25/39W	2700K	2400lm	-	36º	●
31010 | 827 | 6 | 1 |	18/25/39W	2700K	2400lm	-	60º	○
31010 | 827 | 6 | 2 |	18/25/39W	2700K	2400lm	-	60º	●
31010 | 830 | 1 | 1 |	18/25/39W	3000K	2550lm	-	15º	○
31010 | 830 | 1 | 2 |	18/25/39W	3000K	2550lm	-	15º	●
31010 | 830 | 3 | 1 |	18/25/39W	3000K	2550lm	-	36º	○
31010 | 830 | 3 | 2 |	18/25/39W	3000K	2550lm	-	36º	●
31010 | 830 | 6 | 1 |	18/25/39W	3000K	2550lm	-	60º	○
31010 | 830 | 6 | 2 |	18/25/39W	3000K	2550lm	-	60º	●
31010 | 840 | 1 | 1 |	18/25/39W	4000K	2650lm	-	15º	○
31010 | 840 | 1 | 2 |	18/25/39W	4000K	2650lm	-	15º	●
31010 | 840 | 3 | 1 |	18/25/39W	4000K	2650lm	-	36º	○
31010 | 840 | 3 | 2 |	18/25/39W	4000K	2650lm	-	36º	●
31010 | 840 | 6 | 1 |	18/25/39W	4000K	2650lm	-	60º	○
31010 | 840 | 6 | 2 |	18/25/39W	4000K	2650lm	-	60º	●
31010 | 927 | 1 | 1 |	18/25/39W	2700K	2020lm	95	15º	○
31010 | 927 | 1 | 2 |	18/25/39W	2700K	2020lm	95	15º	●
31010 | 927 | 3 | 1 |	18/25/39W	2700K	2020lm	95	36º	○
31010 | 927 | 3 | 2 |	18/25/39W	2700K	2020lm	95	36º	●
31010 | 927 | 6 | 1 |	18/25/39W	2700K	2020lm	95	60º	○
31010 | 927 | 6 | 2 |	18/25/39W	2700K	2020lm	95	60º	●
31010 | 930 | 1 | 1 |	18/25/39W	3000K	2020lm	95	15º	○
31010 | 930 | 1 | 2 |	18/25/39W	3000K	2020lm	95	15º	●
31010 | 930 | 3 | 1 |	18/25/39W	3000K	2020lm	95	36º	○
31010 | 930 | 3 | 2 |	18/25/39W	3000K	2020lm	95	36º	●
31010 | 930 | 6 | 1 |	18/25/39W	3000K	2020lm	95	60º	○
31010 | 930 | 6 | 2 |	18/25/39W	3000K	2020lm	95	60º	●
31010 | 940 | 1 | 1 |	18/25/39W	4000K	2300lm	95	15º	○
31010 | 940 | 1 | 2 |	18/25/39W	4000K	2300lm	95	15º	●
31010 | 940 | 3 | 1 |	18/25/39W	4000K	2300lm	95	36º	○
31010 | 940 | 3 | 2 |	18/25/39W	4000K	2300lm	95	36º	●
31010 | 940 | 6 | 1 |	18/25/39W	4000K	2300lm	95	60º	○
31010 | 940 | 6 | 2 |	18/25/39W	4000K	2300lm	95	60º	●
31010 | 941 | 1 | 1 |	18/25/39W	P.White	2050lm	95	15º	○
31010 | 941 | 1 | 2 |	18/25/39W	P.White	2050lm	95	15º	●
31010 | 941 | 3 | 1 |	18/25/39W	P.White	2050lm	95	36º	○
31010 | 941 | 3 | 2 |	18/25/39W	P.White	2050lm	95	36º	●
31010 | 941 | 6 | 1 |	18/25/39W	P.White	2050lm	95	60º	○
31010 | 941 | 6 | 2 |	18/25/39W	P.White	2050lm	95	60º	●

LED | IP23 | III | ø125 | no incl. | 1-30 | 355º | 30º | 850ºC | 15º/36º/60º

*18W 100-240V Driver not incl.
98310321

***TRIAC** 18W Driver not incl.
98310321LC

*25W 100-240V Driver not incl.
98310233

***TRIAC** 25W Driver not incl.
98310236C

*39W 100-240V Driver not incl.
98310444

***DALI** 18/25/39W Driver not incl.
98310536

***CASAMBI** 18/25/39W Driver not incl.
98310538

*Accessory Honeycomb not incl.
Add an H at the end of the ref.

*Accessory Spread not incl.
Add a D at the end of the ref.

*Accessory Stripy not incl.
Add an S at the end of the ref.

436 Deep **Large** | 3 | 1 | 1 | 1 | 0 | | | | | |

TYPOLOGY	FAMILIES	POWER	LED	ANGLE	COLOR	ACCESORY
| 3 | Recessed	| 09 | Round/Redondo	| 10 | 1050 mA	| 827 | 2700K 2400lm	| 1 | 15º	| 1 | ○ white	| - | No accesory
	| 10 | Round Trimless/Redondo sin marco		| 830 | 3000K 2550lm	| 3 | 36º	| 2 | ● black	| H | Honeycomb
	| 11 | Square/Cuadrado		| 840 | 4000K 2650lm	| 6 | 60º		| S | Stripy
	| 12 | Square Trimless/Cuadrado sin marco		| 927 | 2700K 2020lm CRI95			| D | Spread
			| 930 | 3000K 2100lm CRI95			
			| 940 | 4000K 2300lm CRI95			
			| 941 | P.White 2050lm CRI95			



Deep 90 **Square**	P	CCT	FLUX	CRI	BEAM	
31110 | 827 | 1 | 1 |	18/25/39W	2700K	2400lm	-	15º	○
31110 | 827 | 1 | 2 |	18/25/39W	2700K	2400lm	-	15º	●
31110 | 827 | 3 | 1 |	18/25/39W	2700K	2400lm	-	36º	○
31110 | 827 | 3 | 2 |	18/25/39W	2700K	2400lm	-	36º	●
31110 | 827 | 6 | 1 |	18/25/39W	2700K	2400lm	-	60º	○
31110 | 827 | 6 | 2 |	18/25/39W	2700K	2400lm	-	60º	●
31110 | 830 | 1 | 1 |	18/25/39W	3000K	2550lm	-	15º	○
31110 | 830 | 1 | 2 |	18/25/39W	3000K	2550lm	-	15º	●
31110 | 830 | 3 | 1 |	18/25/39W	3000K	2550lm	-	36º	○
31110 | 830 | 3 | 2 |	18/25/39W	3000K	2550lm	-	36º	●
31110 | 830 | 6 | 1 |	18/25/39W	3000K	2550lm	-	60º	○
31110 | 830 | 6 | 2 |	18/25/39W	3000K	2550lm	-	60º	●
31110 | 840 | 1 | 1 |	18/25/39W	4000K	2650lm	-	15º	○
31110 | 840 | 1 | 2 |	18/25/39W	4000K	2650lm	-	15º	●
31110 | 840 | 3 | 1 |	18/25/39W	4000K	2650lm	-	36º	○
31110 | 840 | 3 | 2 |	18/25/39W	4000K	2650lm	-	36º	●
31110 | 840 | 6 | 1 |	18/25/39W	4000K	2650lm	-	60º	○
31110 | 840 | 6 | 2 |	18/25/39W	4000K	2650lm	-	60º	●
31110 | 927 | 1 | 1 |	18/25/39W	2700K	2020lm	95	15º	○
31110 | 927 | 1 | 2 |	18/25/39W	2700K	2020lm	95	15º	●
31110 | 927 | 3 | 1 |	18/25/39W	2700K	2020lm	95	36º	○
31110 | 927 | 3 | 2 |	18/25/39W	2700K	2020lm	95	36º	●
31110 | 927 | 6 | 1 |	18/25/39W	2700K	2020lm	95	60º	○
31110 | 927 | 6 | 2 |	18/25/39W	2700K	2020lm	95	60º	●
31110 | 930 | 1 | 1 |	18/25/39W	3000K	2020lm	95	15º	○
31110 | 930 | 1 | 2 |	18/25/39W	3000K	2020lm	95	15º	●
31110 | 930 | 3 | 1 |	18/25/39W	3000K	2020lm	95	36º	○
31110 | 930 | 3 | 2 |	18/25/39W	3000K	2020lm	95	36º	●
31110 | 930 | 6 | 1 |	18/25/39W	3000K	2020lm	95	60º	○
31110 | 930 | 6 | 2 |	18/25/39W	3000K	2020lm	95	60º	●
31110 | 940 | 1 | 1 |	18/25/39W	4000K	2300lm	95	15º	○
31110 | 940 | 1 | 2 |	18/25/39W	4000K	2300lm	95	15º	●
31110 | 940 | 3 | 1 |	18/25/39W	4000K	2300lm	95	36º	○
31110 | 940 | 3 | 2 |	18/25/39W	4000K	2300lm	95	36º	●
31110 | 940 | 6 | 1 |	18/25/39W	4000K	2300lm	95	60º	○
31110 | 940 | 6 | 2 |	18/25/39W	4000K	2300lm	95	60º	●
31110 | 941 | 1 | 1 |	18/25/39W	P.White	2050lm	95	15º	○
31110 | 941 | 1 | 2 |	18/25/39W	P.White	2050lm	95	15º	●
31110 | 941 | 3 | 1 |	18/25/39W	P.White	2050lm	95	36º	○
31110 | 941 | 3 | 2 |	18/25/39W	P.White	2050lm	95	36º	●
31110 | 941 | 6 | 1 |	18/25/39W	P.White	2050lm	95	60º	○
31110 | 941 | 6 | 2 |	18/25/39W	P.White	2050lm	95	60º	●

LED | IP23 | III | 125x125 | no incl. | 1-30 | 355º | 30º | 850ºC | 15º/36º/60º

*18W 100-240V Driver not incl.
98310321

***TRIAC** 18W Driver not incl.
98310321LC

*25W 100-240V Driver not incl.
98310233

***TRIAC** 25W Driver not incl.
98310236C

*39W 100-240V Driver not incl.
98310444

***DALI** 18/25/39W Driver not incl.
98310536

***CASAMBI** 18/25/39W Driver not incl.
98310538

*Accessory Honeycomb not incl.
Add an H at the end of the ref.

*Accessory Spread not incl.
Add a D at the end of the ref.

*Accessory Stripy not incl.
Add an S at the end of the ref.

Deep **Large** | 3 | 1 | 2 | 1 | 0 | | | | | |

TYPOLOGY	FAMILIES	POWER	LED	ANGLE	COLOR	ACCESORY
| 3 | Recessed	| 09 | Round/Redondo	| 10 | 1050 mA	| 827 | 2700K 2400lm	| 1 | 15º	| 1 | ○ white	| - | No accesory
	| 10 | Round Trimless/Redondo sin marco		| 830 | 3000K 2550lm	| 3 | 36º	| 2 | ● black	| H | Honeycomb
	| 11 | Square/Cuadrado		| 840 | 4000K 2650lm	| 6 | 60º		| S | Stripy
	| 12 | Square Trimless/Cuadrado sin marco		| 927 | 2700K 2020lm CRI95			| D | Spread
			| 930 | 3000K 2100lm CRI95			
			| 940 | 4000K 2300lm CRI95			
			| 941 | P.White 2050lm CRI95			



Deep 90 **Square Trimless**

	P	CCT	FLUX	CRI	BEAM	
31210 | 827 | 1 | 1 |	18/25/39W	2700K	2400lm	-	15º	○
31210 | 827 | 1 | 2 |	18/25/39W	2700K	2400lm	-	15º	●
31210 | 827 | 3 | 1 |	18/25/39W	2700K	2400lm	-	36º	○
31210 | 827 | 3 | 2 |	18/25/39W	2700K	2400lm	-	36º	●
31210 | 827 | 6 | 1 |	18/25/39W	2700K	2400lm	-	60º	○
31210 | 827 | 6 | 2 |	18/25/39W	2700K	2400lm	-	60º	●
31210 | 830 | 1 | 1 |	18/25/39W	3000K	2550lm	-	15º	○
31210 | 830 | 1 | 2 |	18/25/39W	3000K	2550lm	-	15º	●
31210 | 830 | 3 | 1 |	18/25/39W	3000K	2550lm	-	36º	○
31210 | 830 | 3 | 2 |	18/25/39W	3000K	2550lm	-	36º	●
31210 | 830 | 6 | 1 |	18/25/39W	3000K	2550lm	-	60º	○
31210 | 830 | 6 | 2 |	18/25/39W	3000K	2550lm	-	60º	●
31210 | 840 | 1 | 1 |	18/25/39W	4000K	2650lm	-	15º	○
31210 | 840 | 1 | 2 |	18/25/39W	4000K	2650lm	-	15º	●
31210 | 840 | 3 | 1 |	18/25/39W	4000K	2650lm	-	36º	○
31210 | 840 | 3 | 2 |	18/25/39W	4000K	2650lm	-	36º	●
31210 | 840 | 6 | 1 |	18/25/39W	4000K	2650lm	-	60º	○
31210 | 840 | 6 | 2 |	18/25/39W	4000K	2650lm	-	60º	●
31210 | 927 | 1 | 1 |	18/25/39W	2700K	2020lm	95	15º	○
31210 | 927 | 1 | 2 |	18/25/39W	2700K	2020lm	95	15º	●
31210 | 927 | 3 | 1 |	18/25/39W	2700K	2020lm	95	36º	○
31210 | 927 | 3 | 2 |	18/25/39W	2700K	2020lm	95	36º	●
31210 | 927 | 6 | 1 |	18/25/39W	2700K	2020lm	95	60º	○
31210 | 927 | 6 | 2 |	18/25/39W	2700K	2020lm	95	60º	●
31210 | 930 | 1 | 1 |	18/25/39W	3000K	2020lm	95	15º	○
31210 | 930 | 1 | 2 |	18/25/39W	3000K	2020lm	95	15º	●
31210 | 930 | 3 | 1 |	18/25/39W	3000K	2020lm	95	36º	○
31210 | 930 | 3 | 2 |	18/25/39W	3000K	2020lm	95	36º	●
31210 | 930 | 6 | 1 |	18/25/39W	3000K	2020lm	95	60º	○
31210 | 930 | 6 | 2 |	18/25/39W	3000K	2020lm	95	60º	●
31210 | 940 | 1 | 1 |	18/25/39W	4000K	2300lm	95	15º	○
31210 | 940 | 1 | 2 |	18/25/39W	4000K	2300lm	95	15º	●
31210 | 940 | 3 | 1 |	18/25/39W	4000K	2300lm	95	36º	○
31210 | 940 | 3 | 2 |	18/25/39W	4000K	2300lm	95	36º	●
31210 | 940 | 6 | 1 |	18/25/39W	4000K	2300lm	95	60º	○
31210 | 940 | 6 | 2 |	18/25/39W	4000K	2300lm	95	60º	●
31210 | 941 | 1 | 1 |	18/25/39W	P.White	2050lm	95	15º	○
31210 | 941 | 1 | 2 |	18/25/39W	P.White	2050lm	95	15º	●
31210 | 941 | 3 | 1 |	18/25/39W	P.White	2050lm	95	36º	○
31210 | 941 | 3 | 2 |	18/25/39W	P.White	2050lm	95	36º	●
31210 | 941 | 6 | 1 |	18/25/39W	P.White	2050lm	95	60º	○
31210 | 941 | 6 | 2 |	18/25/39W	P.White	2050lm	95	60º	●

LED | IP23 | III | 125x125 | no incl. | 1-30 | 355º | 30º | 850ºC | 15º/36º/60º

*18W 100-240V Driver not incl.
98310321

***TRIAC** 18W Driver not incl.
98310321LC

*25W 100-240V Driver not incl.
98310233

***TRIAC** 25W Driver not incl.
98310236C

*39W 100-240V Driver not incl.
98310444

***DALI** 18/25/39W Driver not incl.
98310536

***CASAMBI** 18/25/39W Driver not incl.
98310538

*Accessory Honeycomb not incl.
Add an H at the end of the ref.

*Accessory Spread not incl.
Add a D at the end of the ref.

*Accessory Stripy not incl.
Add an S at the end of the ref.

Synch

CITILED
The Light Engine

Our downlights SYNCH incorporate Citizen components, to offer the latest technology available in the market and the most efficient LED.
Nuestros downlights SYNCH incorporan componentes Citizen, para poder ofrecer la última tecnología disponible en el mercado y los led más eficientes.





Synch **Trimless 13/19W**		P	CRI	BEAM	CCT	FLUX
038002801	○	13/19W	80	25º	2700K	810/1110lm
038002802	●	13/19W	80	25º	2700K	810/1110lm
038002804	●	13/19W	80	25º	2700K	810/1110lm
038002901	○	13/19W	80	36º	2700K	810/1110lm
038002902	●	13/19W	80	36º	2700K	810/1110lm
038002904	●	13/19W	80	36º	2700K	810/1110lm
038003001	○	13/19W	80	52º	2700K	810/1110lm
038003002	●	13/19W	80	52º	2700K	810/1110lm
038003004	●	13/19W	80	52º	2700K	810/1110lm
038003101	○	13/19W	80	25º	3000K	840/1170lm
038003102	●	13/19W	80	25º	3000K	840/1170lm
038003104	●	13/19W	80	25º	3000K	840/1170lm
038003201	○	13/19W	80	36º	3000K	840/1170lm
038003202	●	13/19W	80	36º	3000K	840/1170lm
038003204	●	13/19W	80	36º	3000K	840/1170lm
038003301	○	13/19W	80	52º	3000K	840/1170lm
038003302	●	13/19W	80	52º	3000K	840/1170lm
038003304	●	13/19W	80	52º	3000K	840/1170lm
038003701	○	13/19W	80	25º	4000K	840/1250lm
038003702	●	13/19W	80	25º	4000K	840/1250lm
038003704	●	13/19W	80	25º	4000K	840/1250lm
038003801	○	13/19W	80	36º	4000K	840/1250lm
038003802	●	13/19W	80	36º	4000K	840/1250lm
038003804	●	13/19W	80	36º	4000K	840/1250lm
038003901	○	13/19W	80	52º	4000K	840/1250lm
038003902	●	13/19W	80	52º	4000K	840/1250lm
038003904	●	13/19W	80	52º	4000K	840/1250lm
038004601	○	13/19W	97	25º	2700K	600/840lm
038004602	●	13/19W	97	25º	2700K	600/840lm
038004604	●	13/19W	97	25º	2700K	600/840lm
038004701	○	13/19W	97	36º	2700K	600/840lm
038004702	●	13/19W	97	36º	2700K	600/840lm
038004704	●	13/19W	97	36º	2700K	600/840lm
038004801	○	13/19W	97	52º	2700K	600/840lm
038004802	●	13/19W	97	52º	2700K	600/840lm
038004804	●	13/19W	97	52º	2700K	600/840lm
038004901	○	13/19W	97	25º	3000K	630/870lm
038004902	●	13/19W	97	25º	3000K	630/870lm
038004904	●	13/19W	97	25º	3000K	630/870lm
038005001	○	13/19W	97	36º	3000K	630/870lm
038005002	●	13/19W	97	36º	3000K	630/870lm
038005004	●	13/19W	97	36º	3000K	630/870lm
038005101	○	13/19W	97	52º	3000K	630/870lm
038005102	●	13/19W	97	52º	3000K	630/870lm
038005104	●	13/19W	97	52º	3000K	630/870lm
038005201	○	13/19W	97	25º	4000K	660/900lm
038005202	●	13/19W	97	25º	4000K	660/900lm
038005204	●	13/19W	97	25º	4000K	660/900lm
038005301	○	13/19W	97	36º	4000K	660/900lm
038005302	●	13/19W	97	36º	4000K	660/900lm
038005304	●	13/19W	97	36º	4000K	660/900lm
038005401	○	13/19W	97	52º	4000K	660/900lm
038005402	●	13/19W	97	52º	4000K	660/900lm
038005404	●	13/19W	97	52º	4000K	660/900lm

LED | IP20 | III | no incl. | ø127 | 1-30 | 0-30° | 850ºC | 25º/36º/56º

*13/19W Driver not incl.

98310321

***TRIAC** 13/19W Driver not incl.

98310321LC

***DALI** 13/19W Driver not incl.

98310536

***CASAMBI** 13/19W Driver not incl.

98310538

*Possibility 3500, 5000 and 6000K models, consultWith the commercial.
Posbilidad de modelos con 3500, 5000 y 6000K, consulta con el comercial.



Synch **13/19W**

		P	CRI	BEAM	CCT	FLUX
038000101	○	13/19W	80	25º	2700K	810/1110lm
038000102	●	13/19W	80	25º	2700K	810/1110lm
038000104	●	13/19W	80	25º	2700K	810/1110lm
038000201	○	13/19W	80	36º	2700K	810/1110lm
038000202	●	13/19W	80	36º	2700K	810/1110lm
038000204	●	13/19W	80	36º	2700K	810/1110lm
038000301	○	13/19W	80	52º	2700K	810/1110lm
038000302	●	13/19W	80	52º	2700K	810/1110lm
038000304	●	13/19W	80	52º	2700K	810/1110lm
038000401	○	13/19W	80	25º	3000K	840/1170lm
038000402	●	13/19W	80	25º	3000K	840/1170lm
038000404	●	13/19W	80	25º	3000K	840/1170lm
038000501	○	13/19W	80	36º	3000K	840/1170lm
038000502	●	13/19W	80	36º	3000K	840/1170lm
038000504	●	13/19W	80	36º	3000K	840/1170lm
038000601	○	13/19W	80	52º	3000K	840/1170lm
038000602	●	13/19W	80	52º	3000K	840/1170lm
038000604	●	13/19W	80	52º	3000K	840/1170lm
038001001	○	13/19W	80	25º	4000K	840/1200lm
038001002	●	13/19W	80	25º	4000K	840/1200lm
038001004	●	13/19W	80	25º	4000K	840/1200lm
038001101	○	13/19W	80	36º	4000K	840/1200lm
038001102	●	13/19W	80	36º	4000K	840/1200lm
038001104	●	13/19W	80	36º	4000K	840/1200lm
038001201	○	13/19W	80	52º	4000K	840/1200lm
038001202	●	13/19W	80	52º	4000K	840/1200lm
038001204	●	13/19W	80	52º	4000K	840/1200lm
038001901	○	13/19W	97	25º	2700K	600/840lm
038001902	●	13/19W	97	25º	2700K	600/840lm
038001904	●	13/19W	97	25º	2700K	600/840lm
038002001	○	13/19W	97	36º	2700K	600/840lm
038002002	●	13/19W	97	36º	2700K	600/840lm
038002004	●	13/19W	97	36º	2700K	600/840lm
038002101	○	13/19W	97	52º	2700K	600/840lm
038002102	●	13/19W	97	52º	2700K	600/840lm
038002104	●	13/19W	97	52º	2700K	600/840lm
038002201	○	13/19W	97	25º	3000K	630/870lm
038002202	●	13/19W	97	25º	3000K	630/870lm
038002204	●	13/19W	97	25º	3000K	630/870lm
038002301	○	13/19W	97	36º	3000K	630/870lm
038002302	●	13/19W	97	36º	3000K	630/870lm
038002304	●	13/19W	97	36º	3000K	630/870lm
038002401	○	13/19W	97	52º	3000K	630/870lm
038002402	●	13/19W	97	52º	3000K	630/870lm
038002404	●	13/19W	97	52º	3000K	630/870lm
038002501	○	13/19W	97	25º	4000K	660/900lm
038002502	●	13/19W	97	25º	4000K	660/900lm
038002504	●	13/19W	97	25º	4000K	660/900lm
038002601	○	13/19W	97	36º	4000K	660/900lm
038002602	●	13/19W	97	36º	4000K	660/900lm
038002604	●	13/19W	97	36º	4000K	660/900lm
038002701	○	13/19W	97	52º	4000K	660/900lm
038002702	●	13/19W	97	52º	4000K	660/900lm
038002704	●	13/19W	97	52º	4000K	660/900lm

LED | IP20 | III | no incl. | ø127 | 1-30 | 0-30º | 850ºC | 25º/36º/56º

*13/19W Driver not incl.

98310321

***TRIAC** 13/19W Driver not incl.

98310321LC

***DALI** 13/19W Driver not incl.

98310536

***CASAMBI** 13/19W Driver not incl.

98310538

*Possibility 3500, 5000 and 6000K models, consultWith the commercial.
Posbilidad de modelos con 3500, 5000 y 6000K, consulta con el comercial.

Optic

Optic **Mini**

Optic

LIGHTING SOLUTIONS

Our projectors FUGA incorporate Vossloh components, to offer the latest technology available in the market and the most efficient LED.
Nuestros proyectores FUGA incorporan componentes Vossloh, para poder ofrecer la última tecnología disponible en el mercado y los led más eficientes.



Optic **Mini 12/18W**

		P	CRI	BEAM	CCT	FLUX
032503001	○	12/18W	82	20°	2700K	950/1450lm
032503002	●	12/18W	82	20°	2700K	950/1450lm
032503003	●	12/18W	82	20°	2700K	950/1450lm
032503101	○	12/18W	82	56°	2700K	950/1450lm
032503102	●	12/18W	82	56°	2700K	950/1450lm
032503103	●	12/18W	82	56°	2700K	950/1450lm
032503201	○	12/18W	85	20°	3000K	1000/1500lm
032503202	●	12/18W	85	20°	3000K	1000/1500lm
032503203	●	12/18W	85	20°	3000K	1000/1500lm
032503301	○	12/18W	85	56°	3000K	1000/1500lm
032503302	●	12/18W	85	56°	3000K	1000/1500lm
032503303	●	12/18W	85	56°	3000K	1000/1500lm
032503401	○	12/18W	85	20°	4000K	1100/1600lm
032503402	●	12/18W	85	20°	4000K	1100/1600lm
032503403	●	12/18W	85	20°	4000K	1100/1600lm
032503501	○	12/18W	85	56°	4000K	1100/1600lm
032503502	●	12/18W	85	56°	4000K	1100/1600lm
032503503	●	12/18W	85	56°	4000K	1100/1600lm

LED | IP20 | III | no incl. | ø135 | 1-30 | 20° | 850°C | 20°/56°

*12W Driver not incl.	*TRIAC 12W Driver not incl.	*DALI 12/18W Driver not incl.
98310116	98310114C	98310536
*18W Driver not incl.	*TRIAC 18W Driver not incl.	*CASAMBI 12/18W Driver not incl.
98310321	98310321LC	98310538



Optic **Mini 17/24W**

CRI95

		P	CRI	BEAM	CCT	FLUX
032503601	○	17/24W	95	20°	2700K	1250/1800lm
032503602	●	17/24W	95	20°	2700K	1250/1800lm
032503603	●	17/24W	95	20°	2700K	1250/1800lm
032503701	○	17/24W	95	56°	2700K	1250/1800lm
032503702	●	17/24W	95	56°	2700K	1250/1800lm
032503703	●	17/24W	95	56°	2700K	1250/1800lm
032503801	○	17/24W	95	20°	3000K	1300/1850lm
032503802	●	17/24W	95	20°	3000K	1300/1850lm
032503803	●	17/24W	95	20°	3000K	1300/1850lm
032503901	○	17/24W	95	56°	3000K	1300/1850lm
032503902	●	17/24W	95	56°	3000K	1300/1850lm
032503903	●	17/24W	95	56°	3000K	1300/1850lm
032504001	○	17/24W	95	20°	4000K	1400/1950lm
032504002	●	17/24W	95	20°	4000K	1400/1950lm
032504003	●	17/24W	95	20°	4000K	1400/1950lm
032504101	○	17/24W	95	56°	4000K	1400/1950lm
032504102	●	17/24W	95	56°	4000K	1400/1950lm
032504103	●	17/24W	95	56°	4000K	1400/1950lm

LED | IP20 | III | no incl. | ø135 | 1-30 | 20° | 850°C | 20°/56°

*17W Driver not incl.	*TRIAC 17W Driver not incl.	*DALI 17/24W Driver not incl.
98310321	98310321LC	98310536
*24W Driver not incl.	*TRIAC 24W Driver not incl.	*CASAMBI 17/24W Driver not incl.
98310233	98310236C	98310538



Optic **Mini 24W**

			P	CRI	BEAM	CCT	FLUX
HIGH EFFICIENCY LED	032504201	○	24W	82	20°	2700K	2000lm
	032504202	●	24W	82	20°	2700K	2000lm
	032504203	●	24W	82	20°	2700K	2000lm
	032504301	○	24W	82	56°	2700K	2000lm
	032504302	●	24W	82	56°	2700K	2000lm
	032504303	●	24W	82	56°	2700K	2000lm
	032504401	○	24W	85	20°	3000K	2050lm
	032504402	●	24W	85	20°	3000K	2050lm
	032504403	●	24W	85	20°	3000K	2050lm
	032504501	○	24W	85	56°	3000K	2050lm
	032504502	●	24W	85	56°	3000K	2050lm
	032504503	●	24W	85	56°	3000K	2050lm
	032504601	○	24W	85	20°	4000K	2150lm
	032504602	●	24W	85	20°	4000K	2150lm
	032504603	●	24W	85	20°	4000K	2150lm
	032504701	○	24W	85	56°	4000K	2150lm
	032504702	●	24W	85	56°	4000K	2150lm
	032504703	●	24W	85	56°	4000K	2150lm
FOOD LIGHTING LED	032504801	○	24W	85	20°	fruits ●	1600lm
	032504802	●	24W	85	20°	fruits ●	1600lm
	032504803	●	24W	85	20°	fruits ●	1600lm
	032504901	○	24W	85	56°	fruits ●	1600lm
	032504902	●	24W	85	56°	fruits ●	1600lm
	032504903	●	24W	85	56°	fruits ●	1600lm
	032505001	○	24W	85	20°	fish ●	1700lm
	032505002	●	24W	85	20°	fish ●	1700lm
	032505003	●	24W	85	20°	fish ●	1700lm
	032505101	○	24W	85	56°	fish ●	1700lm
	032505102	●	24W	85	56°	fish ●	1700lm
	032505103	●	24W	85	56°	fish ●	1700lm
	032505201	○	24W	70	20°	meat ●	1500lm
	032505202	●	24W	70	20°	meat ●	1500lm
	032505203	●	24W	70	20°	meat ●	1500lm
	032505301	○	24W	70	56°	meat ●	1500lm
	032505302	●	24W	70	56°	meat ●	1500lm
	032505303	●	24W	70	56°	meat ●	1500lm

LED | IP20 | III | no incl. | ø135 | 1-30 | 20° | 850°C | 20°/56°

*24W Driver not incl.	*TRIAC Driver not incl.	*DALI Driver not incl.	*CASAMBI Driver not incl.
98310233	98310236C	98310536	98310538



Optic **Mini 17/24W**

			P	CRI	BEAM	CCT	FLUX
RETAIL LIGHTING LED	032505401	○	17/24W	95	20°	3100K	1300/1800lm
	032505402	●	17/24W	95	20°	3100K	1300/1800lm
	032505403	●	17/24W	95	20°	3100K	1300/1800lm
	032505501	○	17/24W	95	56°	3100K	1300/1800lm
	032505502	●	17/24W	95	56°	3100K	1300/1800lm
	032505503	●	17/24W	95	56°	3100K	1300/1800lm

LED | IP20 | III | no incl. | ø135 | 1-30 | 20° | 850°C | 20°/56°

*17W Driver not incl.	*TRIAC 17W Driver not incl.	*DALI 17/24W Driver not incl.
98310321	98310321LC	98310536

*24W Driver not incl.	*TRIAC 24W Driver not incl.	*CASAMBI 17/24W Driver not incl.
98310233	98310236C	98310538



Optic **18/25W**

		P	CRI	BEAM	CCT	FLUX
032003001	○	18/25W	82	20°	2700K	1350/1850lm
032003002	●	18/25W	82	20°	2700K	1350/1850lm
032003101	○	18/25W	82	56°	2700K	1350/1850lm
032003102	●	18/25W	82	56°	2700K	1350/1850lm
032003201	○	18/25W	85	20°	3000K	1400/1900lm
032003202	●	18/25W	85	20°	3000K	1400/1900lm
032003301	○	18/25W	85	56°	3000K	1400/1900lm
032003302	●	18/25W	85	56°	3000K	1400/1900lm
032003401	○	18/25W	85	20°	4000K	1500/2000lm
032003402	●	18/25W	85	20°	4000K	1500/2000lm
032003501	○	18/25W	85	56°	4000K	1500/2000lm
032003502	●	18/25W	85	56°	4000K	1500/2000lm

LED | IP20 | III | no incl. | ø152 | 1-30 | 20° | 850°C | 20°/56°

*18W Driver not incl.
98310321

***TRIAC** 18W Driver not incl.
98310321LC

***DALI** 18/25W Driver not incl.
98310536

*25W Driver not incl.
98310233

***TRIAC** 25W Driver not incl.
98310236C

***CASAMBI** 12/25W Driver not incl.
98310538



Optic **24/36W**

CRI95

		P	CRI	BEAM	CCT	FLUX
032003601	○	24/36W	95	20°	2700K	1800/2800lm
032003602	●	24/36W	95	20°	2700K	1800/2800lm
032003701	○	24/36W	95	56°	2700K	1800/2800lm
032003702	●	24/36W	95	56°	2700K	1800/2800lm
032003801	○	24/36W	95	20°	3000K	1850/2850lm
032003802	●	24/36W	95	20°	3000K	1850/2850lm
032003901	○	24/36W	95	56°	3000K	1850/2850lm
032003902	●	24/36W	95	56°	3000K	1850/2850lm
032004001	○	24/36W	95	20°	4000K	1950/2950lm
032004002	●	24/36W	95	20°	4000K	1950/2950lm
032004101	○	24/36W	95	56°	4000K	1950/2950lm
032004102	●	24/36W	95	56°	4000K	1950/2950lm

LED | IP20 | III | no incl. | ø152 | 1-30 | 20° | 850°C | 20°/56°

*17W Driver not incl.
98310321

***TRIAC** 17W Driver not incl.
98310321LC

***DALI** 17/24W Driver not incl.
98310536

*24W Driver not incl.
98310233

***TRIAC** 24W Driver not incl.
98310236C

***CASAMBI** 17/24W Driver not incl.
98310538



Optic **36W**			P	CRI	BEAM	CCT	FLUX
HIGH EFFICIENCY LED	032004201	○	36W	82	20°	2700K	2950lm
	032004202	●	36W	82	20°	2700K	2950lm
	032004301	○	36W	82	56°	2700K	2950lm
	032004302	●	36W	82	56°	2700K	2950lm
	032004401	○	36W	85	20°	3000K	3000lm
	032004402	●	36W	85	20°	3000K	3000lm
	032004501	○	36W	85	56°	3000K	3000lm
	032004502	●	36W	85	56°	3000K	3000lm
	032004601	○	36W	85	20°	4000K	3100lm
	032004602	●	36W	85	20°	4000K	3100lm
	032004701	○	36W	85	56°	4000K	3100lm
	032004702	●	36W	85	56°	4000K	3100lm

LED | IP20 | III | no incl. | ø152 | 1-30 | 20° | 850°C | 20°/56°

*36W Driver not incl.
98310444

***DALI** Driver not incl.
98310536

***CASAMBI** Driver not incl.
98310538



Optic **24/36W**			P	CRI	BEAM	CCT	FLUX
FOOD LIGHTING LED	032004801	○	24/36W	85	20°	fruits ●	1600/2350lm
	032004802	●	24/36W	85	20°	fruits ●	1600/2350lm
	032004901	○	24/36W	85	20°	fruits ●	1600/2350lm
	032004902	●	24/36W	85	56°	fruits ●	1600/2350lm
	032005001	○	24/36W	85	56°	fish ●	1700/2450lm
	032005002	●	24/36W	85	56°	fish ●	1700/2450lm
	032005101	○	24/36W	85	20°	fish ●	1700/2450lm
	032005102	●	24/36W	85	20°	fish ●	1700/2450lm
	032005201	○	24/36W	70	20°	meat ●	1500/2250lm
	032005202	●	24/36W	70	56°	meat ●	1500/2250lm
	032005301	○	24/36W	70	56°	meat ●	1500/2250lm
	032005302	●	24/36W	70	56°	meat ●	1500/2250lm

LED | IP20 | III | no incl. | ø152 | 1-30 | 20° | 850°C | 20°/56°

*24W Driver not incl.
98310233

***TRIAC** 24W Driver not incl.
98310236C

***DALI** 24/36W Driver not incl.
98310536

*36W Driver not incl.
98310444

***CASAMBI** 24/36W Driver not incl.
98310538



Optic **24/36W**			P	CRI	BEAM	CCT	FLUX
RETAIL LIGHTING LED	032005401	○	24/36W	95	20°	3100K	1800/2700lm
	032005402	●	24/36W	95	20°	3100K	1800/2700lm
	032005501	○	24/36W	95	56°	3100K	1800/2700lm
	032005502	●	24/36W	95	56°	3100K	1800/2700lm

LED | IP20 | III | no incl. | ø152 | 1-30 | 20° | 850°C | 20°/56°

*24W Driver not incl.
98310233

***TRIAC** 24W Driver not incl.
98310236C

***DALI** 24/36W Driver not incl.
98310536

*36W Driver not incl.
98310444

***CASAMBI** 24/36W Driver not incl.
98310538

Colin



Colin **Nano**



Colin **Mini**



Colin

LIGHTING SOLUTIONS

Our projectors FUGA incorporate Vossloh components, to offer the latest technology available in the market and the most efficient LED.
Nuestros proyectores FUGA incorporan componentes Vossloh, para poder ofrecer la última tecnología disponible en el mercado y los led más eficientes.



Colin **Nano 7/12W**

		P	CRI	BEAM	CCT	FLUX
035000101	○	7/12W	82	20°	2700K	600/1050lm
035000102	●	7/12W	82	20°	2700K	600/1050lm
035000103	●	7/12W	82	20°	2700K	600/1050lm
035000201	○	7/12W	82	56°	2700K	600/1050lm
035000202	●	7/12W	82	56°	2700K	600/1050lm
035000203	●	7/12W	82	56°	2700K	600/1050lm
035000301	○	7/12W	85	20°	3000K	650/1100lm
035000302	●	7/12W	85	20°	3000K	650/1100lm
035000303	●	7/12W	85	20°	3000K	650/1100lm
035000401	○	7/12W	85	56°	3000K	650/1100lm
035000402	●	7/12W	85	56°	3000K	650/1100lm
035000403	●	7/12W	85	56°	3000K	650/1100lm
035000501	○	7/12W	85	20°	4000K	700/1150lm
035000502	●	7/12W	85	20°	4000K	700/1150lm
035000503	●	7/12W	85	20°	4000K	700/1150lm
035000601	○	7/12W	85	56°	4000K	700/1150lm
035000602	●	7/12W	85	56°	4000K	700/1150lm
035000603	●	7/12W	85	56°	4000K	700/1150lm

LED | IP20 | III | no incl. | 102x102 | 1-30 | 20° | 850°C | 20°/56°

*7W Driver not incl.	*TRIAC 7W Driver not incl.	*12W Driver not incl.
98310620	98310509C	98310116
***DALI** 12W Driver not incl.*	***TRIAC** 12W Driver not incl.*	***CASAMBI** 12W Driver not incl.*
98310536	98310114C	98310538



Colin **Nano 7/12W Trimless**

		P	CRI	BEAM	CCT	FLUX
035100101	○	7/12W	82	20°	2700K	600/1050lm
035100102	●	7/12W	82	20°	2700K	600/1050lm
035100201	●	7/12W	82	56°	2700K	600/1050lm
035100202	○	7/12W	82	56°	2700K	600/1050lm
035100301	●	7/12W	85	20°	3000K	650/1100lm
035100302	●	7/12W	85	20°	3000K	650/1100lm
035100401	○	7/12W	85	56°	3000K	650/1100lm
035100402	●	7/12W	85	56°	3000K	650/1100lm
035100501	●	7/12W	85	20°	4000K	700/1150lm
035100502	○	7/12W	85	20°	4000K	700/1150lm
035100601	●	7/12W	85	56°	4000K	700/1150lm
035100602	●	7/12W	85	56°	4000K	700/1150lm

LED | IP20 | III | no incl. | 110x110 | 1-30 | 20° | 850°C | 20°/56°

*7W Driver not incl.	*TRIAC 7W Driver not incl.	*12W Driver not incl.
98310620	98310509C	98310116
***DALI** 12W Driver not incl.*	***TRIAC** 12W Driver not incl.*	***CASAMBI** 12W Driver not incl.*
98310536	98310114C	98310538



Colin **Nano 14/24W**

		P	CRI	BEAM	CCT	FLUX
035005001	○	14/24W	82	20°	2700K	1200/2100lm
035005002	●	14/24W	82	20°	2700K	1200/2100lm
035005003	●	14/24W	82	20°	2700K	1200/2100lm
035005101	○	14/24W	82	56°	2700K	1200/2100lm
035005102	●	14/24W	82	56°	2700K	1200/2100lm
035005103	●	14/24W	82	56°	2700K	1200/2100lm
035005201	○	14/24W	85	20°	3000K	1300/2200lm
035005202	●	14/24W	85	20°	3000K	1300/2200lm
035005203	●	14/24W	85	20°	3000K	1300/2200lm
035005301	○	14/24W	85	56°	3000K	1300/2200lm
035005302	●	14/24W	85	56°	3000K	1300/2200lm
035005303	●	14/24W	85	56°	3000K	1300/2200lm
035005401	○	14/24W	85	20°	4000K	1400/2300lm
035005402	●	14/24W	85	20°	4000K	1400/2300lm
035005403	●	14/24W	85	20°	4000K	1400/2300lm
035005501	○	14/24W	85	56°	4000K	1400/2300lm
035005502	●	14/24W	85	56°	4000K	1400/2300lm
035005503	●	14/24W	85	56°	4000K	1400/2300lm

LED | IP20 | III | no incl. | 212x102 | 1-30 | 20° | 850°C | 20°/56°

*14W Driver not incl.	*TRIAC 14W Driver not incl.	*24W Driver not incl.
2x 98310620	2x 98310509C	2x 98310116
***DALI** 24W Driver not incl.*	***TRIAC** 24W Driver not incl.*	***CASAMBI** 24W Driver not incl.*
2x 98310536	2x 98310114C	2x 98310538



Colin **Nano 14/24W Trimless**

		P	CRI	BEAM	CCT	FLUX
035105001	○	14/24W	82	20°	2700K	1200/2100lm
035105002	●	14/24W	82	20°	2700K	1200/2100lm
035105101	●	14/24W	82	56°	2700K	1200/2100lm
035105102	○	14/24W	82	56°	2700K	1200/2100lm
035105201	●	14/24W	85	20°	3000K	1300/2200lm
035105202	●	14/24W	85	20°	3000K	1300/2200lm
035105301	○	14/24W	85	56°	3000K	1300/2200lm
035105302	●	14/24W	85	56°	3000K	1300/2200lm
035105401	●	14/24W	85	20°	4000K	1400/2300lm
035105402	○	14/24W	85	20°	4000K	1400/2300lm
035105501	●	14/24W	85	56°	4000K	1400/2300lm
035105502	●	14/24W	85	56°	4000K	1400/2300lm

LED | IP20 | III | no incl. | 110x222 | 1-30 | 20° | 850°C | 20°/56°

*14W Driver not incl.	*TRIAC 14W Driver not incl.	*24W Driver not incl.
2x 98310620	2x 98310509C	2x 98310116
***DALI** 24W Driver not incl.*	***TRIAC** 24W Driver not incl.*	***CASAMBI** 24W Driver not incl.*
2x 98310536	2x 98310114C	2x 98310538



Colin **Mini 12/18W**		P	CRI	BEAM	CCT	FLUX
033008301	○	12/18W	82	20°	2700K	950/1450lm
033008302	●	12/18W	82	20°	2700K	950/1450lm
033008303	●	12/18W	82	20°	2700K	950/1450lm
033008401	○	12/18W	82	56°	2700K	950/1450lm
033008402	●	12/18W	82	56°	2700K	950/1450lm
033008403	●	12/18W	82	56°	2700K	950/1450lm
033008501	○	12/18W	85	20°	3000K	1000/1500lm
033008502	●	12/18W	85	20°	3000K	1000/1500lm
033008503	●	12/18W	85	20°	3000K	1000/1500lm
033008601	○	12/18W	85	56°	3000K	1000/1500lm
033008602	●	12/18W	85	56°	3000K	1000/1500lm
033008603	●	12/18W	85	56°	3000K	1000/1500lm
033008701	○	12/18W	85	20°	4000K	1100/1600lm
033008702	●	12/18W	85	20°	4000K	1100/1600lm
033008703	●	12/18W	85	20°	4000K	1100/1600lm
033008801	○	12/18W	85	56°	4000K	1100/1600lm
033008802	●	12/18W	85	56°	4000K	1100/1600lm
033008803	●	12/18W	85	56°	4000K	1100/1600lm

LED | IP20 | III | no incl. | 128x129 | 200 | 20° | 850°C | 20°/56°

*12W Driver not incl.	*TRIAC 12W Driver not incl.	*18W Driver not incl.
98310116	98310114C	98310321
***TRIAC** 18W Driver not incl.	***DALI** 12/18W Driver not incl.	***CASAMBI** 12/18W Driver not incl.
98310321LC	98310536	98310538



Colin **Mini 17/24W**		P	CRI	BEAM	CCT	FLUX
CRI95						
033008901	○	17/24W	95	20°	2700K	1250/1800lm
033008902	●	17/24W	95	20°	2700K	1250/1800lm
033008903	●	17/24W	95	20°	2700K	1250/1800lm
033009001	○	17/24W	95	56°	2700K	1250/1800lm
033009002	●	17/24W	95	56°	2700K	1250/1800lm
033009003	●	17/24W	95	56°	2700K	1250/1800lm
033009101	○	17/24W	95	20°	3000K	1300/1850lm
033009102	●	17/24W	95	20°	3000K	1300/1850lm
033009103	●	17/24W	95	20°	3000K	1300/1850lm
033009201	○	17/24W	95	56°	3000K	1300/1850lm
033009202	●	17/24W	95	56°	3000K	1300/1850lm
033009203	●	17/24W	95	56°	3000K	1300/1850lm
033009301	○	17/24W	95	20°	4000K	1400/1950lm
033009302	●	17/24W	95	20°	4000K	1400/1950lm
033009303	●	17/24W	95	20°	4000K	1400/1950lm
033009401	○	17/24W	95	56°	4000K	1400/1950lm
033009402	●	17/24W	95	56°	4000K	1400/1950lm
033009403	●	17/24W	95	56°	4000K	1400/1950lm

LED | IP20 | III | no incl. | 128x129 | 200 | 20° | 850°C | 20°/56°

*17W Driver not incl.	*TRIAC 17W Driver not incl.	*24W Driver not incl.
98310321	98310321LC	98310233
***TRIAC** 24W Driver not incl.	***DALI** 17/24W Driver not incl.	***CASAMBI** 17/24W Driver not incl.
98310236C	98310536	98310538





Colin **Mini 24W**			P	CRI	BEAM	CCT	FLUX
HIGH EFFICIENCY LED	033009501	○	24W	82	20°	2700K	2000lm
	033009502	●	24W	82	20°	2700K	2000lm
	033009503	●	24W	82	20°	2700K	2000lm
	033009601	○	24W	82	56°	2700K	2000lm
	033009602	●	24W	82	56°	2700K	2000lm
	033009603	●	24W	82	56°	2700K	2000lm
	033009701	○	24W	85	20°	3000K	2050lm
	033009702	●	24W	85	20°	3000K	2050lm
	033009703	●	24W	85	20°	3000K	2050lm
	033009801	○	24W	85	56°	3000K	2050lm
	033009802	●	24W	85	56°	3000K	2050lm
	033009803	●	24W	85	56°	3000K	2050lm
	033009901	○	24W	85	20°	4000K	2150lm
	033009902	●	24W	85	20°	4000K	2150lm
	033009903	●	24W	85	20°	4000K	2150lm
	033010001	○	24W	85	56°	4000K	2150lm
	033010002	●	24W	85	56°	4000K	2150lm
	033010003	●	24W	85	56°	4000K	2150lm
FOOD LIGHTING LED	033010101	○	24W	85	20°	fruits	1600lm
	033010102	●	24W	85	20°	fruits	1600lm
	033010103	●	24W	85	20°	fruits	1600lm
	033010201	○	24W	85	56°	fruits	1600lm
	033010202	●	24W	85	56°	fruits	1600lm
	033010203	●	24W	85	56°	fruits	1600lm
	033010301	○	24W	85	20°	fish	1700lm
	033010302	●	24W	85	20°	fish	1700lm
	033010303	●	24W	85	20°	fish	1700lm
	033010401	○	24W	85	56°	fish	1700lm
	033010402	●	24W	85	56°	fish	1700lm
	033010403	●	24W	85	56°	fish	1700lm
	033010501	○	24W	70	20°	meat	1500lm
	033010502	●	24W	70	20°	meat	1500lm
	033010503	●	24W	70	20°	meat	1500lm
	033010601	○	24W	70	56°	meat	1500lm
	033010602	●	24W	70	56°	meat	1500lm
	033010603	●	24W	70	56°	meat	1500lm

LED | IP20 | III | no incl. | 128x129 | 200 | 20° | 850°C | 20°/56°

*24W Driver not incl.
98310233

***TRIAC** Driver not incl.
98310236C

***DALI** Driver not incl.
98310536

***CASAMBI** Driver not incl.
98310538



Colin **Mini 17/24W**			P	CRI	BEAM	CCT	FLUX
RETAIL LIGHTING LED	033010701	○	17/24W	95	20°	3100K	1300/1800lm
	033010702	●	17/24W	95	20°	3100K	1300/1800lm
	033010703	●	17/24W	95	20°	3100K	1300/1800lm
	033010801	○	17/24W	95	56°	3100K	1300/1800lm
	033010802	●	17/24W	95	56°	3100K	1300/1800lm
	033010803	●	17/24W	95	56°	3100K	1300/1800lm

LED | IP20 | III | no incl. | 128x129 | 200 | 20° | 850°C | 20°/56°

*17W Driver not incl.
98310321

***TRIAC** 17W Driver not incl.
98310321LC

*24W Driver not incl.
98310233

***TRIAC** 24W Driver not incl.
98310236C

***DALI** 17/24W Driver not incl.
98310536

***CASAMBI** 17/24W Driver not incl.
98310538



Colin 2L **Mini 24/36W**		P	CRI	BEAM	CCT	FLUX
033010901	○	24/36W	82	20°	2700K	1900/2900lm
033010902	●	24/36W	82	20°	2700K	1900/2900lm
033010903	●	24/36W	82	20°	2700K	1900/2900lm
033011001	○	24/36W	82	56°	2700K	1900/2900lm
033011002	●	24/36W	82	56°	2700K	1900/2900lm
033011003	●	24/36W	82	56°	2700K	1900/2900lm
033011101	○	24/36W	85	20°	3000K	2000/3000lm
033011102	●	24/36W	85	20°	3000K	2000/3000lm
033011103	●	24/36W	85	20°	3000K	2000/3000lm
033011201	○	24/36W	85	56°	3000K	2000/3000lm
033011202	●	24/36W	85	56°	3000K	2000/3000lm
033011203	●	24/36W	85	56°	3000K	2000/3000lm
033011301	○	24/36W	85	20°	4000K	2200/3200lm
033011302	●	24/36W	85	20°	4000K	2200/3200lm
033011303	●	24/36W	85	20°	4000K	2200/3200lm
033011401	○	24/36W	85	56°	4000K	2200/3200lm
033011402	●	24/36W	85	56°	4000K	2200/3200lm
033011403	●	24/36W	85	56°	4000K	2200/3200lm

LED | IP20 | III | no incl. | 263x129 | 200 | 20° | 850°C | 20°/56°

*24W Driver not incl.
2x 98310116

***TRIAC** 24W Driver not incl.
2x 98310114C

*36W Driver not incl.
2x 98310321

***TRIAC** 36W Driver not incl.
2x 98310321LC

***DALI** 24/36W Driver not incl.
2x 98310536

***CASAMBI** 24/36W Driver not incl.
2x 98310538



Colin 2L **Mini 34/48W**		P	CRI	BEAM	CCT	FLUX
CRI95						
033011501	○	34/48W	95	20°	2700K	2500/3600lm
033011502	●	34/48W	95	20°	2700K	2500/3600lm
033011503	●	34/48W	95	20°	2700K	2500/3600lm
033011601	○	34/48W	95	56°	2700K	2500/3600lm
033011602	●	34/48W	95	56°	2700K	2500/3600lm
033011603	●	34/48W	95	56°	2700K	2500/3600lm
033011701	○	34/48W	95	20°	3000K	2600/3700lm
033011702	●	34/48W	95	20°	3000K	2600/3700lm
033011703	●	34/48W	95	20°	3000K	2600/3700lm
033011801	○	34/48W	95	56°	3000K	2600/3700lm
033011802	●	34/48W	95	56°	3000K	2600/3700lm
033011803	●	34/48W	95	56°	3000K	2600/3700lm
033011901	○	34/48W	95	20°	4000K	2800/3900lm
033011902	●	34/48W	95	20°	4000K	2800/3900lm
033011903	●	34/48W	95	20°	4000K	2800/3900lm
033012001	○	34/48W	95	56°	4000K	2800/3900lm
033012002	●	34/48W	95	56°	4000K	2800/3900lm
033012003	●	34/48W	95	56°	4000K	2800/3900lm

LED | IP20 | III | no incl. | 263x129 | 200 | 20° | 850°C | 20°/56°

*34W Driver not incl.
2x 98310321

***TRIAC** 34W Driver not incl.
2x 98310321LC

*48W Driver not incl.
2x 98310233

***TRIAC** 48W Driver not incl.
2x 98310236C

***DALI** 34/48W Driver not incl.
2x 98310536

***CASAMBI** 34/48W Driver not incl.
2x 98310538



Colin 2L **Mini 48W**			P	CRI	BEAM	CCT	FLUX
HIGH EFFICIENCY LED	033012101	○	48W	82	20°	2700K	4000lm
	033012102	●	48W	82	20°	2700K	4000lm
	033012103	●	48W	82	20°	2700K	4000lm
	033012201	○	48W	82	56°	2700K	4000lm
	033012202	●	48W	82	56°	2700K	4000lm
	033012203	●	48W	82	56°	2700K	4000lm
	033012301	○	48W	85	20°	3000K	4100lm
	033012302	●	48W	85	20°	3000K	4100lm
	033012303	●	48W	85	20°	3000K	4100lm
	033012401	○	48W	85	56°	3000K	4100lm
	033012402	●	48W	85	56°	3000K	4100lm
	033012403	●	48W	85	56°	3000K	4100lm
	033012501	○	48W	85	20°	4000K	4300lm
	033012502	●	48W	85	20°	4000K	4300lm
	033012503	●	48W	85	20°	4000K	4300lm
	033012601	○	48W	85	56°	4000K	4300lm
	033012602	●	48W	85	56°	4000K	4300lm
	033012603	●	48W	85	56°	4000K	4300lm
FOOD LIGHTING LED	033012701	○	48W	85	20°	fruits	3200lm
	033012702	●	48W	85	20°	fruits	3200lm
	033012703	●	48W	85	20°	fruits	3200lm
	033012801	○	48W	85	56°	fruits	3200lm
	033012802	●	48W	85	56°	fruits	3200lm
	033012803	●	48W	85	56°	fruits	3200lm
	033012901	○	48W	85	20°	fish	3400lm
	033012902	●	48W	85	20°	fish	3400lm
	033012903	●	48W	85	20°	fish	3400lm
	033013001	○	48W	85	56°	fish	3400lm
	033013002	●	48W	85	56°	fish	3400lm
	033013003	●	48W	85	56°	fish	3400lm
	033013101	○	48W	70	20°	meat	3000lm
	033013102	●	48W	70	20°	meat	3000lm
	033013103	●	48W	70	20°	meat	3000lm
	033013201	○	48W	70	56°	meat	3000lm
	033013202	●	48W	70	56°	meat	3000lm
	033013203	●	48W	70	56°	meat	3000lm

LED | IP20 | III | no incl. | 263x129 | 200 | 20° | 850°C | 20°/56°

*48W Driver not incl.
2x 98310233

***TRIAC** Driver not incl.
2x 98310236C

***DALI** Driver not incl.
2x 98310536

***CASAMBI** Driver not incl.
2x 98310538



Colin 2L **Mini 34/48W**			P	CRI	BEAM	CCT	FLUX
RETAIL LIGHTING LED	033013301	○	34/48W	95	20°	3100K	2600/3600lm
	033013302	●	34/48W	95	20°	3100K	2600/3600lm
	033013303	●	34/48W	95	20°	3100K	2600/3600lm
	033013401	○	34/48W	95	56°	3100K	2600/3600lm
	033013402	●	34/48W	95	56°	3100K	2600/3600lm
	033013403	●	34/48W	95	56°	3100K	2600/3600lm

LED | IP20 | III | no incl. | 263x129 | 200 | 20° | 850°C | 20°/56°

*34W Driver not incl.
2x 98310116

***TRIAC** 34W Driver not incl.
2x 98310114C

*48W Driver not incl.
2x 98310233

***TRIAC** 48W Driver not incl.
2x 98310236C

***DALI** 34/48W Driver not incl.
2x 98310536

***CASAMBI** 34/48W Driver not incl.
2x 98310538

Colin 3L **Mini 36/54W**

		P	CRI	BEAM	CCT	FLUX
033013501	○	36/54W	82	20°	2700K	2850/4350lm
033013502	●	36/54W	82	20°	2700K	2850/4350lm
033013503	●	36/54W	82	20°	2700K	2850/4350lm
033013601	○	36/54W	82	56°	2700K	2850/4350lm
033013602	●	36/54W	82	56°	2700K	2850/4350lm
033013603	●	36/54W	82	56°	2700K	2850/4350lm
033013701	○	36/54W	85	20°	3000K	3000/4500lm
033013702	●	36/54W	85	20°	3000K	3000/4500lm
033013703	●	36/54W	85	20°	3000K	3000/4500lm
033013801	○	36/54W	85	56°	3000K	3000/4500lm
033013802	●	36/54W	85	56°	3000K	3000/4500lm
033013803	●	36/54W	85	56°	3000K	3000/4500lm
033013901	○	36/54W	85	20°	4000K	3300/4800lm
033013902	●	36/54W	85	20°	4000K	3300/4800lm
033013903	●	36/54W	85	20°	4000K	3300/4800lm
033014001	○	36/54W	85	56°	4000K	3300/4800lm
033014002	●	36/54W	85	56°	4000K	3300/4800lm
033014003	●	36/54W	85	56°	4000K	3300/4800lm

LED | IP20 | III | no incl. | 403x129 | 200 | 20° | 850°C | 20°/56°

*36W Driver not incl.	*TRIAC 36W Driver not incl.	*54W Driver not incl.
3x 98310116	3x 98310114C	3x 98310321
*TRIAC 54W Driver not incl.	*DALI 36/54W Driver not incl.	*CASAMBI 36/54W Driver not incl.
3x 98310321LC	3x 98310536	3x 98310538

Colin 3L **Mini 51/72W**

CRI95

		P	CRI	BEAM	CCT	FLUX
033014101	○	51/72W	95	20°	2700K	3750/5400lm
033014102	●	51/72W	95	20°	2700K	3750/5400lm
033014103	●	51/72W	95	20°	2700K	3750/5400lm
033014201	○	51/72W	95	56°	2700K	3750/5400lm
033014202	●	51/72W	95	56°	2700K	3750/5400lm
033014203	●	51/72W	95	56°	2700K	3750/5400lm
033014301	○	51/72W	95	20°	3000K	3900/5550lm
033014302	●	51/72W	95	20°	3000K	3900/5550lm
033014303	●	51/72W	95	20°	3000K	3900/5550lm
033014401	○	51/72W	95	56°	3000K	3900/5550lm
033014402	●	51/72W	95	56°	3000K	3900/5550lm
033014403	●	51/72W	95	56°	3000K	3900/5550lm
033014501	○	51/72W	95	20°	4000K	4200/5850lm
033014502	●	51/72W	95	20°	4000K	4200/5850lm
033014503	●	51/72W	95	20°	4000K	4200/5850lm
033014601	○	51/72W	95	56°	4000K	4200/5850lm
033014602	●	51/72W	95	56°	4000K	4200/5850lm
033014603	●	51/72W	95	56°	4000K	4200/5850lm

LED | IP20 | III | no incl. | 403x129 | 200 | 20° | 850°C | 20°/56°

*51W Driver not incl.	*TRIAC 51W Driver not incl.	*72W Driver not incl.
3x 98310321	3x 98310321LC	3x 98310233
*TRIAC 72W Driver not incl.	*DALI 51/72W Driver not incl.	*CASAMBI 51/72W Driver not incl.
3x 98310236C	3x 98310536	3x 98310538



Colin 3L **Mini 72W**			P	CRI	BEAM	CCT	FLUX
HIGH EFFICIENCY LED	033014701	○	72W	82	20°	2700K	6000lm
	033014702	●	72W	82	20°	2700K	6000lm
	033014703	●	72W	82	20°	2700K	6000lm
	033014801	○	72W	82	56°	2700K	6000lm
	033014802	●	72W	82	56°	2700K	6000lm
	033014803	●	72W	82	56°	2700K	6000lm
	033014901	○	72W	85	20°	3000K	6150lm
	033014902	●	72W	85	20°	3000K	6150lm
	033014903	●	72W	85	20°	3000K	6150lm
	033015001	○	72W	85	56°	3000K	6150lm
	033015002	●	72W	85	56°	3000K	6150lm
	033015003	●	72W	85	56°	3000K	6150lm
	033015101	○	72W	85	20°	4000K	6450lm
	033015102	●	72W	85	20°	4000K	6450lm
	033015103	●	72W	85	20°	4000K	6450lm
	033015201	○	72W	85	56°	4000K	6450lm
	033015202	●	72W	85	56°	4000K	6450lm
	033015203	●	72W	85	56°	4000K	6450lm
FOOD LIGHTING LED	033015301	○	72W	85	20°	fruits ●	4800lm
	033015302	●	72W	85	20°	fruits ●	4800lm
	033015303	●	72W	85	20°	fruits ●	4800lm
	033015401	○	72W	85	56°	fruits ●	4800lm
	033015402	●	72W	85	56°	fruits ●	4800lm
	033015403	●	72W	85	56°	fruits ●	4800lm
	033015501	○	72W	85	20°	fish ●	5100lm
	033015502	●	72W	85	20°	fish ●	5100lm
	033015503	●	72W	85	20°	fish ●	5100lm
	033015601	○	72W	85	56°	fish ●	5100lm
	033015602	●	72W	85	56°	fish ●	5100lm
	033015603	●	72W	85	56°	fish ●	5100lm
	033015701	○	72W	70	20°	meat ●	4500lm
	033015702	●	72W	70	20°	meat ●	4500lm
	033015703	●	72W	70	20°	meat ●	4500lm
	033015801	○	72W	70	56°	meat ●	4500lm
	033015802	●	72W	70	56°	meat ●	4500lm
	033015803	●	72W	70	56°	meat ●	4500lm

LED | IP20 | III | no incl. | 403x129 | 200 | 20° | 850°C | 20°/56°

*72W Driver not incl.
3x 98310233

***TRIAC** Driver not incl.
3x 98310236C

***DALI** Driver not incl.
3x 98310536

***CASAMBI** Driver not incl.
3x 98310538



Colin 3L **Mini 51/72W**			P	CRI	BEAM	CCT	FLUX
RETAIL LIGHTING LED	033015901	○	51/72W	95	20°	3100K	3900/5400lm
	033015902	●	51/72W	95	20°	3100K	3900/5400lm
	033015903	●	51/72W	95	20°	3100K	3900/5400lm
	033016001	○	51/72W	95	56°	3100K	3900/5400lm
	033016002	●	51/72W	95	56°	3100K	3900/5400lm
	033016003	●	51/72W	95	56°	3100K	3900/5400lm

LED | IP20 | III | no incl. | 403x129 | 200 | 20° | 850°C | 20°/56°

*51W Driver not incl.
3x 98310116

***TRIAC** 51W Driver not incl.
3x 98310114C

*72W Driver not incl.
3x 98310233

***TRIAC** 72W Driver not incl.
3x 98310236C

***DALI** 51/72W Driver not incl.
3x 98310536

***CASAMBI** 51/72W Driver not incl.
3x 98310538



Colin **18/25W**

		P	CRI	BEAM	CCT	FLUX
034008501	○	18/25W	82	20°	2700K	1350/1850lm
034008502	●	18/25W	82	20°	2700K	1350/1850lm
034008503	●	18/25W	82	20°	2700K	1350/1850lm
034008601	○	18/25W	82	56°	2700K	1350/1850lm
034008602	●	18/25W	82	56°	2700K	1350/1850lm
034008603	●	18/25W	82	56°	2700K	1350/1850lm
034008701	○	18/25W	85	20°	3000K	1400/1900lm
034008702	●	18/25W	85	20°	3000K	1400/1900lm
034008703	●	18/25W	85	20°	3000K	1400/1900lm
034008801	○	18/25W	85	56°	3000K	1400/1900lm
034008802	●	18/25W	85	56°	3000K	1400/1900lm
034008803	●	18/25W	85	56°	3000K	1400/1900lm
034008901	○	18/25W	85	20°	4000K	1500/2000lm
034008902	●	18/25W	85	20°	4000K	1500/2000lm
034008903	●	18/25W	85	20°	4000K	1500/2000lm
034009001	○	18/25W	85	56°	4000K	1500/2000lm
034009002	●	18/25W	85	56°	4000K	1500/2000lm
034009003	●	18/25W	85	56°	4000K	1500/2000lm

LED | IP20 | III | no incl. | 162x162 | 1-30 | 20° | 850°C | 20°/56°

*18W Driver not incl.
98310321

***TRIAC** 18W Driver not incl.
98310321LC

*25W Driver not incl.
98310233

***TRIAC** 25W Driver not incl.
98310236C

***DALI** 18/25W Driver not incl.
98310536

***CASAMBI** 18/25W Driver not incl.
98310538



Colin **24/36W**

			P	CRI	BEAM	CCT	FLUX
FOOD LIGHTING LED	034010301	○	24/36W	85	20°	fruits ●	1600/2350lm
	034010302	●	24/36W	85	20°	fruits ●	1600/2350lm
	034010303	●	24/36W	85	20°	fruits ●	1600/2350lm
	034010401	○	24/36W	85	56°	fruits ●	1600/2350lm
	034010402	●	24/36W	85	56°	fruits ●	1600/2350lm
	034010403	●	24/36W	85	56°	fruits ●	1600/2350lm
	034010501	○	24/36W	85	20°	fish ●	1700/2450lm
	034010502	●	24/36W	85	20°	fish ●	1700/2450lm
	034010503	●	24/36W	85	20°	fish ●	1700/2450lm
	034010601	○	24/36W	85	56°	fish ●	1700/2450lm
	034010602	●	24/36W	85	56°	fish ●	1700/2450lm
	034010603	●	24/36W	85	56°	fish ●	1700/2450lm
	034010701	○	24/36W	70	20°	meat ●	1500/2250lm
	034010702	●	24/36W	70	20°	meat ●	1500/2250lm
	034010703	●	24/36W	70	20°	meat ●	1500/2250lm
	034010801	○	24/36W	70	56°	meat ●	1500/2250lm
	034010802	●	24/36W	70	56°	meat ●	1500/2250lm
	034010803	●	24/36W	70	56°	meat ●	1500/2250lm
RETAIL LIGHTING LED	034010901	○	24/36W	95	20°	3100K	1800/2700lm
	034010902	●	24/36W	95	20°	3100K	1800/2700lm
	034010903	●	24/36W	95	20°	3100K	1800/2700lm
	034011001	○	24/36W	95	56°	3100K	1800/2700lm
	034011002	●	24/36W	95	56°	3100K	1800/2700lm
	034011003	●	24/36W	95	56°	3100K	1800/2700lm

LED | IP20 | III | no incl. | 162x162 | 1-30 | 20° | 850°C | 20°/56°

*24W Driver not incl.
98310233

***TRIAC** 24W Driver not incl.
98310236C

*36W Driver not incl.
98310444

***DALI** 24/36W Driver not incl.
98310536

***CASAMBI** 24/36W Driver not incl.
98310538





Colin **36W**			P	CRI	BEAM	CCT	FLUX
CRI95	034009101	○	36W	95	20°	2700K	2800lm
	034009102	●	36W	95	20°	2700K	2800lm
	034009103	●	36W	95	20°	2700K	2800lm
	034009201	○	36W	95	56°	2700K	2800lm
	034009202	●	36W	95	56°	2700K	2800lm
	034009203	●	36W	95	56°	2700K	2800lm
	034009301	○	36W	95	20°	3000K	2850lm
	034009302	●	36W	95	20°	3000K	2850lm
	034009303	●	36W	95	20°	3000K	2850lm
	034009401	○	36W	95	56°	3000K	2850lm
	034009402	●	36W	95	56°	3000K	2850lm
	034009403	●	36W	95	56°	3000K	2850lm
	034009501	○	36W	95	20°	4000K	2950lm
	034009502	●	36W	95	20°	4000K	2950lm
	034009503	●	36W	95	20°	4000K	2950lm
	034009601	○	36W	95	56°	4000K	2950lm
	034009602	●	36W	95	56°	4000K	2950lm
	034009603	●	36W	95	56°	4000K	2950lm
HIGH EFFICIENCY LED	034009701	○	36W	82	20°	2700K	2950lm
	034009702	●	36W	82	20°	2700K	2950lm
	034009703	●	36W	82	20°	2700K	2950lm
	034009801	○	36W	82	56°	2700K	2950lm
	034009802	●	36W	82	56°	2700K	2950lm
	034009803	●	36W	82	56°	2700K	2950lm
	034009901	○	36W	85	20°	3000K	3000lm
	034009902	●	36W	85	20°	3000K	3000lm
	034009903	●	36W	85	20°	3000K	3000lm
	034010001	○	36W	85	56°	3000K	3000lm
	034010002	●	36W	85	56°	3000K	3000lm
	034010003	●	36W	85	56°	3000K	3000lm
	034010101	○	36W	85	20°	4000K	3100lm
	034010102	●	36W	85	20°	4000K	3100lm
	034010103	●	36W	85	20°	4000K	3100lm
	034010201	○	36W	85	56°	4000K	3100lm
	034010202	●	36W	85	56°	4000K	3100lm
	034010203	●	36W	85	56°	4000K	3100lm

LED | IP20 | III | no incl. | 162x162 | 1-30 | 20° | 850°C | 20°/56°

*36W Driver not incl.	*DALI Driver not incl.	*CASAMBI Driver not incl.
98310444	98310536	98310538



Colin **QR-111 LED**			P	SOCKET	V
	03400401	○	MAX 12W	G53	12
	03400402	●	MAX 12W	G53	12
	03400403	●	MAX 12W	G53	12

LED | IP20 | III | no incl. | 162x162 | 1-30 | 20° | 850°C

*Electronic Gear not incl.
98111020



Colin 2L **36/50W**

		P	CRI	BEAM	CCT	FLUX
034011101	○	36/50W	82	20°	2700K	2700/3700lm
034011102	●	36/50W	82	20°	2700K	2700/3700lm
034011103	●	36/50W	82	20°	2700K	2700/3700lm
034011201	○	36/50W	82	56°	2700K	2700/3700lm
034011202	●	36/50W	82	56°	2700K	2700/3700lm
034011203	●	36/50W	82	56°	2700K	2700/3700lm
034011301	○	36/50W	85	20°	3000K	2800/3800lm
034011302	●	36/50W	85	20°	3000K	2800/3800lm
034011303	●	36/50W	85	20°	3000K	2800/3800lm
034011401	○	36/50W	85	56°	3000K	2800/3800lm
034011402	●	36/50W	85	56°	3000K	2800/3800lm
034011403	●	36/50W	85	56°	3000K	2800/3800lm
034011501	○	36/50W	85	20°	4000K	3000/4000lm
034011502	●	36/50W	85	20°	4000K	3000/4000lm
034011503	●	36/50W	85	20°	4000K	3000/4000lm
034011601	○	36/50W	85	56°	4000K	3000/4000lm
034011602	●	36/50W	85	56°	4000K	3000/4000lm
034011603	●	36/50W	85	56°	4000K	3000/4000lm

LED | IP20 | III | no incl. | 332x160 | 1-30 | 20° | 850°C | 20°/56°

*36W Driver not incl.
2x 98310321

***TRIAC** 36W Driver not incl.
2x 98310321LC

*50W Driver not incl.
2x 98310233

***TRIAC** 50W Driver not incl.
2x 98310236C

***DALI** 36/50W Driver not incl.
2x 98310536

***CASAMBI** 36/50W Driver not incl.
2x 98310538



Colin 2L **48/72W**

			P	CRI	BEAM	CCT	FLUX
FOOD LIGHTING LED	034012901	○	48/72W	85	20°	fruits ●	3200/4700lm
	034012902	●	48/72W	85	20°	fruits ●	3200/4700lm
	034012903	●	48/72W	85	20°	fruits ●	3200/4700lm
	034013001	○	48/72W	85	56°	fruits ●	3200/4700lm
	034013002	●	48/72W	85	56°	fruits ●	3200/4700lm
	034013003	●	48/72W	85	56°	fruits ●	3200/4700lm
	034013101	○	48/72W	85	20°	fish ●	3400/4900lm
	034013102	●	48/72W	85	20°	fish ●	3400/4900lm
	034013103	●	48/72W	85	20°	fish ●	3400/4900lm
	034013201	○	48/72W	85	56°	fish ●	3400/4900lm
	034013202	●	48/72W	85	56°	fish ●	3400/4900lm
	034013203	●	48/72W	85	56°	fish ●	3400/4900lm
	034013301	○	48/72W	70	20°	meat ●	3000/4500lm
	034013302	●	48/72W	70	20°	meat ●	3000/4500lm
	034013303	●	48/72W	70	20°	meat ●	3000/4500lm
	034013401	○	48/72W	70	56°	meat ●	3000/4500lm
	034013402	●	48/72W	70	56°	meat ●	3000/4500lm
	034013403	●	48/72W	70	56°	meat ●	3000/4500lm
RETAIL LIGHTING LED	034013501	○	48/72W	95	20°	3100K	3600/5400lm
	034013502	●	48/72W	95	20°	3100K	3600/5400lm
	034013503	●	48/72W	95	20°	3100K	3600/5400lm
	034013601	○	48/72W	95	56°	3100K	3600/5400lm
	034013602	●	48/72W	95	56°	3100K	3600/5400lm
	034013603	●	48/72W	95	56°	3100K	3600/5400lm

LED | IP20 | III | no incl. | 332x160 | 1-30 | 20° | 850°C | 20°/56° | DALI optional

*48W Driver not incl.
2x 98310233

***TRIAC** 48W Driver not incl.
2x 98310236C

*72W Driver not incl.
2x 98310444

***DALI** 48/72W Driver not incl.
2x 98310536

***CASAMBI** 48/72W Driver not incl.
2x 98310538



Colin 2L **72W**			P	CRI	BEAM	CCT	FLUX
CRI95	034011701	○	72W	95	20°	2700K	5600lm
	034011702	●	72W	95	20°	2700K	5600lm
	034011703	●	72W	95	20°	2700K	5600lm
	034011801	○	72W	95	56°	2700K	5600lm
	034011802	●	72W	95	56°	2700K	5600lm
	034011803	●	72W	95	56°	2700K	5600lm
	034011901	○	72W	95	20°	3000K	5700lm
	034011902	●	72W	95	20°	3000K	5700lm
	034011903	●	72W	95	20°	3000K	5700lm
	034012001	○	72W	95	56°	3000K	5700lm
	034012002	●	72W	95	56°	3000K	5700lm
	034012003	●	72W	95	56°	3000K	5700lm
	034012101	○	72W	95	20°	4000K	5900lm
	034012102	●	72W	95	20°	4000K	5900lm
	034012103	●	72W	95	20°	4000K	5900lm
	034012201	○	72W	95	56°	4000K	5900lm
	034012202	●	72W	95	56°	4000K	5900lm
	034012203	●	72W	95	56°	4000K	5900lm
HIGH EFFICIENCY LED	034012301	○	72W	82	20°	2700K	5900lm
	034012302	●	72W	82	20°	2700K	5900lm
	034012303	●	72W	82	20°	2700K	5900lm
	034012401	○	72W	82	56°	2700K	5900lm
	034012402	●	72W	82	56°	2700K	5900lm
	034012403	●	72W	82	56°	2700K	5900lm
	034012501	○	72W	85	20°	3000K	6000lm
	034012502	●	72W	85	20°	3000K	6000lm
	034012503	●	72W	85	20°	3000K	6000lm
	034012601	○	72W	85	56°	3000K	6000lm
	034012602	●	72W	85	56°	3000K	6000lm
	034012603	●	72W	85	56°	3000K	6000lm
	034012701	○	72W	85	20°	4000K	6200lm
	034012702	●	72W	85	20°	4000K	6200lm
	034012703	●	72W	85	20°	4000K	6200lm
	034012801	○	72W	85	56°	4000K	6200lm
	034012802	●	72W	85	56°	4000K	6200lm
	034012803	●	72W	85	56°	4000K	6200lm

LED | IP20 | III | no incl. | 332x160 | 1-30 | 20° | 850°C | 20°/56°

*72W Driver not incl.	*DALI Driver not incl.	*CASAMBI Driver not incl.
2x 98310444	2x 98310536	2x 98310538



Colin 2L **QR-111 LED**			P	SOCKET	V
	03400501	○	MAX 12W	2x G53	12
	03400502	●	MAX 12W	2x G53	12
	03400503	●	MAX 12W	2x G53	12

LED | IP20 | III | no incl. | 332x162 | 1-30 | 20° | 850°C

*Electronic Gear not incl.
2x 98111020



Colin 3L **54/75W**

		P	CRI	BEAM	CCT	FLUX
034013701	○	54/75W	82	20°	2700K	4050/3700lm
034013702	●	54/75W	82	20°	2700K	4050/3700lm
034013703	●	54/75W	82	20°	2700K	4050/3700lm
034013801	○	54/75W	82	56°	2700K	4050/3700lm
034013802	●	54/75W	82	56°	2700K	4050/3700lm
034013803	●	54/75W	82	56°	2700K	4050/3700lm
034013901	○	54/75W	85	20°	3000K	4200/5700lm
034013902	●	54/75W	85	20°	3000K	4200/5700lm
034013903	●	54/75W	85	20°	3000K	4200/5700lm
034014001	○	54/75W	85	56°	3000K	4200/5700lm
034014002	●	54/75W	85	56°	3000K	4200/5700lm
034014003	●	54/75W	85	56°	3000K	4200/5700lm
034014101	○	54/75W	85	20°	4000K	4500/6000lm
034014102	●	54/75W	85	20°	4000K	4500/6000lm
034014103	●	54/75W	85	20°	4000K	4500/6000lm
034014201	○	54/75W	85	56°	4000K	4500/6000lm
034014202	●	54/75W	85	56°	4000K	4500/6000lm
034014203	●	54/75W	85	56°	4000K	4500/6000lm

LED | IP20 | III | no incl. | 502x162 | 1-30 | 20° | 850°C | 20°/56°

*54W Driver not incl.
3x 98310321

***TRIAC** 54W Driver not incl.
3x 98310321LC

*75W Driver not incl.
3x 98310233

***TRIAC** 75W Driver not incl.
3x 98310236C

***DALI** 54/75W Driver not incl.
3x 98310536

***CASAMBI** 54/75W Driver not incl.
3x 98310538





Colin 3L **72/108W**

			P	CRI	BEAM	CCT	FLUX
FOOD LIGHTING LED	034015501	○	72/108W	85	20°	fruits ●	4800/7050lm
	034015502	●	72/108W	85	20°	fruits ●	4800/7050lm
	034015503	●	72/108W	85	20°	fruits ●	4800/7050lm
	034015601	○	72/108W	85	56°	fruits ●	4800/7050lm
	034015602	●	72/108W	85	56°	fruits ●	4800/7050lm
	034015603	●	72/108W	85	56°	fruits ●	4800/7050lm
	034015701	○	72/108W	85	20°	fish ●	5100/7350lm
	034015702	●	72/108W	85	20°	fish ●	5100/7350lm
	034015703	●	72/108W	85	20°	fish ●	5100/7350lm
	034015801	○	72/108W	85	56°	fish ●	5100/7350lm
	034015802	●	72/108W	85	56°	fish ●	5100/7350lm
	034015803	●	72/108W	85	56°	fish ●	5100/7350lm
	034015901	○	72/108W	70	20°	meat ●	4500/6750lm
	034015902	●	72/108W	70	20°	meat ●	4500/6750lm
	034015903	●	72/108W	70	20°	meat ●	4500/6750lm
	034016001	○	72/108W	70	56°	meat ●	4500/6750lm
	034016002	●	72/108W	70	56°	meat ●	4500/6750lm
	034016003	●	72/108W	70	56°	meat ●	4500/6750lm
RETAIL LIGHTING LED	034016101	○	72/108W	95	20°	3100K	5400/8100lm
	034016102	●	72/108W	95	20°	3100K	5400/8100lm
	034016103	●	72/108W	95	20°	3100K	5400/8100lm
	034016201	○	72/108W	95	56°	3100K	5400/8100lm
	034016202	●	72/108W	95	56°	3100K	5400/8100lm
	034016203	●	72/108W	95	56°	3100K	5400/8100lm

LED | IP20 | III | no incl. | 502x162 | 1-30 | 20° | 850°C | 20°/56°

*72W Driver not incl.
3x 98310233

***TRIAC** 72W Driver not incl.
3x 98310236C

*108W Driver not incl.
3x 98310444

***DALI** 72/108W Driver not incl.
3x 98310536

***CASAMBI** 72/108W Driver not incl.
3x 98310538



Colin 3L **108W**			P	CRI	BEAM	CCT	FLUX
CRI95	034014301	○	108W	95	20°	2700K	8400lm
	034014302	●	108W	95	20°	2700K	8400lm
	034014303	●	108W	95	20°	2700K	8400lm
	034014401	○	108W	95	56°	2700K	8400lm
	034014402	●	108W	95	56°	2700K	8400lm
	034014403	●	108W	95	56°	2700K	8400lm
	034014501	○	108W	95	20°	3000K	8550lm
	034014502	●	108W	95	20°	3000K	8550lm
	034014503	●	108W	95	20°	3000K	8550lm
	034014601	○	108W	95	56°	3000K	8550lm
	034014602	●	108W	95	56°	3000K	8550lm
	034014603	●	108W	95	56°	3000K	8550lm
	034014701	○	108W	95	20°	4000K	8850lm
	034014702	●	108W	95	20°	4000K	8850lm
	034014703	●	108W	95	20°	4000K	8850lm
	034014801	○	108W	95	56°	4000K	8850lm
	034014802	●	108W	95	56°	4000K	8850lm
	034014803	●	108W	95	56°	4000K	8850lm
HIGH EFFICIENCY LED	034014901	○	108W	82	20°	2700K	8850lm
	034014902	●	108W	82	20°	2700K	8850lm
	034014903	●	108W	82	20°	2700K	8850lm
	034015001	○	108W	82	56°	2700K	8850lm
	034015002	●	108W	82	56°	2700K	8850lm
	034015003	●	108W	82	56°	2700K	8850lm
	034015101	○	108W	85	20°	3000K	9000lm
	034015102	●	108W	85	20°	3000K	9000lm
	034015103	●	108W	85	20°	3000K	9000lm
	034015201	○	108W	85	56°	3000K	9000lm
	034015202	●	108W	85	56°	3000K	9000lm
	034015203	●	108W	85	56°	3000K	9000lm
	034015301	○	108W	85	20°	4000K	9300lm
	034015302	●	108W	85	20°	4000K	9300lm
	034015303	●	108W	85	20°	4000K	9300lm
	034015401	○	108W	85	56°	4000K	9300lm
	034015402	●	108W	85	56°	4000K	9300lm
	034015403	●	108W	85	56°	4000K	9300lm

LED | IP20 | III | no incl. | 502x162 | 1-30 | 20° | 850°C | 20°/56°

*108W Driver not incl.
3x 98310444

***DALI** Driver not incl.
3x 98310536

***CASAMBI** Driver not incl.
3x 98310538



Colin 3L **QR-111 LED**			P	SOCKET	V
	03400601	○	MAX 12W	3x G53	12
	03400602	●	MAX 12W	3x G53	12
	03400603	●	MAX 12W	3x G53	12

LED | IP20 | III | no incl. | 502x162 | 1-30 | 20° | 850°C

***Electronic Gear** not incl.
3x 98111020

Teko

Teko



Teko **2L**

Teko **3L**

LIGHTING SOLUTIONS

Our projectors FUGA incorporate Vossloh components, to offer the latest technology available in the market and the most efficient LED.
Nuestros proyectores FUGA incorporan componentes Vossloh, para poder ofrecer la última tecnología disponible en el mercado y los led más eficientes.



Teko **12/18W**

		P	CRI	BEAM	CCT	FLUX
050400101	○	12/18W	82	20°	2700K	950/1450lm
050400102	●	12/18W	82	20°	2700K	950/1450lm
050400201	○	12/18W	82	56°	2700K	950/1450lm
050400202	●	12/18W	82	56°	2700K	950/1450lm
050400301	○	12/18W	85	20°	3000K	1000/1500lm
050400302	●	12/18W	85	20°	3000K	1000/1500lm
050400401	○	12/18W	85	56°	3000K	1000/1500lm
050400402	●	12/18W	85	56°	3000K	1000/1500lm
050400501	○	12/18W	85	20°	4000K	1100/1600lm
050400502	●	12/18W	85	20°	4000K	1100/1600lm
050400601	○	12/18W	85	56°	4000K	1100/1600lm
050400602	●	12/18W	85	56°	4000K	1100/1600lm

LED | IP20 | III | no incl. | 20° | 850°C | 20°/56°

*12W Driver not incl.
98310116

***TRIAC** 12W Driver not incl.
98310114C

*18W Driver not incl.
98310321

***TRIAC** 18W Driver not incl.
98310321LC

***DALI** 12/18W Driver not incl.
98310536

***CASAMBI** 12/25W Driver not incl.
98310538



Teko **17/24W**

CRI95

		P	CRI	BEAM	CCT	FLUX
050400701	○	17/24W	95	20°	2700K	1250/1800lm
050400702	●	17/24W	95	20°	2700K	1250/1800lm
050400801	○	17/24W	95	56°	2700K	1250/1800lm
050400802	●	17/24W	95	56°	2700K	1250/1800lm
050400901	○	17/24W	95	20°	3000K	1300/1850lm
050400902	●	17/24W	95	20°	3000K	1300/1850lm
050401001	○	17/24W	95	56°	3000K	1300/1850lm
050401002	●	17/24W	95	56°	3000K	1300/1850lm
050401101	○	17/24W	95	20°	4000K	1400/1950lm
050401102	●	17/24W	95	20°	4000K	1400/1950lm
050401201	○	17/24W	95	56°	4000K	1400/1950lm
050401201	●	17/24W	95	56°	4000K	1400/1950lm

LED | IP20 | III | no incl. | 20° | 850°C | 20°/56°

*17W Driver not incl.
98310321

***TRIAC** 17W Driver not incl.
98310321LC

*24W Driver not incl.
98310233

***TRIAC** 24W Driver not incl.
98310236C

***DALI** 17/24W Driver not incl.
98310536

***CASAMBI** 17/24W Driver not incl.
98310538



Teko **24W**			P	CRI	BEAM	CCT	FLUX
HIGH EFFICIENCY LED	050401301	○	24W	82	20°	2700K	2000lm
	050401302	●	24W	82	20°	2700K	2000lm
	050401401	○	24W	82	56°	2700K	2000lm
	050401402	●	24W	82	56°	2700K	2000lm
	050401501	○	24W	85	20°	3000K	2050lm
	050401502	●	24W	85	20°	3000K	2050lm
	050401601	○	24W	85	56°	3000K	2050lm
	050401602	●	24W	85	56°	3000K	2050lm
	050401701	○	24W	85	20°	4000K	2150lm
	050401702	●	24W	85	20°	4000K	2150lm
	050401801	○	24W	85	56°	4000K	2150lm
	050401802	●	24W	85	56°	4000K	2150lm
FOOD LIGHTING LED	050401901	○	24W	82	20°	fruits ●	1600lm
	050401902	●	24W	82	20°	fruits ●	1600lm
	050402001	○	24W	82	56°	fruits ●	1600lm
	050402002	●	24W	82	56°	fruits ●	1600lm
	050402101	○	24W	85	20°	fish ●	1700lm
	050402102	●	24W	85	20°	fish ●	1700lm
	050402201	○	24W	85	56°	fish ●	1700lm
	050402202	●	24W	85	56°	fish ●	1700lm
	050402301	○	24W	85	20°	meat ●	1500lm
	050402302	●	24W	85	20°	meat ●	1500lm
	050402401	○	24W	85	56°	meat ●	1500lm
	050402402	●	24W	85	56°	meat ●	1500lm

LED | IP20 | III | no incl. | 20° | 850°C | 20°/56°

*36W Driver not incl.
98310233

***TRIAC** Driver not incl.
98310236C

***DALI** Driver not incl.
98310536

***CASAMBI** Driver not incl.
98310538



Teko **17/24W**			P	CRI	BEAM	CCT	FLUX
RETAIL LIGHTING LED	050402501	○	17/24W	95	20°	3100K	1300/1800lm
	050402502	●	17/24W	95	20°	3100K	1300/1800lm
	050402601	○	17/24W	95	56°	3100K	1300/1800lm
	050402602	●	17/24W	95	56°	3100K	1300/1800lm

LED | IP20 | III | no incl. | 20° | 850°C | 20°/56°

*17W Driver not incl.
98310321

***TRIAC** 17W Driver not incl.
98310321LC

*24W Driver not incl.
98310233

***TRIAC** 24W Driver not incl.
98310236C

***DALI** 17/24W Driver not incl.
98310536

***CASAMBI** 17/24W Driver not incl.
98310538



Teko 2L **24/36W**			P	CRI	BEAM	CCT	FLUX
	050500101	○	24/36W	82	20°	2700K	1900/2900lm
	050500102	●	24/36W	82	20°	2700K	1900/2900lm
	050500201	○	24/36W	82	56°	2700K	1900/2900lm
	050500202	●	24/36W	82	56°	2700K	1900/2900lm
	050500301	○	24/36W	85	20°	3000K	2000/3000lm
	050500302	●	24/36W	85	20°	3000K	2000/3000lm
	050500401	○	24/36W	85	56°	3000K	2000/3000lm
	050500402	●	24/36W	85	56°	3000K	2000/3000lm
	050500501	○	24/36W	85	20°	4000K	2200/3200lm
	050500502	●	24/36W	85	20°	4000K	2200/3200lm
	050500601	○	24/36W	85	56°	4000K	2200/3200lm
	050500602	●	24/36W	85	56°	4000K	2200/3200lm

LED | IP20 | III | no incl. | 20° | 850°C | 20°/56°

*24W Driver not incl.
2x 98310116

***TRIAC** 24W Driver not incl.
2x 98310114C

*36W Driver not incl.
2x 98310321

***TRIAC** 36W Driver not incl.
2x 98310321LC

***DALI** 24/36W Driver not incl.
2x 98310536

***CASAMBI** 24/36W Driver not incl.
2x 98310538



Teko 2L **17/24W**			P	CRI	BEAM	CCT	FLUX
CRI95	050500701	○	34/48W	95	20°	2700K	2500/3600lm
	050500702	●	34/48W	95	20°	2700K	2500/3600lm
	050500801	○	34/48W	95	56°	2700K	2500/3600lm
	050500802	●	34/48W	95	56°	2700K	2500/3600lm
	050500901	○	34/48W	95	20°	3000K	2600/3700lm
	050500902	●	34/48W	95	20°	3000K	2600/3700lm
	050501001	○	34/48W	95	56°	3000K	2600/3700lm
	050501002	●	34/48W	95	56°	3000K	2600/3700lm
	050501101	○	34/48W	95	20°	4000K	2800/3900lm
	050501102	●	34/48W	95	20°	4000K	2800/3900lm
	050501201	○	34/48W	95	56°	4000K	2800/3900lm
	050501202	●	34/48W	95	56°	4000K	2800/3900lm

LED | IP20 | III | no incl. | 20° | 850°C | 20°/56°

*34W Driver not incl.
2x 98310321

***TRIAC** 34W Driver not incl.
2x 98310321LC

*48W Driver not incl.
2x 98310233

***TRIAC** 48W Driver not incl.
2x 98310236C

***DALI** 34/48W Driver not incl.
2x 98310536

***CASAMBI** 34/48W Driver not incl.
2x 98310538



Teko 2L **48W**			P	CRI	BEAM	CCT	FLUX
HIGH EFFICIENCY LED	050501301	○	48W	82	20°	2700K	4000lm
	050501302	●	48W	82	20°	2700K	4000lm
	050501401	○	48W	82	56°	2700K	4000lm
	050501402	●	48W	82	56°	2700K	4000lm
	050501501	○	48W	85	20°	3000K	4100lm
	050501502	●	48W	85	20°	3000K	4100lm
	050501601	○	48W	85	56°	3000K	4100lm
	050501602	●	48W	85	56°	3000K	4100lm
	050501701	○	48W	85	20°	4000K	4300lm
	050501702	●	48W	85	20°	4000K	4300lm
	050501801	○	48W	85	56°	4000K	4300lm
	050501802	●	48W	85	56°	4000K	4300lm
FOOD LIGHTING LED	050501901	○	48W	82	20°	fruits	3200lm
	050501902	●	48W	82	20°	fruits	3200lm
	050502001	○	48W	82	56°	fruits	3200lm
	050502002	●	48W	82	56°	fruits	3200lm
	050502101	○	48W	85	20°	fish	3400lm
	050502102	●	48W	85	20°	fish	3400lm
	050502201	○	48W	85	56°	fish	3400lm
	050502202	●	48W	85	56°	fish	3400lm
	050502301	○	48W	85	20°	meat	3000lm
	050502302	●	48W	85	20°	meat	3000lm
	050502401	○	48W	85	56°	meat	3000lm
	050502402	●	48W	85	56°	meat	3000lm

LED | IP20 | III | no incl. | 20° | 850°C | 20°/56°

*48W Driver not incl.
2x 98310233

***TRIAC** Driver not incl.
2x 98310236C

***DALI** Driver not incl.
2x 98310536

***CASAMBI** Driver not incl.
2x 98310538



Teko 2L **34/48W**			P	CRI	BEAM	CCT	FLUX
RETAIL LIGHTING LED	050502501	○	34/48W	95	20°	3100K	2600/3600lm
	050502502	●	34/48W	95	20°	3100K	2600/3600lm
	050502601	○	34/48W	95	56°	3100K	2600/3600lm
	050502602	●	34/48W	95	56°	3100K	2600/3600lm

LED | IP20 | III | no incl. | 20° | 850°C | 20°/56°

*34W Driver not incl.
2x 98310321

***TRIAC** 34W Driver not incl.
2x 98310321LC

*48W Driver not incl.
2x 98310233

***TRIAC** 48W Driver not incl.
2x 98310236C

***DALI** 34/48W Driver not incl.
2x 98310536

***CASAMBI** 34/48W Driver not incl.
2x 98310538



Teko 3L **36/54W**			P	CRI	BEAM	CCT	FLUX
	050600101	○	36/54W	82	20°	2700K	2850/4350lm
	050600102	●	36/54W	82	20°	2700K	2850/4350lm
	050600201	○	36/54W	82	56°	2700K	2850/4350lm
	050600202	●	36/54W	82	56°	2700K	2850/4350lm
	050600301	○	36/54W	85	20°	3000K	3000/4500lm
	050600302	●	36/54W	85	20°	3000K	3000/4500lm
	050600401	○	36/54W	85	56°	3000K	3000/4500lm
	050600402	●	36/54W	85	56°	3000K	3000/4500lm
	050600501	○	36/54W	85	20°	4000K	3300/4800lm
	050600502	●	36/54W	85	20°	4000K	3300/4800lm
	050600601	○	36/54W	85	56°	4000K	3300/4800lm
	050600602	●	36/54W	85	56°	4000K	3300/4800lm

LED | IP20 | III | no incl. | 20° | 850°C | 20°/56°

*36W Driver not incl.
3x 98310116

***TRIAC** 36W Driver not incl.
3x 98310114C

*54W Driver not incl.
3x 98310321

***TRIAC** 54W Driver not incl.
3x 98310321LC

***DALI** 36/54W Driver not incl.
3x 98310536

***CASAMBI** 36/54W Driver not incl.
3x 98310538



Teko 3L **51/72W**			P	CRI	BEAM	CCT	FLUX
CRI95	050600701	○	51/72W	95	20°	2700K	3750/5400lm
	050600702	●	51/72W	95	20°	2700K	3750/5400lm
	050600801	○	51/72W	95	56°	2700K	3750/5400lm
	050600802	●	51/72W	95	56°	2700K	3750/5400lm
	050600901	○	51/72W	95	20°	3000K	3900/5550lm
	050600902	●	51/72W	95	20°	3000K	3900/5550lm
	050601001	○	51/72W	95	56°	3000K	3900/5550lm
	050601002	●	51/72W	95	56°	3000K	3900/5550lm
	050601101	○	51/72W	95	20°	4000K	4200/5850lm
	050601102	●	51/72W	95	20°	4000K	4200/5850lm
	050601201	○	51/72W	95	56°	4000K	4200/5850lm
	050601202	●	51/72W	95	56°	4000K	4200/5850lm

LED | IP20 | III | no incl. | 20° | 850°C | 20°/56°

*51W Driver not incl.
3x 98310321

***TRIAC** 51W Driver not incl.
3x 98310321LC

*72W Driver not incl.
3x 98310233

***TRIAC** 72W Driver not incl.
3x 98310236C

***DALI** 51/72W Driver not incl.
3x 98310536

***CASAMBI** 51/72W Driver not incl.
3x 98310538



Teko 3L **72W**			P	CRI	BEAM	CCT	FLUX
HIGH EFFICIENCY LED	050601301	○	72W	82	20°	2700K	6000lm
	050601302	●	72W	82	20°	2700K	6000lm
	050601401	○	72W	82	56°	2700K	6000lm
	050601402	●	72W	82	56°	2700K	6000lm
	050601501	○	72W	85	20°	3000K	6150lm
	050601502	●	72W	85	20°	3000K	6150lm
	050601601	○	72W	85	56°	3000K	6150lm
	050601602	●	72W	85	56°	3000K	6150lm
	050601701	○	72W	85	20°	4000K	6450lm
	050601702	●	72W	85	20°	4000K	6450lm
	050601801	○	72W	85	56°	4000K	6450lm
	050601802	●	72W	85	56°	4000K	6450lm
FOOD LIGHTING LED	050601901	○	72W	82	20°	fruits	4800lm
	050601902	●	72W	82	20°	fruits	4800lm
	050602001	○	72W	82	56°	fruits	4800lm
	050602002	●	72W	82	56°	fruits	4800lm
	050602101	○	72W	85	20°	fish	5100lm
	050602102	●	72W	85	20°	fish	5100lm
	050602201	○	72W	85	56°	fish	5100lm
	050602202	●	72W	85	56°	fish	5100lm
	050602301	○	72W	85	20°	meat	4500lm
	050602302	●	72W	85	20°	meat	4500lm
	050602401	○	72W	85	56°	meat	4500lm
	050602402	●	72W	85	56°	meat	4500lm

LED | IP20 | III | no incl. | 20° | 850°C | 20°/56°

*72W Driver not incl.
3x 98310233

***TRIAC** Driver not incl.
3x 98310236C

***DALI** Driver not incl.
3x 98310536

***CASAMBI** Driver not incl.
3x 98310538



Teko 3L **51/72W**			P	CRI	BEAM	CCT	FLUX
RETAIL LIGHTING LED	050602501	○	51/72W	95	20°	3100K	3900/5400lm
	050602502	●	51/72W	95	20°	3100K	3900/5400lm
	050602601	○	51/72W	95	56°	3100K	3900/5400lm
	050602602	●	51/72W	95	56°	3100K	3900/5400lm

LED | IP20 | III | no incl. | 20° | 850°C | 20°/56°

*51W Driver not incl.
3x 98310321

***TRIAC** 51W Driver not incl.
3x 98310321LC

*72W Driver not incl.
3x 98310233

***TRIAC** 72W Driver not incl.
3x 98310236C

***DALI** 51/72W Driver not incl.
3x 98310536

***CASAMBI** 51/72W Driver not incl.
3x 98310538

Via

1

Choose your Via
Escoge tu Via





2

Join them to build continuous lines
Únelos para construir líneas contínuas



CONTINUOUS ACCESSORY
For surface, pendant and recessed.
Para superficie, colgante y empotrado.



L-SHAPE
Only for surface and pendant.
Solo para superficie y colgante.

3

Turn your via surface into pendant
Convierte tu via superficie en colgante

Use the pendant accesory for the first unit.
Usa el accesorio colgante para la primera unidad.

Use the steelWires for the following units.
Usa los tensores de acero para las siguientes unidades.



Don't forget your continuous accessory!
¡No te olvides de tu accesorio continuo!

LIGHTING SOLUTIONS

Our projectors FUGA incorporate Vossloh components, to offer the latest technology available in the market and the most efficient LED.
Nuestros proyectores FUGA incorporan componentes Vossloh, para poder ofrecer la última tecnología disponible en el mercado y los led más eficientes.



Via Surface **560 12W**		P	P/m	CRI	CCT	FLUX
041000901	○	12W	21,4W/m	80	3000K	1000lm
041000902	●	12W	21,4W/m	80	3000K	1000lm
041000903	●	12W	21,4W/m	80	3000K	1000lm
041001801	○	12W	21,4W/m	80	4000K	1100lm
041001802	●	12W	21,4W/m	80	4000K	1100lm
041001803	●	12W	21,4W/m	80	4000K	1100lm
Via Surface **560 17W**						
041000801	○	17W	30,3W/m	80	3000K	1200lm
041000802	●	17W	30,3W/m	80	3000K	1200lm
041000803	●	17W	30,3W/m	80	3000K	1200lm
041001701	○	17W	30,3W/m	80	4000K	1300lm
041001702	●	17W	30,3W/m	80	4000K	1300lm
041001703	●	17W	30,3W/m	80	4000K	1300lm
Via Surface **560 24W**						
041000701	○	24W	42,8W/m	80	3000K	1900lm
041000702	●	24W	42,8W/m	80	3000K	1900lm
041000703	●	24W	42,8W/m	80	3000K	1900lm
041001601	○	24W	42,8W/m	80	4000K	2000lm
041001602	●	24W	42,8W/m	80	4000K	2000lm
041001603	●	24W	42,8W/m	80	4000K	2000lm

LED | IP20 | incl.

***PRISMATIC 12W** option

Add a U at the end of the ref.

***PRISMATIC 17W** option

Add a U at the end of the ref.

***PRISMATIC 24W** option

Add a U at the end of the ref.

***DALI/PUSH 24W** option

Add a D at the end of the ref.

***DALI/PUSH&PRISMATIC 24W** option

Add DU at the end of the ref.



Via Surface **840 17W**		P	P/m	CRI	CCT	FLUX
041000601	○	17W	21,4W/m	80	3000K	1500lm
041000602	●	17W	21,4W/m	80	3000K	1500lm
041000603	●	17W	21,4W/m	80	3000K	1500lm
041001501	○	17W	21,4W/m	80	4000K	1600lm
041001502	●	17W	21,4W/m	80	4000K	1600lm
041001503	●	17W	21,4W/m	80	4000K	1600lm
Via Surface **840 25W**						
041000501	○	25W	30,3W/m	80	3000K	1800lm
041000502	●	25W	30,3W/m	80	3000K	1800lm
041000503	●	25W	30,3W/m	80	3000K	1800lm
041001401	○	25W	30,3W/m	80	4000K	1900lm
041001402	●	25W	30,3W/m	80	4000K	1900lm
041001403	●	25W	30,3W/m	80	4000K	1900lm
Via Surface **840 36W**						
041000401	○	36W	42,8W/m	80	3000K	2800lm
041000402	●	36W	42,8W/m	80	3000K	2800lm
041000403	●	36W	42,8W/m	80	3000K	2800lm
041001301	○	36W	42,8W/m	80	4000K	3000lm
041001302	●	36W	42,8W/m	80	4000K	3000lm
041001303	●	36W	42,8W/m	80	4000K	3000lm

LED | IP20 | incl.

***PRISMATIC 17W** option

Add a U at the end of the ref.

***PRISMATIC 25W** option

Add a U at the end of the ref.

***PRISMATIC 36W** option

Add a U at the end of the ref.

***DALI/PUSH 36W** option

Add a D at the end of the ref.

***DALI/PUSH&PRISMATIC 36W** option

Add DU at the end of the ref.



Via Surface **1120 25W**		P	P/m	CRI	CCT	FLUX
041000301	○	25W	21,4W/m	80	3000K	2000lm
041000302	●	25W	21,4W/m	80	3000K	2000lm
041000303	●	25W	21,4W/m	80	3000K	2000lm
041001201	○	25W	21,4W/m	80	4000K	2100lm
041001202	●	25W	21,4W/m	80	4000K	2100lm
041001203	●	25W	21,4W/m	80	4000K	2100lm
Via Surface **1120 37W**						
041000201	○	37W	30,3W/m	80	3000K	2300lm
041000202	●	37W	30,3W/m	80	3000K	2300lm
041000203	●	37W	30,3W/m	80	3000K	2300lm
041001101	○	37W	30,3W/m	80	4000K	2500lm
041001102	●	37W	30,3W/m	80	4000K	2500lm
041001103	●	37W	30,3W/m	80	4000K	2500lm
Via Surface **1120 52W**						
041000101	○	52W	42,8W/m	80	3000K	3700lm
041000102	●	52W	42,8W/m	80	3000K	3700lm
041000103	●	52W	42,8W/m	80	3000K	3700lm
041001001	○	52W	42,8W/m	80	4000K	4600lm
041001002	●	52W	42,8W/m	80	4000K	4600lm
041001003	●	52W	42,8W/m	80	4000K	4600lm

LED | IP20 | incl.

*__PRISMATIC 25W__ option

Add a U at the end of the ref.

*__PRISMATIC 37W__ option

Add a U at the end of the ref.

*__PRISMATIC 52W__ option

Add a U at the end of the ref.

*__DALI/PUSH 52W__ option

Add a D at the end of the ref.

*__DALI/PUSH&PRISMATIC 52W__ option

Add DU at the end of the ref.



L-SHAPE		P/m	CRI	CCT
041009601	○	21,4W/m	80	3000K
041009602	●	21,4W/m	80	3000K
041009603	●	21,4W/m	80	3000K
041009701	○	21,4W/m	80	4000K
041009702	●	21,4W/m	80	4000K
041009703	●	21,4W/m	80	4000K
041009801	○	30,3-42,8W/m	80	3000K
041009802	●	30,3-42,8W/m	80	3000K
041009803	●	30,3-42,8W/m	80	3000K
041009901	○	30,3-42,8W/m	80	4000K
041009902	●	30,3-42,8W/m	80	4000K
041009903	●	30,3-42,8W/m	80	4000K

IP20 | III

*__PRISMATIC 21,4W/m__ option

Add a U at the end of the ref.

*__PRISMATIC 30,3-42,8W/m__ option

Add a U at the end of the ref.

TECH / TÉCNICO

Accessories

Pendant Canopy + 2 x steelWires

04100101	○
04100102	●
04100103	●

Pendant Canopy + 2 x steelWires

Dali	04100101D	○
Dali	04100102D	●
Dali	04100103D	●

Continuous accessory 1pc

04100201	●

Steelwires 2pcs

04100100	●



Via Recessed **560 12W**		P	P/m	CRI	CCT	FLUX
041002701	○	12W	21,4W/m	80	3000K	1000lm
041002702	●	12W	21,4W/m	80	3000K	1000lm
041003001	○	12W	21,4W/m	80	4000K	1100lm
041003002	●	12W	21,4W/m	80	4000K	1100lm
Via Recessed **560 17W**						
041002601	○	17W	30,3W/m	80	3000K	1200lm
041002602	●	17W	30,3W/m	80	3000K	1200lm
041002901	○	17W	30,3W/m	80	4000K	1300lm
041002902	●	17W	30,3W/m	80	4000K	1300lm
Via Recessed **560 24W**						
041002501	○	24W	42,8W/m	80	3000K	1900lm
041002502	●	24W	42,8W/m	80	3000K	1900lm
041002801	○	24W	42,8W/m	80	4000K	2000lm
041002802	●	24W	42,8W/m	80	4000K	2000lm

LED | IP20 | incl.

*__PRISMATIC 12W__ option

Add a U at the end of the ref.

*__PRISMATIC 17W__ option

Add a U at the end of the ref.

*__PRISMATIC 24W__ option

Add a U at the end of the ref.

*__DALI/PUSH 24W__ option

Add a D at the end of the ref.

*__DALI/PUSH&PRISMATIC 24W__ option

Add DU at the end of the ref.



Via Recessed **840 17W**		P	P/m	CRI	CCT	FLUX
0410003301	○	17W	21,4W/m	80	3000K	1500lm
0410003302	●	17W	21,4W/m	80	3000K	1500lm
0410003601	○	17W	21,4W/m	80	4000K	1600lm
0410003602	●	17W	21,4W/m	80	4000K	1600lm
Via Recessed **840 25W**						
0410003201	○	25W	30,3W/m	80	3000K	1800lm
0410003202	●	25W	30,3W/m	80	3000K	1800lm
0410003501	○	25W	30,3W/m	80	4000K	1900lm
0410003502	●	25W	30,3W/m	80	4000K	1900lm
Via Recessed **840 36W**						
0410003101	○	36W	42,8W/m	80	3000K	2800lm
0410003102	●	36W	42,8W/m	80	3000K	2800lm
0410003401	○	36W	42,8W/m	80	4000K	3000lm
0410003402	●	36W	42,8W/m	80	4000K	3000lm

LED | IP20 | incl.

*__PRISMATIC 17W__ option

Add a U at the end of the ref.

*__PRISMATIC 25W__ option

Add a U at the end of the ref.

*__PRISMATIC 36W__ option

Add a U at the end of the ref.

*__DALI/PUSH 36W__ option

Add a D at the end of the ref.

*__DALI/PUSH&PRISMATIC 36W__ option

Add DU at the end of the ref.



Via Recessed **1120 23W**		P	P/m	CRI	CCT	FLUX
0410003901	○	23W	21,4W/m	80	3000K	2000lm
0410003902	●	23W	21,4W/m	80	3000K	2000lm
0410004201	○	23W	21,4W/m	80	4000K	2100lm
0410004202	●	23W	21,4W/m	80	4000K	2100lm
Via Recessed 1120 34W						
0410003801	○	34W	30,3W/m	80	3000K	2300lm
0410003802	●	34W	30,3W/m	80	3000K	2300lm
0410004101	○	34W	30,3W/m	80	4000K	2500lm
0410004102	●	34W	30,3W/m	80	4000K	2500lm
Via Recessed 1120 48W						
0410003701	○	48W	42,8W/m	80	3000K	3700lm
0410003702	●	48W	42,8W/m	80	3000K	3700lm
0410004001	○	48W	42,8W/m	80	4000K	4600lm
0410004002	●	48W	42,8W/m	80	4000K	4600lm

LED | IP20 | incl.

*PRISMATIC 23W option

Add a U at the end of the ref.

*PRISMATIC 34W option

Add a U at the end of the ref.

*PRISMATIC 48W option

Add a U at the end of the ref.

*DALI/PUSH 48W option

Add a D at the end of the ref.

*DALI/PUSH&PRISMATIC 48W option

Add DU at the end of the ref.

Accessories

Continuous accessory 1pc	
04100201	●