

# FAN

Gamme ventilateur 2024



**F A R O**  
BARCELONA

swiss<sup>tech</sup> Concept SARL

Distributeur officiel de la gamme

**For a sustainable  
future of forests.**



**Edition:** A2024FAN

**Art:** Faro Art

**Print:** Jiménez Godoy

**Photographers:**

Guillem F-H

Ricard Badía

**Thanks to**

MIKMAX

Alfombras BSB

Tarruella Trenchs Studio

Beti Guasch

Estudi Nou Arquitectes

Sara Adroer





## We're Faro Barcelona

|                      |    |
|----------------------|----|
| Our purpose          | 4  |
| A brand with soul    | 6  |
| Sustainability       | 8  |
| Awards               | 14 |
| Designers            | 16 |
| Showrooms            | 18 |
| Quality & innovation | 20 |
| Services             | 22 |



## Fan Collection

|                          |     |
|--------------------------|-----|
| Why a Fan                | 26  |
| Best Choice              | 28  |
| Size it to your space    | 30  |
| Smart Fan                | 32  |
| Custom                   | 34  |
| Fan integration          | 36  |
| Extra Large over ø165 CM | 40  |
| Large ø132-164 CM        | 66  |
| Medium ø107-131 CM       | 162 |
| Small ø106 CM or less    | 234 |
| Optional Downrod         | 282 |
| Optional Light Kit Taki  | 298 |
| Accesories               | 299 |



## OUR PURPOSE

“Faro Barcelona exists to contribute to the wellbeing and happiness of people through design and the relationship we establish with the objects that surround us in our daily lives. We believe in honest and accessible design. Design for everyone.”

Xavier Martin  
CEO





## A BRAND WITH SOUL

“We believe in the power of enthusiasm to move forward and surf the waves the best way we know while enjoying the process and radiating light around us.”








# SUSTAINABILITY

Our sustainability journey focuses on two main objectives: reducing our negative impact on the planet and maximising our positive social impact.











## People

### The value of a great team

At Faro Barcelona, sustainability starts from the inside, taking care of the well-being and personal growth of our team.

### Equality and diversity

At Faro Barcelona all people are great and equal, whatever their gender, age, religion or sexual orientation. Women, as well as men, play an important role: 76% of our team and 49% of our leaders are women.

### Community support

For over a decade, we have been collaborating in social projects of foundations providing our help to ensure a better quality of life for the people helped by these organisations. Since 2008, we have had our own social project with Hook, each luminaire sold feeds a child in Africa for one year.

### Supporting new talent

We collaborate with universities and design schools to help new talents emerge into their professional development. Projects such as Reborn, a second life for waste (La Llotja), make It design with 3D printing (CIM UPC), are some of the collaborations we have carried out.

### Social innovation

We take part in disruptive social innovation research and develop products and services that solve social problems such as the ageing of the population. We have a positive impact on people's quality of life, contributing to their well-being and comfort through quality, accessible and sustainable lighting and design.



## Planet

### Sustainable packaging

Our packaging is made of recycled cardboard boxes printed in one ink and without staples to ease the disassembly and the right recycling.

We have eliminated single-use plastics and replaced them with recyclable paper bags and we use recycled cardboard shavings to protect the product during transport in 60% of our shipments. All our packaging meets Drop Test ISTA-2C quality standards to ensure products arrive in perfect condition.

### More sustainable logistics and transport

We have optimised the packaging size of each product to reduce the amount of packaging material and the carbon footprint of transport. We have opened a new logistics centre in China to supply our Asia-Oceania market in a more sustainable way and reduce carbon emissions from transport.

### Sustainable workspaces

We use green electricity in our offices. We produce 70% of the energy we consume with our own photovoltaic installation, ensuring that the energy is from renewable sources. In addition, our headquarters are designed to maximise the use of solar energy and natural light.

### Supporting new talent Team committed to sustainability

At Faro Barcelona we have an internal sustainability committee that promotes different sustainability actions and monitors them.



## Product

### Sustainability from conceptualisation

In our eco-design decalogue we set out the main guidelines we follow to make our designs more sustainable. We work with external consultants to reduce the environmental impact of our production processes, guaranteeing the quality and safety of our products. We are training our design team in circular design techniques for the more sustainable development of all our products.

### A longer useful life

We work to design timeless, repairable and long-lasting products in order to reduce their environmental impact. We research new methods to ensure that our designs last longer, are easy to repair and can be recycled.

### Standardisation and modularity

We work on the standardisation of components for a more efficient use of resources and more sustainable production. We develop modular collections that allow us greater versatility and more efficient logistics and transport.

### More sustainable processes and materials

One of the major challenges towards a more sustainable production is the choice of materials as it represents more than 70% of the product's carbon footprint. The use of recycled materials or materials with a lower environmental impact, the implementation of new techniques and the reduction of the number of materials used, help us achieve more sustainable manufacturing.

### Control of the supply chain

We share our sustainability vision and commitments with all our suppliers. We, therefore have a supplier code of conduct to ensure a more sustainable supply chain.






## CARBON FOOTPRINT CERTIFICATION

We have achieved certification of our carbon footprint calculation in accordance with the ISO 14064-1 international standard, a major milestone on our path to sustainability.

Thanks to this certification, we know the real volume of greenhouse gas emissions generated by our activity and it allows us to identify areas for improvement and implement compensation strategies through different programs.

We celebrate that we have successfully passed the sustainability audit carried out by EcoVadis, obtaining the prestigious Medal in recognition of our sustainability efforts and achievements.

Both certifications reaffirms our ongoing commitment to sustainability and corporate responsibility in all its facets and operations.











# AWARD-WINNING DESIGNS

Brot by Roger Vancells



reddot winner 2023

Maya by Faro Lab



reddot winner 2023

Buddy by Andreu Carulla



DESIGN  
AWARD  
2022



GERMAN  
DESIGN  
AWARD  
WINNER  
2022

Inviting by Bohman & Folenius



reddot award 2019  
winner



DESIGN  
AWARD  
2019



GERMAN  
DESIGN  
AWARD  
SPECIAL  
2019

Cadaqués by Faro Lab



Hook by Oiko Design Office



reddot award 2018  
winner



Green  
Product Award  
Winner 2018



GERMAN  
DESIGN  
AWARD  
WINNER  
2020

Fuji by Isaac Piñeiro



reddot winner 2021  
lighting design



GERMAN  
DESIGN  
AWARD  
WINNER  
2022

Brot by Yembarastudio



reddot winner 2021  
lighting design

Mine by Nahtrang

Restaurant & Bar  
Product Design Awards



GERMAN  
DESIGN  
AWARD  
WINNER  
2018

Whizz by Christoph F. Wagner

salone  
satellite  
20 years  
of new  
creativity

Buoh by Estudi Ribaudí



GERMAN  
DESIGN  
AWARD  
SPECIAL  
2018

Lotus by Estudi Ribaudí



DESIGN  
AWARD  
2020

Mute by Nahtrang



GERMAN  
DESIGN  
AWARD  
SPECIAL  
2019

Han by GoulaFiguera





Nutcreatives



Cristopher F. Wagner



Goula/Figuera



Xjer Studio



Alegre Design



Héctor Serrano



Àlex & Manel Llusçà



Andreu Carulla



Marina Milà




Conillas



Jordi Llopis



Bohman&Folenius




Nahtrang



Ernest Perera Studio



Lucid



Isaac Piñeiro



Estudi Ribaudí



Jordi Busquets



Jordi Blasi



Pepe Llaudet



Roger Vancells



Adolfo Abejón




Aldanondoyfdez



Yembarastudio

DESIGNERS  
ARTISTS  
CREATORS



They make our world a better place thanks to their ingenuity, talent and creativity.



Espacio Princesa  
Princesa 52 Barcelona



The creativity, ingenuity and design of Faro Barcelona can be found in the heart of the city. Welcome to Espacio Princesa!

Docontract MAD  
Velázquez 35-4ºD Madrid



This innovative space has emerged with the purpose of simplifying the work of architects, interior designers and developers looking for solutions for their new construction or renovation projects.

Showroom París  
7 Rue d'Uzès Paris



A space in which to carry out commercial activities such as visits, product demonstrations and meetings, and to develop a calendar of scheduled events to experience first-hand the design concept in lighting and ceiling fans.

## SHOWROOMS

We planned it to be the meeting point for designers, interior designers, architects and creatives to share their concerns and create a whole experience.

At Faro Barcelona, we control the quality of our products and services from conception and design to functionality and reliability tests.

Our quality management system is based on ISO9001.

Compliance with electrical safety regulations under EN60598 and energy efficiency ERP.

#### Parametrical Lab

Specification Compliance

Electrical Safety Tests

Integrating Sphere

Climatic Chamber

IK Tests

#### Environmental Testing Lab

Water IP Tests

Powder IP Tests

Salt Spray Chamber

#### Technical Assistance Service (TAS)

Customer Returns Analysis

Customer Returns Repairs

TAS Spare Parts

#### Quality inspections Lab

Batch inspections

Functional Tests

Product Assembly Control

Product Finish Control

#### Ceiling Fan Lab

Life Test

Customizations

Airflow measurements


Noise measurements

#### Goniophotometer Room


Q-LAB  
QUALITY & INNOVATION



Climatic Chamber



Goniophotometer Room



Integrating Sphere



# SERVICES





Assistance during installation

Consultancy and Advice

Product customisation

Lighting projects

Lighting calculations

Digital documentation: Dialux (ULD, IES, LDT) Revit / BIM (RFA) 3D files, IGS (SketchUp)

Advice on product selection

Lighting and fan projects department


Incident management

Technical service


Custom & Special developments

Technical support service

**XL**  
over ø165 CM



**Andros**  
49




**Aoba**  
55




**Attos**  
47



**Century**  
65




**Cies**  
51




**Just Fan**  
57



**Kauai**  
45




**Khios**  
41



**Manhattan**  
43



**Lantau**  
59



**Tilos**  
63

**L**  
ø132-164CM



**Alo**  
71



**Amelia**  
107



**Amelia Ball**  
109



**Amelia Cone**  
111



**Barth**  
115




**Cocos**  
89



**Cruiser 160**  
67



**Cruiser 132**  
95



**Cuba**  
161




**Gotland**  
119



**Heywood**  
103



**Hydra**  
93



**Icaria**  
157



**Ice**  
137



**Indus**  
87




**Klim**  
81




**Lantau**  
129



**Luzon**  
141




**Mallorca**  
159




**Malvinas**  
85




**Meno**  
91



**Milos**  
117



**Morea**  
79



**Nias**  
153



**Nuu**  
133




**Palk**  
147




**Pemba**  
149



**Polaris**  
145



**Poros**  
127



**Polea**  
139



**Samos**  
123



**Saint**  
113



**Saona**  
125




**Sioux**  
143




**Siros**  
121



**Rudder**  
99




**Tonic**  
77



**Vulcano**  
75



**M**  
ø107-131 CM



**Cooper**  
181



**Deco Fan**  
195




**Eco indus**  
229



**Eterfan**  
187



**Fraser**  
227



**Icaria**  
231



**Iزارو**  
163



**Just Fan**  
191




**Klim**  
213



**Marine**  
219



**Mini Eterfan**  
183




**Mini Lantau**  
233




**Mini Tube**  
199




**Nassau**  
207



**Panay**  
221



**Palma**  
177



**Punt**  
165




**Punt Tub**  
169




**Sfera**  
217




**Tube**  
203



**Typhoon**  
173




**Winche**  
209



**Yakarta**  
223

**S**  
ø106 CM or less



**Chicago**  
253



**Cruiser 106**  
241



**Easy**  
245



**Heywood**  
269




**Hey**  
265



**Hvar**  
247




**Just Fan**  
273



**Keiki**  
281



**Klim**  
249



**Mini Icaria**  
231



**Mini Mallorca**  
235



**Mini Punt**  
257



**Mini Punt Tub**  
261



**Palao**  
277



**Rudder**  
237



**Sfera**  
255



**Vedra**  
279





The ceiling fan has become an essential element in the interior design of a space, providing style, functionality, efficiency and sustainability.

## WHY A FAN?




### Healthy & environmental friendly

It improves the air quality and contributes to our well-being and health. It does not emit toxic gases dangerous to the environment.



### Cost-effective

It ventilates and cool spaces with energy consumption 50% lower than other systems.



### Summer & Winter use

The rotation of the blades creates a refreshing breeze in summer and eliminates air stratification in winter.

Over 40 years of experience, we are your best choice.

## BEST CHOICE



Engine guaranteed for  
15 years.



High performance.



Wide range.  
Over 80 designs.



DC motor.  
Better performance.







Size is really important when selecting your ceiling fan. If a fan is too large, it can overwhelm the space. On the flip side, if the fan is too small, the airflow may be inadequate for that area.

## SIZE IT TO YOUR SPACE

# XL

28 m<sup>2</sup>/ 300 SQ.FT  
or more



over  $\varnothing$ 165 CM  
 $\varnothing$ 56 INCH

# L

17,6-28 m<sup>2</sup>  
190-300 SQ.FT



$\varnothing$ 132-164CM  
 $\varnothing$ 50-54 INCH

# M

13-17,6 m<sup>2</sup>  
140-190 SQ.FT



$\varnothing$ 107-131 CM  
 $\varnothing$ 44-48 INCH

# S

13 m<sup>2</sup>/ 140 SQ.FT  
or less




$\varnothing$ 106 CM. / $\varnothing$ 42 INCH.  
or less





# SMART FAN

Connection guide




Add a device.  
In this case a ceiling fan.



Enter your WIFI password.  
Make sure you are connected to a 2.4 GHz network.




Pair your fan.  
Choose the option of new fan to make the connection.



Configure the fan.  
Select the mode you want to use your fan in.



Regulate the light on your fan. You can modify the light emitted by your fan through the app.



Regulates fan speed. You can modify the speed of your fan through the app.

Download app



Available on the iPhone  
App Store

ANDROID APP ON  
Google play







**TECHNOLOGY**

**SYSTEM**





We personalise and adapt fan functions to your project needs.

## CUSTOM FANS




How you want to  
control your fan



Our fans around  
the world



We adapt fan speeds  
to your needs




We modify the  
memory of your fan

Tell us your needs and we will make it happen  
send your enquiry to [fanprojects@faro.es](mailto:fanprojects@faro.es)

# FAN INTEGRATION

in automation projects.



Fan Integration in automation systems for Faro WP fans by 0-10/1 10V speed and light control.

Manage up to 128 fans per gateway



\*Control panel not included



\*Automation control not included



All WP fan are compatible.



34162  
Fan gateway 0 10/1 10V



34160 - Universal dimmable receiver for programming adaptations

Compatible with



and other control systems with 0 10/1 10V





# ONE CONTROL FOR ALL

Compatible with wall controller 33974



## \*Special configurations

### 1 Light function memory on/off, press and hold speed 1 key:

- 1 status (CURRENT): always once the power is input on, the light will turn on (and on maximum power if dimmable) settled from factory.
- 2 status: always once the power is input on, remember last use of on/off light and dim.

### 3 Sound confirmation on/off (beep), press and hold speed 3 key:

- 1 status (CURRENT): Only sound for pairing and set special configurations (1) (3)(4)(6), settled from factory.
- 2 status: Sound beep every key pressed.

### 4 Lock/Unlock Remote keys, press and hold speed 4 key:

- 1 status (CURRENT): all keys unlocked settled from factory.
- 2 status: Lock remote keys except on/off fan and on/off light keys.

### 6 Fan function memory on/off ( on/off fan, speeds, reverse, breeze mode) press and hold speed 6 key:

- 1 Status(CURRENT): always once the power is input on, FAN will be off, settled from factory.
- 2 status: always once the power is input on, remember last use on/off fan, speeds, reverse, breeze mode.









# Khios XL


|                   |  |                    |                                |
|-------------------|--|--------------------|--------------------------------|
| <b>ø305</b><br>CM | <b>&gt; 28 M2</b><br><b>&gt; 300 SQ.FT</b> | <b>DC</b><br>MOTOR | <b>SUMMER</b><br><b>WINTER</b> |
|-------------------|--|--------------------|--------------------------------|



**34250A**  
**Body** Matt Black  
**Blades** Matt Black



Suitable for high ceilings



High airflow




Programmable 1-2-4-6-8h



Light output. 2200lm 32W

|                 |  |                      |               |
|-----------------|--|----------------------|---------------|
| <b>Material</b> | <b>Body</b> Steel<br><b>Blades</b> Aluminium | <b>Power</b>         | 32W           |
| <b>W</b>        | 16-47-70-93-116-140                          | <b>Lumen Output</b>  | 2200lm        |
| <b>RPM</b>      | 38-56-64-70-74-77                            | <b>Light Source</b>  | SMD LED 3000K |
| <b>Airflow</b>  | 540 m3 min                                   | <b>CRI</b>           | >80           |
| <b>V/Hz</b>     | 220V-240V/50-60Hz                            | <b>Driver incl.</b>  | Yes           |
|                 |  | <b>Material Diff</b> | PC            |



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 670/26.38"       | 630/24.8"        |
| <b>B</b>         | <b>C</b>         |
| 200/7.87"        | 300/11.81"       |
| <b>D</b>         | <b>E</b>         |
| 170/6.7"         | 240/9.45"        |
| <b>F</b>         | <b>G</b>         |
| ø3050/120.1"     | 1400/55.12"      |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 508/20"          |                  |



# Manhattan XL


|                   |                            |                    |                      |                       |
|-------------------|----------------------------|--------------------|----------------------|-----------------------|
| <b>ø244</b><br>CM | <br>> 28 M2<br>> 300 SQ.FT | <b>DC</b><br>MOTOR | <br>SUMMER<br>WINTER | <br>INCLINING<br>ROOF |
|-------------------|----------------------------|--------------------|----------------------|-----------------------|




**33496**  
**Body** Satin Nickel  
**Blades** Satin Stainless



Suitable for high ceilings




Color temperature adjustable



High airflow

|                     |                         |                      |                     |
|---------------------|-------------------------|----------------------|---------------------|
| <b>Material</b>     | <b>Body</b> Steel       | <b>Power</b>         | 17W                 |
|                     | <b>Blades</b> Aluminium | <b>Lumen Output</b>  | 1400lm              |
| <b>W</b>            | 15-20-25-30-35-56       | <b>Light Source</b>  | SMD LED             |
| <b>RPM</b>          | 50-55-60-65-70-78       | <b>Dimmable K</b>    | 2700 - 3300 - 4600K |
| <b>Airflow</b>      | 269.12 m3 min           | <b>CRI</b>           | >=90                |
| <b>V/Hz</b>         | 220V-240V/50-60Hz       | <b>Driver incl.</b>  | Yes                 |
| <b>Opt. downrod</b> | Page 282                | <b>Material Diff</b> | PC                  |



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 360/14.17"       | 325/12.8"        |
| <b>B</b>         | <b>C</b>         |
| 200/7.87"        | 130/5.12"        |
| <b>D</b>         | <b>E</b>         |
| 55/2.2"          | 130/5.12"        |
| <b>F</b>         | <b>G</b>         |
| ø2440/96.1"      | 1160/45.67"      |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 150/5.91"        | 21/0.83"         |





# Kauai XL

|                   |  |                    |  |                      |                       |
|-------------------|--|--------------------|--|----------------------|-----------------------|
| <b>ø240</b><br>CM | <b>&gt; 28 M2</b><br><b>&gt; 300 SQ.FT</b> | <b>DC</b><br>MOTOR | <b>OPTION SMART</b><br>100-240V<br>50-60Hz | <b>SUMMER WINTER</b> | <b>INCLINING ROOF</b> |
|-------------------|--|--------------------|--|----------------------|-----------------------|



**34200A**  
**34200WPA**  
Body Dark Brown  
Blades Pine


**\*Smart Fan**




**NEW FINISH**

**34201A NEW**  
**34201WPA NEW**  
Body Matt White  
Blades Pine


**\*Smart Fan**




Natural wood



2 downrods included  
125 / 250mm




Programmable 1-4-8h



Smart option

|                      |   |
|----------------------|---|
| <b>Material</b>      | <b>Body</b> Steel<br><b>Blades</b> Wood |
| <b>W</b>             | 13.4-17-20,7-35.7-54.5                  |
| <b>RPM</b>           | 79-86-93-110-126                        |
| <b>Airflow</b>       | 254.85 m3 min                           |
| <b>V/Hz</b>          | 100V-240V/50-60Hz                       |
| <b>Accessories</b> ☉ | 34150-12 34150-12                       |
| <b>Incl. downrod</b> | 125-250 mm                              |
| <b>Opt. downrod</b>  | Page 282                                |



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 480/18.9"        | 430/16.93"       |
| <b>B</b>         | <b>C</b>         |
| 170/6.69"        | 210/8.27"        |
| <b>D</b>         | <b>E</b>         |
| 65/2.6"          | 150/5.91"        |
| <b>F</b>         | <b>G</b>         |
| ø2400/94.5"      | 1000/39.37"      |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 125-250/4.92"    | 26/1.02"         |

\*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-12 of the gear. The price of the gear is with PRO35 discount.







# Attos XL

|                   |  |                    |            |  |                      |                       |
|-------------------|--|--------------------|------------|--|----------------------|-----------------------|
| <b>ø213</b><br>CM | <b>&gt; 28 M2</b><br><b>&gt; 300 SQ.FT</b> | <b>DC</b><br>MOTOR | <b>DIM</b> | <b>OPTION SMART</b><br>100-240V<br>50-60Hz | <b>SUMMER WINTER</b> | <b>INCLINING ROOF</b> |
|-------------------|--|--------------------|------------|--|----------------------|-----------------------|



**33494**  
**33494WP** \*Smart Fan  
**Body** Matt White  
**Blades** Matt White




**33495**  
**33495WP** \*Smart Fan  
**Body** Dark Brown  
**Blades** Dark Brown



Suitable for high ceilings




Color temperature adjustable



Smart option

|                 |  |   |
|-----------------|--|---|
| <b>Material</b> | <b>Body</b> Steel<br><b>Blades</b> ABS | <b>Power</b> 18W<br><b>Lumen Output</b> 1200lm  |
| <b>W</b>        | 5-7-12-18-28-44                        | <b>Light Source</b> SMD LED                     |
| <b>RPM</b>      | 30-44-58-72-86-103                     | 2700K/1000lm<br>- 3300/1100lm -<br>4600K/1200lm |
| <b>Airflow</b>  | 155.81 m3 min                          | <b>Dimmable K</b> >80                           |
| <b>V/Hz</b>     | 220V-240V/50-60Hz                      | <b>CRI</b> >80                                  |
|                 |  | <b>Driver incl.</b> Yes                         |
|                 |  | <b>Material Diff</b> PC                         |



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 340/13.39"       | 210/8.27"        |
| <b>B</b>         | <b>C</b>         |
| 120/4.72"        | 130/5.12"        |
| <b>D</b>         | <b>E</b>         |
| 60/2.4"          | 130/5.12"        |
| <b>F</b>         | <b>G</b>         |
| ø2130/83.9"      | 1020/40.16"      |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 230/9.06"        | 21/0.83"         |

\*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34151-28 of the gear. The price of the gear is with PRO35 discount.







# Andros XL

|                   |  |                    |                                |                                 |
|-------------------|--|--------------------|--------------------------------|---------------------------------|
| <b>ø213</b><br>CM | <b>&gt; 28 M2</b><br><b>&gt; 300 SQ.FT</b> | <b>DC</b><br>MOTOR | <b>SUMMER</b><br><b>WINTER</b> | <b>INCLINING</b><br><b>ROOF</b> |
|-------------------|--|--------------------|--------------------------------|---------------------------------|



**33461A**  
**Body White**  
**Blades White**



**33462A**  
**Body Brown**  
**Blades Brown**




**33465A**  
**Body Satin Nickel**  
**Blades Satin Nickel**



**33414A**  
**Body Matt Black**  
**Blades Matt Black**




Suitable for high ceilings



Optional downrods not incl.  
600 / 900 / 1200

| 600mm Downrod |              | 900mm Downrod |              | 1200mm Downrod |              |
|---------------|--------------|---------------|--------------|----------------|--------------|
| <b>34000</b>  | Satin Nickel | <b>34001</b>  | Satin Nickel | <b>34002</b>   | Satin Nickel |
| <b>34006</b>  | Dark Brown   | <b>34007</b>  | Dark Brown   | <b>34008</b>   | Dark Brown   |
| <b>34009</b>  | Matt White   | <b>34010</b>  | Matt White   | <b>34011</b>   | Matt White   |
| <b>34012</b>  | Matt Black   | <b>34013</b>  | Matt Black   | <b>34014</b>   | Matt Black   |

|                 |  |
|-----------------|--|
| <b>Material</b> | <b>Body</b> Steel<br><b>Blades</b> Aluminium |
| <b>W</b>        | 4-6-10-15-22-35                              |
| <b>RPM</b>      | 30-41-53-64-74-88                            |
| <b>Airflow</b>  | 406.4 m3 min                                 |
| <b>V/Hz</b>     | 220V-240V/50-60Hz                            |



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 460/18.11"       | 425/16.73"       |
| <b>B</b>         | <b>C</b>         |
| 220/8.66"        | 240/9.45"        |
| <b>D</b>         | <b>E</b>         |
| 50/2"            | 150/5.91"        |
| <b>F</b>         | <b>G</b>         |
| ø2130/83.9"      | 950/37.4"        |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 230/9.06"        | 26/1.02"         |






# Cies XL

|                   |  |                    |  |                                |                                 |
|-------------------|--|--------------------|--|--------------------------------|---------------------------------|
| <b>ø210</b><br>CM | <b>&gt; 28 M2</b><br><b>&gt; 300 SQ.FT</b> | <b>DC</b><br>MOTOR | <b>OPTION</b><br><b>SMART</b><br>100-240V<br>50-60Hz | <b>SUMMER</b><br><b>WINTER</b> | <b>INCLINING</b><br><b>ROOF</b> |
|-------------------|--|--------------------|--|--------------------------------|---------------------------------|



**33512A**  
**33512WPA**  
**Body Shiny White**  
**Blades Shiny White**

**\*Smart Fan**



High airflow

Programmable 1-4-8h  
Memory function pag 38

Smart option


**Material**      **Body** Steel  
                     **Blades** ABS

**W**                6-9-15-28-44

**RPM**           54-67-79-98-112

**Airflow**        344.4 m3 min

**V/Hz**           220V-240V/50-60Hz



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 430/16.93"       | 380/14.96"       |
| <b>B</b>         | <b>C</b>         |
| 250/9.84"        | 230/9.06"        |
| <b>D</b>         | <b>E</b>         |
| 50/2"            | 148/5.83"        |
| <b>F</b>         | <b>G</b>         |
| ø2108/83"        | 930/36.61"       |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 230/9.06"        | 26/1.02"         |

\*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34151-27 of the gear. The price of the gear is with PRO35 discount.







# Cies XL

|                   |  |                    |  |                                |                       |
|-------------------|--|--------------------|--|--------------------------------|-----------------------|
| <b>ø210</b><br>CM | <b>&gt; 28 M2</b><br><b>&gt; 300 SQ.FT</b> | <b>DC</b><br>MOTOR | <b>OPTION SMART</b><br>100-240V<br>50-60Hz | <b>SUMMER</b><br><b>WINTER</b> | <b>INCLINING ROOF</b> |
|-------------------|--|--------------------|--|--------------------------------|-----------------------|




**33512WPA-1**  
**33512A-1**  
**Body Shiny White**  
**Blades Shiny White**


**\*Smart Fan**




**Adjustable intensity**



**High airflow**




**Programmable 1-4-8h**  
**Memory function pag 38**



**Smart option**

|                 |                   |                      |               |
|-----------------|-------------------|----------------------|---------------|
| <b>Material</b> | <b>Body</b> Steel | <b>Power</b>         | 15W           |
|                 | <b>Blades</b> ABS | <b>Lumen Output</b>  | 900lm         |
| <b>W</b>        | 6-9-15-28-44      | <b>Light Source</b>  | SMD LED 3000K |
| <b>RPM</b>      | 54-67-79-98-112   | <b>CRI</b>           | >80           |
| <b>Airflow</b>  | 344.4 m3 min      | <b>Driver incl.</b>  | Yes           |
| <b>V/Hz</b>     | 220V-240V/50-60Hz | <b>Material Diff</b> | ABS           |



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 430/16.93"       | 380/14.96"       |
| <b>B</b>         | <b>C</b>         |
| 250/9.84"        | 230/9.06"        |
| <b>D</b>         | <b>E</b>         |
| 50/2"            | 148/5.83"        |
| <b>F</b>         | <b>G</b>         |
| ø2108/83"        | 930/36.61"       |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 230/9.06"        | 26/1.02"         |


\*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34151-27 of the gear. The price of the gear is with PRO35 discount.





# Aoba XL

**ø 180**  
CM

  
 > 28 M2  
> 300 SQ.FT



**33349**  
**Body** Matt Black  
**Blades** Reddish Walnut



3 downrods included  
203 / 305 / 510mm



Wood

**Material** **Body** Steel  
**Blades** Wood

**W** 30-70-88

**RPM** 74-125-152


**Airflow** 120 m3 min

**V/Hz** 220V-240V/50-60Hz

**Accessories** ☉ 33928 Wall Control 3 speeds  
 33929 Remote Control/dimer-on-off  
 33937 Remote Control/Programmer

**Incl. downrod** 203-305-510 mm

**Opt. downrod** Page 282



|                   |                  |
|-------------------|------------------|
| <b>A</b>          | <b>A1</b>        |
| 520/20.47"        | 410/16.14"       |
| <b>B</b>          | <b>C</b>         |
| 200/7.87"         | 230/9.06"        |
| <b>D</b>          | <b>E</b>         |
| 145/5.7"          | 160/6.3"         |
| <b>F</b>          | <b>G</b>         |
| ø1800/70.9"       | 780/30.71"       |
| <b>Downrod L</b>  | <b>Downrod ø</b> |
| 203-305-510/7.99" | 21/0.83"         |





# Just Fan XL

Conillas

|                            |   |                            |   |   |  |
|----------------------------|---|----------------------------|---|---|--|
| <p><b>ø 178</b><br/>CM</p> | <p> <b>&gt; 28 M2</b><br/><b>&gt; 300 SQ.FT</b></p> | <p><b>DC</b><br/>MOTOR</p> | <p>OPTION<br/><b>SMART</b><br/>100-240V<br/>50-60Hz</p> | <p> <b>SUMMER</b><br/><b>WINTER</b></p> | <p> <b>INCLINING</b><br/><b>ROOF</b></p> |
|----------------------------|---|----------------------------|---|---|--|



**33430**  
**33430WP**  
**Body** Matt Black  
**Blades** Dark Walnut

**\*Smart Fan**




**33432**  
**33432WP**  
**Body** Matt Black  
**Blades** Black

**\*Smart Fan**




**3 downrods included**  
**101 / 203 / 457mm**



**Smart option**

|                      |  |
|----------------------|--|
| <b>Material</b>      | <b>Body</b> Steel<br><b>Blades</b> ABS |
| <b>W</b>             | 4-6-9-12-17-31                         |
| <b>RPM</b>           | 48-64-82-98-114-145                    |
| <b>Airflow</b>       | 175.28 m3 min                          |
| <b>V/Hz</b>          | 220V-240V/50-60Hz                      |
| <b>Incl. downrod</b> | 100-200-460 mm                         |
| <b>Opt. downrod</b>  | Page 282                               |



|                   |                  |
|-------------------|------------------|
| <b>A</b>          | <b>A1</b>        |
| 640/25.2"         | 630/24.8"        |
| <b>B</b>          | <b>C</b>         |
| 180/7.09"         | 130/5.12"        |
| <b>D</b>          | <b>E</b>         |
| 55/2.2"           | 130/5.12"        |
| <b>F</b>          | <b>G</b>         |
| ø1780/70.1"       | 890/35.04"       |
| <b>Downrod L</b>  | <b>Downrod ø</b> |
| 100-200-460/3.94" | 26/1.02"         |

\*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-01 of the gear. The price of the gear is with PRO35 discount.





# Lantau XL

|                    |                            |                    |   |                      |                       |
|--------------------|----------------------------|--------------------|---|----------------------|-----------------------|
| <b>ø 168</b><br>CM | <br>> 28 M2<br>> 300 SQ.FT | <b>DC</b><br>MOTOR | OPTION<br><b>SMART</b><br>100-240V<br>50-60Hz | <br>SUMMER<br>WINTER | <br>INCLINING<br>ROOF |
|--------------------|----------------------------|--------------------|---|----------------------|-----------------------|




**33464DC**  
**33464DCWP**  
**Body** Satin Nickel  
**Blades** Dark Walnut

**\*Smart Fan**




**33504DC**  
**33504DCWP**  
**Body** Matt Nickel  
**Blades** Pine

**\*Smart Fan**




High airflow



Wood




Programmable 1-4-8h



Smart option

**Material** **Body** Steel  
**Blades** Wood  
**W** 6-9-11-17-24-35  
**RPM** 75-89-98-115-129-146  
**Airflow** 261.6 m3 min  
**V/Hz** 220V-240V/50Hz  
**Accessories** ☉ 33974 DC Wall Control  
**Opt. downrod** Page 282



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 410/16.14"       | 335/13.19"       |
| <b>B</b>         | <b>C</b>         |
| 180/7.09"        |                  |
| <b>D</b>         | <b>E</b>         |
| 70/2.8"          | 150/5.91"        |
| <b>F</b>         | <b>G</b>         |
| ø1680/66.1"      | 840/33.07"       |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 153/6.02"        | 21/0.83"         |

\*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-36 of the gear. The price of the gear is with PRO35 discount.







# Lantau XL

|                    |                            |                    |   |                      |                       |
|--------------------|----------------------------|--------------------|---|----------------------|-----------------------|
| <b>ø 168</b><br>CM | <br>> 28 M2<br>> 300 SQ.FT | <b>DC</b><br>MOTOR | OPTION<br><b>SMART</b><br>100-240V<br>50-60Hz | <br>SUMMER<br>WINTER | <br>INCLINING<br>ROOF |
|--------------------|----------------------------|--------------------|---|----------------------|-----------------------|




**33463DC NEW**  
**33463DCWP NEW**  
 Body Matt Nickel  
 Blades Dark Walnut

**\*Smart Fan**




**33505DC**  
**33505DCWP**  
 Body Matt Nickel  
 Blades Pine

**\*Smart Fan**




High airflow



Wood




Programmable 1-4-8h



Smart option

|                      |                       |                      |               |
|----------------------|-----------------------|----------------------|---------------|
| <b>Material</b>      | <b>Body</b> Steel     | <b>Power</b>         | 15W           |
|                      | <b>Blades</b> Wood    | <b>Lumen Output</b>  | 900lm         |
| <b>W</b>             | 6-9-11-17-24-35       | <b>Light Source</b>  | SMD LED 3000K |
| <b>RPM</b>           | 75-89-98-115-129-146  | <b>CRI</b>           | >80           |
| <b>Airflow</b>       | 261.6 m3 min          | <b>Driver incl.</b>  | Yes           |
| <b>V/Hz</b>          | 220V-240V/50Hz        | <b>Material Diff</b> | Glass         |
| <b>Accessories</b> ☉ | 33974 DC Wall Control |                      |               |
| <b>Opt. downrod</b>  | Page 282              |                      |               |



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 410/16.14"       | 335/13.19"       |
| <b>B</b>         | <b>C</b>         |
| 250/9.84"        |                  |
| <b>D</b>         | <b>E</b>         |
| 70/2.8"          | 150/5.91"        |
| <b>F</b>         | <b>G</b>         |
| ø1680/66.1"      | 840/33.07"       |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 153/6.02"        | 21/0.83"         |

\*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-36 of the gear. The price of the gear is with PRO35 discount.





# Tilos XL

|                   |  |                    |                                |                                 |
|-------------------|--|--------------------|--------------------------------|---------------------------------|
| <b>ø168</b><br>CM | <b>&gt; 28 M2</b><br><b>&gt; 300 SQ.FT</b> | <b>DC</b><br>MOTOR | <b>SUMMER</b><br><b>WINTER</b> | <b>INCLINING</b><br><b>ROOF</b> |
|-------------------|--|--------------------|--------------------------------|---------------------------------|



**33466A**  
**Body** Dark Brown  
**Blades** Dark Brown




Suitable for high ceilings



Optional downrods not incl.  
 600 / 900 / 1200

| Optional Downrods |             |
|-------------------|-------------|
| <b>34003</b>      | 600/23.62"  |
| <b>34004</b>      | 900/35.43"  |
| <b>34005</b>      | 1220/48.03" |

|                      |  |                                    |
|----------------------|--|------------------------------------|
| <b>Material</b>      | <b>Body</b> Steel<br><b>Blades</b> ABS | <b>Light Source</b> 2 E27 max. 15W |
| <b>W</b>             | 4-6-9-14-21-35                         | <b>Bulb incl.</b> No               |
| <b>RPM</b>           | 31-43-55-67-78-95                      | <b>Recom. Bulb</b> 17463           |
| <b>Airflow</b>       | 264.05 m3 min                          | <b>Material Diff</b> Glass         |
| <b>V/Hz</b>          | 220V-240V/50-60Hz                      |                                    |
| <b>Incl. downrod</b> | 600-900-1220 mm                        |                                    |



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 500/19.69"       | 440/17.32"       |
| <b>B</b>         | <b>C</b>         |
| 290/11.42"       | 220/8.66"        |
| <b>D</b>         | <b>E</b>         |
| 60/2.4"          | 140/5.51"        |
| <b>F</b>         | <b>G</b>         |
| ø1685/66.3"      | 750/29.53"       |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 230/9.06"        | 26/1.02"         |





**REGISTRATIO**

# Century XL



|  |  |                            |   |  |   |
|--|--|----------------------------|---|--|---|
|  <p><b>ø 165</b><br/>CM</p> |  <p>&gt; 28 M2<br/>&gt; 300 SQ.FT</p> | <p><b>DC</b><br/>MOTOR</p> | <p>OPTION<br/><b>SMART</b><br/>100-240V<br/>50-60Hz</p> |  <p>SUMMER<br/>WINTER</p> |  <p>INCLINING<br/>ROOF</p> |
|--|--|----------------------------|---|--|---|



33553A  
33553WPA  
Body Matt White  
Blades Matt White

**\*Smart Fan**

|                 |                       |                      |               |
|-----------------|-----------------------|----------------------|---------------|
| <b>Material</b> | <b>Body</b> Steel     | <b>Power</b>         | 15W           |
|                 | <b>Blades</b> Plywood | <b>Lumen Output</b>  | 1200lm        |
| <b>W</b>        | 5-8-12-17-25-35       | <b>Light Source</b>  | SMD LED 3000K |
| <b>RPM</b>      | 60-80-95-110-125-140  | <b>CRI</b>           | >80           |
| <b>Airflow</b>  | 233.41 m3 min         | <b>Driver incl.</b>  | Yes           |
| <b>V/Hz</b>     | 220V-240V/50-60Hz     | <b>Material Diff</b> | PMMA          |



Smart option

|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 330/12.99"       | 250/9.84"        |
| <b>B</b>         | <b>C</b>         |
| 170/6.69"        | 150/5.91"        |
| <b>D</b>         | <b>E</b>         |
| 50/2"            | 130/5.12"        |
| <b>F</b>         | <b>G</b>         |
| ø1650/65"        | 750/29.53"       |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 152/5.98"        | 21/0.83"         |

\*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-10 of the gear. The price of the gear is with PRO35 discount.





# Cruiser XL NEW

Faro Lab

|                                   |   |                                   |  |   |  |
|-----------------------------------|---|-----------------------------------|--|---|--|
| <b>ø 160</b><br><small>CM</small> | <br><small>&gt; 28 M2<br/>&gt; 300 SQ.FT</small> | <b>DC</b><br><small>MOTOR</small> | <small>OPTION</small><br><b>SMART</b><br><small>100-240V<br/>50-60Hz</small> | <br><small>SUMMER<br/>WINTER</small> | <br><small>INCLINING<br/>ROOF</small> |
|-----------------------------------|---|-----------------------------------|--|---|--|




**34292**  
**34292WP** \*Smart Fan  
**Body** Matt White  
**Blades** Matt White




**34293**  
**34293WP** \*Smart Fan  
**Body** Matt Black  
**Blades** Matt Black



**34287**  
**34287WP** \*Smart Fan  
**Body** Matt Black  
**Blades** Aluminium




**Programmable 1-4-8h**  
**Memory function pag 38**



**Smart option**

|                      |  |
|----------------------|--|
| <b>Material</b>      | <b>Body</b> Steel<br><b>Blades</b> Aluminium |
| <b>W</b>             | 4.2-6.4-10.4-16.7-23.3-34.4                  |
| <b>RPM</b>           | 63-83-100-120-133-149                        |
| <b>Airflow</b>       | 216.8 m3 min                                 |
| <b>V/Hz</b>          | 220V-240V/50-60Hz                            |
| <b>Accessories</b> ☉ | 33974 DC Wall Control                        |
| <b>Incl. downrod</b> | 100 mm                                       |
| <b>Opt. downrod</b>  | Page 282                                     |



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 232/9.13"        | 194/7.64"        |
| <b>B</b>         | <b>C</b>         |
| 83/3.27"         | 151/5.94"        |
| <b>D</b>         | <b>E</b>         |
| 60/2.4"          | 130/5.12"        |
| <b>F</b>         | <b>G</b>         |
| ø1600/63"        | 770/30.31"       |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 100/3.94"        | 26/1.02"         |

\*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34151-03 of the gear. The price of the gear is with PRO35 discount.





# Cruiser XL NEW

Faro Lab

|                   |                            |                    |   |                |                      |                       |
|-------------------|----------------------------|--------------------|---|----------------|----------------------|-----------------------|
| <b>ø160</b><br>CM | <br>> 28 M2<br>> 300 SQ.FT | <b>DC</b><br>MOTOR | OPTION<br><b>SMART</b><br>100-240V<br>50-60Hz | <br><b>DIM</b> | <br>SUMMER<br>WINTER | <br>INCLINING<br>ROOF |
|-------------------|----------------------------|--------------------|---|----------------|----------------------|-----------------------|



**34292-1TW**  
**34292WP-1TW**  
Body Matt White  
Blades Matt White

**\*Smart Fan**  
**\*Smart Fan**



**34293-1TW**  
**34293WP-1TW**  
Body Matt Black  
Blades Matt Black

**\*Smart Fan**  
**\*Smart Fan**




**34287-1TW**  
**34287WP-1TW**  
Body Matt Black  
Blades Aluminium


**\*Smart Fan**  
**\*Smart Fan**



Color temperature adjustable




Programmable 1-4-8h  
Memory function pag 38



Smart option

|                      |  |  |
|----------------------|--|--|
| <b>Material</b>      | <b>Body</b> Steel<br><b>Blades</b> Aluminium | <b>Power</b> 18W<br><b>Lumen Output</b> 1300lm |
| <b>W</b>             | 4.2-6.4-10.4-16.7-23.3-34.4                  | <b>Light Source</b> SMD LED                    |
| <b>RPM</b>           | 63-83-100-120-133-149                        | <b>Dimmable K</b> 2700 - 4350 - 6000K          |
| <b>Airflow</b>       | 216.8 m3 min                                 | <b>CRI</b> >80                                 |
| <b>V/Hz</b>          | 220V-240V/50-60Hz                            | <b>Driver incl.</b> Yes                        |
| <b>Accessories</b> ☉ | 33974 DC Wall Control                        | <b>Material Diff</b> Glass                     |
| <b>Incl. downrod</b> | 100 mm                                       |  |
| <b>Opt. downrod</b>  | Page 282                                     |  |



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 276/10.87"       | 180/7.09"        |
| <b>B</b>         | <b>C</b>         |
| 80/3.15"         | 150/5.91"        |
| <b>D</b>         | <b>E</b>         |
| 60/2.4"          | 130/5.12"        |
| <b>F</b>         | <b>G</b>         |
| ø1600/63"        | 776/30.55"       |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 100/3.94"        | 26/1.02"         |

\*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34151-03 of the gear. The price of the gear is with PRO35 discount.



Thanks to Beti Guasch y Estudi Nou Arquitectes photo by Sara Adroer



Alo L



|                            |  |                            |   |   |                           |
|----------------------------|--|----------------------------|---|---|---------------------------|
| <p>ø <b>152</b><br/>CM</p> | <p>&gt; 17.6-28 M2<br/>190-300 SQ.FT</p> | <p><b>DC</b><br/>MOTOR</p> | <p>OPTION<br/><b>SMART</b><br/>100-240V<br/>50-60Hz</p> | <p>SUN &amp; SNOW<br/>SUMMER<br/>WINTER</p> | <p>INCLINING<br/>ROOF</p> |
|----------------------------|--|----------------------------|---|---|---------------------------|



33718 AC version  
33718DC **NEW**  
33718DCWP **NEW**  
Body Matt Black  
Blades Pine

**\*Smart Fan**




33728 AC version  
33728DC **NEW**  
33728DCWP **NEW**  
Body Matt White  
Blades Pine


**\*Smart Fan**



Wood




Programmable 1-4-8h  
Memory function pag 38



Smart option

|                      |                              |
|----------------------|------------------------------|
| <b>Material</b>      | <b>Body</b> Steel            |
|                      | <b>Blades</b> Wood           |
| <b>W</b>             | 6.9-10.5-13.7-19.7-26.9-35.1 |
| <b>RPM</b>           | 97-120-136-158-179-196       |
| <b>Airflow</b>       | 220 m3 min                   |
| <b>V/Hz</b>          | 220V-240V/50-60Hz            |
| <b>Accessories</b> ☉ | 33974 DC Wall Control        |
| <b>Opt. downrod</b>  | Page 282                     |



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 302/11.89"       | 267/10.51"       |
| <b>B</b>         | <b>C</b>         |
|                  | 180/7.09"        |
| <b>D</b>         | <b>E</b>         |
| 60/2.4"          | 150/5.91"        |
| <b>F</b>         | <b>G</b>         |
| ø1520/59.8"      | 685/26.97"       |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 153/6.02"        | 26/1.02"         |

\*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-26 of the gear. The price of the gear is with PRO35 discount.





Alo L



|                            |  |                            |   |                       |                           |
|----------------------------|--|----------------------------|---|-----------------------|---------------------------|
| <p>ø <b>152</b><br/>CM</p> | <p>&gt; 17.6-28 M2<br/>190-300 SQ.FT</p> | <p><b>DC</b><br/>MOTOR</p> | <p>OPTION<br/><b>SMART</b><br/>100-240V<br/>50-60Hz</p> | <p>SUN<br/>WINTER</p> | <p>INCLINING<br/>ROOF</p> |
|----------------------------|--|----------------------------|---|-----------------------|---------------------------|



33727DC  
33727DCWP  
Body Matt White  
Blades Maple

**\*Smart Fan**



33719DC  
33719DCWP  
Body Matt Black  
Blades Maple


**\*Smart Fan**




Color temperature adjustable



Wood




Programmable 1-4-8h  
Memory function pag 38



Smart option

|                      |                                  |                      |                     |
|----------------------|----------------------------------|----------------------|---------------------|
| <b>Material</b>      | <b>Body</b> Stainless steel 316L | <b>Power</b>         | 20W                 |
|                      | <b>Blades</b> Wood               | <b>Lumen Output</b>  | 2200lm              |
| <b>W</b>             | 6.9-10.5-13.7-19.7-26.9-35.1     | <b>Light Source</b>  | COB LED             |
| <b>RPM</b>           | 97-120-136-158-179-196           | <b>Dimmable K</b>    | 2700 - 4000 - 6500K |
| <b>Airflow</b>       | 220 m3 min                       | <b>CRI</b>           | >80                 |
| <b>V/Hz</b>          | 220V-240V/50-60Hz                | <b>Driver incl.</b>  | Yes                 |
| <b>Accessories</b> ☉ | 33974 DC Wall Control            | <b>Material Diff</b> | PP                  |
| <b>Opt. downrod</b>  | Page 282                         |                      |                     |



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 302/11.89"       |                  |
| <b>B</b>         | <b>C</b>         |
|                  | 180/7.09"        |
| <b>D</b>         | <b>E</b>         |
| 60/2.4"          | 150/5.91"        |
| <b>F</b>         | <b>G</b>         |
| ø1520/59.8"      | 685/26.97"       |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 153/6.02"        | 26/1.02"         |

\*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34151-11 of the gear. The price of the gear is with PRO35 discount.





# Vulcano L

|                    |                                   |                    |   |                      |                       |
|--------------------|-----------------------------------|--------------------|---|----------------------|-----------------------|
| <b>ø 152</b><br>CM | <br>> 17,6-28 M2<br>190-300 SQ.FT | <b>DC</b><br>MOTOR | OPTION<br><b>SMART</b><br>100-240V<br>50-60Hz | <br>SUMMER<br>WINTER | <br>INCLINING<br>ROOF |
|--------------------|-----------------------------------|--------------------|---|----------------------|-----------------------|



33549  
 33549WP  
 Body Matt White  
 Blades Matt White

**\*Smart Fan**




Glass diffuser

Light performance  
2000lm

Smart option

|                 |                         |                      |               |
|-----------------|-------------------------|----------------------|---------------|
| <b>Material</b> | <b>Body</b> Steel       | <b>Power</b>         | 21W           |
|                 | <b>Blades</b> ABS       | <b>Lumen Output</b>  | 2000lm        |
| <b>W</b>        | 5-8-10.5-14.7-16.9-21.4 | <b>Light Source</b>  | SMD LED 3000K |
| <b>RPM</b>      | 80-108-126-149-161-180  | <b>CRI</b>           | >80           |
| <b>Airflow</b>  | 177.88 m3 min           | <b>Driver incl.</b>  | Yes           |
| <b>V/Hz</b>     | 220V-240V/50-60Hz       | <b>Material Diff</b> | Glass         |



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 330/12.99"       | 250/9.84"        |
| <b>B</b>         | <b>C</b>         |
| 123/4.84"        | 284/11.18"       |
| <b>D</b>         | <b>E</b>         |
| 55/2.2"          | 139/5.47"        |
| <b>F</b>         | <b>G</b>         |
| ø152/4.84"       | 645/25.39"       |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 152/5.98"        | 21/0.83"         |

\*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-20 of the gear. The price of the gear is with PRO35 discount.





# Tonic L

|                   |                                   |                    |   |                |                      |                       |
|-------------------|-----------------------------------|--------------------|---|----------------|----------------------|-----------------------|
| <b>ø152</b><br>CM | <br>> 17,6-28 M2<br>190-300 SQ.FT | <b>DC</b><br>MOTOR | OPTION<br><b>SMART</b><br>100-240V<br>50-60Hz | <br><b>DIM</b> | <br>SUMMER<br>WINTER | <br>INCLINING<br>ROOF |
|-------------------|-----------------------------------|--------------------|---|----------------|----------------------|-----------------------|



33552  
 33552WP  
 Body Dark Brown  
 Blades Dark Brown

**\*Smart Fan**




33551  
 33551WP  
 Body White  
 Blades White

**\*Smart Fan**




Accessory cap



Smart option

|                 |                         |                      |               |
|-----------------|-------------------------|----------------------|---------------|
| <b>Material</b> | <b>Body</b> Steel       | <b>Power</b>         | 15W           |
|                 | <b>Blades</b> ABS       | <b>Lumen Output</b>  | 1200lm        |
| <b>W</b>        | 5-7-9-11-14-18          | <b>Light Source</b>  | SMD LED 3000K |
| <b>RPM</b>      | 100-120-140-160-180-200 | <b>CRI</b>           | >80           |
| <b>Airflow</b>  | 180.57 m3 min           | <b>Driver incl.</b>  | Yes           |
| <b>V/Hz</b>     | 220V-240V/50-60Hz       | <b>Material Diff</b> | PC            |



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 310/12.2"        | 250/9.84"        |
| <b>B</b>         | <b>C</b>         |
| 190/7.48"        | 180/7.09"        |
| <b>D</b>         | <b>E</b>         |
| 50/2"            | 130/5.12"        |
| <b>F</b>         | <b>G</b>         |
| ø1520/59.8"      | 670/26.38"       |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 115/4.53"        | 21/0.83"         |

\*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-17 of the gear. The price of the gear is with PRO35 discount.





# Morea L

|                    |                                   |                    |   |                      |                       |
|--------------------|-----------------------------------|--------------------|---|----------------------|-----------------------|
| <b>ø 152</b><br>CM | <br>> 17,6-28 M2<br>190-300 SQ.FT | <b>DC</b><br>MOTOR | OPTION<br><b>SMART</b><br>100-240V<br>50-60Hz | <br>SUMMER<br>WINTER | <br>INCLINING<br>ROOF |
|--------------------|-----------------------------------|--------------------|---|----------------------|-----------------------|




**33511**  
**33511WP** \*Smart Fan  
**Body** Dark Brown  
**Blades** Dark Walnut



**33519**  
**33519WP** \*Smart Fan  
**Body** Dark Brown  
**Blades** Maple




Programmable 1-4-8h



Smart option

**Material** **Body** Steel  
**Blades** ABS  
**W** 3-7-12-17-38  
**RPM** 58-105-131-148-195  
**Airflow** 211.7 m3 min  
**V/Hz** 220V-240V/50-60Hz  
**Opt. downrod** Page 282



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 280/11.02"       | 215/8.46"        |
| <b>B</b>         | <b>C</b>         |
| 130/5.12"        | 170/6.69"        |
| <b>D</b>         | <b>E</b>         |
| 50/2"            | 148/5.83"        |
| <b>F</b>         | <b>G</b>         |
| ø1520/59.8"      | 750/29.53"       |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 152/5.98"        | 21/0.83"         |

\*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-05 of the gear. The price of the gear is with PRO35 discount.





# Klim L

Faro Lab



|                    |                                   |                    |   |                      |                       |
|--------------------|-----------------------------------|--------------------|---|----------------------|-----------------------|
| <b>ø 150</b><br>CM | <br>> 17,6-28 M2<br>190-300 SQ.FT | <b>DC</b><br>MOTOR | OPTION<br><b>SMART</b><br>100-240V<br>50-60Hz | <br>SUMMER<br>WINTER | <br>INCLINING<br>ROOF |
|--------------------|-----------------------------------|--------------------|---|----------------------|-----------------------|



34276  
34276WP  
Body Matt Black  
Blades Dark Walnut

**\*Smart Fan**



34279  
34279WP  
Body Matt White  
Blades Oak

**\*Smart Fan**



34282  
34282WP  
Body Matt Black  
Blades Oak


**\*Smart Fan**




Wood



Optional Light kit  
page 298




Programmable 1-4-8h  
Memory function pag 38



Smart option

|                      |                         |
|----------------------|-------------------------|
| <b>Material</b>      | <b>Body</b> Steel       |
|                      | <b>Blades</b> Wood      |
| <b>W</b>             | 5-7.3-11.1-17-24.1-35.3 |
| <b>RPM</b>           | 67-88-106-122-140-159   |
| <b>Airflow</b>       | 202 m3 min              |
| <b>V/Hz</b>          | 220V-240V/50-60Hz       |
| <b>Accessories</b> ☉ | 33974 DC Wall Control   |
| <b>Incl. downrod</b> | 100 mm                  |
| <b>Opt. downrod</b>  | Page 282                |



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 240/9.45"        | 212/8.35"        |
| <b>B</b>         | <b>C</b>         |
| 48/1.89"         | 100/3.94"        |
| <b>D</b>         | <b>E</b>         |
| 60/2.4"          | 130/5.12"        |
| <b>F</b>         | <b>G</b>         |
| ø1500/59.1"      | 745/29.33"       |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 100/3.94"        | 26/1.02"         |

\*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-41 of the gear. The price of the gear is with PRO35 discount.





# Klim L

Faro Lab



|                    |                                   |                    |   |                      |                       |
|--------------------|-----------------------------------|--------------------|---|----------------------|-----------------------|
| <b>ø 150</b><br>CM | <br>> 17,6-28 M2<br>190-300 SQ.FT | <b>DC</b><br>MOTOR | OPTION<br><b>SMART</b><br>100-240V<br>50-60Hz | <br>SUMMER<br>WINTER | <br>INCLINING<br>ROOF |
|--------------------|-----------------------------------|--------------------|---|----------------------|-----------------------|



34276-11L  
 34276WP-11L  
 Body Matt Black  
 Blades Dark Walnut

\*Smart Fan



34279-11L  
 34279WP-11L  
 Body Matt White  
 Blades Oak

\*Smart Fan




34282-11L  
 34282WP-11L  
 Body Matt Black  
 Blades Oak


\*Smart Fan



Glass diffuser




Programmable 1-4-8h  
 Memory function pag 38



Smart option

|                      |                         |                      |            |
|----------------------|-------------------------|----------------------|------------|
| <b>Material</b>      | <b>Body</b> Steel       | <b>Light Source</b>  | 1 E27 max. |
|                      | <b>Blades</b> Wood      | <b>Bulb incl.</b>    | No         |
| <b>W</b>             | 5-7.3-11.1-17-24.1-35.3 | <b>Recom. Bulb</b>   | 17463      |
| <b>RPM</b>           | 67-88-106-122-140-159   | <b>Material Diff</b> | Glass      |
| <b>Airflow</b>       | 202 m3 min              |                      |            |
| <b>V/Hz</b>          | 220V-240V/50-60Hz       |                      |            |
| <b>Accessories</b> ☉ | 33974 DC Wall Control   |                      |            |
| <b>Incl. downrod</b> | 100 mm                  |                      |            |
| <b>Opt. downrod</b>  | Page 282                |                      |            |



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 330/12.99"       | 212/8.35"        |
| <b>B</b>         | <b>C</b>         |
| 231/9.09"        | 100/3.94"        |
| <b>D</b>         | <b>E</b>         |
| 60/2.4"          | 130/5.12"        |
| <b>F</b>         | <b>G</b>         |
| ø1500/59.1"      | 745/29.33"       |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 100/3.94"        | 26/1.02"         |

\*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-41 of the gear. The price of the gear is with PRO35 discount.






# Malvinas L

|                   |                                   |                      |                     |                       |
|-------------------|-----------------------------------|----------------------|---------------------|-----------------------|
| <b>ø140</b><br>CM | <br>> 17.6-28 M2<br>190-300 SQ.FT | <br>SUMMER<br>WINTER | <br>WALL<br>CONTROL | <br>INCLINING<br>ROOF |
|-------------------|-----------------------------------|----------------------|---------------------|-----------------------|




**33111**  
**Body** Brown  
**Blades** Mahogany + Reddish Mahogany



Reversible blades

**Material** Body Steel  
 Blades MDF  
**W** 24-37-48-57-80  
**RPM** 111-145-170-187-229  
**Airflow** 176.22 m3 min  
**V/Hz** 220V-240V/50Hz  
**Opt. downrod** Page 282




|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 600/23.62"       | 500/19.69"       |
| <b>B</b>         | <b>C</b>         |
| 160/6.3"         | 200/7.87"        |
| <b>D</b>         | <b>E</b>         |
| 60/2.4"          | 130/5.12"        |
| <b>F</b>         | <b>G</b>         |
| ø1400/55.1"      | 590/23.23"       |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 510/20.08"       | 21/0.83"         |





# Indus L

|                           |  |   |
|---------------------------|--|---|
| <p><b>ø140</b><br/>CM</p> | <p><br/>&gt; 17.6-28 M2<br/>190-300 SQ.FT</p> | <p><br/>WALL<br/>CONTROL</p> |
|---------------------------|--|---|



**33001**  
Body White  
Blades White


**Material** Body Steel  
Blades Steel

**W** 16-21-26-32-48

**RPM** 113-142-173-203-260

**Airflow** 155.52 m3 min

**V/Hz** 220V-240V/50Hz



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 483/19.02"       | 440/17.32"       |
| <b>B</b>         | <b>C</b>         |
| 160/6.3"         | 180/7.09"        |
| <b>D</b>         | <b>E</b>         |
| 120/4.7"         | 145/5.71"        |
| <b>F</b>         | <b>G</b>         |
| ø1400/55.1"      | 555/21.85"       |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 273/10.75"       | 21/0.83"         |






# Cocos L

|                    |                                   |                    |   |                      |                       |
|--------------------|-----------------------------------|--------------------|---|----------------------|-----------------------|
| <b>ø 137</b><br>CM | <br>> 17,6-28 M2<br>190-300 SQ.FT | <b>DC</b><br>MOTOR | OPTION<br><b>SMART</b><br>100-240V<br>50-60Hz | <br>SUMMER<br>WINTER | <br>INCLINING<br>ROOF |
|--------------------|-----------------------------------|--------------------|---|----------------------|-----------------------|




**33548**  
**33548WP**  
**Body Matt White**  
**Blades Matt White**

**\*Smart Fan**



Smart option

|                 |                       |                      |               |
|-----------------|-----------------------|----------------------|---------------|
| <b>Material</b> | <b>Body</b> Steel     | <b>Power</b>         | 20W           |
|                 | <b>Blades</b> ABS     | <b>Lumen Output</b>  | 1600lm        |
| <b>W</b>        | 7-10-13-17-24-29      | <b>Light Source</b>  | SMD LED 3000K |
| <b>RPM</b>      | 66-88-104-115-138-146 | <b>CRI</b>           | >80           |
| <b>Airflow</b>  | 234 m3 min            | <b>Driver incl.</b>  | Yes           |
| <b>V/Hz</b>     | 230V/50-60Hz          | <b>Material Diff</b> | PC            |



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 260/10.24"       | 200/7.87"        |
| <b>B</b>         | <b>C</b>         |
| 90/3.54"         | 200/7.87"        |
| <b>D</b>         | <b>E</b>         |
| 55/2.2"          | 140/5.51"        |
| <b>F</b>         | <b>G</b>         |
| ø1370/53.9"      | 585/23.03"       |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 114/4.49"        | 21/0.83"         |

\*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-11 of the gear. The price of the gear is with PRO35 discount.





# Meno L

|                            |   |  |   |
|----------------------------|---|--|---|
| <p><b>ø 135</b><br/>CM</p> | <p><b>&gt; 17,6-28 M2</b><br/>190-300 SQ.FT</p> | <p><b>SUMMER</b><br/><b>WINTER</b></p> | <p><b>INCLINING</b><br/><b>ROOF</b></p> |
|----------------------------|---|--|---|




**33782**  
**Body** Matt White  
**Blades** Matt White



**Programmable 1-2-4-8h**

- Material**      **Body** Steel
- Blades** ABS
- W**                22-43-85
- RPM**            108-162-235
- Airflow**        192 m3 min
- V/Hz**            220V-240V/50-60Hz
- Accessories** ☉ 33928 Wall Control 3 speeds
- 33929 Remote Control/dimer-on-off
- 33937 Remote Control/Programmer



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 320/12.6"        | 275/10.83"       |
| <b>B</b>         | <b>C</b>         |
| 160/6.3"         | 260/10.24"       |
| <b>D</b>         | <b>E</b>         |
| 60/2.4"          | 150/5.91"        |
| <b>F</b>         | <b>G</b>         |
| ø1350/53.1"      | 540/21.26"       |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 150/5.91"        | 21/0.83"         |





# Hydra L

|                   |                                   |                    |                      |                       |
|-------------------|-----------------------------------|--------------------|----------------------|-----------------------|
| <b>ø133</b><br>CM | <br>> 17.6-28 M2<br>190-300 SQ.FT | <b>DC</b><br>MOTOR | <br>SUMMER<br>WINTER | <br>INCLINING<br>ROOF |
|-------------------|-----------------------------------|--------------------|----------------------|-----------------------|



33725  
**Body** Matt Black  
**Blades** Dark Walnut




33726  
**Body** Matt White  
**Blades** Matt White



Programmable 1-4-8h

|                      |  |  |
|----------------------|--|--|
| <b>Material</b>      | <b>Body</b> Steel<br><b>Blades</b> Plywood | <b>Power</b> 22W<br><b>Lumen Output</b> 1200lm |
| <b>W</b>             | 5-7-10-13-18-25                            | <b>Light Source</b> SMD LED 3000K              |
| <b>RPM</b>           | 99-116-134-154-172-193                     | <b>CRI</b> >80                                 |
| <b>Airflow</b>       | 175.99 m3 min                              | <b>Driver incl.</b> Yes                        |
| <b>V/Hz</b>          | 220V-240V/50Hz                             | <b>Material Diff</b> ABS                       |
| <b>Accessories</b> ☉ | 33974 DC Wall Control                      |  |
| <b>Incl. downrod</b> | 153-255 mm                                 |  |



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 340/13.39"       | 300/11.81"       |
| <b>B</b>         | <b>C</b>         |
| 130/5.12"        | 250/9.84"        |
| <b>D</b>         | <b>E</b>         |
| 70/2.8"          | 130/5.12"        |
| <b>F</b>         | <b>G</b>         |
| ø1330/52.4"      | 540/21.26"       |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 153/6.02"        | 21/0.83"         |





# Cruiser L

Faro Lab



|                    |                                   |                    |   |                      |                       |
|--------------------|-----------------------------------|--------------------|---|----------------------|-----------------------|
| <b>ø 132</b><br>CM | <br>> 17,6-28 M2<br>190-300 SQ.FT | <b>DC</b><br>MOTOR | OPTION<br><b>SMART</b><br>100-240V<br>50-60Hz | <br>SUMMER<br>WINTER | <br>INCLINING<br>ROOF |
|--------------------|-----------------------------------|--------------------|---|----------------------|-----------------------|



**34290**  
**34290WP**  
**Body** Matt White  
**Blades** Matt White

**\*Smart Fan**




**34291**  
**34291WP**  
**Body** Matt Black  
**Blades** Matt Black

**\*Smart Fan**




**34286**  
**34286WP**  
**Body** Matt Black  
**Blades** Aluminium

**\*Smart Fan**




**Programmable 1-4-8h**  
**Memory function pag 38**



**Smart option**

|                      |  |
|----------------------|--|
| <b>Material</b>      | <b>Body</b> Steel<br><b>Blades</b> Aluminium |
| <b>W</b>             | 4.5-6.7-10.8-17.2-24.4-35.2                  |
| <b>RPM</b>           | 86-110-140-164-185-210                       |
| <b>Airflow</b>       | 174.4 m3 min                                 |
| <b>V/Hz</b>          | 220V-240V/50-60Hz                            |
| <b>Accessories</b> ☉ | 33974 DC Wall Control                        |
| <b>Incl. downrod</b> | 100 mm                                       |
| <b>Opt. downrod</b>  | Page 282                                     |



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 232/9.13"        | 194/7.64"        |
| <b>B</b>         | <b>C</b>         |
| 83/3.27"         | 151/5.94"        |
| <b>D</b>         | <b>E</b>         |
| 60/2.4"          | 130/5.12"        |
| <b>F</b>         | <b>G</b>         |
| ø1320/52"        | 630/24.8"        |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 100/3.94"        | 26/1.02"         |

\*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34151-02 of the gear. The price of the gear is with PRO35 discount.





# Cruiser L

Faro Lab



|                   |   |                    |  |            |                      |                       |
|-------------------|---|--------------------|--|------------|----------------------|-----------------------|
| <b>ø132</b><br>CM | <b>&gt; 17,6-28 M2</b><br>190-300 SQ.FT | <b>DC</b><br>MOTOR | <b>OPTION SMART</b><br>100-240V<br>50-60Hz | <b>DIM</b> | <b>SUMMER WINTER</b> | <b>INCLINING ROOF</b> |
|-------------------|---|--------------------|--|------------|----------------------|-----------------------|



**34290-1TW**  
**34290WP-1TW**  
Body Matt White  
Blades Matt White

**\*Smart Fan**



**34291-1TW**  
**34291WP-1TW**  
Body Matt Black  
Blades Matt Black

**\*Smart Fan**




**34286-1TW**  
**34286WP-1TW**  
Body Matt Black  
Blades Aluminium


**\*Smart Fan**



Color temperature adjustable




Programmable 1-4-8h  
Memory function pag 38



Smart option

|                      |  |  |
|----------------------|--|--|
| <b>Material</b>      | <b>Body</b> Steel<br><b>Blades</b> Aluminium | <b>Power</b> 18W<br><b>Lumen Output</b> 1300lm |
| <b>W</b>             | 4.5-6.7-10.8-17.2-24.4-35.2                  | <b>Light Source</b> SMD LED                    |
| <b>RPM</b>           | 86-110-140-164-185-210                       | <b>Dimmable K</b> 2700 - 4350 - 6000K          |
| <b>Airflow</b>       | 174.4 m3 min                                 | <b>CRI</b> >80                                 |
| <b>V/Hz</b>          | 220V-240V/50-60Hz                            | <b>Driver incl.</b> Yes                        |
| <b>Accessories</b> ☉ | 33974 DC Wall Control                        | <b>Material Diff</b> Glass                     |
| <b>Incl. downrod</b> | 100 mm                                       |  |
| <b>Opt. downrod</b>  | Page 282                                     |  |



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 276/10.87"       | 180/7.09"        |
| <b>B</b>         | <b>C</b>         |
| 80/3.15"         | 150/5.91"        |
| <b>D</b>         | <b>E</b>         |
| 60/2.4"          | 130/5.12"        |
| <b>F</b>         | <b>G</b>         |
| ø1320/52"        | 630/24.8"        |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 100/3.94"        | 26/1.02"         |

\*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34151-02 of the gear. The price of the gear is with PRO35 discount.





# Rudder L

Faro Lab




|                    |                                   |                    |   |                      |                       |
|--------------------|-----------------------------------|--------------------|---|----------------------|-----------------------|
| <b>ø 132</b><br>CM | <br>> 17,6-28 M2<br>190-300 SQ.FT | <b>DC</b><br>MOTOR | OPTION<br><b>SMART</b><br>100-240V<br>50-60Hz | <br>SUMMER<br>WINTER | <br>INCLINING<br>ROOF |
|--------------------|-----------------------------------|--------------------|---|----------------------|-----------------------|



34297  
 34297WP **\*Smart Fan**  
 Body Matt White  
 Blades Ash Tree + Matt White



34298  
 34298WP **\*Smart Fan**  
 Body Matt Black  
 Blades Walnut + Matt Black



Reversible blades

Programmable 1-4-8h  
 Memory function pag 38

Smart option

**Material** Body Steel  
 Blades Plywood

**W** 4.3-6.7-10.9-17.2-24.1-35.1

**RPM** 85-109-134-159-180-203


**Airflow** 174.4 m3 min

**V/Hz** 220V-240V/50-60Hz

**Accessories** 33974 DC Wall Control

**Incl. downrod** 100 mm

**Opt. downrod** Page 282



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 232/9.13"        | 180/7.09"        |
| <b>B</b>         | <b>C</b>         |
| 80/3.15"         | 150/5.91"        |
| <b>D</b>         | <b>E</b>         |
| 60/2.4"          | 130/5.12"        |
| <b>F</b>         | <b>G</b>         |
| ø1320/52"        | 630/24.8"        |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 100/3.94"        | 26/1.02"         |

\*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34151-05 of the gear. The price of the gear is with PRO35 discount.





# Rudder L

Faro Lab



|                   |   |                    |   |            |                                |                          |
|-------------------|---|--------------------|---|------------|--------------------------------|--------------------------|
| <b>ø132</b><br>CM | <b>&gt; 17,6-28 M2</b><br>190-300 SQ.FT | <b>DC</b><br>MOTOR | OPTION<br><b>SMART</b><br>100-240V<br>50-60Hz | <b>DIM</b> | <b>SUMMER</b><br><b>WINTER</b> | <b>INCLINING</b><br>ROOF |
|-------------------|---|--------------------|---|------------|--------------------------------|--------------------------|



**34297-1TW**  
**34297WP-1TW**  
Body Matt White  
Blades Ash Tree + Matt White




**34298-1TW**  
**34298WP-1TW**  
Body Matt Black  
Blades Walnut + Matt Black




Reversible blades



Color temperature adjustable




Programmable 1-4-8h  
Memory function pag 38



Smart option

|                      |                             |                      |                     |
|----------------------|-----------------------------|----------------------|---------------------|
| <b>Material</b>      | <b>Body</b> Steel           | <b>Power</b>         | 18W                 |
|                      | <b>Blades</b> Plywood       | <b>Lumen Output</b>  | 1300lm              |
| <b>W</b>             | 4.3-6.7-10.9-17.2-24.1-35.1 | <b>Light Source</b>  | SMD LED             |
| <b>RPM</b>           | 85-109-134-159-180-203      | <b>Dimmable K</b>    | 2700 - 4350 - 6000K |
| <b>Airflow</b>       | 174.4 m3 min                | <b>CRI</b>           | >80                 |
| <b>V/Hz</b>          | 220V-240V/50-60Hz           | <b>Driver incl.</b>  | Yes                 |
| <b>Accessories</b> ☉ | 33974 DC Wall Control       | <b>Material Diff</b> | Glass               |
| <b>Incl. downrod</b> | 100 mm                      |                      |                     |
| <b>Opt. downrod</b>  | Page 282                    |                      |                     |



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 276/10.87"       | 180/7.09"        |
| <b>B</b>         | <b>C</b>         |
| 80/3.15"         | 150/5.91"        |
| <b>D</b>         | <b>E</b>         |
| 60/2.4"          | 130/5.12"        |
| <b>F</b>         | <b>G</b>         |
| ø1320/52"        | 630/24.8"        |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 100/3.94"        | 26/1.02"         |

\*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34151-05 of the gear. The price of the gear is with PRO35 discount.





# Heywood L

Faro Lab

|                            |  |                            |   |                                  |                           |
|----------------------------|--|----------------------------|---|----------------------------------|---------------------------|
| <p>ø <b>132</b><br/>CM</p> | <p>&gt; 17.6-28 M2<br/>190-300 SQ.FT</p> | <p><b>DC</b><br/>MOTOR</p> | <p>OPTION<br/><b>SMART</b><br/>100-240V<br/>50-60Hz</p> | <p>SUN<br/>SUMMER<br/>WINTER</p> | <p>INCLINING<br/>ROOF</p> |
|----------------------------|--|----------------------------|---|----------------------------------|---------------------------|



33809  
33809WP  
Body Matt Black  
Blades Dark Oak

**\*Smart Fan**




33810  
33810WP  
Body Matt White  
Blades Maple

**\*Smart Fan**



Wooden finish



Smart option

**Material** Body Steel  
Blades Wood


**W** 4.1-5.3-7.6-13-22.7-32.4

**RPM** 58-75-94-124-152-173

**Airflow** 174.5 m3 min

**V/Hz** 220V-240V/50-60Hz

**Opt. downrod** Page 282



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 243/9.57"        | 223/8.78"        |
| <b>B</b>         | <b>C</b>         |
| 82/3.23"         | 100/3.94"        |
| <b>D</b>         | <b>E</b>         |
| 59/2.3"          | 132/5.2"         |
| <b>F</b>         | <b>G</b>         |
| ø1320/52"        | 592/23.31"       |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 101/3.98"        | 26/1.02"         |

\*Order your Smart Fan with the reference of the fan finished in WP and request the reference of the gear. The price of the gear is with PRO35 discount.







# Heywood L

Faro Lab



|                   |   |                    |  |            |                      |                       |
|-------------------|---|--------------------|--|------------|----------------------|-----------------------|
| <b>ø132</b><br>CM | <b>&gt; 17,6-28 M2</b><br>190-300 SQ.FT | <b>DC</b><br>MOTOR | <b>OPTION SMART</b><br>100-240V<br>50-60Hz | <b>DIM</b> | <b>SUMMER WINTER</b> | <b>INCLINING ROOF</b> |
|-------------------|---|--------------------|--|------------|----------------------|-----------------------|



**33809-1TW**  
**33809WP-1TW**  
Body Matt Black  
Blades Dark Oak

**\*Smart Fan**



**33810-1TW**  
**33810WP-1TW**  
Body Matt White  
Blades Maple


**\*Smart Fan**




Wooden finish



Color temperature adjustable




Programmable 1-4-8h  
Memory function pag 38



Smart option

|                      |                          |                      |                     |
|----------------------|--------------------------|----------------------|---------------------|
| <b>Material</b>      | <b>Body</b> Steel        | <b>Power</b>         | 10W                 |
|                      | <b>Blades</b> Wood       | <b>Lumen Output</b>  | 800lm               |
| <b>W</b>             | 4.1-5.3-7.6-13-22.7-32.4 | <b>Light Source</b>  | SMD LED             |
| <b>RPM</b>           | 58-75-94-124-152-173     | <b>Dimmable K</b>    | 3000 - 4200 - 6500K |
| <b>Airflow</b>       | 174.5 m3 min             | <b>CRI</b>           | >80                 |
| <b>V/Hz</b>          | 220V-240V/50-60Hz        | <b>Driver incl.</b>  | Yes                 |
| <b>Accessories</b> ☉ | 33974 DC Wall Control    | <b>Material Diff</b> | Glass               |
| <b>Opt. downrod</b>  | Page 282                 |                      |                     |



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 270/10.63"       | 200/7.87"        |
| <b>B</b>         | <b>C</b>         |
| 80/3.15"         | 100/3.94"        |
| <b>D</b>         | <b>E</b>         |
| 60/2.4"          | 130/5.12"        |
| <b>F</b>         | <b>G</b>         |
| ø1320/52"        | 430/16.93"       |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 101/3.98"        | 26/1.02"         |

\*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34151-09 of the gear. The price of the gear is with PRO35 discount.





# Amelia L

Héctor Serrano

|                    |   |                    |  |                      |                       |
|--------------------|---|--------------------|--|----------------------|-----------------------|
| <b>ø 132</b><br>CM | <b>&gt; 17,6-28 M2</b><br>190-300 SQ.FT | <b>DC</b><br>MOTOR | <b>OPTION SMART</b><br>100-240V<br>50-60Hz | <b>SUMMER WINTER</b> | <b>INCLINING ROOF</b> |
|--------------------|---|--------------------|--|----------------------|-----------------------|



**33760**  
**33760WP**  
Body Matt White  
Blades Matt White

**\*Smart Fan**




**33761**  
**33761WP**  
Body Matt Black  
Blades Matt Black

**\*Smart Fan**




**33762**  
**33762WP**  
Body Grey  
Blades Grey

**\*Smart Fan**




**Programmable 1-4-8h**  
**Memory function pag 38**



**Smart option**

|                      |                       |
|----------------------|-----------------------|
| <b>Material</b>      | <b>Body</b> Steel     |
|                      | <b>Blades</b> ABS     |
| <b>W</b>             | 5-7-10-15-19-28       |
| <b>RPM</b>           | 69-99-123-143-162-189 |
| <b>Airflow</b>       | 153 m3 min            |
| <b>V/Hz</b>          | 220V-240V/50-60Hz     |
| <b>Accesories</b> ☉  | 33974 DC Wall Control |
| <b>Incl. downrod</b> | 100-200 mm            |
| <b>Opt. downrod</b>  | Page 282              |



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 320/12.6"        | 270/10.63"       |
| <b>B</b>         | <b>C</b>         |
| 100/3.94"        | 123/4.84"        |
| <b>D</b>         | <b>E</b>         |
| 60/2.4"          | 130/5.12"        |
| <b>F</b>         | <b>G</b>         |
| ø1320/52"        | 635/25"          |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 100-200/3.94"    | 26/1.02"         |

\*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34151-31 of the gear. The price of the gear is with PRO35 discount.





# Amelia L Cone

Héctor Serrano

|                   |                               |                    |  |            |                  |                   |
|-------------------|-------------------------------|--------------------|--|------------|------------------|-------------------|
| <b>ø132</b><br>CM | > 17,6-28 M2<br>190-300 SQ.FT | <b>DC</b><br>MOTOR | <b>OPTION SMART</b><br>100-240V<br>50-60Hz | <b>DIM</b> | SUMMER<br>WINTER | INCLINING<br>ROOF |
|-------------------|-------------------------------|--------------------|--|------------|------------------|-------------------|



**33760-22**  
**33760WP-22**  
Body Matt White  
Blades Matt White

**\*Smart Fan**



**33761-23**  
**33761WP-23**  
Body Matt Black  
Blades Matt Black

**\*Smart Fan**




**33762-24**  
**33762WP-24**  
Body Grey  
Blades Grey


**\*Smart Fan**



**Color temperature adjustable**




**Programmable 1-4-8h  
Memory function pag 38**



**Smart option**

|                      |                       |                      |              |
|----------------------|-----------------------|----------------------|--------------|
| <b>Material</b>      | <b>Body</b> Steel     | <b>Power</b>         | 20W          |
|                      | <b>Blades</b> ABS     | <b>Lumen Output</b>  | 965lm        |
| <b>W</b>             | 5-7-10-15-19-28       | <b>Light Source</b>  | SMD LED      |
| <b>RPM</b>           | 69-99-123-143-162-189 |                      | 2700K/796lm  |
| <b>Airflow</b>       | 153 m3 min            | <b>Dimmable K</b>    | -3500K/965lm |
| <b>V/Hz</b>          | 220V-240V/50-60Hz     |                      | -5000K/915lm |
| <b>Accessories</b> ☉ | 33974 DC Wall Control | <b>CRI</b>           | >80          |
| <b>Incl. downrod</b> | 100-200 mm            | <b>Driver incl.</b>  | Yes          |
| <b>Opt. downrod</b>  | Page 282              | <b>Material Diff</b> | PC           |



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 430/16.93"       | 270/10.63"       |
| <b>B</b>         | <b>C</b>         |
| 219/8.62"        | 123/4.84"        |
| <b>D</b>         | <b>E</b>         |
| 60/2.4"          | 130/5.12"        |
| <b>F</b>         | <b>G</b>         |
| ø1320/52"        | 635/25"          |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 100-200/3.94"    | 26/1.02"         |

\*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34151-37 of the gear. The price of the gear is with PRO35 discount.





# Amelia L Ball

Héctor Serrano

|  |   |                    |   |  |   |
|--|---|--------------------|---|--|---|
|  <b>132</b><br>CM |  > 17,6-28 M2<br>190-300 SQ.FT | <b>DC</b><br>MOTOR | OPTION<br><b>SMART</b><br>100-240V<br>50-60Hz |  SUMMER<br>WINTER |  INCLINING<br>ROOF |
|--|---|--------------------|---|--|---|



**33760-25**  
**33760WP-25**  
 Body Matt White  
 Blades Matt White

**\*Smart Fan**




**33761-26**  
**33761WP-26**  
 Body Matt Black  
 Blades Matt Black

**\*Smart Fan**




**33762-27**  
**33762WP-27**  
 Body Grey  
 Blades Grey


**\*Smart Fan**



Glass diffuser




Programmable 1-4-8h  
 Memory function pag 38



Smart option

|                      |                       |                      |               |
|----------------------|-----------------------|----------------------|---------------|
| <b>Material</b>      | <b>Body</b> Steel     | <b>Power</b>         | 20W           |
|                      | <b>Blades</b> ABS     | <b>Lumen Output</b>  | 1056lm        |
| <b>W</b>             | 5-7-10-15-19-28       | <b>Light Source</b>  | SMD LED 2700K |
| <b>RPM</b>           | 69-99-123-143-162-189 | <b>CRI</b>           | >80           |
| <b>Airflow</b>       | 153 m3 min            | <b>Driver incl.</b>  | Yes           |
| <b>V/Hz</b>          | 220V-240V/50-60Hz     | <b>Material Diff</b> | Glass         |
| <b>Accessories</b> ☉ | 33974 DC Wall Control |                      |               |
| <b>Incl. downrod</b> | 100-200 mm            |                      |               |
| <b>Opt. downrod</b>  | Page 282              |                      |               |

|  |                  |            |
|--|------------------|------------|
|  | <b>A</b>         | <b>A1</b>  |
|  | 510/20.08"       | 270/10.63" |
|  | <b>B</b>         | <b>C</b>   |
|  | 297/11.69"       | 123/4.84"  |
|  | <b>D</b>         | <b>E</b>   |
|  | 60/2.4"          | 130/5.12"  |
|  | <b>F</b>         | <b>G</b>   |
| ø1320/52"  | 635/25"          |            |
| <b>Downrod L</b>   | <b>Downrod ø</b> |            |
| 100-200/3.94"  | 26/1.02"         |            |

\*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34151-31 of the gear. The price of the gear is with PRO35 discount.





# Saint L




|                  |                               |                    |            |                  |                   |
|------------------|-------------------------------|--------------------|------------|------------------|-------------------|
| <b>132</b><br>CM | > 17.6-28 M2<br>190-300 SQ.FT | <b>DC</b><br>MOTOR | <b>DIM</b> | SUMMER<br>WINTER | INCLINING<br>ROOF |
|------------------|-------------------------------|--------------------|------------|------------------|-------------------|



**34265**  
**Body** Matt White  
**Blades** Matt White




Color temperature adjustable



Programmable 1-4-8h  
 Memory function pag 38

|                      |                            |                      |                     |
|----------------------|----------------------------|----------------------|---------------------|
| <b>Material</b>      | <b>Body</b> Steel          | <b>Power</b>         | 24W                 |
|                      | <b>Blades</b> Plywood      | <b>Lumen Output</b>  | 2400lm              |
| <b>W</b>             | 3.6-5.3-8.1-12.4-19.2-28.5 | <b>Light Source</b>  | SMD LED             |
| <b>RPM</b>           | 80-107-131-156-185-215     | <b>Dimmable K</b>    | 2700 - 4350 - 6000K |
| <b>Airflow</b>       | 194.4 m3 min               | <b>CRI</b>           | >80                 |
| <b>V/Hz</b>          | 220V-240V/50-60Hz          | <b>Driver incl.</b>  | Yes                 |
| <b>Accessories</b> ☉ | 33974 DC Wall Control      | <b>Material Diff</b> | PMMA                |
| <b>Incl. downrod</b> | 152 mm                     |                      |                     |
| <b>Opt. downrod</b>  | Page 282                   |                      |                     |



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 274/10.79"       | 200/7.87"        |
| <b>B</b>         | <b>C</b>         |
| 80/3.15"         | 100/3.94"        |
| <b>D</b>         | <b>E</b>         |
| 60/2.4"          | 130/5.12"        |
| <b>F</b>         | <b>G</b>         |
| ø900/35.4"       | 430/16.93"       |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 152/5.98"        | 26/1.02"         |





# Barth L

|                    |   |                    |            |                      |                       |
|--------------------|---|--------------------|------------|----------------------|-----------------------|
| <b>Ø 132</b><br>CM | <b>&gt; 17.6-28 M2</b><br>190-300 SQ.FT | <b>DC</b><br>MOTOR | <b>DIM</b> | <b>SUMMER WINTER</b> | <b>INCLINING ROOF</b> |
|--------------------|---|--------------------|------------|----------------------|-----------------------|



**34260**  
Body Matt White  
Blades Matt White




**34261**  
Body Matt Black  
Blades Matt Black



**Color temperature adjustable**

|                      |  |                      |                     |
|----------------------|--|----------------------|---------------------|
| <b>Material</b>      | <b>Body</b> Steel<br><b>Blades</b> Plywood | <b>Power</b>         | 24W                 |
| <b>W</b>             | 4-6-9,5-14-25                              | <b>Lumen Output</b>  | 2400lm              |
| <b>RPM</b>           | 95-130-165-195-235                         | <b>Light Source</b>  | SMD LED             |
| <b>Airflow</b>       | 240 m3 min                                 | <b>Dimmable K</b>    | 2700 - 4350 - 6000K |
| <b>V/Hz</b>          | 220V-240V/50-60Hz                          | <b>CRI</b>           | >80                 |
| <b>Incl. downrod</b> | 152 mm                                     | <b>Driver incl.</b>  | Yes                 |
| <b>Opt. downrod</b>  | Page 282                                   | <b>Material Diff</b> | PP                  |



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 291/11.46"       | 220/8.66"        |
| <b>B</b>         | <b>C</b>         |
| 136/5.35"        |                  |
| <b>D</b>         | <b>E</b>         |
| 60/2.4"          | 150/5.91"        |
| <b>F</b>         | <b>G</b>         |
| Ø1320/52"        | 542/21.34"       |
| <b>Downrod L</b> | <b>Downrod Ø</b> |
| 152/5.98"        | 26/1.02"         |







# Milos L

|                    |                                   |                    |   |                      |                       |
|--------------------|-----------------------------------|--------------------|---|----------------------|-----------------------|
| <b>Ø 132</b><br>CM | <br>> 17,6-28 M2<br>190-300 SQ.FT | <b>DC</b><br>MOTOR | OPTION<br><b>SMART</b><br>100-240V<br>50-60Hz | <br>SUMMER<br>WINTER | <br>INCLINING<br>ROOF |
|--------------------|-----------------------------------|--------------------|---|----------------------|-----------------------|




**34100**  
**34100WP**  
**Body** Matt Black  
**Blades** Matt Black

**\*Smart Fan**




Small and aesthetic motor



Smart option

**Material**      **Body** Steel  
                   **Blades** Plywood  
**W**                4-6-10-16-28-34  
**RPM**           50-73-96-118-143-188  
**Airflow**        116.1 m3 min  
**V/Hz**            220V-240V/50-60Hz



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 270/10.63"       | 260/10.24"       |
| <b>B</b>         | <b>C</b>         |
| 120/4.72"        | 70/2.76"         |
| <b>D</b>         | <b>E</b>         |
| 60/2.4"          | 140/5.51"        |
| <b>F</b>         | <b>G</b>         |
| Ø1320/52"        | 600/23.62"       |
| <b>Downrod L</b> | <b>Downrod Ø</b> |
| 153/6.02"        | 21/0.83"         |

\*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-06 of the gear. The price of the gear is with PRO35 discount.







# Gotland L

|                    |                                   |                    |   |                      |                       |
|--------------------|-----------------------------------|--------------------|---|----------------------|-----------------------|
| <b>ø 132</b><br>CM | <br>> 17,6-28 M2<br>190-300 SQ.FT | <b>DC</b><br>MOTOR | OPTION<br><b>SMART</b><br>100-240V<br>50-60Hz | <br>SUMMER<br>WINTER | <br>INCLINING<br>ROOF |
|--------------------|-----------------------------------|--------------------|---|----------------------|-----------------------|




33446  
 33446WP  
 Body Matt White  
 Blades Matt White

**\*Smart Fan**



33447  
 33447WP  
 Body Black  
 Blades Walnut

**\*Smart Fan**



Smart option

**Material** Body Steel  
 Blades ABS

**W** 4-6-10-17-23-30


**RPM** 95-121-148-177-198-214

**Airflow** 218.9 m3 min

**V/Hz** 220V-240V/50-60Hz

**Accessories** ☉ 33974 DC Wall Control

**Opt. downrod** Page 282



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 250/9.84"        | 250/9.84"        |
| <b>B</b>         | <b>C</b>         |
| 130/5.12"        | 170/6.69"        |
| <b>D</b>         | <b>E</b>         |
| 55/2.2"          | 130/5.12"        |
| <b>F</b>         | <b>G</b>         |
| ø1320/52"        | 580/22.83"       |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 128/5.04"        | 21/0.83"         |

\*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-03 of the gear. The price of the gear is with PRO35 discount.






# Siros L

|                    |                                   |                    |   |                      |                       |
|--------------------|-----------------------------------|--------------------|---|----------------------|-----------------------|
| <b>ø 132</b><br>CM | <br>> 17,6-28 M2<br>190-300 SQ.FT | <b>DC</b><br>MOTOR | OPTION<br><b>SMART</b><br>100-240V<br>50-60Hz | <br>SUMMER<br>WINTER | <br>INCLINING<br>ROOF |
|--------------------|-----------------------------------|--------------------|---|----------------------|-----------------------|




**33804**  
**33804WP**  
**Body** Matt White  
**Blades** Matt White

**\*Smart Fan**




Programmable 1-3-6h



Smart option

**Material** Body Steel  
 Blades ABS  
**W** 6-9-15-22-29-37  
**RPM** 85-105-132-150-170-180  
**Airflow** 188 m3 min  
**V/Hz** 220V-240V/50-60Hz



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 250/9.84"        | 280/11.02"       |
| <b>B</b>         | <b>C</b>         |
| 80/3.15"         | 204/8.03"        |
| <b>D</b>         | <b>E</b>         |
| 60/2.4"          | 150/5.91"        |
| <b>F</b>         | <b>G</b>         |
| ø1320/52"        | 580/22.83"       |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 125/4.92"        | 21/0.83"         |

\*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-16 of the gear. The price of the gear is with PRO35 discount.







# Samos L

|                   |  |                    |   |   |
|-------------------|--|--------------------|---|---|
| <b>ø132</b><br>CM | <br>> 17,6-28 M2<br>190-300 SQ.FT | <b>DC</b><br>MOTOR | OPTION<br><b>SMART</b><br>100-240V<br>50-60Hz | <br>SUMMER<br>WINTER |
|-------------------|--|--------------------|---|---|



**33729**  
**33729WP**  
**Body Matt White**  
**Blades Matt White**

**\*Smart Fan**




Programmable 1-4-8h



Smart option

|                      |                         |
|----------------------|-------------------------|
| <b>Material</b>      | <b>Body</b> Steel       |
|                      | <b>Blades</b> ABS       |
| <b>W</b>             | 4-6-10-17-23-31         |
| <b>RPM</b>           | 104-130-160-196-214-236 |
| <b>Airflow</b>       | 116.14 m3 min           |
| <b>V/Hz</b>          | 220V-240V/50-60Hz       |
| <b>Accessories</b> ☉ | 33974 DC Wall Control   |
| <b>Incl. downrod</b> | 152-254 mm              |



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 355/13.98"       | 300/11.81"       |
| <b>B</b>         | <b>C</b>         |
| 170/6.69"        | 165/6.5"         |
| <b>D</b>         | <b>E</b>         |
| 70/2.8"          | 130/5.12"        |
| <b>F</b>         | <b>G</b>         |
| ø1320/52"        | 570/22.44"       |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 152-254/5.98"    | 21/0.83"         |

\*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-14 of the gear. The price of the gear is with PRO35 discount.





# Saona L

|                   |   |                    |            |  |                      |                       |
|-------------------|---|--------------------|------------|--|----------------------|-----------------------|
| <b>Ø132</b><br>CM | <b>&gt; 17,6-28 M2</b><br>190-300 SQ.FT | <b>DC</b><br>MOTOR | <b>DIM</b> | <b>OPTION SMART</b><br>100-240V<br>50-60Hz | <b>SUMMER WINTER</b> | <b>INCLINING ROOF</b> |
|-------------------|---|--------------------|------------|--|----------------------|-----------------------|




33803  
33803WP  
Body Matt White  
Blades Matt White


**\*Smart Fan**



Color temperature adjustable




Programmable 1-3-6h



Smart option

|                 |                        |                      |                     |
|-----------------|------------------------|----------------------|---------------------|
| <b>Material</b> | <b>Body</b> Steel      | <b>Power</b>         | 24W                 |
|                 | <b>Blades</b> ABS      | <b>Lumen Output</b>  | 2475lm              |
| <b>W</b>        | 6-8-13-18-25-38        | <b>Light Source</b>  | SMD LED             |
| <b>RPM</b>      | 80-100-120-140-160-180 | <b>Dimmable K</b>    | 3000 - 4000 - 6000K |
| <b>Airflow</b>  | 188 m3 min             | <b>CRI</b>           | >80                 |
| <b>V/Hz</b>     | 220V-240V/50-60Hz      | <b>Driver incl.</b>  | Yes                 |
|                 |                        | <b>Material Diff</b> | PC                  |



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 330/12.99"       | 250/9.84"        |
| <b>B</b>         | <b>C</b>         |
| 150/5.91"        | 330/12.99"       |
| <b>D</b>         | <b>E</b>         |
| 58/2.3"          | 150/5.91"        |
| <b>F</b>         | <b>G</b>         |
| Ø1320/52"        | 490/19.29"       |
| <b>Downrod L</b> | <b>Downrod Ø</b> |
| 125/4.92"        | 21/0.83"         |

\*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-15 of the gear. The price of the gear is with PRO35 discount.





# Poros L

|                   |   |                    |   |            |                                |                                 |
|-------------------|---|--------------------|---|------------|--------------------------------|---------------------------------|
| <b>ø132</b><br>CM | <b>&gt; 17,6-28 M2</b><br>190-300 SQ.FT | <b>DC</b><br>MOTOR | OPTION<br><b>SMART</b><br>100-240V<br>50-60Hz | <b>DIM</b> | <b>SUMMER</b><br><b>WINTER</b> | <b>INCLINING</b><br><b>ROOF</b> |
|-------------------|---|--------------------|---|------------|--------------------------------|---------------------------------|




33524  
33524WP  
Body Matt White  
Blades Pine


**\*Smart Fan**




Adjustable intensity




High airflow



Glass diffuser




Programmable 1-4-8h  
Memory function pag 38



Smart option

|                      |                         |                      |               |
|----------------------|-------------------------|----------------------|---------------|
| <b>Material</b>      | <b>Body</b> Steel       | <b>Power</b>         | 15W           |
|                      | <b>Blades</b> Wood      | <b>Lumen Output</b>  | 900lm         |
| <b>W</b>             | 7-9-12-15-20-26         | <b>Light Source</b>  | SMD LED 2700K |
| <b>RPM</b>           | 120-132-145-160-174-185 | <b>Dimmable W</b>    | 5-15w         |
| <b>Airflow</b>       | 240 m3 min              | <b>CRI</b>           | >80           |
| <b>V/Hz</b>          | 220V-240V/50-60Hz       | <b>Driver incl.</b>  | Yes           |
| <b>Accessories</b> ☉ | 33974 DC Wall Control   | <b>Material Diff</b> | Glass         |
| <b>Opt. downrod</b>  | Page 282                |                      |               |



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 370/14.57"       | 280/11.02"       |
| <b>B</b>         | <b>C</b>         |
| 160/6.3"         | 180/7.09"        |
| <b>D</b>         | <b>E</b>         |
| 70/2.8"          | 160/6.3"         |
| <b>F</b>         | <b>G</b>         |
| ø1320/52"        | 560/22.05"       |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 153/6.02"        | 21/0.83"         |

\*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34151-26 of the gear. The price of the gear is with PRO35 discount.





# Lantau L

|                    |                               |                    |  |                  |                   |
|--------------------|-------------------------------|--------------------|--|------------------|-------------------|
| <b>Ø 132</b><br>CM | > 17.6-28 M2<br>190-300 SQ.FT | <b>DC</b><br>MOTOR | <b>OPTION SMART</b><br>100-240V<br>50-60Hz | SUMMER<br>WINTER | INCLINING<br>ROOF |
|--------------------|-------------------------------|--------------------|--|------------------|-------------------|



**33370DC**  
**33370DCWP**  
Body Satin Nickel  
Blades Dark Walnut

**\*Smart Fan**



**33373DC**  
**33373DCWP**  
Body Satin Nickel  
Blades Pine

**\*Smart Fan**



**33516DC**  
**33516DCWP**  
Body Matt Black  
Blades Dark Walnut

**\*Smart Fan**




**33561DC**  
**33561DCWP**  
Body Matt White  
Blades Pine

**\*Smart Fan**



**33562DC**  
**33562DCWP**  
Body Brown  
Blades Pine


**\*Smart Fan**



Wood




Programmable 1-4-8h



Smart option

|                      |                        |
|----------------------|------------------------|
| <b>Material</b>      | <b>Body</b> Steel      |
|                      | <b>Blades</b> Wood     |
| <b>W</b>             | 5-8-12-17-27-35        |
| <b>RPM</b>           | 82-102-125-145-170-188 |
| <b>Airflow</b>       | 147.56 m3 min          |
| <b>V/Hz</b>          | 220V-240V/50Hz         |
| <b>Accessories</b> ☉ | 33974 DC Wall Control  |
| <b>Opt. downrod</b>  | Page 282               |



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 330/12.99"       | 320/12.6"        |
| <b>B</b>         | <b>C</b>         |
| 165/6.5"         | 160/6.3"         |
| <b>D</b>         | <b>E</b>         |
| 70/2.8"          | 160/6.3"         |
| <b>F</b>         | <b>G</b>         |
| Ø1320/52"        | 660/25.98"       |
| <b>Downrod L</b> | <b>Downrod Ø</b> |
| 153/6.02"        | 21/0.83"         |

\*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-35 of the gear. The price of the gear is with PRO35 discount.





# Lantau L

|                    |                                   |                    |   |                      |                       |
|--------------------|-----------------------------------|--------------------|---|----------------------|-----------------------|
| <b>Ø 132</b><br>CM | <br>> 17,6-28 M2<br>190-300 SQ.FT | <b>DC</b><br>MOTOR | OPTION<br><b>SMART</b><br>100-240V<br>50-60Hz | <br>SUMMER<br>WINTER | <br>INCLINING<br>ROOF |
|--------------------|-----------------------------------|--------------------|---|----------------------|-----------------------|




**33518DC**  
**33518DCWP**  
 Body Satin Nickel  
 Blades Dark Walnut

**\*Smart Fan**



**33560DC**  
**33560DCWP**  
 Body Satin Nickel  
 Blades Pine

**\*Smart Fan**




Glass diffuser



Wood




Programmable 1-4-8h



Smart option

|                      |                        |                      |               |
|----------------------|------------------------|----------------------|---------------|
| <b>Material</b>      | <b>Body</b> Steel      | <b>Power</b>         | 15W           |
|                      | <b>Blades</b> Wood     | <b>Lumen Output</b>  | 900lm         |
| <b>W</b>             | 5-8-12-17-27-35        | <b>Light Source</b>  | SMD LED 3000K |
| <b>RPM</b>           | 82-102-125-145-170-188 | <b>CRI</b>           | >80           |
| <b>Airflow</b>       | 147.56 m3 min          | <b>Driver incl.</b>  | Yes           |
| <b>V/Hz</b>          | 220V-240V/50Hz         | <b>Material Diff</b> | Glass         |
| <b>Accessories</b> ☉ | 33974 DC Wall Control  |                      |               |
| <b>Opt. downrod</b>  | Page 282               |                      |               |



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 390/15.35"       | 290/11.42"       |
| <b>B</b>         | <b>C</b>         |
| 140/5.51"        |                  |
| <b>D</b>         | <b>E</b>         |
| 70/2.8"          | 150/5.91"        |
| <b>F</b>         | <b>G</b>         |
| Ø1320/52"        | 660/25.98"       |
| <b>Downrod L</b> | <b>Downrod Ø</b> |
| 153/6.02"        | 21/0.83"         |

\*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-35 of the gear. The price of the gear is with PRO35 discount.





# Nuu L

Estudi Ribaudí

|                    |                                   |                    |   |                      |                       |
|--------------------|-----------------------------------|--------------------|---|----------------------|-----------------------|
| <b>ø 132</b><br>CM | <br>> 17,6-28 M2<br>190-300 SQ.FT | <b>DC</b><br>MOTOR | OPTION<br><b>SMART</b><br>100-240V<br>50-60Hz | <br>SUMMER<br>WINTER | <br>INCLINING<br>ROOF |
|--------------------|-----------------------------------|--------------------|---|----------------------|-----------------------|



33721  
 33721WP  
 Body Matt White  
 Blades Matt White

**\*Smart Fan**



Minimal design

Programmable 1-4-8h

Smart option


**Material** Body Steel  
 Blades ABS

**W** 5-8-11-14-21-35

**RPM** 106-126-147-165-186-212

**Airflow** 104.58 m3 min

**V/Hz** 220V-240V/50-60Hz



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 330/12.99"       | 290/11.42"       |
| <b>B</b>         | <b>C</b>         |
| 160/6.3"         | 110/4.33"        |
| <b>D</b>         | <b>E</b>         |
| 55/2.2"          | 130/5.12"        |
| <b>F</b>         | <b>G</b>         |
| ø1320/52"        | 600/23.62"       |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 152/5.98"        | 21/0.83"         |

\*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-13 of the gear. The price of the gear is with PRO35 discount.





# Nuu L

Estudi Ribaudí

|                    |                                   |                    |   |                      |                       |
|--------------------|-----------------------------------|--------------------|---|----------------------|-----------------------|
| <b>ø 132</b><br>CM | <br>> 17,6-28 M2<br>190-300 SQ.FT | <b>DC</b><br>MOTOR | OPTION<br><b>SMART</b><br>100-240V<br>50-60Hz | <br>SUMMER<br>WINTER | <br>INCLINING<br>ROOF |
|--------------------|-----------------------------------|--------------------|---|----------------------|-----------------------|



33722  
 33722WP  
 Body Matt White  
 Blades Matt White

**\*Smart Fan**




Minimal design

Programmable 1-4-8h

Smart option

|                 |                         |                      |               |
|-----------------|-------------------------|----------------------|---------------|
| <b>Material</b> | <b>Body</b> Steel       | <b>Power</b>         | 15W           |
|                 | <b>Blades</b> ABS       | <b>Lumen Output</b>  | 600lm         |
| <b>W</b>        | 5-8-11-14-21-35         | <b>Light Source</b>  | SMD LED 3000K |
| <b>RPM</b>      | 106-126-147-165-186-212 | <b>CRI</b>           | >80           |
| <b>Airflow</b>  | 104.58 m3 min           | <b>Driver incl.</b>  | Yes           |
| <b>V/Hz</b>     | 220V-240V/50-60Hz       | <b>Material Diff</b> | PC            |



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 330/12.99"       | 290/11.42"       |
| <b>B</b>         | <b>C</b>         |
| 110/4.33"        | 110/4.33"        |
| <b>D</b>         | <b>E</b>         |
| 55/2.2"          | 130/5.12"        |
| <b>F</b>         | <b>G</b>         |
| ø1320/52"        | 600/23.62"       |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 152/5.98"        | 21/0.83"         |

\*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-13 of the gear. The price of the gear is with PRO35 discount.





# Ice L

Estudi Ribaudí

**132**  
CM

> 17.6-28 M2  
190-300 SQ.FT

SUMMER  
WINTER

INCLINING  
ROOF




**33460**  
**Body** White  
**Blades** White + Maple



Reversible blades




Audio speaker



Aesthetic light kit

|                 |                   |                      |               |
|-----------------|-------------------|----------------------|---------------|
| <b>Material</b> | <b>Body</b> Steel | <b>Power</b>         | 15W           |
|                 | <b>Blades</b> MDF | <b>Lumen Output</b>  | 800lm         |
| <b>W</b>        | 13-25-55          | <b>Light Source</b>  | SMD LED 3000K |
| <b>RPM</b>      | 75-135-180        | <b>CRI</b>           | >80           |
| <b>Airflow</b>  | 157.52 m3 min     | <b>Driver incl.</b>  | Yes           |
| <b>V/Hz</b>     | 220V-240V/50Hz    | <b>Material Diff</b> | Glass         |



|                  |                                  |
|------------------|----------------------------------|
| <b>A</b>         | <b>A1</b>                        |
| 385/15.16"       | 270/10.63"                       |
| <b>B</b>         | <b>C</b>                         |
| 210/8.27"        | 230/9.06"                        |
| <b>D</b>         | <b>E</b>                         |
| 65/2.6"          | 150/5.91"                        |
| <b>F</b>         | <b>G</b>                         |
| 1320/52"         | 555/21.85"                       |
| <b>Downrod L</b> | <b>Downrod <math>\phi</math></b> |
| 153/6.02"        | 21/0.83"                         |





# Polea L

Conillas

|                    |                                   |                    |   |                      |                       |
|--------------------|-----------------------------------|--------------------|---|----------------------|-----------------------|
| <b>ø 132</b><br>CM | <br>> 17,6-28 M2<br>190-300 SQ.FT | <b>DC</b><br>MOTOR | OPTION<br><b>SMART</b><br>100-240V<br>50-60Hz | <br>SUMMER<br>WINTER | <br>INCLINING<br>ROOF |
|--------------------|-----------------------------------|--------------------|---|----------------------|-----------------------|



33724  
 33724WP  
 Body Brown  
 Blades Walnut + Black


**\*Smart Fan**



Reversible blades



Programmable 1-4-8h



Smart option

**Material** Body Steel  
 Blades Plywood


**W** 5-7-10-14-20-33

**RPM** 86-102-119-131-151-167

**Airflow** 111.3 m3 min

**V/Hz** 220V-240V/50-60Hz

**Opt. downrod** Page 282



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 372/14.65"       | 254/10"          |
| <b>B</b>         | <b>C</b>         |
| 118/4.65"        | 228/8.98"        |
| <b>D</b>         | <b>E</b>         |
| 56/2.2"          | 130/5.12"        |
| <b>F</b>         | <b>G</b>         |
| ø1322/52"        | 547/21.54"       |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 152/5.98"        | 21/0.83"         |

\*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-21 of the gear. The price of the gear is with PRO35 discount.






Luzon L NEW

|                   |  |                    |   |  |
|-------------------|--|--------------------|---|--|
| <b>ø132</b><br>CM | <br>> 17.6-28 M2<br>190-300 SQ.FT | <b>DC</b><br>MOTOR | OPTION<br><b>SMART</b><br>100-240V<br>50-60Hz | <br>INCLINING<br>ROOF |
|-------------------|--|--------------------|---|--|




**33750DC**  
**33750DCWP**  
 Body Matt White  
 Blades Matt White

\*Smart Fan




**Programmable 1-4-8h**  
 Memory function pag 38



**Smart option**

|                      |  |
|----------------------|--|
| <b>Material</b>      | <b>Body</b> Steel<br><b>Blades</b> ABS |
| <b>W</b>             | 7-9-11-13-17-23                        |
| <b>RPM</b>           | 90-105-115-125-135-152                 |
| <b>Airflow</b>       | 215.73 m3 min                          |
| <b>V/Hz</b>          | 220V-240V/50-60Hz                      |
| <b>Accessories</b> ☉ | 33974 DC Wall Control                  |
| <b>Incl. downrod</b> | 100-152 mm                             |
| <b>Opt. downrod</b>  | Page 282                               |



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 285/11.22"       | 235/9.25"        |
| <b>B</b>         | <b>C</b>         |
| 180/7.09"        |                  |
| <b>D</b>         | <b>E</b>         |
| 60/2.4"          | 140/5.51"        |
| <b>F</b>         | <b>G</b>         |
| ø1320/52"        | 590/23.23"       |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 100-152/3.94"    | 21/0.83"         |

\*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-38 of the gear. The price of the gear is with PRO35 discount.





# Sioux L

|                   |   |                    |  |                        |                                |                                 |
|-------------------|---|--------------------|--|------------------------|--------------------------------|---------------------------------|
| <b>ø132</b><br>CM | <b>&gt; 17,6-28 M2</b><br>190-300 SQ.FT | <b>DC</b><br>MOTOR | <b>OPTION SMART</b><br>100-240V<br>50-60Hz | <b>IP44</b><br>OUTDOOR | <b>SUMMER</b><br><b>WINTER</b> | <b>INCLINING</b><br><b>ROOF</b> |
|-------------------|---|--------------------|--|------------------------|--------------------------------|---------------------------------|



**33770**  
**33770WP**  
**Body White**  
**Blades White**


**\*Smart Fan**




**2 downrods included**  
**127 / 254mm**



**IP44 outdoor**



**Programmable 1-4-8h**



**Smart option**

**Material**     **Body** Steel  
                  **Blades** ABS


**W**                5-10-16-23-38

**RPM**           106-143-174-198-233

**Airflow**        164.32 m3 min

**V/Hz**            220V-240V/50-60Hz

**Incl. downrod** 127-245 mm



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 320/12.6"        | 260/10.24"       |
| <b>B</b>         | <b>C</b>         |
| 200/7.87"        | 220/8.66"        |
| <b>D</b>         | <b>E</b>         |
| 70/2.8"          | 170/6.69"        |
| <b>F</b>         | <b>G</b>         |
| ø1320/52"        | 590/23.23"       |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 127-245/5"       | 21/0.83"         |

\*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-22 of the gear. The price of the gear is with PRO35 discount.






# Polaris L

|                    |                               |                    |   |                  |                   |
|--------------------|-------------------------------|--------------------|---|------------------|-------------------|
| <b>ø 132</b><br>CM | > 17,6-28 M2<br>190-300 SQ.FT | <b>DC</b><br>MOTOR | OPTION<br><b>SMART</b><br>100-240V<br>50-60Hz | SUMMER<br>WINTER | INCLINING<br>ROOF |
|--------------------|-------------------------------|--------------------|---|------------------|-------------------|




33346  
 33346WP  
 Body White  
 Blades White

**\*Smart Fan**




Programmable 1-4-8h  
 Memory function pag 38



Smart option

|                      |                       |                      |               |
|----------------------|-----------------------|----------------------|---------------|
| <b>Material</b>      | <b>Body</b> Steel     | <b>Power</b>         | 18W           |
|                      | <b>Blades</b> ABS     | <b>Lumen Output</b>  | 1500lm        |
| <b>W</b>             | 4-6-9-15-19-30        | <b>Light Source</b>  | SMD LED 3000K |
| <b>RPM</b>           | 53-80-100-120-130-150 | <b>CRI</b>           | >80           |
| <b>Airflow</b>       | 163 m3 min            | <b>Driver incl.</b>  | Yes           |
| <b>V/Hz</b>          | 220V-240V/50-60Hz     | <b>Material Diff</b> | PC            |
| <b>Accessories</b> ☉ | 33974 DC Wall Control |                      |               |



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 350/13.78"       | 275/10.83"       |
| <b>B</b>         | <b>C</b>         |
| 180/7.09"        | 170/6.69"        |
| <b>D</b>         | <b>E</b>         |
| 50/2"            | 130/5.12"        |
| <b>F</b>         | <b>G</b>         |
| ø1320/52"        | 555/21.85"       |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 153/6.02"        | 21/0.83"         |

\*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-07 of the gear. The price of the gear is with PRO35 discount.






# Palk L

|                   |  |                    |   |  |
|-------------------|--|--------------------|---|--|
| <b>ø132</b><br>CM | <br>> 17.6-28 M2<br>190-300 SQ.FT | <b>DC</b><br>MOTOR | <br>SUMMER<br>WINTER | <br>INCLINING<br>ROOF |
|-------------------|--|--------------------|---|--|



**33470**  
**Body** Satin Nickel  
**Blades** Maple

|                     |                       |                      |               |
|---------------------|-----------------------|----------------------|---------------|
| <b>Material</b>     | <b>Body</b> Steel     | <b>Light Source</b>  | 2 E14 max. 8W |
|                     | <b>Blades</b> Plywood | <b>Bulb incl.</b>    | No            |
| <b>W</b>            | 3-5-8-13-21-32        | <b>Recom. Bulb</b>   | 17461         |
| <b>RPM</b>          | 50-77-104-131-158-185 | <b>Material Diff</b> | Glass         |
| <b>Airflow</b>      | 198.22 m3 min         |                      |               |
| <b>V/Hz</b>         | 220V-240V/50-60Hz     |                      |               |
| <b>Opt. downrod</b> | Page 282              |                      |               |





|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 390/15.35"       | 325/12.8"        |
| <b>B</b>         | <b>C</b>         |
| 140/5.51"        | 150/5.91"        |
| <b>D</b>         | <b>E</b>         |
| 60/2.4"          | 130/5.12"        |
| <b>F</b>         | <b>G</b>         |
| ø1320/52"        | 570/22.44"       |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 152/5.98"        | 21/0.83"         |






# Pemba L

|                            |  |                            |  |
|----------------------------|--|----------------------------|--|
| <p><b>ø 132</b><br/>CM</p> | <p><br/>&gt; 17,6-28 M2<br/>190-300 SQ.FT</p> | <p><b>DC</b><br/>MOTOR</p> | <p><br/>SUMMER<br/>WINTER</p> |
|----------------------------|--|----------------------------|--|



**33471N**  
**Body Shiny White**  
**Blades Shiny White**



Suitable for low ceilings



Direct to the ceiling


**Material**      **Body** Steel+ABS  
                      **Blades** ABS

**W**                3-5-9-14-21-32

**RPM**           50-76-102-127-157-180

**Airflow**        191.14 m3 min

**V/Hz**            220V-240V/50-60Hz





|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 215/8.46"        |                  |
| <b>B</b>         | <b>C</b>         |
| 250/9.84"        | 180/7.09"        |
| <b>D</b>         | <b>E</b>         |
|                  | 170/6.69"        |
| <b>F</b>         | <b>G</b>         |
| ø1320/52"        | 570/22.44"       |
| <b>Downrod L</b> | <b>Downrod ø</b> |






# Pemba L

|  |  |                            |  |
|--|--|----------------------------|--|
|  <p><b>132</b><br/>CM</p> |  <p>&gt; 17,6-28 M2<br/>190-300 SQ.FT</p> | <p><b>DC</b><br/>MOTOR</p> |  <p>SUMMER<br/>WINTER</p> |
|--|--|----------------------------|--|



**33471N-3**  
**Body Shiny White**  
**Blades Shiny White**




Suitable for low ceilings



Direct to the ceiling

|                 |  |                      |               |
|-----------------|--|----------------------|---------------|
| <b>Material</b> | <b>Body</b> Steel+ABS<br><b>Blades</b> ABS | <b>Power</b>         | 15W           |
| <b>W</b>        | 3-5-9-14-21-32                             | <b>Lumen Output</b>  | 800lm         |
| <b>RPM</b>      | 50-76-102-127-157-180                      | <b>Light Source</b>  | SMD LED 3000K |
| <b>Airflow</b>  | 191.14 m3 min                              | <b>CRI</b>           | >95           |
| <b>V/Hz</b>     | 220V-240V/50-60Hz                          | <b>Driver incl.</b>  | Yes           |
|                 |  | <b>Material Diff</b> | PC            |




|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 215.25/8.47"     | 190/7.48"        |
| <b>B</b>         | <b>C</b>         |
| 190/7.48"        | 180/7.09"        |
| <b>D</b>         | <b>E</b>         |
|                  | 170/6.69"        |
| <b>F</b>         | <b>G</b>         |
| ø1320/52"        | 570/22.44"       |
| <b>Downrod L</b> | <b>Downrod ø</b> |





# Nias L

|                            |  |                            |  |
|----------------------------|--|----------------------------|--|
| <p>∅ <b>132</b><br/>CM</p> | <p><br/>&gt; 17,6-28 M2<br/>190-300 SQ.FT</p> | <p><b>DC</b><br/>MOTOR</p> | <p><br/>SUMMER<br/>WINTER</p> |
|----------------------------|--|----------------------------|--|



**33472N**  
**Body** Satin Nickel  
**Blades** Dark Walnut


**Material**      **Body** Steel  
                     **Blades** Plywood

**W**                2-7-9-14-21-32

**RPM**           50-82-114-146-178-210

**Airflow**        195.39 m3 min

**V/Hz**            220V-240V/50-60Hz



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 190/7.48"        |                  |
| <b>B</b>         | <b>C</b>         |
| 155/6.1"         | 140/5.51"        |
| <b>D</b>         | <b>E</b>         |
|                  | 170/6.69"        |
| <b>F</b>         | <b>G</b>         |
| ∅1320/52"        | 630/24.8"        |
| <b>Downrod L</b> | <b>Downrod ∅</b> |






# Nias L

|                    |  |                    |   |
|--------------------|--|--------------------|---|
| <b>ø 132</b><br>CM | <br>> 17,6-28 M2<br>190-300 SQ.FT | <b>DC</b><br>MOTOR | <br>SUMMER<br>WINTER |
|--------------------|--|--------------------|---|



**33472N-6**  
**Body** Satin Nickel  
**Blades** Dark Walnut

|                 |                       |                      |               |
|-----------------|-----------------------|----------------------|---------------|
| <b>Material</b> | <b>Body</b> Steel     | <b>Power</b>         | 15W           |
|                 | <b>Blades</b> Plywood | <b>Lumen Output</b>  | 800lm         |
| <b>W</b>        | 2-7-9-14-21-32        | <b>Light Source</b>  | SMD LED 3000K |
| <b>RPM</b>      | 50-82-114-146-178-210 | <b>CRI</b>           | >=90          |
| <b>Airflow</b>  | 195.39 m3 min         | <b>Driver incl.</b>  | Yes           |
| <b>V/Hz</b>     | 220V-240V/50-60Hz     | <b>Material Diff</b> | PC            |



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 190.45/7.5"      | 155/6.1"         |
| <b>B</b>         | <b>C</b>         |
| 155/6.1"         | 140/5.51"        |
| <b>D</b>         | <b>E</b>         |
| <b>F</b>         | <b>G</b>         |
| ø1320/52"        | 630/24.8"        |
| <b>Downrod L</b> | <b>Downrod ø</b> |





# Icaria L

**ø 132**  
CM

**> 17,6-28 M2**  
190-300 SQ.FT

**SUMMER**  
**WINTER**

**INCLINING**  
**ROOF**



**33701**  
**Body** Satin Nickel  
**Blades** Grey + Maple




**33702**  
**Body** Brown  
**Blades** Bleached Oak + Mahogany



**Reversible blades**

|                      |   |                      |                |
|----------------------|---|----------------------|----------------|
| <b>Material</b>      | <b>Body</b> Steel   | <b>Light Source</b>  | 2 E27 max. 15W |
|                      | <b>Blades</b> MDF   | <b>Bulb incl.</b>    | No             |
| <b>W</b>             | 15-30-56  | <b>Recom. Bulb</b>   | 17463          |
| <b>RPM</b>           | 100-150-205   | <b>Material Diff</b> | Glass          |
| <b>Airflow</b>       | 155.62 m3 min   |                      |                |
| <b>V/Hz</b>          | 220V-240V/50Hz  |                      |                |
| <b>Accessories</b> ☉ | 33928 Wall Control 3 speeds<br>33929 Remote Control/dimer-on-off<br>33937 Remote Control/Programmer |                      |                |



|            |            |
|------------|------------|
| <b>A</b>   | <b>A1</b>  |
| 415/16.34" | 330/12.99" |
| <b>B</b>   | <b>C</b>   |
| 280/11.02" | 270/10.63" |
| <b>D</b>   | <b>E</b>   |
| 50/2"      | 150/5.91"  |
| <b>F</b>   | <b>G</b>   |
| ø1320/52"  | 520/20.47" |

**Opt. downrod** Page 282






# Mallorca L NEW

|                   |                                   |                    |                      |                       |
|-------------------|-----------------------------------|--------------------|----------------------|-----------------------|
| <b>ø132</b><br>CM | <br>> 17.6-28 M2<br>190-300 SQ.FT | <b>DC</b><br>MOTOR | <br>SUMMER<br>WINTER | <br>INCLINING<br>ROOF |
|-------------------|-----------------------------------|--------------------|----------------------|-----------------------|




33350DC  
33350DCWP  
Body Matt White  
Blades Matt White + Maple


**\*Smart Fan**



Reversible blades



Programmable 1-4-8h  
Memory function pag 38



Smart option

**Material** Body Steel  
Blades Plywood

**W** 7.31-9.71-13.16-17.76-26.79-40


**RPM** 78-100-127-139-158-197

**Airflow** 155 m3 min

**V/Hz** 220V-240V/50-60Hz

**Accessories** ☉ 33974 DC Wall Control

**Opt. downrod** Page 282



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 310/12.2"        | 246/9.69"        |
| <b>B</b>         | <b>C</b>         |
| 80/3.15"         | 248/9.76"        |
| <b>D</b>         | <b>E</b>         |
| 60/2.4"          | 150/5.91"        |
| <b>F</b>         | <b>G</b>         |
| ø1320/52"        | 540/21.26"       |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 152/5.98"        | 26/1.02"         |

\*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-31 of the gear. The price of the gear is with PRO35 discount.







# Cuba L

|                   |                                   |                      |                       |                             |
|-------------------|-----------------------------------|----------------------|-----------------------|-----------------------------|
| <b>ø132</b><br>CM | <br>> 17.6-28 M2<br>190-300 SQ.FT | <br>SUMMER<br>WINTER | <br>INCLINING<br>ROOF | <br>CONTROLLED<br>BY CHAINS |
|-------------------|-----------------------------------|----------------------|-----------------------|-----------------------------|



**33352**  
**Body** Dark Brown  
**Blades** Dark Brown



**33352B**  
**Body** Old Gold  
**Blades** Brown

**Material** **Body** Steel  
**Blades** ABS

**W** 20-34-65


**RPM** 73-99-145

**Airflow** 127.45 m3 min

**V/Hz** 220V-240V/50Hz

**Accessories** ☉ 33928 Wall Control 3 speeds  
 33929 Remote Control/dimer-on-off  
 33937 Remote Control/Programmer

**Opt. downrod** Page 282



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 510/20.08"       | 450/17.72"       |
| <b>B</b>         | <b>C</b>         |
| 350/13.78"       | 370/14.57"       |
| <b>D</b>         | <b>E</b>         |
| 60/2.4"          | 130/5.12"        |
| <b>F</b>         | <b>G</b>         |
| ø1320/52"        | 600/23.62"       |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 152/5.98"        | 21/0.83"         |








# Izaro L

|                    |                           |                    |  |                  |                   |
|--------------------|---------------------------|--------------------|--|------------------|-------------------|
| <b>ø 130</b><br>CM | 13-17 M2<br>140-190 SQ.FT | <b>DC</b><br>MOTOR | <b>OPTION SMART</b><br>100-240V<br>50-60Hz | SUMMER<br>WINTER | INCLINING<br>ROOF |
|--------------------|---------------------------|--------------------|--|------------------|-------------------|



33514  
33514WP  
Body Shiny White  
Blades White + Maple


**\*Smart Fan**



Reversible blades



Glass diffuser




Smart option



Programmable from 1-4-8h

|                 |                       |                      |               |
|-----------------|-----------------------|----------------------|---------------|
| <b>Material</b> | <b>Body</b> Steel     | <b>Power</b>         | 15W           |
|                 | <b>Blades</b> Plywood | <b>Lumen Output</b>  | 850lm         |
| <b>W</b>        | 5-10-16-25-37         | <b>Light Source</b>  | SMD LED 2700K |
| <b>RPM</b>      | 100-142-165-192-226   | <b>CRI</b>           | >80           |
| <b>Airflow</b>  | 190.12 m3 min         | <b>Driver incl.</b>  | Yes           |
| <b>V/Hz</b>     | 220V-240V/50-60Hz     | <b>Material Diff</b> | Glass         |



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 420/16.54"       | 270/10.63"       |
| <b>B</b>         | <b>C</b>         |
| 260/10.24"       | 230/9.06"        |
| <b>D</b>         | <b>E</b>         |
| 70/2.8"          | 150/5.91"        |
| <b>F</b>         | <b>G</b>         |
| ø1300/51.2"      | 540/21.26"       |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 150/5.91"        | 21/0.83"         |

\*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34151-30 of the gear. The price of the gear is with PRO35 discount.





# Punt M

Faro Lab

|                    |                                   |                    |   |                      |                       |
|--------------------|-----------------------------------|--------------------|---|----------------------|-----------------------|
| <b>ø 130</b><br>CM | <br>> 17,6-28 M2<br>190-300 SQ.FT | <b>DC</b><br>MOTOR | OPTION<br><b>SMART</b><br>100-240V<br>50-60Hz | <br>SUMMER<br>WINTER | <br>INCLINING<br>ROOF |
|--------------------|-----------------------------------|--------------------|---|----------------------|-----------------------|



33814  
 33814WP  
 Body White  
 Blades Matt White

**\*Smart Fan**



33815  
 33815WP  
 Body Black  
 Blades Matt Black

**\*Smart Fan**




33816  
 33816WP  
 Body White  
 Blades Maple

**\*Smart Fan**




33817  
 33817WP  
 Body Black  
 Blades Walnut

**\*Smart Fan**



Smart option

|                     |                          |
|---------------------|--------------------------|
| <b>Material</b>     | <b>Body</b> Steel        |
|                     | <b>Blades</b> ABS        |
| <b>W</b>            | 5.3-7.1-9.8-13.3-19.8-28 |
| <b>RPM</b>          | 90-115-135-158-185-210   |
| <b>Airflow</b>      | 177 m3 min               |
| <b>V/Hz</b>         | 220V-240V/50-60Hz        |
| <b>Opt. downrod</b> | Page 282                 |



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 254/10"          | 275/10.83"       |
| <b>B</b>         | <b>C</b>         |
| 66/2.6"          | 150/5.91"        |
| <b>D</b>         | <b>E</b>         |
| 59/2.3"          | 132/5.2"         |
| <b>F</b>         | <b>G</b>         |
| ø1300/51.2"      | 578/22.76"       |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 100/3.94"        | 26/1.02"         |

\*Order your Smart Fan with the reference of the fan finished in WP and request the reference of the gear. The price of the gear is with PRO35 discount.





# Punt M

Faro Lab

|                   |   |                    |  |            |                      |                       |
|-------------------|---|--------------------|--|------------|----------------------|-----------------------|
| <b>ø130</b><br>CM | <b>&gt; 17,6-28 M2</b><br>190-300 SQ.FT | <b>DC</b><br>MOTOR | <b>OPTION SMART</b><br>100-240V<br>50-60Hz | <b>DIM</b> | <b>SUMMER WINTER</b> | <b>INCLINING ROOF</b> |
|-------------------|---|--------------------|--|------------|----------------------|-----------------------|



**33814-20**  
**33814WP-20**  
Body White  
Blades Matt White

**\*Smart Fan**



**33815-21**  
**33815WP-21**  
Body Black  
Blades Matt Black

**\*Smart Fan**



**33816-20**  
**33816WP-20**  
Body White  
Blades Maple

**\*Smart Fan**



**33817-21**  
**33817WP-21**  
Body Black  
Blades Walnut


**\*Smart Fan**



Glass diffuser




Color temperature adjustable



Smart option

|                     |                          |                      |                     |
|---------------------|--------------------------|----------------------|---------------------|
| <b>Material</b>     | <b>Body</b> Steel        | <b>Power</b>         | 18W                 |
|                     | <b>Blades</b> ABS        | <b>Lumen Output</b>  | 1300lm              |
| <b>W</b>            | 5.3-7.1-9.8-13.3-19.8-28 | <b>Light Source</b>  | SMD LED             |
| <b>RPM</b>          | 90-115-135-158-185-210   | <b>Dimmable K</b>    | 3000 - 4200 - 6500K |
| <b>Airflow</b>      | 177 m3 min               | <b>CRI</b>           | >80                 |
| <b>V/Hz</b>         | 220V-240V/50-60Hz        | <b>Driver incl.</b>  | Yes                 |
| <b>Opt. downrod</b> | Page 282                 | <b>Material Diff</b> | Glass               |



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 277/10.91"       | 275/10.83"       |
| <b>B</b>         | <b>C</b>         |
| 66/2.6"          | 150/5.91"        |
| <b>D</b>         | <b>E</b>         |
| 59/2.3"          | 132/5.2"         |
| <b>F</b>         | <b>G</b>         |
| ø1300/51.2"      | 578/22.76"       |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 100/3.94"        | 26/1.02"         |

\*Order your Smart Fan with the reference of the fan finished in WP and request the reference of the gear. The price of the gear is with PRO35 discount.





# Punt Tub M

Faro Lab



|                    |                                   |                    |   |                      |                       |
|--------------------|-----------------------------------|--------------------|---|----------------------|-----------------------|
| <b>ø 130</b><br>CM | <br>> 17,6-28 M2<br>190-300 SQ.FT | <b>DC</b><br>MOTOR | OPTION<br><b>SMART</b><br>100-240V<br>50-60Hz | <br>SUMMER<br>WINTER | <br>INCLINING<br>ROOF |
|--------------------|-----------------------------------|--------------------|---|----------------------|-----------------------|



**33828 NEW**  
**33828WP NEW**  
 Body Matt White  
 Blades Matt White

**\*Smart Fan**



**33829 NEW**  
**33829WP NEW**  
 Body Matt White  
 Blades Maple

**\*Smart Fan**



**33830 NEW**  
**33830WP NEW**  
 Body Matt Black  
 Blades Matt Black

**\*Smart Fan**




**33831 NEW**  
**33831WP NEW**  
 Body Matt Black  
 Blades Walnut


**\*Smart Fan**



Suitable for low ceilings




Programmable 1-4-8h  
 Memory function pag 38



Smart option

|                      |  |
|----------------------|--|
| <b>Material</b>      | <b>Body</b> Steel<br><b>Blades</b> ABS |
| <b>W</b>             | 5.3-7.1-9.8-13.3-19.8-28               |
| <b>RPM</b>           | 90-115-135-158-185-210                 |
| <b>Airflow</b>       | 177 m3 min                             |
| <b>V/Hz</b>          | 220V-240V/50-60Hz                      |
| <b>Accessories</b> ☉ | 33974 DC Wall Control                  |



|             |           |
|-------------|-----------|
| <b>A</b>    | <b>A1</b> |
| 207/8.15"   | 145/5.71" |
| <b>B</b>    | <b>C</b>  |
| 145/5.71"   | 156/6.14" |
| <b>D</b>    | <b>E</b>  |
| 145/5.7"    | 120/4.72" |
| <b>F</b>    | <b>G</b>  |
| ø1300/51.2" | 640/25.2" |

\*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34151-10 of the gear. The price of the gear is with PRO35 discount.





# Punt Tub M

Faro Lab



|                   |   |                    |            |  |                      |                       |
|-------------------|---|--------------------|------------|--|----------------------|-----------------------|
| <b>ø130</b><br>CM | <b>&gt; 17,6-28 M2</b><br>190-300 SQ.FT | <b>DC</b><br>MOTOR | <b>DIM</b> | <b>OPTION SMART</b><br>100-240V<br>50-60Hz | <b>SUMMER WINTER</b> | <b>INCLINING ROOF</b> |
|-------------------|---|--------------------|------------|--|----------------------|-----------------------|



**33828-1TW NEW**  
**33828WP-1TW NEW**  
Body Matt White  
Blades Matt White

**\*Smart Fan**



**33829-1TW NEW**  
**33829WP-1TW NEW**  
Body Matt White  
Blades Maple

**\*Smart Fan**




**33830-1TW NEW**  
**33830WP-1TW NEW**  
Body Matt Black  
Blades Matt Black

**\*Smart Fan**



**33831-1TW NEW**  
**33831WP-1TW NEW**  
Body Matt Black  
Blades Walnut


**\*Smart Fan**




Suitable for low ceilings



Color temperature adjustable




Programmable 1-4-8h  
Memory function pag 38



Smart option

|                      |                          |                      |                     |
|----------------------|--------------------------|----------------------|---------------------|
| <b>Material</b>      | <b>Body</b> Steel        | <b>Power</b>         | 18W                 |
|                      | <b>Blades</b> ABS        | <b>Lumen Output</b>  | 1300lm              |
| <b>W</b>             | 5.3-7.1-9.8-13.3-19.8-28 | <b>Light Source</b>  | SMD LED             |
| <b>RPM</b>           | 90-115-135-158-185-210   | <b>Dimmable K</b>    | 3000 - 4200 - 6500K |
| <b>Airflow</b>       | 177 m3 min               | <b>CRI</b>           | >80                 |
| <b>V/Hz</b>          | 220V-240V/50-60Hz        | <b>Driver incl.</b>  | Yes                 |
| <b>Accessories</b> ☉ | 33974 DC Wall Control    | <b>Material Diff</b> | Glass               |



|             |           |
|-------------|-----------|
| <b>A</b>    | <b>A1</b> |
| 230/9.06"   | 145/5.71" |
| <b>B</b>    | <b>C</b>  |
| 145/5.71"   | 156/6.14" |
| <b>D</b>    | <b>E</b>  |
| 145/5.7"    | 120/4.72" |
| <b>F</b>    | <b>G</b>  |
| ø1300/51.2" | 640/25.2" |

\*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34151-10 of the gear. The price of the gear is with PRO35 discount.





# Typhoon M

Jordi Busquets

|                   |                           |                    |  |                        |                                |                                 |
|-------------------|---------------------------|--------------------|--|------------------------|--------------------------------|---------------------------------|
| <b>ø130</b><br>CM | 13-17 M2<br>140-190 SQ.FT | <b>DC</b><br>MOTOR | <b>OPTION SMART</b><br>100-240V<br>50-60Hz | <b>IP44</b><br>OUTDOOR | <b>SUMMER</b><br><b>WINTER</b> | <b>INCLINING</b><br><b>ROOF</b> |
|-------------------|---------------------------|--------------------|--|------------------------|--------------------------------|---------------------------------|



**33480**  
**33480WP**  
Body Matt White  
Blades Matt White

**\*Smart Fan**



**33489**  
**33489WP**  
Body Grey  
Blades Grey

**\*Smart Fan**



**33490**  
**33490WP**  
Body Dark Brown  
Blades Dark Brown

**\*Smart Fan**



**34105 NEW**  
**34105WP NEW**  
Body Matt White  
Blades Maple

**\*Smart Fan**



**34106 NEW**  
**34106WP NEW**  
Body Brown  
Blades Maple

**\*Smart Fan**



Wooden finish




IP44 outdoor



Smart option

|                     |  |
|---------------------|--|
| <b>Material</b>     | <b>Body</b> Steel<br><b>Blades</b> ABS |
| <b>W</b>            | 3-5-8-12-21-31                         |
| <b>RPM</b>          | 50-71-93-115-138-162                   |
| <b>Airflow</b>      | 183.09 m3 min                          |
| <b>V/Hz</b>         | 220V-240V/50-60Hz                      |
| <b>Opt. downrod</b> | Page 282                               |



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 390/15.35"       | 370/14.57"       |
| <b>B</b>         | <b>C</b>         |
| 200/7.87"        | 200/7.87"        |
| <b>D</b>         | <b>E</b>         |
| 55/2.2"          | 130/5.12"        |
| <b>F</b>         | <b>G</b>         |
| ø1300/51.2"      | 530/20.87"       |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 153/6.02"        | 21/0.83"         |

\*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-18 of the gear. The price of the gear is with PRO35 discount.





# Typhoon M

Jordi Busquets

|                   |                           |                    |  |                        |                                |                                 |
|-------------------|---------------------------|--------------------|--|------------------------|--------------------------------|---------------------------------|
| <b>ø130</b><br>CM | 13-17 M2<br>140-190 SQ.FT | <b>DC</b><br>MOTOR | <b>OPTION SMART</b><br>100-240V<br>50-60Hz | <b>IP44</b><br>OUTDOOR | <b>SUMMER</b><br><b>WINTER</b> | <b>INCLINING</b><br><b>ROOF</b> |
|-------------------|---------------------------|--------------------|--|------------------------|--------------------------------|---------------------------------|



**33480-14**  
**33480WP-14**  
Body Matt White  
Blades Matt White

**\*Smart Fan**



**33489-15**  
**33489WP-15**  
Body Grey  
Blades Grey

**\*Smart Fan**



**33490-16**  
**33490WP-16**  
Body Dark Brown  
Blades Dark Brown

**\*Smart Fan**



**34105-130 NEW**  
**34105WP-130 NEW**  
Body Matt White  
Blades Maple

**\*Smart Fan**



**34106-130 NEW**  
**34106WP-130 NEW**  
Body Brown  
Blades Maple


**\*Smart Fan**



Wooden finish




IP44 outdoor



Smart option

|                     |                      |                      |               |
|---------------------|----------------------|----------------------|---------------|
| <b>Material</b>     | <b>Body</b> Steel    | <b>Power</b>         | 19W           |
|                     | <b>Blades</b> ABS    | <b>Lumen Output</b>  | 900lm         |
| <b>W</b>            | 3-5-8-12-21-31       | <b>Light Source</b>  | SMD LED 3000K |
| <b>RPM</b>          | 50-71-93-115-138-162 | <b>CRI</b>           | >80           |
| <b>Airflow</b>      | 183.09 m3 min        | <b>Driver incl.</b>  | Yes           |
| <b>V/Hz</b>         | 220V-240V/50-60Hz    | <b>Material Diff</b> | ABS           |
| <b>Opt. downrod</b> | Page 282             |                      |               |



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 390/15.35"       | 355/13.98"       |
| <b>B</b>         | <b>C</b>         |
| 210/8.27"        | 200/7.87"        |
| <b>D</b>         | <b>E</b>         |
| 55/2.2"          | 130/5.12"        |
| <b>F</b>         | <b>G</b>         |
| ø1270/50"        | 530/20.87"       |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 153/6.02"        | 21/0.83"         |

\*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-18 of the gear. The price of the gear is with PRO35 discount.





Palma M  
Faro Lab



|                  |                           |                    |   |                 |                  |                   |
|------------------|---------------------------|--------------------|---|-----------------|------------------|-------------------|
| <b>129</b><br>CM | 13-17 M2<br>140-190 SQ.FT | <b>DC</b><br>MOTOR | OPTION<br><b>SMART</b><br>100-240V<br>50-60Hz | IP44<br>OUTDOOR | SUMMER<br>WINTER | INCLINING<br>ROOF |
|------------------|---------------------------|--------------------|---|-----------------|------------------|-------------------|



34301  
34301WP  
Body Dark Brown  
Blades Dark Brown


**\*Smart Fan**




Textured blade



IP44 outdoor anti-corrosive




Programmable 1-4-8h  
Memory function pag 38



Smart option

|                      |  |
|----------------------|--|
| <b>Material</b>      | <b>Body</b> Steel<br><b>Blades</b> ABS |
| <b>W</b>             | 4.3-6.5-10.4-16.8-24.2-33.4            |
| <b>RPM</b>           | 61-82-106-123-146-165                  |
| <b>Airflow</b>       | 166 m3 min                             |
| <b>V/Hz</b>          | 220V-240V/50-60Hz                      |
| <b>Accessories</b> ☉ | 33974 DC Wall Control                  |
| <b>Incl. downrod</b> | 100 mm                                 |
| <b>Opt. downrod</b>  | Page 282                               |



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 280/11.02"       | 173/6.81"        |
| <b>B</b>         | <b>C</b>         |
| 83/3.27"         | 128/5.04"        |
| <b>D</b>         | <b>E</b>         |
| 60/2.4"          | 130/5.12"        |
| <b>F</b>         | <b>G</b>         |
| ø1290/50.8"      | 625/24.61"       |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 100/3.94"        | 26/1.02"         |

\*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-30 of the gear. The price of the gear is with PRO35 discount.





Palma M  
Faro Lab



|                    |                                   |                     |   |                         |                          |                           |
|--------------------|-----------------------------------|---------------------|---|-------------------------|--------------------------|---------------------------|
| <p>ø129<br/>CM</p> | <p>13-17 M2<br/>140-190 SQ.FT</p> | <p>DC<br/>MOTOR</p> | <p>OPTION<br/><b>SMART</b><br/>100-240V<br/>50-60Hz</p> | <p>IP44<br/>OUTDOOR</p> | <p>SUMMER<br/>WINTER</p> | <p>INCLINING<br/>ROOF</p> |
|--------------------|-----------------------------------|---------------------|---|-------------------------|--------------------------|---------------------------|



34301-11L  
34301WP-11L  
Body Dark Brown  
Blades Dark Brown


**\*Smart Fan**




Textured blade



IP44 outdoor anti-corrosive




Programmable 1-4-8h  
Memory function pag 38



Smart option

|                      |                       |                      |            |
|----------------------|-----------------------|----------------------|------------|
| <b>Material</b>      | <b>Body</b> Steel     | <b>Light Source</b>  | 1 E27 max. |
|                      | <b>Blades</b> ABS     | <b>Bulb incl.</b>    | No         |
| <b>Airflow</b>       | 166 m3 min            | <b>Recom. Bulb</b>   | 17463      |
| <b>V/Hz</b>          | 220V-240V/50-60Hz     | <b>Material Diff</b> | Glass      |
| <b>Accessories</b> ☉ | 33974 DC Wall Control |                      |            |
| <b>Incl. downrod</b> | 100 mm                |                      |            |
| <b>Opt. downrod</b>  | Page 282              |                      |            |



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 412/16.22"       | 173/6.81"        |
| <b>B</b>         | <b>C</b>         |
| 83/3.27"         | 128/5.04"        |
| <b>D</b>         | <b>E</b>         |
| 60/2.4"          | 130/5.12"        |
| <b>F</b>         | <b>G</b>         |
| ø1290/50.8"      | 625/24.61"       |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 100/3.94"        | 26/1.02"         |

\*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-30 of the gear. The price of the gear is with PRO35 discount.





# Cooper M

|                    |                           |                    |   |                  |                   |
|--------------------|---------------------------|--------------------|---|------------------|-------------------|
| <b>ø 128</b><br>CM | 13-17 M2<br>140-190 SQ.FT | <b>DC</b><br>MOTOR | OPTION<br><b>SMART</b><br>100-240V<br>50-60Hz | SUMMER<br>WINTER | INCLINING<br>ROOF |
|--------------------|---------------------------|--------------------|---|------------------|-------------------|




33451  
 33451WP  
 Body Matt Black  
 Blades Walnut


**\*Smart Fan**



Aesthetic motor




Smart option



3 downrods included  
 100 / 200 / 460mm

|                      |                       |
|----------------------|-----------------------|
| <b>Material</b>      | <b>Body</b> Steel     |
|                      | <b>Blades</b> PC      |
| <b>W</b>             | 4-6-9-13-22-32        |
| <b>RPM</b>           | 51-77-103-129-155-185 |
| <b>Airflow</b>       | 145.66 m3 min         |
| <b>V/Hz</b>          | 220V-240V/50-60Hz     |
| <b>Incl. downrod</b> | 100-200-460 mm        |
| <b>Opt. downrod</b>  | Page 282              |



|                   |                  |
|-------------------|------------------|
| <b>A</b>          | <b>A1</b>        |
| 640/25.2"         | 630/24.8"        |
| <b>B</b>          | <b>C</b>         |
| 180/7.09"         | 160/6.3"         |
| <b>D</b>          | <b>E</b>         |
| 60/2.4"           | 130/5.12"        |
| <b>F</b>          | <b>G</b>         |
| ø1280/50.4"       | 555/21.85"       |
| <b>Downrod L</b>  | <b>Downrod ø</b> |
| 100-200-460/3.94" | 26/1.02"         |

\*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.





# Mini Eterfan M

Conillas

|                   |                           |                    |   |                                |
|-------------------|---------------------------|--------------------|---|--------------------------------|
| <b>ø128</b><br>CM | 13-17 M2<br>140-190 SQ.FT | <b>DC</b><br>MOTOR | OPTION<br><b>SMART</b><br>100-240V<br>50-60Hz | SUN & SNOW<br>SUMMER<br>WINTER |
|-------------------|---------------------------|--------------------|---|--------------------------------|



**33382**  
**33382WP**  
Body Chrome  
Blades Transparent  
**\*Smart Fan**



**32020**  
**32020WP**  
Body Shiny White  
Blades Transparent  
**\*Smart Fan**



**32025**  
**32025WP**  
Body Matt White  
Blades Transparent  
**\*Smart Fan**



**32026**  
**32026WP**  
Body Shiny Black  
Blades Transparent  
**\*Smart Fan**



**32027**  
**32027WP**  
Body Matt Black  
Blades Transparent  
**\*Smart Fan**




**32028**  
**32028WP**  
Body Matt Black  
Blades Walnut  
**\*Smart Fan**



**32029**  
**32029WP**  
Body Shiny Red  
Blades Transparent  
**\*Smart Fan**




**32030**  
**32030WP**  
Body Matt Black  
Blades Matt Black  
**\*Smart Fan**



Smart option

|                 |   |
|-----------------|---|
| <b>Material</b> | <b>Body</b> Steel+Glass<br><b>Blades</b> PC |
| <b>W</b>        | 3-6-9-13-22-32                              |
| <b>RPM</b>      | 51-77-103-129-155-185                       |
| <b>Airflow</b>  | 145.66 m3 min                               |
| <b>V/Hz</b>     | 220V-240V/50-60Hz                           |



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 450/17.72"       | 420/16.54"       |
| <b>B</b>         | <b>C</b>         |
| 420/16.54"       | 160/6.3"         |
| <b>D</b>         | <b>E</b>         |
| 60/2.4"          | 130/5.12"        |
| <b>F</b>         | <b>G</b>         |
| ø1280/50.4"      | 555/21.85"       |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 200/7.87"        | 26/1.02"         |

\*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.





# Mini Eterfan M

Conillas

|                   |                           |                    |   |                                |
|-------------------|---------------------------|--------------------|---|--------------------------------|
| <b>ø128</b><br>CM | 13-17 M2<br>140-190 SQ.FT | <b>DC</b><br>MOTOR | OPTION<br><b>SMART</b><br>100-240V<br>50-60Hz | SUN & SNOW<br>SUMMER<br>WINTER |
|-------------------|---------------------------|--------------------|---|--------------------------------|



**33382-9**  
**33382WP-9**  
Body Chrome  
Blades Transparent



**32020-9**  
**32020WP-9**  
Body Shiny White  
Blades Transparent



**32025-9**  
**32025WP-9**  
Body Matt White  
Blades Transparent



**32026-10**  
**32026WP-10**  
Body Shiny Black  
Blades Transparent



**32027-10**  
**32027WP-10**  
Body Matt Black  
Blades Transparent




**32028-10**  
**32028WP-10**  
Body Matt Black  
Blades Walnut



**32029-9**  
**32029WP-9**  
Body Shiny Red  
Blades Transparent




**32030-10**  
**32030WP-10**  
Body Matt Black  
Blades Matt Black



Smart option

|                 |   |                      |               |
|-----------------|---|----------------------|---------------|
| <b>Material</b> | <b>Body</b> Steel+Glass<br><b>Blades</b> PC | <b>Power</b>         | 16W           |
| <b>W</b>        | 3-6-9-13-22-32                              | <b>Lumen Output</b>  | 709lm         |
| <b>RPM</b>      | 51-77-103-129-155-185                       | <b>Light Source</b>  | SMD LED 3000K |
| <b>Airflow</b>  | 145.66 m3 min                               | <b>CRI</b>           | >80           |
| <b>V/Hz</b>     | 220V-240V/50-60Hz                           | <b>Driver incl.</b>  | Yes           |
|                 |   | <b>Material Diff</b> | Glass         |



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 484/19.06"       | 420/16.54"       |
| <b>B</b>         | <b>C</b>         |
| 420/16.54"       | 160/6.3"         |
| <b>D</b>         | <b>E</b>         |
| 60/2.4"          | 130/5.12"        |
| <b>F</b>         | <b>G</b>         |
| ø1280/50.4"      | 555/21.85"       |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 460/18.11"       | 26/1.02"         |

\*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.







# Eterfan M

Conillas

|                   |                           |                    |   |                         |
|-------------------|---------------------------|--------------------|---|-------------------------|
| <b>ø128</b><br>CM | 13-17 M2<br>140-190 SQ.FT | <b>DC</b><br>MOTOR | OPTION<br><b>SMART</b><br>100-240V<br>50-60Hz | SUN<br>SUMMER<br>WINTER |
|-------------------|---------------------------|--------------------|---|-------------------------|



**33381**  
**33381WP** \*Smart Fan  
Body Chrome  
Blades Transparent



**32000WP** \*Smart Fan  
**32000**  
Body Shiny White  
Blades Transparent



**32001** \*Smart Fan  
**32001WP**  
Body Matt White  
Blades Transparent



**32002** \*Smart Fan  
**32002WP**  
Body Shiny Black  
Blades Transparent



**32003** \*Smart Fan  
**32003WP**  
Body Matt Black  
Blades Transparent




**32004** \*Smart Fan  
**32004WP**  
Body Matt Black  
Blades Walnut



**32005** \*Smart Fan  
**32005WP**  
Body Shiny Red  
Blades Transparent




**32006** \*Smart Fan  
**32006WP**  
Body Matt Black  
Blades Matt Black



Smart option

|                 |   |
|-----------------|---|
| <b>Material</b> | <b>Body</b> Steel+Glass<br><b>Blades</b> PC |
| <b>W</b>        | 3-6-9-13-22-32                              |
| <b>RPM</b>      | 51-77-103-129-155-185                       |
| <b>Airflow</b>  | 145.66 m3 min                               |
| <b>V/Hz</b>     | 220V-240V/50-60Hz                           |



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 640/25.2"        | 760/29.92"       |
| <b>B</b>         | <b>C</b>         |
| 630/24.8"        | 160/6.3"         |
| <b>D</b>         | <b>E</b>         |
| 60/2.4"          | 130/5.12"        |
| <b>F</b>         | <b>G</b>         |
| ø1280/50.4"      | 555/21.85"       |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 460/18.11"       | 26/1.02"         |

\*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.







# Eterfan M

Conillas

|                   |                           |                    |  |                  |
|-------------------|---------------------------|--------------------|--|------------------|
| <b>ø128</b><br>CM | 13-17 M2<br>140-190 SQ.FT | <b>DC</b><br>MOTOR | <b>OPTION SMART</b><br>100-240V<br>50-60Hz | SUMMER<br>WINTER |
|-------------------|---------------------------|--------------------|--|------------------|



**33381-9**  
**33381WP-9**  
Body Chrome  
Blades Transparent

**\*Smart Fan**



**32000-9**  
**32000WP-9**  
Body Shiny White  
Blades Transparent

**\*Smart Fan**



**32001-9**  
**32001WP-9**  
Body Matt White  
Blades Transparent

**\*Smart Fan**



**32002-10**  
**32002WP-10**  
Body Shiny Black  
Blades Transparent

**\*Smart Fan**



**32003-10**  
**32003WP-10**  
Body Matt Black  
Blades Transparent

**\*Smart Fan**



**32004-10**  
**32004WP-10**  
Body Matt Black  
Blades Walnut

**\*Smart Fan**



**32005-9**  
**32005WP-9**  
Body Shiny Red  
Blades Transparent

**\*Smart Fan**




**32006-10**  
**32006WP-10**  
Body Matt Black  
Blades Matt Black

**\*Smart Fan**



Smart option

|                 |   |                      |               |
|-----------------|---|----------------------|---------------|
| <b>Material</b> | <b>Body</b> Steel+Glass<br><b>Blades</b> PC | <b>Power</b>         | 16W           |
| <b>W</b>        | 3-6-9-13-22-32                              | <b>Lumen Output</b>  | 709lm         |
| <b>RPM</b>      | 51-77-103-129-155-185                       | <b>Light Source</b>  | SMD LED 3000K |
| <b>Airflow</b>  | 145.66 m3 min                               | <b>CRI</b>           | >80           |
| <b>V/Hz</b>     | 220V-240V/50-60Hz                           | <b>Driver incl.</b>  | Yes           |
|                 |   | <b>Material Diff</b> | Glass         |



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 674/26.54"       | 760/29.92"       |
| <b>B</b>         | <b>C</b>         |
| 630/24.8"        | 160/6.3"         |
| <b>D</b>         | <b>E</b>         |
| 60/2.4"          | 130/5.12"        |
| <b>F</b>         | <b>G</b>         |
| ø1280/50.4"      | 555/21.85"       |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 460/18.11"       | 26/1.02"         |

\*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.





# Just Fan M

Conillas

|                    |                           |                    |  |                  |                   |
|--------------------|---------------------------|--------------------|--|------------------|-------------------|
| <b>ø 128</b><br>CM | 13-17 M2<br>140-190 SQ.FT | <b>DC</b><br>MOTOR | <b>OPTION SMART</b><br>100-240V<br>50-60Hz | SUMMER<br>WINTER | INCLINING<br>ROOF |
|--------------------|---------------------------|--------------------|--|------------------|-------------------|



**33394**  
**33394WP** \*Smart Fan  
Body Chrome  
Blades Transparent



**33395**  
**33395WP** \*Smart Fan  
Body Matt Black  
Blades Walnut



**33398**  
**33398WP** \*Smart Fan  
Body Old Gold  
Blades Walnut



**33399**  
**33399WP** \*Smart Fan  
Body Copper  
Blades Walnut



**32100**  
**32100WP** \*Smart Fan  
Body Matt Black  
Blades Matt Black



**33417**  
**33417WP** \*Smart Fan  
Body Old Gold  
Blades Matt Black




**33418**  
**33418WP** \*Smart Fan  
Body Copper  
Blades Matt Black



**32110**  
**32110WP** \*Smart Fan  
Body Matt White  
Blades Maple



**32101 NEW**  
**32101WP NEW** \*Smart Fan  
Body Matt White  
Blades Matt White




Smart option



3 downrods included  
100 / 200 / 460mm

|                      |                                       |
|----------------------|---------------------------------------|
| <b>Material</b>      | <b>Body</b> Steel<br><b>Blades</b> PC |
| <b>W</b>             | 4-6-9-13-22-32                        |
| <b>RPM</b>           | 51-77-103-129-155-185                 |
| <b>Airflow</b>       | 145.66 m3 min                         |
| <b>V/Hz</b>          | 220V-240V/50-60Hz                     |
| <b>Incl. downrod</b> | 100-200-460 mm                        |
| <b>Opt. downrod</b>  | Page 282                              |



|                   |                  |
|-------------------|------------------|
| <b>A</b>          | <b>A1</b>        |
| 640/25.2"         | 630/24.8"        |
| <b>B</b>          | <b>C</b>         |
| 180/7.09"         | 160/6.3"         |
| <b>D</b>          | <b>E</b>         |
| 60/2.4"           | 130/5.12"        |
| <b>F</b>          | <b>G</b>         |
| ø1280/50.4"       | 555/21.85"       |
| <b>Downrod L</b>  | <b>Downrod ø</b> |
| 100-200-460/3.94" | 26/1.02"         |

\*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.





# Just Fan M

Conillas

|                   |                               |                    |  |                      |                       |
|-------------------|-------------------------------|--------------------|--|----------------------|-----------------------|
| <b>ø128</b><br>CM | <br>13-17 M2<br>140-190 SQ.FT | <b>DC</b><br>MOTOR | <b>OPTION SMART</b><br>100-240V<br>50-60Hz | <br>SUMMER<br>WINTER | <br>INCLINING<br>ROOF |
|-------------------|-------------------------------|--------------------|--|----------------------|-----------------------|



**33394-9**  
**33394WP-9**  
 Body Chrome  
 Blades Transparent

**\*Smart Fan**



**33395-10**  
**33395WP-10**  
 Body Matt Black  
 Blades Walnut

**\*Smart Fan**



**33398-10**  
**33398WP-10**  
 Body Old Gold  
 Blades Walnut

**\*Smart Fan**



**33399-10**  
**33399WP-10**  
 Body Copper  
 Blades Walnut

**\*Smart Fan**



**32100-10**  
**32100WP-10**  
 Body Matt Black  
 Blades Matt Black

**\*Smart Fan**




**33417-10**  
**33417WP-10**  
 Body Old Gold  
 Blades Matt Black

**\*Smart Fan**



**33418-10**  
**33418WP-10**  
 Body Copper  
 Blades Matt Black

**\*Smart Fan**




Smart option



3 downrods included  
 100 / 200 / 450mm

|                      |                       |                      |               |
|----------------------|-----------------------|----------------------|---------------|
| <b>Material</b>      | <b>Body</b> Steel     | <b>Power</b>         | 16W           |
|                      | <b>Blades</b> PC      | <b>Lumen Output</b>  | 709lm         |
| <b>W</b>             | 4-6-9-13-22-32        | <b>Light Source</b>  | SMD LED 3000K |
| <b>RPM</b>           | 51-77-103-129-155-185 | <b>CRI</b>           | >80           |
| <b>Airflow</b>       | 145.66 m3 min         | <b>Driver incl.</b>  | Yes           |
| <b>V/Hz</b>          | 220V-240V/50-60Hz     | <b>Material Diff</b> | Glass         |
| <b>Incl. downrod</b> | 100-200-460 mm        |                      |               |
| <b>Opt. downrod</b>  | Page 282              |                      |               |



|                   |                  |
|-------------------|------------------|
| <b>A</b>          | <b>A1</b>        |
| 674/26.54"        | 630/24.8"        |
| <b>B</b>          | <b>C</b>         |
| 180/7.09"         | 160/6.3"         |
| <b>D</b>          | <b>E</b>         |
| 60/2.4"           | 130/5.12"        |
| <b>F</b>          | <b>G</b>         |
| ø1280/50.4"       | 555/21.85"       |
| <b>Downrod L</b>  | <b>Downrod ø</b> |
| 100-200-460/3.94" | 26/1.02"         |

\*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.





# Deco Fan M

Conillas

|                   |                           |                    |   |                  |
|-------------------|---------------------------|--------------------|---|------------------|
| <b>ø128</b><br>CM | 13-17 M2<br>140-190 SQ.FT | <b>DC</b><br>MOTOR | OPTION<br><b>SMART</b><br>100-240V<br>50-60Hz | SUMMER<br>WINTER |
|-------------------|---------------------------|--------------------|---|------------------|



**33394D**  
**33394DWP**  
Body Chrome  
Blades Transparent

**\*Smart Fan**



**33395D**  
**33395DWP**  
Body Matt Black  
Blades Walnut

**\*Smart Fan**




**33398D**  
**33398DWP**  
Body Old Gold  
Blades Walnut

**\*Smart Fan**



**33399D**  
**33399DWP**  
Body Copper  
Blades Walnut

**\*Smart Fan**




Smart option



Aesthetic glass

|                      |                                       |
|----------------------|---------------------------------------|
| <b>Material</b>      | <b>Body</b> Steel<br><b>Blades</b> PC |
| <b>W</b>             | 4-6-9-13-22-32                        |
| <b>RPM</b>           | 51-77-103-129-155-185                 |
| <b>Airflow</b>       | 145.66 m3 min                         |
| <b>V/Hz</b>          | 220V-240V/50-60Hz                     |
| <b>Incl. downrod</b> | 100-200-460 mm                        |
| <b>Opt. downrod</b>  | Page 282                              |



|                   |                  |
|-------------------|------------------|
| <b>A</b>          | <b>A1</b>        |
| 450/17.72"        | 420/16.54"       |
| <b>B</b>          | <b>C</b>         |
|                   | 160/6.3"         |
| <b>D</b>          | <b>E</b>         |
| 60/2.4"           | 130/5.12"        |
| <b>F</b>          | <b>G</b>         |
| ø1280/50.4"       | 555/21.85"       |
| <b>Downrod L</b>  | <b>Downrod ø</b> |
| 100-200-460/3.94" | 26/1.02"         |

\*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.





# Deco Fan M

Conillas

|                   |                           |                    |   |                  |
|-------------------|---------------------------|--------------------|---|------------------|
| <b>ø128</b><br>CM | 13-17 M2<br>140-190 SQ.FT | <b>DC</b><br>MOTOR | OPTION<br><b>SMART</b><br>100-240V<br>50-60Hz | SUMMER<br>WINTER |
|-------------------|---------------------------|--------------------|---|------------------|



33394D-9  
 33394DWP-9  
**Body** Chrome  
**Blades** Transparent

**\*Smart Fan**



33395D-10  
 33395DWP-10  
**Body** Matt Black  
**Blades** Walnut

**\*Smart Fan**




33398D-10  
 33398DWP-10  
**Body** Old Gold  
**Blades** Walnut

**\*Smart Fan**




33399D-10  
 33399DWP-10  
**Body** Copper  
**Blades** Walnut

**\*Smart Fan**




Smart option



Aesthetic glass

|                      |   |                      |               |
|----------------------|---|----------------------|---------------|
| <b>Material</b>      | <b>Body</b> Steel+Glass<br><b>Blades</b> PC | <b>Power</b>         | 16W           |
| <b>W</b>             | 4-6-9-13-22-32                              | <b>Lumen Output</b>  | 709lm         |
| <b>RPM</b>           | 51-77-103-129-155-185                       | <b>Light Source</b>  | SMD LED 3000K |
| <b>Airflow</b>       | 145.66 m3 min                               | <b>CRI</b>           | >80           |
| <b>V/Hz</b>          | 220V-240V/50-60Hz                           | <b>Driver incl.</b>  | Yes           |
| <b>Incl. downrod</b> | 100-200-460 mm                              | <b>Material Diff</b> | Glass         |
| <b>Opt. downrod</b>  | Page 282                                    |                      |               |



|                   |                  |
|-------------------|------------------|
| <b>A</b>          | <b>A1</b>        |
| 484/19.06"        | 420/16.54"       |
| <b>B</b>          | <b>C</b>         |
|                   | 160/6.3"         |
| <b>D</b>          | <b>E</b>         |
| 60/2.4"           | 130/5.12"        |
| <b>F</b>          | <b>G</b>         |
| ø1280/50.4"       | 555/21.85"       |
| <b>Downrod L</b>  | <b>Downrod ø</b> |
| 100-200-460/3.94" | 26/1.02"         |

\*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.





# Mini Tube Fan M

Conillas

|                   |                           |                    |  |                  |
|-------------------|---------------------------|--------------------|--|------------------|
| <b>ø128</b><br>CM | 13-17 M2<br>140-190 SQ.FT | <b>DC</b><br>MOTOR | <b>OPTION SMART</b><br>100-240V<br>50-60Hz | SUMMER<br>WINTER |
|-------------------|---------------------------|--------------------|--|------------------|



**33393**  
**33393WP** \*Smart Fan  
**Body** Chrome  
**Blades** Transparent



**32038**  
**32038WP** \*Smart Fan  
**Body** Shiny White  
**Blades** Transparent



**32039**  
**32039WP** \*Smart Fan  
**Body** Matt White  
**Blades** Transparent



**32040**  
**32040WP** \*Smart Fan  
**Body** Shiny Black  
**Blades** Transparent




**32041**  
**32041WP** \*Smart Fan  
**Body** Matt Black  
**Blades** Transparent



**32042**  
**32042WP** \*Smart Fan  
**Body** Matt Black  
**Blades** Walnut




**32043**  
**32043WP** \*Smart Fan  
**Body** Matt Black  
**Blades** Matt Black



Smart option

|                 |   |
|-----------------|---|
| <b>Material</b> | <b>Body</b> Steel+Glass<br><b>Blades</b> PC |
| <b>W</b>        | 4-6-9-13-22-32                              |
| <b>RPM</b>      | 51-77-103-129-155-185                       |
| <b>Airflow</b>  | 145.66 m3 min                               |
| <b>V/Hz</b>     | 220V-240V/50-60Hz                           |



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 290/11.42"       | 250/9.84"        |
| <b>B</b>         | <b>C</b>         |
| 250/9.84"        | 160/6.3"         |
| <b>D</b>         | <b>E</b>         |
|                  | 130/5.12"        |
| <b>F</b>         | <b>G</b>         |
| ø1280/50.4"      | 430/16.93"       |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 200/7.87"        | 26/1.02"         |

\*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.





# Mini Tube Fan M

Conillas

|                   |                           |                    |   |                         |
|-------------------|---------------------------|--------------------|---|-------------------------|
| <b>ø128</b><br>CM | 13-17 M2<br>140-190 SQ.FT | <b>DC</b><br>MOTOR | OPTION<br><b>SMART</b><br>100-240V<br>50-60Hz | SUN<br>SUMMER<br>WINTER |
|-------------------|---------------------------|--------------------|---|-------------------------|



**33393-9**  
**33393WP-9**  
Body Chrome  
Blades Transparent

**\*Smart Fan**



**32038-9**  
**32038WP-9**  
Body Shiny White  
Blades Transparent

**\*Smart Fan**



**32039-9**  
**32039WP-9**  
Body Matt White  
Blades Transparent

**\*Smart Fan**



**32040-10**  
**32040WP-10**  
Body Shiny Black  
Blades Transparent

**\*Smart Fan**



**32041-10**  
**32041WP-10**  
Body Matt Black  
Blades Transparent

**\*Smart Fan**




**32042-10**  
**32042WP-10**  
Body Matt Black  
Blades Walnut

**\*Smart Fan**




**32043-10**  
**32043WP-10**  
Body Matt Black  
Blades Matt Black

**\*Smart Fan**



Smart option

|                 |   |                      |               |
|-----------------|---|----------------------|---------------|
| <b>Material</b> | <b>Body</b> Steel+Glass<br><b>Blades</b> PC | <b>Power</b>         | 16W           |
| <b>W</b>        | 4-6-9-13-22-32                              | <b>Lumen Output</b>  | 709lm         |
| <b>RPM</b>      | 51-77-103-129-155-185                       | <b>Light Source</b>  | SMD LED 3000K |
| <b>Airflow</b>  | 145.66 m3 min                               | <b>CRI</b>           | >80           |
| <b>V/Hz</b>     | 220V-240V/50-60Hz                           | <b>Driver incl.</b>  | Yes           |
|                 |   | <b>Material Diff</b> | Glass         |



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 324/12.76"       | 250/9.84"        |
| <b>B</b>         | <b>C</b>         |
| 250/9.84"        | 160/6.3"         |
| <b>D</b>         | <b>E</b>         |
|                  | 130/5.12"        |
| <b>F</b>         | <b>G</b>         |
| ø1280/50.4"      | 430/16.93"       |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 200/7.87"        | 26/1.02"         |

\*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.





# Tube Fan M

Conillas

|                   |                           |                    |   |                  |
|-------------------|---------------------------|--------------------|---|------------------|
| <b>ø128</b><br>CM | 13-17 M2<br>140-190 SQ.FT | <b>DC</b><br>MOTOR | OPTION<br><b>SMART</b><br>100-240V<br>50-60Hz | SUMMER<br>WINTER |
|-------------------|---------------------------|--------------------|---|------------------|



**33374**  
**33374WP** \*Smart Fan  
 Body Chrome  
 Blades Transparent



**32033**  
**32033WP** \*Smart Fan  
 Body Shiny White  
 Blades Transparent



**32034**  
**32034WP** \*Smart Fan  
 Body Matt White  
 Blades Transparent



**32035**  
**32035WP** \*Smart Fan  
 Body Shiny Black  
 Blades Transparent




**32036**  
**32036WP** \*Smart Fan  
 Body Matt Black  
 Blades Transparent



**32037**  
**32037WP** \*Smart Fan  
 Body Matt Black  
 Blades Walnut




**32060**  
**32060WP** \*Smart Fan  
 Body Matt Black  
 Blades Matt Black



Smart option

|                 |   |
|-----------------|---|
| <b>Material</b> | <b>Body</b> Steel+Glass<br><b>Blades</b> PC |
| <b>W</b>        | 3-6-9-13-22-32                              |
| <b>RPM</b>      | 51-77-103-129-155-185                       |
| <b>Airflow</b>  | 145.66 m3 min                               |
| <b>V/Hz</b>     | 220V-240V/50-60Hz                           |



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 450/17.72"       | 420/16.54"       |
| <b>B</b>         | <b>C</b>         |
| 420/16.54"       | 160/6.3"         |
| <b>D</b>         | <b>E</b>         |
|                  | 130/5.12"        |
| <b>F</b>         | <b>G</b>         |
| ø1280/50.4"      | 430/16.93"       |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 460/18.11"       | 26/1.02"         |

\*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.







# Tube Fan M

Conillas

|                   |                           |                    |   |                         |
|-------------------|---------------------------|--------------------|---|-------------------------|
| <b>ø128</b><br>CM | 13-17 M2<br>140-190 SQ.FT | <b>DC</b><br>MOTOR | OPTION<br><b>SMART</b><br>100-240V<br>50-60Hz | SUN<br>SUMMER<br>WINTER |
|-------------------|---------------------------|--------------------|---|-------------------------|



**33374-9**  
**33374WP-9**  
Body Chrome  
Blades Transparent

**\*Smart Fan**



**32033-9**  
**32033WP-9**  
Body Shiny White  
Blades Transparent

**\*Smart Fan**



**32034-9**  
**32034WP-9**  
Body Matt White  
Blades Transparent

**\*Smart Fan**



**32035-10**  
**32035WP-10**  
Body Shiny Black  
Blades Transparent

**\*Smart Fan**



**32036-10**  
**32036WP-10**  
Body Matt Black  
Blades Transparent

**\*Smart Fan**




**32037-10**  
**32037WP-10**  
Body Matt Black  
Blades Walnut

**\*Smart Fan**




**32060-10**  
**32060WP-10**  
Body Matt Black  
Blades Matt Black

**\*Smart Fan**



Smart option

|                 |   |                      |               |
|-----------------|---|----------------------|---------------|
| <b>Material</b> | <b>Body</b> Steel+Glass<br><b>Blades</b> PC | <b>Power</b>         | 16W           |
| <b>W</b>        | 3-6-9-13-22-32                              | <b>Lumen Output</b>  | 709lm         |
| <b>RPM</b>      | 51-77-103-129-155-185                       | <b>Light Source</b>  | SMD LED 3000K |
| <b>Airflow</b>  | 145.66 m3 min                               | <b>CRI</b>           | >80           |
| <b>V/Hz</b>     | 220V-240V/50-60Hz                           | <b>Driver incl.</b>  | Yes           |
|                 |   | <b>Material Diff</b> | Glass         |



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 484/19.06"       | 420/16.54"       |
| <b>B</b>         | <b>C</b>         |
| 420/16.54"       | 160/6.3"         |
| <b>D</b>         | <b>E</b>         |
|                  | 130/5.12"        |
| <b>F</b>         | <b>G</b>         |
| ø1280/50.4"      | 430/16.93"       |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 460/18.11"       | 26/1.02"         |

\*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.





# Nassau M


|                    |                           |                    |   |                  |                   |
|--------------------|---------------------------|--------------------|---|------------------|-------------------|
| <b>ø 128</b><br>CM | 13-17 M2<br>140-190 SQ.FT | <b>DC</b><br>MOTOR | OPTION<br><b>SMART</b><br>100-240V<br>50-60Hz | SUMMER<br>WINTER | INCLINING<br>ROOF |
|--------------------|---------------------------|--------------------|---|------------------|-------------------|




33478  
33478WP **\*Smart Fan**  
Body Dark Brown  
Blades Dark Brown



33487  
33487WP **\*Smart Fan**  
Body Matt White  
Blades Matt White




High airflow



Smart option

|                      |                       |
|----------------------|-----------------------|
| <b>Material</b>      | <b>Body</b> Steel     |
|                      | <b>Blades</b> Plywood |
| <b>W</b>             | 4-6-10-16-24-37       |
| <b>RPM</b>           | 50-87-125-162-199-237 |
| <b>Airflow</b>       | 222.41 m3 min         |
| <b>V/Hz</b>          | 220V-240V/50-60Hz     |
| <b>Incl. downrod</b> | 910 mm                |



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 400/15.75"       | 370/14.57"       |
| <b>B</b>         | <b>C</b>         |
| 170/6.69"        | 120/4.72"        |
| <b>D</b>         | <b>E</b>         |
| 60/2.4"          | 130/5.12"        |
| <b>F</b>         | <b>G</b>         |
| ø1280/50.4"      | 575/22.64"       |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 225/8.86"        | 21/0.83"         |

\*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-04 of the gear. The price of the gear is with PRO35 discount.





208

# Winche M

Conillas

|                     |                                   |                     |   |                          |                           |
|---------------------|-----------------------------------|---------------------|---|--------------------------|---------------------------|
| <p>Ø 127<br/>CM</p> | <p>13-17 M2<br/>140-190 SQ.FT</p> | <p>DC<br/>MOTOR</p> | <p>OPTION<br/><b>SMART</b><br/>100-240V<br/>50-60Hz</p> | <p>SUMMER<br/>WINTER</p> | <p>INCLINING<br/>ROOF</p> |
|---------------------|-----------------------------------|---------------------|---|--------------------------|---------------------------|



33481  
33481WP  
Body Matt Black  
Blades Dark Brown

**\*Smart Fan**




33482  
33482WP  
Body Chrome  
Blades Brown

**\*Smart Fan**



Ref.33481 IP44 outdoor



Smart option

**Material** Body Steel  
Blades ABS


**W** 3-5-8-12-21-35

**RPM** 50-71-93-115-138-162

**Airflow** 183.01 m3 min

**V/Hz** 220V-240V/50-60Hz

**Opt. downrod** Page 282



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 390/15.35"       | 355/13.98"       |
| <b>B</b>         | <b>C</b>         |
| 210/8.27"        | 190/7.48"        |
| <b>D</b>         | <b>E</b>         |
| 55/2.2"          | 130/5.12"        |
| <b>F</b>         | <b>G</b>         |
| Ø1270/50"        | 530/20.87"       |
| <b>Downrod L</b> | <b>Downrod Ø</b> |
| 153/6.02"        | 21/0.83"         |

\*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-08 of the gear. The price of the gear is with PRO35 discount.





# Winche M

Conillas

|                    |                               |                    |   |                      |                       |
|--------------------|-------------------------------|--------------------|---|----------------------|-----------------------|
| <b>ø 127</b><br>CM | <br>13-17 M2<br>140-190 SQ.FT | <b>DC</b><br>MOTOR | OPTION<br><b>SMART</b><br>100-240V<br>50-60Hz | <br>SUMMER<br>WINTER | <br>INCLINING<br>ROOF |
|--------------------|-------------------------------|--------------------|---|----------------------|-----------------------|



33481-7  
 33481WP-7  
 Body Matt Black  
 Blades Dark Walnut

**\*Smart Fan**



33482-8  
 33482WP-8  
 Body Chrome  
 Blades Dark Walnut

**\*Smart Fan**




Ref.33481-7 IP44 outdoor



Smart option

|                     |                      |                      |               |
|---------------------|----------------------|----------------------|---------------|
| <b>Material</b>     | <b>Body</b> Steel    | <b>Power</b>         | 15W           |
|                     | <b>Blades</b> ABS    | <b>Lumen Output</b>  | 800lm         |
| <b>W</b>            | 3-5-8-12-21-35       | <b>Light Source</b>  | SMD LED 3000K |
| <b>RPM</b>          | 50-71-93-115-138-162 | <b>CRI</b>           | >80           |
| <b>Airflow</b>      | 183.01 m3 min        | <b>Driver incl.</b>  | Yes           |
| <b>V/Hz</b>         | 220V-240V/50-60Hz    | <b>Material Diff</b> | ABS           |
| <b>Opt. downrod</b> | Page 282             |                      |               |



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 390/15.35"       | 355/13.98"       |
| <b>B</b>         | <b>C</b>         |
| 210/8.27"        | 190/7.48"        |
| <b>D</b>         | <b>E</b>         |
| 55/2.2"          | 130/5.12"        |
| <b>F</b>         | <b>G</b>         |
| ø1270/50"        | 530/20.87"       |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 153/6.02"        | 21/0.83"         |

\*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-08 of the gear. The price of the gear is with PRO35 discount.





# Klim M

Faro Lab



|                    |                               |                    |   |                      |                       |
|--------------------|-------------------------------|--------------------|---|----------------------|-----------------------|
| <b>ø 125</b><br>CM | <br>13-17 M2<br>140-190 SQ.FT | <b>DC</b><br>MOTOR | OPTION<br><b>SMART</b><br>100-240V<br>50-60Hz | <br>SUMMER<br>WINTER | <br>INCLINING<br>ROOF |
|--------------------|-------------------------------|--------------------|---|----------------------|-----------------------|



**34277**  
**34277WP**  
**Body** Matt Black  
**Blades** Dark Walnut

**\*Smart Fan**



**34280**  
**34280WP**  
**Body** Matt White  
**Blades** Oak

**\*Smart Fan**



**34283**  
**34283WP**  
**Body** Matt Black  
**Blades** Oak


**\*Smart Fan**




Wood



Optional Light kit  
 page 298




Programmable 1-4-8h  
 Memory function pag 38



Smart option

|                      |                             |
|----------------------|-----------------------------|
| <b>Material</b>      | <b>Body</b> Steel           |
|                      | <b>Blades</b> Wood          |
| <b>W</b>             | 5.1-7.8-11.2-17.2-24.3-35.7 |
| <b>RPM</b>           | 90-119-144-170-192-220      |
| <b>Airflow</b>       | 188 m3 min                  |
| <b>V/Hz</b>          | 220V-240V/50-60Hz           |
| <b>Accessories</b> ☉ | 33974 DC Wall Control       |
| <b>Incl. downrod</b> | 100 mm                      |
| <b>Opt. downrod</b>  | Page 282                    |



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 240/9.45"        | 212/8.35"        |
| <b>B</b>         | <b>C</b>         |
| 48/1.89"         | 100/3.94"        |
| <b>D</b>         | <b>E</b>         |
| 60/2.4"          | 130/5.12"        |
| <b>F</b>         | <b>G</b>         |
| ø1250/49.2"      | 620/24.41"       |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 100/3.94"        | 26/1.02"         |

\*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-40 of the gear. The price of the gear is with PRO35 discount.





# Klim M

Faro Lab



|                    |                               |                    |   |                      |                       |
|--------------------|-------------------------------|--------------------|---|----------------------|-----------------------|
| <b>ø 125</b><br>CM | <br>13-17 M2<br>140-190 SQ.FT | <b>DC</b><br>MOTOR | OPTION<br><b>SMART</b><br>100-240V<br>50-60Hz | <br>SUMMER<br>WINTER | <br>INCLINING<br>ROOF |
|--------------------|-------------------------------|--------------------|---|----------------------|-----------------------|



34277-11L  
 34277WP-11L  
 Body Matt Black  
 Blades Dark Walnut

\*Smart Fan



34280-11L  
 34280WP-11L  
 Body Matt White  
 Blades Oak

\*Smart Fan




34283-11L  
 34283WP-11L  
 Body Matt Black  
 Blades Oak


\*Smart Fan



Glass diffuser




Programmable 1-4-8h  
 Memory function pag 38



Smart option

|                      |                             |                      |            |
|----------------------|-----------------------------|----------------------|------------|
| <b>Material</b>      | <b>Body</b> Steel           | <b>Light Source</b>  | 1 E27 max. |
|                      | <b>Blades</b> Wood          | <b>Bulb incl.</b>    | No         |
| <b>W</b>             | 5.1-7.8-11.2-17.2-24.3-35.7 | <b>Recom. Bulb</b>   | 17463      |
| <b>RPM</b>           | 90-119-144-170-192-220      | <b>Material Diff</b> | Glass      |
| <b>Airflow</b>       | 188 m3 min                  |                      |            |
| <b>V/Hz</b>          | 220V-240V/50-60Hz           |                      |            |
| <b>Accessories</b> ☉ | 33974 DC Wall Control       |                      |            |
| <b>Incl. downrod</b> | 100 mm                      |                      |            |
| <b>Opt. downrod</b>  | Page 282                    |                      |            |



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 330/12.99"       | 212/8.35"        |
| <b>B</b>         | <b>C</b>         |
| 231/9.09"        | 100/3.94"        |
| <b>D</b>         | <b>E</b>         |
| 60/2.4"          | 130/5.12"        |
| <b>F</b>         | <b>G</b>         |
| ø1250/49.2"      | 620/24.41"       |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 100/3.94"        | 26/1.02"         |

\*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-41 of the gear. The price of the gear is with PRO35 discount.





Sfera M  
Faro Lab



|                     |                                   |                     |   |                          |                           |
|---------------------|-----------------------------------|---------------------|---|--------------------------|---------------------------|
| <p>ø 125<br/>CM</p> | <p>13-17 M2<br/>140-190 SQ.FT</p> | <p>DC<br/>MOTOR</p> | <p>OPTION<br/><b>SMART</b><br/>100-240V<br/>50-60Hz</p> | <p>SUMMER<br/>WINTER</p> | <p>INCLINING<br/>ROOF</p> |
|---------------------|-----------------------------------|---------------------|---|--------------------------|---------------------------|




34272  
34272WP  
Body Matt White  
Blades Matt White

**\*Smart Fan**




34273  
34273WP  
Body Matt Black  
Blades Matt Black

**\*Smart Fan**




Programmable 1-4-8h  
Memory function pag 38



Smart option

|                      |  |
|----------------------|--|
| <b>Material</b>      | <b>Body</b> Steel<br><b>Blades</b> ABS |
| <b>W</b>             | 6-9.2-12.9-17.7-25.3-34                |
| <b>RPM</b>           | 100-122-138-159-180-197                |
| <b>Airflow</b>       | 176.08 m3 min                          |
| <b>V/Hz</b>          | 220V-240V/50-60Hz                      |
| <b>Accessories</b> ☉ | 33974 DC Wall Control                  |
| <b>Incl. downrod</b> | 100 mm                                 |
| <b>Opt. downrod</b>  | Page 282                               |



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 248/9.76"        | 171/6.73"        |
| <b>B</b>         | <b>C</b>         |
| 132/5.2"         | 132/5.2"         |
| <b>D</b>         | <b>E</b>         |
| 60/2.4"          | 130/5.12"        |
| <b>F</b>         | <b>G</b>         |
| ø1250/49.2"      | 615/24.21"       |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 100/3.94"        | 26/1.02"         |

\*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-28 of the gear. The price of the gear is with PRO35 discount.





218

Marine M  
Faro Lab



|                   |                           |                    |   |                 |                  |                   |
|-------------------|---------------------------|--------------------|---|-----------------|------------------|-------------------|
| <b>ø125</b><br>CM | 13-17 M2<br>140-190 SQ.FT | <b>DC</b><br>MOTOR | OPTION<br><b>SMART</b><br>100-240V<br>50-60Hz | IP44<br>OUTDOOR | SUMMER<br>WINTER | INCLINING<br>ROOF |
|-------------------|---------------------------|--------------------|---|-----------------|------------------|-------------------|



34274  
34274WP  
Body Matt White  
Blades Brown

**\*Smart Fan**




34275  
34275WP  
Body Dark Brown  
Blades Dark Brown


**\*Smart Fan**



IP44 outdoor anti-corrosive




Programmable 1-4-8h  
Memory function pag 38



Smart option

|                      |  |
|----------------------|--|
| <b>Material</b>      | <b>Body</b> Steel<br><b>Blades</b> ABS |
| <b>W</b>             | 4-6.3-9.2-14.7-20.1-27.9               |
| <b>RPM</b>           | 86-121-146-175-198-222                 |
| <b>Airflow</b>       | 174.3 m3 min                           |
| <b>V/Hz</b>          | 220V-240V/50-60Hz                      |
| <b>Accessories</b> ☉ | 33974 DC Wall Control                  |
| <b>Incl. downrod</b> | 100 mm                                 |
| <b>Opt. downrod</b>  | Page 282                               |



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 245/9.65"        | 221/8.7"         |
| <b>B</b>         | <b>C</b>         |
| 122/4.8"         | 125/4.92"        |
| <b>D</b>         | <b>E</b>         |
| 60/2.4"          | 130/5.12"        |
| <b>F</b>         | <b>G</b>         |
| ø1250/49.2"      | 489/19.25"       |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 100/3.94"        | 26/1.02"         |

\*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-29 of the gear. The price of the gear is with PRO35 discount.






# Panay M

|                   |  |  |
|-------------------|--|--|
| <b>ø122</b><br>CM | <br>13-17 M2<br>140-190 SQ.FT | <br>INCLINING<br>ROOF |
|-------------------|--|--|



**33608**  
**Body** Matt Nickel  
**Blades** Grey

|                     |                   |                      |               |
|---------------------|-------------------|----------------------|---------------|
| <b>Material</b>     | <b>Body</b> Steel | <b>Light Source</b>  | 2 E14 max. 8W |
|                     | <b>Blades</b> MDF | <b>Bulb incl.</b>    | No            |
| <b>W</b>            | 14-30-58          | <b>Recom. Bulb</b>   | 17461         |
| <b>RPM</b>          | 95-150-200        | <b>Material Diff</b> | Glass         |
| <b>Airflow</b>      | 116.2 m3 min      |                      |               |
| <b>V/Hz</b>         | 220V-240V/50Hz    |                      |               |
| <b>Opt. downrod</b> | Page 282          |                      |               |



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 280/11.02"       | 180/7.09"        |
| <b>B</b>         | <b>C</b>         |
| 150/5.91"        | 210/8.27"        |
| <b>D</b>         | <b>E</b>         |
| 65/2.6"          | 130/5.12"        |
| <b>F</b>         | <b>G</b>         |
| ø1220/48"        | 495/19.49"       |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 101/3.98"        | 21/0.83"         |









# Yakarta M

|                     |                                   |                          |                           |  |                                 |
|---------------------|-----------------------------------|--------------------------|---------------------------|--|---------------------------------|
| <p>Ø 121<br/>CM</p> | <p>13-17 M2<br/>140-190 SQ.FT</p> | <p>SUMMER<br/>WINTER</p> | <p>INCLINING<br/>ROOF</p> | <p>DIRECT<br/>CEILING<br/>MOUNTING</p> | <p>CONTROLLED<br/>BY CHAINS</p> |
|---------------------|-----------------------------------|--------------------------|---------------------------|--|---------------------------------|



33713  
**Body** Brown  
**Blades** Mahogany + Dark Walnut



Reversible blades

**Material** Body Steel  
 Blades Plywood

**W** 14-23-51


**RPM** 115-150-205

**Airflow** 94.57 m3 min

**V/Hz** 220V-240V/50Hz

**Accessories** ☉ 33928 Wall Control 3 speeds  
 33929 Remote Control/dimer-on-off  
 33937 Remote Control/Programmer

**Opt. downrod** Page 282



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 350/13.78"       | 300/11.81"       |
| <b>B</b>         | <b>C</b>         |
| 130/5.12"        |                  |
| <b>D</b>         | <b>E</b>         |
| 60/2.4"          | 130/5.12"        |
| <b>F</b>         | <b>G</b>         |
| ø1210/47.6"      | 465/18.31"       |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 153/6.02"        | 21/0.83"         |







# Yakarta M

|                    |                               |                      |                       |                                   |                             |
|--------------------|-------------------------------|----------------------|-----------------------|-----------------------------------|-----------------------------|
| <b>Ø 121</b><br>CM | <br>13-17 M2<br>140-190 SQ.FT | <br>SUMMER<br>WINTER | <br>INCLINING<br>ROOF | <br>DIRECT<br>CEILING<br>MOUNTING | <br>CONTROLLED<br>BY CHAINS |
|--------------------|-------------------------------|----------------------|-----------------------|-----------------------------------|-----------------------------|




**33713-13**  
**Body** Brown  
**Blades** Mahogany + Dark Walnut



Reversible blades

|                      |                                   |                     |                |
|----------------------|-----------------------------------|---------------------|----------------|
| <b>Material</b>      | <b>Body</b> Steel                 | <b>Light Source</b> | 3 E27 max. 15W |
|                      | <b>Blades</b> Plywood             | <b>Bulb incl.</b>   | No             |
| <b>W</b>             | 14-23-51                          | <b>Recom. Bulb</b>  | 17463          |
| <b>RPM</b>           | 115-150-205                       |                     |                |
| <b>Airflow</b>       | 94.57 m3 min                      |                     |                |
| <b>V/Hz</b>          | 220V-240V/50-60Hz                 |                     |                |
| <b>Accessories</b> ☉ | 33928 Wall Control 3 speeds       |                     |                |
|                      | 33929 Remote Control/dimer-on-off |                     |                |
|                      | 33937 Remote Control/Programmer   |                     |                |
| <b>Opt. downrod</b>  | Page 282                          |                     |                |



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 520/20.47"       | 300/11.81"       |
| <b>B</b>         | <b>C</b>         |
| 130/5.12"        |                  |
| <b>D</b>         | <b>E</b>         |
| 60/2.4"          | 130/5.12"        |
| <b>F</b>         | <b>G</b>         |
| Ø1210/47.6"      | 465/18.31"       |
| <b>Downrod L</b> | <b>Downrod Ø</b> |
| 153/6.02"        | 21/0.83"         |






# Fraser M

|                   |                               |                    |   |                      |
|-------------------|-------------------------------|--------------------|---|----------------------|
| <b>ø120</b><br>CM | <br>13-17 M2<br>140-190 SQ.FT | <b>DC</b><br>MOTOR | OPTION<br><b>SMART</b><br>100-240V<br>50-60Hz | <br>SUMMER<br>WINTER |
|-------------------|-------------------------------|--------------------|---|----------------------|



**33756**  
**33756WP**  
**Body Matt White**  
**Blades Matt White**

**\*Smart Fan**




Glass diffuser

Programmable 1-4-8h  
Memory function pag 38

Smart option

|                      |                         |                      |               |
|----------------------|-------------------------|----------------------|---------------|
| <b>Material</b>      | <b>Body</b> Steel       | <b>Power</b>         | 16W           |
|                      | <b>Blades</b> ABS       | <b>Lumen Output</b>  | 850lm         |
| <b>W</b>             | 5-8-11-16-22-32         | <b>Light Source</b>  | SMD LED 3000K |
| <b>RPM</b>           | 103-126-145-166-182-209 | <b>CRI</b>           | >=80          |
| <b>Airflow</b>       | 212 m3 min              | <b>Driver incl.</b>  | Yes           |
| <b>V/Hz</b>          | 220V-240V/50-60Hz       | <b>Material Diff</b> | Glass         |
| <b>Accessories</b> ☉ | 33974 DC Wall Control   |                      |               |



|             |            |
|-------------|------------|
| <b>A</b>    | <b>A1</b>  |
| 310/12.2"   | 230/9.06"  |
| <b>B</b>    | <b>C</b>   |
| 190/7.48"   | 155/6.1"   |
| <b>D</b>    | <b>E</b>   |
|             | 150/5.91"  |
| <b>F</b>    | <b>G</b>   |
| ø1200/47.2" | 530/20.87" |

\*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-09 of the gear. The price of the gear is with PRO35 discount.






# Eco indus M

|                   |  |  |  |  |
|-------------------|--|--|--|--|
| <b>ø120</b><br>CM | <br>13-17 M2<br>140-190 SQ.FT | <br>WALL<br>CONTROL | <br>INCLINING<br>ROOF | <br>EASY<br>INSTALL |
|-------------------|--|--|--|--|




**33005**  
**Body** Matt White  
**Blades** White

**Material**      **Body** Steel  
                   **Blades** Steel  
**W**                16-26-68  
**RPM**            150-225-322  
**Airflow**        189.47 m3 min  
**V/Hz**            220V-240V/50Hz



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 320/12.6"        | 270/10.63"       |
| <b>B</b>         | <b>C</b>         |
| 160/6.3"         | 190/7.48"        |
| <b>D</b>         | <b>E</b>         |
| 60/2.4"          | 130/5.12"        |
| <b>F</b>         | <b>G</b>         |
| ø1200/47.2"      | 485/19.09"       |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 152/5.98"        | 21/0.83"         |





# Mini Icaria S

|                    |                            |                      |                       |
|--------------------|----------------------------|----------------------|-----------------------|
| <b>ø 107</b><br>CM | <br>< 13 M2<br>< 140 SQ.FT | <br>SUMMER<br>WINTER | <br>INCLINING<br>ROOF |
|--------------------|----------------------------|----------------------|-----------------------|



**33695**  
**Body** Old Gold  
**Blades** Brown + Oak



**33699**  
**Body** Matt Nickel  
**Blades** Grey + Maple




Reversible blades



Glass diffuser

|                      |                                   |                      |               |
|----------------------|-----------------------------------|----------------------|---------------|
| <b>Material</b>      | <b>Body</b> Steel                 | <b>Light Source</b>  | 2 E14 max. 8W |
|                      | <b>Blades</b> MDF                 | <b>Bulb incl.</b>    | No            |
| <b>W</b>             | 16-24-35                          | <b>Recom. Bulb</b>   | 17461         |
| <b>RPM</b>           | 135-175-210                       | <b>Material Diff</b> | Glass         |
| <b>Airflow</b>       | 101.09 m3 min                     |                      |               |
| <b>V/Hz</b>          | 220V-240V/50Hz                    |                      |               |
| <b>Accessories</b> ☉ | 33928 Wall Control 3 speeds       |                      |               |
|                      | 33929 Remote Control/dimer-on-off |                      |               |
|                      | 33937 Remote Control/Programmer   |                      |               |



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 405/15.94"       | 270/10.63"       |
| <b>B</b>         | <b>C</b>         |
| 280/11.02"       | 160/6.3"         |
| <b>D</b>         | <b>E</b>         |
| 60/2.4"          | 130/5.12"        |
| <b>F</b>         | <b>G</b>         |
| ø1070/42.1"      | 425/16.73"       |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 152/5.98"        | 21/0.83"         |

Opt. downrod Page 282





# Mini Lantau S

|                    |  |                    |  |                                |                                 |
|--------------------|--|--------------------|--|--------------------------------|---------------------------------|
| <b>ø 107</b><br>CM | <b>&lt; 13 M2</b><br><b>&lt; 140 SQ.FT</b> | <b>DC</b><br>MOTOR | <b>OPTION SMART</b><br>100-240V<br>50-60Hz | <b>SUMMER</b><br><b>WINTER</b> | <b>INCLINING</b><br><b>ROOF</b> |
|--------------------|--|--------------------|--|--------------------------------|---------------------------------|



**33508DC**  
**33508DCWP**  
Body Matt Nickel  
Blades Walnut

**\*Smart Fan**




**33509DC**  
**33509DCWP**  
Body Matt Nickel  
Blades Pine

**\*Smart Fan**



**33517DC**  
**33517DCWP**  
Body Matt Black  
Blades Walnut


**\*Smart Fan**



Wood




Programmable 1-4-8h



Smart option

|                      |                        |
|----------------------|------------------------|
| <b>Material</b>      | <b>Body</b> Steel      |
|                      | <b>Blades</b> Wood     |
| <b>W</b>             | 3-5-7-10-15-21         |
| <b>RPM</b>           | 72-104-131-164-193-224 |
| <b>Airflow</b>       | 143.2 m3 min           |
| <b>V/Hz</b>          | 220V-240V/50Hz         |
| <b>Accessories</b> ☉ | 33974 DC Wall Control  |
| <b>Opt. downrod</b>  | Page 282               |



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 340/13.39"       | 300/11.81"       |
| <b>B</b>         | <b>C</b>         |
| 110/4.33"        |                  |
| <b>D</b>         | <b>E</b>         |
| 65/2.6"          | 150/5.91"        |
| <b>F</b>         | <b>G</b>         |
| ø1070/42.1"      | 460/18.11"       |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 153/6.02"        | 21/0.83"         |

\*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-34 of the gear. The price of the gear is with PRO35 discount.





# Mini Mallorca S NEW

|                   |                            |                    |  |                       |
|-------------------|----------------------------|--------------------|--|-----------------------|
| <b>ø106</b><br>CM | <br>< 13 M2<br>< 140 SQ.FT | <b>DC</b><br>MOTOR | <b>OPTION SMART</b><br>100-240V<br>50-60Hz | <br>INCLINING<br>ROOF |
|-------------------|----------------------------|--------------------|--|-----------------------|



33603DC  
33603DCWP \*Smart Fan  
Body Matt White  
Blades Matt White + Maple



Reversible blades

Programmable 1-4-8h  
Memory function pag 38

Smart option

**Material** Body Stainless steel 316L  
Blades Plywood

**W** 6.1-7.4-10.4-13.1-18.5-23.9


**RPM** 126-156-186-218-240-270

**Airflow** 70 m3 min

**V/Hz** 220V-240V/50-60Hz

**Accessories** 33974 DC Wall Control

**Opt. downrod** Page 282



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 310/12.2"        | 246/9.69"        |
| <b>B</b>         | <b>C</b>         |
| 80/3.15"         | 248/9.76"        |
| <b>D</b>         | <b>E</b>         |
| 60/2.4"          | 150/5.91"        |
| <b>F</b>         | <b>G</b>         |
| ø1060/41.7"      | 410/16.14"       |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 152/5.98"        | 26/1.02"         |

\*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-37 of the gear. The price of the gear is with PRO35 discount.







# Rudder S

Faro Lab



|                    |  |                    |  |                                |                       |
|--------------------|--|--------------------|--|--------------------------------|-----------------------|
| <b>ø 106</b><br>CM | <b>&lt; 13 M2</b><br><b>&lt; 140 SQ.FT</b> | <b>DC</b><br>MOTOR | <b>OPTION SMART</b><br>100-240V<br>50-60Hz | <b>SUMMER</b><br><b>WINTER</b> | <b>INCLINING ROOF</b> |
|--------------------|--|--------------------|--|--------------------------------|-----------------------|




**34295**  
**34295WP** **\*Smart Fan**  
**Body** Matt White  
**Blades** Ash Tree + Matt White




**34296WP** **\*Smart Fan**  
**34296**  
**Body** Matt Black  
**Blades** Walnut +



Reversible blades



Programmable 1-4-8h  
Memory function pag 38



Smart option

**Material** **Body** Steel  
**Blades** Plywood

**W** 3.8-5.9-9.3-14.8-21.9-29.9

**RPM** 97-148-188-227-262-290


**Airflow** 124.4 m3 min

**V/Hz** 220V-240V/50-60Hz

**Accessories** 33974 DC Wall Control

**Incl. downrod** 100 mm

**Opt. downrod** Page 282



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 232/9.13"        | 180/7.09"        |
| <b>B</b>         | <b>C</b>         |
| 80/3.15"         | 150/5.91"        |
| <b>D</b>         | <b>E</b>         |
| 60/2.4"          | 130/5.12"        |
| <b>F</b>         | <b>G</b>         |
| ø1060/41.7"      | 500/19.69"       |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 100/3.94"        | 26/1.02"         |

\*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34151-04 of the gear. The price of the gear is with PRO35 discount.





# Rudder S

Faro Lab



|                   |                            |                    |  |                |                      |                       |
|-------------------|----------------------------|--------------------|--|----------------|----------------------|-----------------------|
| <b>ø106</b><br>CM | <br>< 13 M2<br>< 140 SQ.FT | <b>DC</b><br>MOTOR | <b>OPTION SMART</b><br>100-240V<br>50-60Hz | <br><b>DIM</b> | <br>SUMMER<br>WINTER | <br>INCLINING<br>ROOF |
|-------------------|----------------------------|--------------------|--|----------------|----------------------|-----------------------|



34295-1TW  
34295WP-1TW  
Body Matt White  
Blades Ash Tree + Matt White



\*Smart Fan



34296-1TW  
34296WP-1TW  
Body Matt Black  
Blades Walnut + Matt Black




\*Smart Fan




Reversible blades



Color temperature adjustable




Programmable 1-4-8h  
Memory function pag 38



Smart option

|                      |                            |                      |                     |
|----------------------|----------------------------|----------------------|---------------------|
| <b>Material</b>      | <b>Body</b> Steel          | <b>Power</b>         | 18W                 |
|                      | <b>Blades</b> Plywood      | <b>Lumen Output</b>  | 1300lm              |
| <b>W</b>             | 3.8-5.9-9.3-14.8-21.9-29.9 | <b>Light Source</b>  | SMD LED             |
| <b>RPM</b>           | 97-148-188-227-262-290     | <b>Dimmable K</b>    | 2700 - 4350 - 6000K |
| <b>Airflow</b>       | 124.4 m3 min               | <b>CRI</b>           | >80                 |
| <b>V/Hz</b>          | 220V-240V/50-60Hz          | <b>Driver incl.</b>  | Yes                 |
| <b>Accessories</b> ☉ | 33974 DC Wall Control      | <b>Material Diff</b> | Glass               |
| <b>Incl. downrod</b> | 100 mm                     |                      |                     |
| <b>Opt. downrod</b>  | Page 282                   |                      |                     |



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 276/10.87"       | 180/7.09"        |
| <b>B</b>         | <b>C</b>         |
| 80/3.15"         | 150/5.91"        |
| <b>D</b>         | <b>E</b>         |
| 60/2.4"          | 130/5.12"        |
| <b>F</b>         | <b>G</b>         |
| ø1060/41.7"      | 500/19.69"       |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 100/3.94"        | 26/1.02"         |

\*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34151-04 of the gear. The price of the gear is with PRO35 discount.





# Cruiser S

Faro Lab



|                    |                            |                    |   |                      |                       |
|--------------------|----------------------------|--------------------|---|----------------------|-----------------------|
| <b>ø 106</b><br>CM | <br>< 13 M2<br>< 140 SQ.FT | <b>DC</b><br>MOTOR | OPTION<br><b>SMART</b><br>100-240V<br>50-60Hz | <br>SUMMER<br>WINTER | <br>INCLINING<br>ROOF |
|--------------------|----------------------------|--------------------|---|----------------------|-----------------------|



**34288**  
**34288WP**  
**Body** Matt White  
**Blades** Matt White

**\*Smart Fan**




**34289**  
**34289WP**  
**Body** Matt Black  
**Blades** Matt Black

**\*Smart Fan**




**34285**  
**34285WP**  
**Body** Matt Black  
**Blades** Aluminium

**\*Smart Fan**




**Programmable 1-4-8h**  
**Memory function pag 38**



**Smart option**

|                      |  |
|----------------------|--|
| <b>Material</b>      | <b>Body</b> Steel<br><b>Blades</b> Aluminium |
| <b>W</b>             | 3.7-5.9-9.2-14.7-21.8-29.9                   |
| <b>RPM</b>           | 95-148-188-221-260-292                       |
| <b>Airflow</b>       | 136.5 m3 min                                 |
| <b>V/Hz</b>          | 220V-240V/50-60Hz                            |
| <b>Accessories</b> ☉ | 33974 DC Wall Control                        |
| <b>Incl. downrod</b> | 100 mm                                       |
| <b>Opt. downrod</b>  | Page 282                                     |



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 232/9.13"        | 194/7.64"        |
| <b>B</b>         | <b>C</b>         |
| 83/3.27"         | 151/5.94"        |
| <b>D</b>         | <b>E</b>         |
| 60/2.4"          | 130/5.12"        |
| <b>F</b>         | <b>G</b>         |
| ø1060/41.7"      | 630/24.8"        |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 100/3.94"        | 26/1.02"         |

\*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34151-01 of the gear. The price of the gear is with PRO35 discount.





# Cruiser S

Faro Lab



|                   |  |                    |  |            |                      |                       |
|-------------------|--|--------------------|--|------------|----------------------|-----------------------|
| <b>ø106</b><br>CM | <b>&lt; 13 M2</b><br><b>&lt; 140 SQ.FT</b> | <b>DC</b><br>MOTOR | <b>OPTION SMART</b><br>100-240V<br>50-60Hz | <b>DIM</b> | <b>SUMMER WINTER</b> | <b>INCLINING ROOF</b> |
|-------------------|--|--------------------|--|------------|----------------------|-----------------------|



**34288-1TW**  
**34288WP-1TW**  
**Body Matt White**  
**Blades Matt White**

**\*Smart Fan**



**34289WP-1TW**  
**34289-1TW**  
**Body Matt Black**  
**Blades Matt Black**

**\*Smart Fan**




**34285-1TW**  
**34285WP-1TW**  
**Body Matt Black**  
**Blades Aluminum**


**\*Smart Fan**



**Color temperature adjustable**




**Programmable 1-4-8h**  
**Memory function pag 38**



**Smart option**

|                      |  |  |
|----------------------|--|--|
| <b>Material</b>      | <b>Body</b> Steel<br><b>Blades</b> Aluminium | <b>Power</b> 18W<br><b>Lumen Output</b> 1300lm |
| <b>W</b>             | 3.7-5.9-9.2-14.7-21.8-29.9                   | <b>Light Source</b> SMD LED                    |
| <b>RPM</b>           | 95-148-188-221-260-292                       | <b>Dimmable K</b> 2700 - 4350 - 6000K          |
| <b>Airflow</b>       | 136.5 m3 min                                 | <b>CRI</b> >80                                 |
| <b>V/Hz</b>          | 220V-240V/50-60Hz                            | <b>Driver incl.</b> Yes                        |
| <b>Accessories</b> ☉ | 33974 DC Wall Control                        | <b>Material Diff</b> Glass                     |
| <b>Incl. downrod</b> | 100 mm                                       |  |
| <b>Opt. downrod</b>  | Page 282                                     |  |



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 276/10.87"       | 180/7.09"        |
| <b>B</b>         | <b>C</b>         |
| 80/3.15"         | 150/5.91"        |
| <b>D</b>         | <b>E</b>         |
| 60/2.4"          | 130/5.12"        |
| <b>F</b>         | <b>G</b>         |
| ø1060/41.7"      | 500/19.69"       |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 100/3.94"        | 26/1.02"         |

\*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34151-02 of the gear. The price of the gear is with PRO35 discount.





# Easy S

|                   |  |                                |                                 |                               |
|-------------------|--|--------------------------------|---------------------------------|-------------------------------|
| <b>ø105</b><br>CM | <b>&lt; 13 M2</b><br><b>&lt; 140 SQ.FT</b> | <b>SUMMER</b><br><b>WINTER</b> | <b>INCLINING</b><br><b>ROOF</b> | <b>EASY</b><br><b>INSTALL</b> |
|-------------------|--|--------------------------------|---------------------------------|-------------------------------|




**33416**  
**Body Grey**  
**Blades Grey**



**Programmable 1-3-6-9h**

|                 |                       |                      |                |
|-----------------|-----------------------|----------------------|----------------|
| <b>Material</b> | <b>Body</b> Steel+ABS | <b>Light Source</b>  | 2 E27 max. 15W |
|                 | <b>Blades</b> ABS     | <b>Bulb incl.</b>    | No             |
| <b>W</b>        | 11-23-68              | <b>Recom. Bulb</b>   | 17463          |
| <b>RPM</b>      | 105-185-285           | <b>Material Diff</b> | ABS            |
| <b>Airflow</b>  | 159.76 m3 min         |                      |                |
| <b>V/Hz</b>     | 220V-240V/50Hz        |                      |                |



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 460/18.11"       | 320/12.6"        |
| <b>B</b>         | <b>C</b>         |
| 100/3.94"        | 210/8.27"        |
| <b>D</b>         | <b>E</b>         |
| 75/3"            | 140/5.51"        |
| <b>F</b>         | <b>G</b>         |
| ø1050/41.3"      | 420/16.54"       |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 235/9.25"        | 21/0.83"         |





# Hvar S

|                  |  |                    |  |            |                                |                                 |
|------------------|--|--------------------|--|------------|--------------------------------|---------------------------------|
| <b>ø97</b><br>CM | <b>&lt; 13 M2</b><br><b>&lt; 140 SQ.FT</b> | <b>DC</b><br>MOTOR | <b>OPTION</b><br><b>SMART</b><br>100-240V<br>50-60Hz | <b>DIM</b> | <b>SUMMER</b><br><b>WINTER</b> | <b>INCLINING</b><br><b>ROOF</b> |
|------------------|--|--------------------|--|------------|--------------------------------|---------------------------------|




**34300**  
**34300WP**  
**Body Matt White**  
**Blades Matt White**


**\*Smart Fan**



**Color temperature adjustable**




**Programmable 1-4-8h**  
**Memory function pag 38**



**Smart option**

|                      |                           |                      |                     |
|----------------------|---------------------------|----------------------|---------------------|
| <b>Material</b>      | <b>Body</b> Steel         | <b>Power</b>         | 24W                 |
|                      | <b>Blades</b> ABS         | <b>Lumen Output</b>  | 1600lm              |
| <b>W</b>             | 5.5-8.8-14-20.6-27.5-34.8 | <b>Light Source</b>  | SMD LED 6500K       |
| <b>RPM</b>           | 139-172-206-245-268-300   | <b>Dimmable K</b>    | 3000 - 4500 - 6500K |
| <b>Airflow</b>       | 130 m3 min                | <b>CRI</b>           | >80                 |
| <b>V/Hz</b>          | 220V-240V/50Hz            | <b>Driver incl.</b>  | Yes                 |
| <b>Accessories</b> ☉ | 33974 DC Wall Control     | <b>Material Diff</b> | PMMA                |
| <b>Incl. downrod</b> | 127-250 mm                |                      |                     |



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 549/21.61"       | 447/17.6"        |
| <b>B</b>         | <b>C</b>         |
| 295/11.61"       |                  |
| <b>D</b>         | <b>E</b>         |
| 80/3.1"          | 165/6.5"         |
| <b>F</b>         | <b>G</b>         |
| ø914/36"         | 328/12.91"       |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 127-250/5"       | 26/1.02"         |

\*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-25 of the gear. The price of the gear is with PRO35 discount.





# Klim S

Faro Lab



|                  |                            |                    |  |                      |                       |
|------------------|----------------------------|--------------------|--|----------------------|-----------------------|
| <b>Ø92</b><br>CM | <br>< 13 M2<br>< 140 SQ.FT | <b>DC</b><br>MOTOR | <b>OPTION SMART</b><br>100-240V<br>50-60Hz | <br>SUMMER<br>WINTER | <br>INCLINING<br>ROOF |
|------------------|----------------------------|--------------------|--|----------------------|-----------------------|



**34278**  
**34278WP**  
Body Matt Black  
Blades Dark Walnut

**\*Smart Fan**



**34281**  
**34281WP**  
Body Matt White  
Blades Oak

**\*Smart Fan**



**34284**  
**34284WP**  
Body Matt Black  
Blades Oak


**\*Smart Fan**




Wood



Optional Light kit  
page 298




Programmable 1-4-8h  
Memory function pag 38



Smart option

|                      |                         |
|----------------------|-------------------------|
| <b>Material</b>      | <b>Body</b> Steel       |
|                      | <b>Blades</b> Wood      |
| <b>W</b>             | 6.2-7.9-10.5-14-20-28   |
| <b>RPM</b>           | 153-192-226-259-302-348 |
| <b>Airflow</b>       | 124 m3 min              |
| <b>V/Hz</b>          | 220V-240V/50-60Hz       |
| <b>Accessories</b> ☉ | 33974 DC Wall Control   |
| <b>Incl. downrod</b> | 100 mm                  |
| <b>Opt. downrod</b>  | Page 282                |



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 240/9.45"        | 212/8.35"        |
| <b>B</b>         | <b>C</b>         |
| 48/1.89"         | 100/3.94"        |
| <b>D</b>         | <b>E</b>         |
| 60/2.4"          | 130/5.12"        |
| <b>F</b>         | <b>G</b>         |
| Ø925/36.4"       | 458/18.03"       |
| <b>Downrod L</b> | <b>Downrod Ø</b> |
| 100/3.94"        | 26/1.02"         |

\*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-39 of the gear. The price of the gear is with PRO35 discount.





# Klim S

Faro Lab

NEW

|                         |                                       |                            |   |                           |                            |
|-------------------------|---------------------------------------|----------------------------|---|---------------------------|----------------------------|
| <p><b>92</b><br/>CM</p> | <p> &lt; 13 M2<br/>&lt; 140 SQ.FT</p> | <p><b>DC</b><br/>MOTOR</p> | <p>OPTION<br/><b>SMART</b><br/>100-240V<br/>50-60Hz</p> | <p> SUMMER<br/>WINTER</p> | <p> INCLINING<br/>ROOF</p> |
|-------------------------|---------------------------------------|----------------------------|---|---------------------------|----------------------------|



**34278WP-11L**  
**34278-11L**  
Body Matt Black  
Blades Dark Walnut

\*Smart Fan




**34281-11L**  
**34281WP-11L**  
Body Matt White  
Blades Oak

\*Smart Fan




**34284-11L**  
**34284WP-11L**  
Body Matt Black  
Blades Oak


\*Smart Fan



Glass diffuser




Programmable 1-4-8h  
Memory function pag 38



Smart option

|                      |                         |                      |            |
|----------------------|-------------------------|----------------------|------------|
| <b>Material</b>      | <b>Body</b> Steel       | <b>Light Source</b>  | 1 E27 max. |
|                      | <b>Blades</b> Wood      | <b>Bulb incl.</b>    | No         |
| <b>W</b>             | 6.2-7.9-10.5-14-20-28   | <b>Recom. Bulb</b>   | 17463      |
| <b>RPM</b>           | 153-192-226-259-302-348 | <b>Material Diff</b> | Glass      |
| <b>Airflow</b>       | 124 m3 min              |                      |            |
| <b>V/Hz</b>          | 100V-240V/50-60Hz       |                      |            |
| <b>Accessories</b> ☉ | 33974 DC Wall Control   |                      |            |
| <b>Incl. downrod</b> | 100 mm                  |                      |            |
| <b>Opt. downrod</b>  | Page 282                |                      |            |



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 330/12.99"       | 212/8.35"        |
| <b>B</b>         | <b>C</b>         |
| 231/9.09"        | 100/3.94"        |
| <b>D</b>         | <b>E</b>         |
| 60/2.4"          | 130/5.12"        |
| <b>F</b>         | <b>G</b>         |
| ø925/36.4"       | 458/18.03"       |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 100/3.94"        | 26/1.02"         |



\*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-41 of the gear. The price of the gear is with PRO35 discount.





# Chicago S


Àlex & Manel Llusçà

|                  |   |  |
|------------------|---|--|
| <b>ø91</b><br>CM | <br>< 13 M2<br>< 140 SQ.FT | <br>INCLINING<br>ROOF |
|------------------|---|--|



**33703**  
**Body** Matt Black  
**Blades** Walnut

|                      |                                   |                     |                |
|----------------------|-----------------------------------|---------------------|----------------|
| <b>Material</b>      | <b>Body</b> Steel                 | <b>Light Source</b> | 1 E27 max. 15W |
|                      | <b>Blades</b> MDF                 | <b>Bulb incl.</b>   | No             |
| <b>W</b>             | 15-26-49                          | <b>Recom. Bulb</b>  | 17463          |
| <b>RPM</b>           | 136-192-225                       |                     |                |
| <b>Airflow</b>       | 96.71 m3 min                      |                     |                |
| <b>V/Hz</b>          | 220V-240V/50-60Hz                 |                     |                |
| <b>Accessories</b> ☉ | 33928 Wall Control 3 speeds       |                     |                |
|                      | 33929 Remote Control/dimer-on-off |                     |                |
|                      | 33937 Remote Control/Programmer   |                     |                |
| <b>Opt. downrod</b>  | Page 282                          |                     |                |



|            |            |
|------------|------------|
| <b>A</b>   | <b>A1</b>  |
| 475/18.7"  | 295/11.61" |
| <b>B</b>   | <b>C</b>   |
| 295/11.61" | 140/5.51"  |
| <b>D</b>   | <b>E</b>   |
| 50/2"      | 150/5.91"  |
| <b>F</b>   | <b>G</b>   |
| ø915/36"   | 380/14.96" |





# Sfera S

Faro Lab



|                  |  |                    |  |                                |                       |
|------------------|--|--------------------|--|--------------------------------|-----------------------|
| <b>ø90</b><br>CM | <b>&lt; 13 M2</b><br><b>&lt; 140 SQ.FT</b> | <b>DC</b><br>MOTOR | <b>OPTION SMART</b><br>100-240V<br>50-60Hz | <b>SUMMER</b><br><b>WINTER</b> | <b>INCLINING ROOF</b> |
|------------------|--|--------------------|--|--------------------------------|-----------------------|




**34270**  
**34270WP**  
**Body** Matt White  
**Blades** Matt White

**\*Smart Fan**




**34271**  
**34271WP**  
**Body** Matt Black  
**Blades** Matt Black

**\*Smart Fan**




**Programmable 1-4-8h**  
**Memory function pag 38**



**Smart option**

|                      |  |
|----------------------|--|
| <b>Material</b>      | <b>Body</b> Steel<br><b>Blades</b> ABS |
| <b>W</b>             | 5.5-7.3-10.1-13.7-20.3-28.7            |
| <b>RPM</b>           | 142-178-213-244-290-333                |
| <b>Airflow</b>       | 134.7 m3 min                           |
| <b>V/Hz</b>          | 220V-240V/50-60Hz                      |
| <b>Accessories</b> ☉ | 33974 DC Wall Control                  |
| <b>Incl. downrod</b> | 100 mm                                 |
| <b>Opt. downrod</b>  | Page 282                               |



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 248/9.76"        | 171/6.73"        |
| <b>B</b>         | <b>C</b>         |
| 132/5.2"         | 132/5.2"         |
| <b>D</b>         | <b>E</b>         |
| 60/2.4"          | 130/5.12"        |
| <b>F</b>         | <b>G</b>         |
| ø900/35.4"       | 439/17.28"       |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 100/3.94"        | 26/1.02"         |

\*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-27 of the gear. The price of the gear is with PRO35 discount.





# Mini Punt S

Faro Lab



|                  |  |                    |  |                                |                       |
|------------------|--|--------------------|--|--------------------------------|-----------------------|
| <b>Ø90</b><br>CM | <b>&lt; 13 M2</b><br><b>&lt; 140 SQ.FT</b> | <b>DC</b><br>MOTOR | <b>OPTION SMART</b><br>100-240V<br>50-60Hz | <b>SUMMER</b><br><b>WINTER</b> | <b>INCLINING ROOF</b> |
|------------------|--|--------------------|--|--------------------------------|-----------------------|



**33820WP**  
**33820**  
Body Matt White  
Blades Matt White

**\*Smart Fan**



**33821**  
**33821WP**  
Body Matt White  
Blades Maple

**\*Smart Fan**



**33822**  
**33822WP**  
Body Matt Black  
Blades Matt Black

**\*Smart Fan**




**33823**  
**33823WP**  
Body Matt Black  
Blades Walnut

**\*Smart Fan**




**Programmable 1-4-8h**  
**Memory function pag 38**



**Smart option**

|                      |  |
|----------------------|--|
| <b>Material</b>      | <b>Body</b> Steel<br><b>Blades</b> ABS |
| <b>W</b>             | 3.8-5.3-7.9-12.8-18.7-26.8             |
| <b>RPM</b>           | 113-150-195-244-286-327                |
| <b>Airflow</b>       | 141.8 m3 min                           |
| <b>V/Hz</b>          | 220V-240V/50-60Hz                      |
| <b>Accessories</b> ☉ | 33974 DC Wall Control                  |
| <b>Opt. downrod</b>  | Page 282                               |



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 235/9.25"        | 173/6.81"        |
| <b>B</b>         | <b>C</b>         |
| 77/3.03"         | 120/4.72"        |
| <b>D</b>         | <b>E</b>         |
| 60/2.4"          | 130/5.12"        |
| <b>F</b>         | <b>G</b>         |
| ø900/35.4"       | 441/17.36"       |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 101/3.98"        | 26/1.02"         |

\*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34151-06 of the gear. The price of the gear is with PRO35 discount.





# Mini Punt S

Faro Lab



|                  |  |                    |   |            |                                |                                 |
|------------------|--|--------------------|---|------------|--------------------------------|---------------------------------|
| <b>ø90</b><br>CM | <b>&lt; 13 M2</b><br><b>&lt; 140 SQ.FT</b> | <b>DC</b><br>MOTOR | OPTION<br><b>SMART</b><br>100-240V<br>50-60Hz | <b>DIM</b> | <b>SUMMER</b><br><b>WINTER</b> | <b>INCLINING</b><br><b>ROOF</b> |
|------------------|--|--------------------|---|------------|--------------------------------|---------------------------------|



**33820-1TW**  
**33820WP-1TW**  
Body Matt White  
Blades Matt White

**\*Smart Fan**



**33821-1TW**  
**33821WP-1TW**  
Body Matt White  
Blades Maple

**\*Smart Fan**



**33822-1TW**  
**33822WP-1TW**  
Body Matt Black  
Blades Matt Black

**\*Smart Fan**



**33823-1TW**  
**33823WP-1TW**  
Body Matt Black  
Blades Walnut


**\*Smart Fan**




Glass diffuser



Color temperature adjustable




Programmable 1-4-8h  
Memory function pag 38



Smart option

|                      |                            |                      |                     |
|----------------------|----------------------------|----------------------|---------------------|
| <b>Material</b>      | <b>Body</b> Steel          | <b>Power</b>         | 10W                 |
|                      | <b>Blades</b> ABS          | <b>Lumen Output</b>  | 800lm               |
| <b>W</b>             | 3.8-5.3-7.9-12.8-18.7-26.8 | <b>Light Source</b>  | SMD LED             |
| <b>RPM</b>           | 113-150-195-244-286-327    | <b>Dimmable K</b>    | 2700 - 4350 - 6000K |
| <b>Airflow</b>       | 141.8 m3 min               | <b>CRI</b>           | >80                 |
| <b>V/Hz</b>          | 220V-240V/50-60Hz          | <b>Driver incl.</b>  | Yes                 |
| <b>Accessories</b> ☉ | 33974 DC Wall Control      | <b>Material Diff</b> | Glass               |
| <b>Opt. downrod</b>  | Page 282                   |                      |                     |



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 263/10.35"       | 173/6.81"        |
| <b>B</b>         | <b>C</b>         |
| 106/4.17"        | 120/4.72"        |
| <b>D</b>         | <b>E</b>         |
| 60/2.4"          | 130/5.12"        |
| <b>F</b>         | <b>G</b>         |
| ø900/35.4"       | 441/17.36"       |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 101/3.98"        | 26/1.02"         |

\*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34151-06 of the gear. The price of the gear is with PRO35 discount.







# Mini Punt Tub S

Faro Lab



|                 |                            |                    |   |                      |                       |
|-----------------|----------------------------|--------------------|---|----------------------|-----------------------|
| <b>90</b><br>CM | <br>< 13 M2<br>< 140 SQ.FT | <b>DC</b><br>MOTOR | OPTION<br><b>SMART</b><br>100-240V<br>50-60Hz | <br>SUMMER<br>WINTER | <br>INCLINING<br>ROOF |
|-----------------|----------------------------|--------------------|---|----------------------|-----------------------|



**33832**  
**33832WP**  
Body Matt White  
Blades Matt White

**\*Smart Fan**



**33833**  
**33833WP**  
Body Matt White  
Blades Maple

**\*Smart Fan**



**33834**  
**33834WP**  
Body Matt Black  
Blades Matt Black

**\*Smart Fan**




**33835**  
**33835WP**  
Body Matt Black  
Blades Walnut


**\*Smart Fan**



Suitable for low ceilings




Programmable 1-4-8h  
Memory function pag 38



Smart option

|                      |  |
|----------------------|--|
| <b>Material</b>      | <b>Body</b> Steel<br><b>Blades</b> ABS |
| <b>W</b>             | 3.8-5.3-7.9-12.8-18.7-26.8             |
| <b>RPM</b>           | 113-150-195-244-286-327                |
| <b>Airflow</b>       | 141.8 m3 min                           |
| <b>V/Hz</b>          | 220V-240V/50-60Hz                      |
| <b>Accessories</b> ☉ | 33974 DC Wall Control                  |



|            |            |
|------------|------------|
| <b>A</b>   | <b>A1</b>  |
| 203/7.99"  | 142/5.59"  |
| <b>B</b>   | <b>C</b>   |
| 142/5.59"  | 124/4.88"  |
| <b>D</b>   | <b>E</b>   |
| 142/5.6"   | 112/4.41"  |
| <b>F</b>   | <b>G</b>   |
| ø900/35.4" | 441/17.36" |

\*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34151-06 of the gear. The price of the gear is with PRO35 discount.





# Mini Punt Tub S

Faro Lab



|                  |                            |                    |   |                |                      |                       |
|------------------|----------------------------|--------------------|---|----------------|----------------------|-----------------------|
| <b>ø90</b><br>CM | <br>< 13 M2<br>< 140 SQ.FT | <b>DC</b><br>MOTOR | OPTION<br><b>SMART</b><br>100-240V<br>50-60Hz | <br><b>DIM</b> | <br>SUMMER<br>WINTER | <br>INCLINING<br>ROOF |
|------------------|----------------------------|--------------------|---|----------------|----------------------|-----------------------|



**33832-1TW**  
**33832WP-1TW**  
Body Matt White  
Blades Matt White

**\*Smart Fan**



**33833-1TW**  
**33833WP-1TW**  
Body Matt White  
Blades Maple

**\*Smart Fan**




**33834-1TW**  
**33834WP-1TW**  
Body Matt Black  
Blades Matt Black

**\*Smart Fan**



**33835-1TW**  
**33835WP-1TW**  
Body Matt Black  
Blades Walnut


**\*Smart Fan**




Suitable for low ceilings



Color temperature adjustable




Programmable 1-4-8h  
Memory function pag 38



Smart option

|                      |                            |                      |                     |
|----------------------|----------------------------|----------------------|---------------------|
| <b>Material</b>      | <b>Body</b> Steel          | <b>Power</b>         | 10W                 |
|                      | <b>Blades</b> ABS          | <b>Lumen Output</b>  | 800 lm              |
| <b>W</b>             | 3.8-5.3-7.9-12.8-18.7-26.8 | <b>Light Source</b>  | SMD LED             |
| <b>RPM</b>           | 113-150-195-244-286-327    | <b>Dimmable K</b>    | 2700 - 4350 - 6000K |
| <b>Airflow</b>       | 141.8 m3 min               | <b>CRI</b>           | >80                 |
| <b>V/Hz</b>          | 220V-240V/50-60Hz          | <b>Driver incl.</b>  | Yes                 |
| <b>Accessories</b> ☉ | 33974 DC Wall Control      | <b>Material Diff</b> | Glass               |



|            |            |
|------------|------------|
| <b>A</b>   | <b>A1</b>  |
| 230/9.06"  | 142/5.59"  |
| <b>B</b>   | <b>C</b>   |
| 142/5.59"  | 124/4.88"  |
| <b>D</b>   | <b>E</b>   |
| 142/5.6"   | 112/4.41"  |
| <b>F</b>   | <b>G</b>   |
| ø900/35.4" | 441/17.36" |

\*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34151-06 of the gear. The price of the gear is with PRO35 discount.





# Hey S

Faro Lab



|                  |  |                    |  |                                |                       |
|------------------|--|--------------------|--|--------------------------------|-----------------------|
| <b>ø90</b><br>CM | <b>&lt; 13 M2</b><br><b>&lt; 140 SQ.FT</b> | <b>DC</b><br>MOTOR | <b>OPTION SMART</b><br>100-240V<br>50-60Hz | <b>SUMMER</b><br><b>WINTER</b> | <b>INCLINING ROOF</b> |
|------------------|--|--------------------|--|--------------------------------|-----------------------|




**33824**  
**33824WP**  
**Body Matt White**  
**Blades Matt White**

**\*Smart Fan**




**33825**  
**33825WP**  
**Body Matt Black**  
**Blades Matt Black**

**\*Smart Fan**




**Programmable 1-4-8h**  
**Memory function pag 38**



**Smart option**

|                      |  |
|----------------------|--|
| <b>Material</b>      | <b>Body</b> Steel<br><b>Blades</b> ABS |
| <b>W</b>             | 4.3-7.0-10.2-16-21-30                  |
| <b>RPM</b>           | 110-162-197-238-267-300                |
| <b>Airflow</b>       | 147.6 m3 min                           |
| <b>V/Hz</b>          | 220V-240V/50-60Hz                      |
| <b>Accessories</b> ☉ | 33974 DC Wall Control                  |
| <b>Opt. downrod</b>  | Page 282                               |



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 243/9.57"        | 200/7.87"        |
| <b>B</b>         | <b>C</b>         |
| 80/3.15"         | 100/3.94"        |
| <b>D</b>         | <b>E</b>         |
| 60/2.4"          | 130/5.12"        |
| <b>F</b>         | <b>G</b>         |
| ø900/35.4"       | 430/16.93"       |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 101/3.98"        | 26/1.02"         |

\*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34151-07 of the gear. The price of the gear is with PRO35 discount.





# Hey S

Faro Lab



|                  |                            |                    |  |                |                      |                       |
|------------------|----------------------------|--------------------|--|----------------|----------------------|-----------------------|
| <b>ø90</b><br>CM | <br>< 13 M2<br>< 140 SQ.FT | <b>DC</b><br>MOTOR | <b>OPTION</b><br><b>SMART</b><br>100-240V<br>50-60Hz | <br><b>DIM</b> | <br>SUMMER<br>WINTER | <br>INCLINING<br>ROOF |
|------------------|----------------------------|--------------------|--|----------------|----------------------|-----------------------|



**33824-1TW**  
**33824WP-1TW**  
Body Matt White  
Blades Matt White

**\*Smart Fan**




**33825-1TW**  
**33825WP-1TW**  
Body Matt Black  
Blades Matt Black


**\*Smart Fan**



Color temperature adjustable




Programmable 1-4-8h  
Memory function pag 38



Smart option

|                      |                         |                      |                     |
|----------------------|-------------------------|----------------------|---------------------|
| <b>Material</b>      | <b>Body</b> Steel       | <b>Power</b>         | 10W                 |
|                      | <b>Blades</b> ABS       | <b>Lumen Output</b>  | 800lm               |
| <b>W</b>             | 4.3-7.0-10.2-16-21-30   | <b>Light Source</b>  | SMD LED             |
| <b>RPM</b>           | 110-162-197-238-267-300 | <b>Dimmable K</b>    | 3000 - 4200 - 6500K |
| <b>Airflow</b>       | 147.6 m3 min            | <b>CRI</b>           | >80                 |
| <b>V/Hz</b>          | 220V-240V/50-60Hz       | <b>Driver incl.</b>  | Yes                 |
| <b>Accessories</b> ☉ | 33974 DC Wall Control   | <b>Material Diff</b> | Glass               |
| <b>Opt. downrod</b>  | Page 282                |                      |                     |



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 270/10.63"       | 200/7.87"        |
| <b>B</b>         | <b>C</b>         |
| 80/3.15"         | 100/3.94"        |
| <b>D</b>         | <b>E</b>         |
| 60/2.4"          | 130/5.12"        |
| <b>F</b>         | <b>G</b>         |
| ø900/35.4"       | 430/16.93"       |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 101/3.98"        | 26/1.02"         |

\*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34151-07 of the gear. The price of the gear is with PRO35 discount.





# Heywood S

Faro Lab

|                  |  |                    |  |                                |                                 |
|------------------|--|--------------------|--|--------------------------------|---------------------------------|
| <b>ø90</b><br>CM | <b>&lt; 13 M2</b><br><b>&lt; 140 SQ.FT</b> | <b>DC</b><br>MOTOR | <b>OPTION</b><br><b>SMART</b><br>100-240V<br>50-60Hz | <b>SUMMER</b><br><b>WINTER</b> | <b>INCLINING</b><br><b>ROOF</b> |
|------------------|--|--------------------|--|--------------------------------|---------------------------------|



**33805**  
**33805WP**  
**Body** Matt White  
**Blades** Maple

**\*Smart Fan**




**33806**  
**33806WP**  
**Body** Matt Black  
**Blades** Dark Oak

**\*Smart Fan**



Wooden finish



Smart option

**Material** **Body** Steel  
**Blades** Wood


**W** 5.1-7.4-11.2-16.9-22.7-30

**RPM** 115-155-195-235-266-297

**Airflow** 135.8 m3 min

**V/Hz** 220V-240V/50-60Hz

**Opt. downrod** Page 282



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 243/9.57"        | 223/8.78"        |
| <b>B</b>         | <b>C</b>         |
| 82/3.23"         | 100/3.94"        |
| <b>D</b>         | <b>E</b>         |
| 59/2.3"          | 132/5.2"         |
| <b>F</b>         | <b>G</b>         |
| ø900/35.4"       | 387/15.24"       |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 101/3.98"        | 26/1.02"         |

\*Order your Smart Fan with the reference of the fan finished in WP and request the reference of the gear. The price of the gear is with PRO35 discount.





|                  |                            |                    |   |                |                      |                       |
|------------------|----------------------------|--------------------|---|----------------|----------------------|-----------------------|
| <b>ø90</b><br>CM | <br>< 13 M2<br>< 140 SQ.FT | <b>DC</b><br>MOTOR | OPTION<br><b>SMART</b><br>100-240V<br>50-60Hz | <br><b>DIM</b> | <br>SUMMER<br>WINTER | <br>INCLINING<br>ROOF |
|------------------|----------------------------|--------------------|---|----------------|----------------------|-----------------------|



**33805-1TW**  
**33805WP-1TW**  
Body Matt White  
Blades Maple

**\*Smart Fan**



**33806-1TW**  
**33806WP-1TW**  
Body Matt Black  
Blades Dark Oak


**\*Smart Fan**




Wooden finish



Color temperature adjustable




Programmable 1-4-8h  
Memory function pag 38



Smart option

|                      |                           |                      |                     |
|----------------------|---------------------------|----------------------|---------------------|
| <b>Material</b>      | <b>Body</b> Steel         | <b>Power</b>         | 10W                 |
|                      | <b>Blades</b> Wood        | <b>Lumen Output</b>  | 800lm               |
| <b>W</b>             | 5.1-7.4-11.2-16.9-22.7-30 | <b>Light Source</b>  | SMD LED             |
| <b>RPM</b>           | 115-155-195-235-266-297   | <b>Dimmable K</b>    | 3000 - 4200 - 6500K |
| <b>Airflow</b>       | 135.8 m3 min              | <b>CRI</b>           | >80                 |
| <b>V/Hz</b>          | 220V-240V/50-60Hz         | <b>Driver incl.</b>  | Yes                 |
| <b>Accessories</b> ☉ | 33974 DC Wall Control     | <b>Material Diff</b> | Glass               |
| <b>Opt. downrod</b>  | Page 282                  |                      |                     |



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 270/10.63"       | 200/7.87"        |
| <b>B</b>         | <b>C</b>         |
| 80/3.15"         | 100/3.94"        |
| <b>D</b>         | <b>E</b>         |
| 60/2.4"          | 130/5.12"        |
| <b>F</b>         | <b>G</b>         |
| ø900/35.4"       | 430/16.93"       |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 101/3.98"        | 26/1.02"         |





# Just Fan XS

Conillas

|                  |                        |                    |  |                  |                   |
|------------------|------------------------|--------------------|--|------------------|-------------------|
| <b>ø81</b><br>CM | < 13 M2<br>< 140 SQ.FT | <b>DC</b><br>MOTOR | <b>OPTION SMART</b><br>100-240V<br>50-60Hz | SUMMER<br>WINTER | INCLINING<br>ROOF |
|------------------|------------------------|--------------------|--|------------------|-------------------|



**33426**  
**33426WP**  
Body Chrome  
Blades Transparent

**\*Smart Fan**



**33425**  
**33425WP**  
Body Matt Black  
Blades Walnut

**\*Smart Fan**



**33428**  
**33428WP**  
Body Old Gold  
Blades Walnut

**\*Smart Fan**



**33423**  
**33423WP**  
Body Copper  
Blades Walnut

**\*Smart Fan**



**33424**  
**33424WP**  
Body Matt Black  
Blades Matt Black

**\*Smart Fan**




**33429**  
**33429WP**  
Body Old Gold  
Blades Matt Black

**\*Smart Fan**



**33427**  
**33427WP**  
Body Copper  
Blades Matt Black

**\*Smart Fan**




Smart option



2 downrods included  
100 / 200mm

|                      |                                       |
|----------------------|---------------------------------------|
| <b>Material</b>      | <b>Body</b> Steel<br><b>Blades</b> PC |
| <b>W</b>             | 2.8-3.2-4-5-6.7-9                     |
| <b>RPM</b>           | 51-86-122-158-195-235                 |
| <b>Airflow</b>       | 121.69 m3 min                         |
| <b>V/Hz</b>          | 220V-240V/50-60Hz                     |
| <b>Incl. downrod</b> | 100-200 mm                            |
| <b>Opt. downrod</b>  | Page 282                              |



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 390/15.35"       | 380/14.96"       |
| <b>B</b>         | <b>C</b>         |
| 180/7.09"        | 160/6.3"         |
| <b>D</b>         | <b>E</b>         |
| 55/2.2"          | 130/5.12"        |
| <b>F</b>         | <b>G</b>         |
| ø810/31.9"       | 358/14.09"       |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 100-200/3.94"    | 26/1.02"         |

\*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-02 of the gear. The price of the gear is with PRO35 discount.





# Just Fan XS

Conillas

|                  |                        |                    |  |                  |                   |
|------------------|------------------------|--------------------|--|------------------|-------------------|
| <b>ø81</b><br>CM | < 13 M2<br>< 140 SQ.FT | <b>DC</b><br>MOTOR | <b>OPTION SMART</b><br>100-240V<br>50-60Hz | SUMMER<br>WINTER | INCLINING<br>ROOF |
|------------------|------------------------|--------------------|--|------------------|-------------------|



**33426-9**  
**33426WP-9**  
Body Chrome  
Blades Transparent

**\*Smart Fan**



**33425-10**  
**33425WP-10**  
Body Matt Black  
Blades Walnut

**\*Smart Fan**



**33428-10**  
**33428WP-10**  
Body Old Gold  
Blades Walnut

**\*Smart Fan**



**33423-10**  
**33423WP-10**  
Body Copper  
Blades Walnut

**\*Smart Fan**



**33424-10**  
**33424WP-10**  
Body Matt Black  
Blades Matt Black

**\*Smart Fan**




**33429-10**  
**33429WP-10**  
Body Old Gold  
Blades Matt Black

**\*Smart Fan**



**33427-10**  
**33427WP-10**  
Body Copper  
Blades Matt Black

**\*Smart Fan**




Smart option



2 downrods included  
100 / 200mm

|                      |                                       |                      |               |
|----------------------|---------------------------------------|----------------------|---------------|
| <b>Material</b>      | <b>Body</b> Steel<br><b>Blades</b> PC | <b>Power</b>         | 16W           |
| <b>W</b>             | 2.8-3,2-4-5-6-7-9                     | <b>Lumen Output</b>  | 709lm         |
| <b>RPM</b>           | 51-86-122-158-195-235                 | <b>Light Source</b>  | SMD LED 3000K |
| <b>Airflow</b>       | 121.69 m3 min                         | <b>CRI</b>           | >80           |
| <b>V/Hz</b>          | 220V-240V/50-60Hz                     | <b>Driver incl.</b>  | Yes           |
| <b>Incl. downrod</b> | 100-200 mm                            | <b>Material Diff</b> | Glass         |
| <b>Opt. downrod</b>  | Page 282                              |                      |               |



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 390/15.35"       | 380/14.96"       |
| <b>B</b>         | <b>C</b>         |
| 180/7.09"        | 160/6.3"         |
| <b>D</b>         | <b>E</b>         |
| 55/2.2"          | 130/5.12"        |
| <b>F</b>         | <b>G</b>         |
| ø810/31.9"       | 358/14.09"       |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 100-200/3.94"    | 26/1.02"         |

\*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-02 of the gear. The price of the gear is with PRO35 discount.





# Palao S

|                  |                        |                  |                   |                               |                         |
|------------------|------------------------|------------------|-------------------|-------------------------------|-------------------------|
| <b>ø81</b><br>CM | < 13 M2<br>< 140 SQ.FT | SUMMER<br>WINTER | INCLINING<br>ROOF | DIRECT<br>CEILING<br>MOUNTING | CONTROLLED<br>BY CHAINS |
|------------------|------------------------|------------------|-------------------|-------------------------------|-------------------------|



**33179**  
Body Matt White  
Blades Multicolor




**33186**  
Body Grey  
Blades Grey



**33183**  
Body Satin Nickel  
Blades Maple

|                      |                                   |                      |               |
|----------------------|-----------------------------------|----------------------|---------------|
| <b>Material</b>      | <b>Body</b> Steel                 | <b>Light Source</b>  | 1 E14 max. 8W |
|                      | <b>Blades</b> MDF                 | <b>Bulb incl.</b>    | No            |
| <b>W</b>             | 24-28-37                          | <b>Recom. Bulb</b>   | 17461         |
| <b>RPM</b>           | 127-192-241                       | <b>Material Diff</b> | Glass         |
| <b>Airflow</b>       | 92.37 m3 min                      |                      |               |
| <b>V/Hz</b>          | 220V-240V/50Hz                    |                      |               |
| <b>Accessories</b> ☉ | 33928 Wall Control 3 speeds       |                      |               |
|                      | 33929 Remote Control/dimer-on-off |                      |               |
|                      | 33937 Remote Control/Programmer   |                      |               |

Opt. downrod Page 282



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 390/15.35"       | 260/10.24"       |
| <b>B</b>         | <b>C</b>         |
| 190/7.48"        | 170/6.69"        |
| <b>D</b>         | <b>E</b>         |
| 60/2.4"          | 130/5.12"        |
| <b>F</b>         | <b>G</b>         |
| ø810/31.9"       | 350/13.78"       |
| <b>Downrod L</b> | <b>Downrod ø</b> |
| 93/3.66"         | 21/0.83"         |





# Vedra S

|   |  |   |   |
|---|--|---|---|
|  <p>ø46<br/>CM</p> |  <p>&lt; 13 M2<br/>&lt; 140 SQ.FT</p> |  <p>WALL<br/>CONTROL</p> |  <p>INCLINING<br/>ROOF</p> |
|---|--|---|---|



33525  
**Body** Black  
**Blades** Dark Walnut



Adjustable inclination



**Material** Body Steel  
 Blades MDF

**W** 19-22-34-37

**RPM** 327-369-495-515

**Airflow** 58.11 m3 min

**V/Hz** 220V-240V/50Hz



|            |            |
|------------|------------|
| <b>A</b>   | <b>A1</b>  |
| 540/21.26" | 450/17.72" |
| <b>B</b>   | <b>C</b>   |
| <b>D</b>   | <b>E</b>   |
| 60/2.4"    | 145/5.71"  |
| <b>F</b>   | <b>G</b>   |
| ø460/18.1" | 200/7.87"  |





280

# Keiki S

|   |  |  |   |   |
|---|--|--|---|---|
|  <p>ø43<br/>CM</p> |  <p>&lt; 13 M2<br/>&lt; 140 SQ.FT</p> |  <p>SUMMER<br/>WINTER</p> |  <p>WALL<br/>CONTROL</p> |  <p>INCLINING<br/>ROOF</p> |
|---|--|--|---|---|



33715  
**Body** Dark Brown  
**Blades** Dark Walnut


**Material**      **Body** Steel  
                      **Blades** Plywood

**W**                10-19-28

**RPM**            380-640-890

**Airflow**        38.61 m3 min

**V/Hz**            220V-240V/50Hz



|            |            |
|------------|------------|
| <b>A</b>   | <b>A1</b>  |
| 505/19.88" | 440/17.32" |
| <b>B</b>   | <b>C</b>   |
| <b>D</b>   | <b>E</b>   |
| 55/2.2"    | 150/5.91"  |
| <b>F</b>   | <b>G</b>   |
| ø430/16.9" | 150/5.91"  |




# OPTIONAL DOWNROD

3T022300

Length      Diameter      Finish      Downrod Model

| Family               | Length    | Diameter           | Finish         | Downrod Model             |
|----------------------|-----------|--------------------|----------------|---------------------------|
| 3T Downrod Accessory | 02 200mm  | 1 ø21mm<br>2 ø26mm | 1 White        | 00 Universal 21mm         |
|                      | 03 300mm  |                    | 2 Black        | 00 Universal 26mm         |
|                      | 04 400mm  |                    | 3 Brown        | 01 Universal 26mm seaside |
|                      | 05 500mm  |                    | 4 Grey         | 03 Just Deco Copper Fan   |
|                      | 06 600mm  |                    | 5 Chrome       | 04 Just Fan XL            |
|                      | 07 700mm  |                    | 6 Satin Nickel | 05 Amelia                 |
|                      | 08 800mm  |                    | 7 Old Gold     | 06 Luzon DC               |
|                      | 09 900mm  |                    | 8 Light Brown  | 07 Winche                 |
|                      | 10 1000mm |                    |                | 08 Typhoon                |
|                      | 12 1200mm |                    |                | 09 Lantau DC              |
|                      | 15 1500mm |                    |                | 10 Lantau DC Led          |
|                      | 18 1800mm |                    |                | 11 Gotland                |
|                      |           |                    |                | 12 Morea                  |

Example ref. Description  
 3T022100 Downrod accessory 200mm Ø26 White universal




$$(A) \text{ or } (AL) - (TI) + (TO) = (AR)$$

- (A) Total height fan no light
- (AL) Total height fan with light
- (TI) Included downrod length
- (TO) Optional downrod length
- (AR) Total height with optional downrod

**Example**

$$250\text{mm} - 100\text{mm} + 400\text{mm} = 550\text{mm}$$





# OPTIONAL DOWNROD

## Alo DC L

|                                  |            |
|----------------------------------|------------|
| Total fan height (A)             | 152/5,98"  |
| Included downrod length (TI)     | 320/12,59" |
| Total height fan with light (AL) | 339/13,34" |
| Additional wire included         | Yes        |

### New total height (AR)

| No Light    | With Light  | Family | Length         | Diameter   | Finish  | Downrod Model     |
|-------------|-------------|--------|----------------|------------|---------|-------------------|
| 368/14,48"  | 387/15,23"  | 3T     | 02 200/7,87"   | 2 26/1,02" | 1 White | 00 Universal 26mm |
| 468/18,42"  | 487/19,17"  |        | 03 300/11,81"  |            | 2 Black |                   |
| 568/22,36"  | 587/23,11"  |        | 04 400/15,74"  |            |         |                   |
| 668/26,29"  | 687/27,04"  |        | 05 500/19,68"  |            |         |                   |
| 768/30,23"  | 787/30,98"  |        | 06 600/23,62"  |            |         |                   |
| 868/34,17"  | 887/34,92"  |        | 07 700/27,55"  |            |         |                   |
| 968/38,11"  | 987/38,85"  |        | 08 800/31,49"  |            |         |                   |
| 1068/42,04" | 1087/42,79" |        | 09 900/35,43"  |            |         |                   |
| 1168/45,98" | 1187/46,73" |        | 10 1000/39,37" |            |         |                   |
| 1368/53,85" | 1387/54,6"  |        | 12 1200/47,24" |            |         |                   |
| 1668/65,66" | 1687/66,41" |        | 15 1500/59,05" |            |         |                   |
| 1968/77,48" | 1987/78,22" |        | 18 1800/70,86" |            |         |                   |

## Amelia L

|                              |            |
|------------------------------|------------|
| Total fan height (A)         | 264/10,39" |
|                              | 364/14,33" |
| Included downrod length (TI) | 100/3,93"  |
|                              | 200/7,87"  |
| Additional wire included     | Yes        |

### New total height (AR)

| No Light    | Family | Length         | Diameter   | Finish  | Downrod Model |
|-------------|--------|----------------|------------|---------|---------------|
| 464/18,26"  | 3T     | 03 300/11,81"  | 2 26/1,02" | 1 White | 05 Amelia     |
| 564/22,2"   |        | 04 400/15,74"  |            | 2 Black |               |
| 664/26,14"  |        | 05 500/19,68"  |            | 4 Grey  |               |
| 764/30,07"  |        | 06 600/23,62"  |            |         |               |
| 864/34,01"  |        | 07 700/27,55"  |            |         |               |
| 964/37,95"  |        | 08 800/31,49"  |            |         |               |
| 1064/41,88" |        | 09 900/35,43"  |            |         |               |
| 1164/45,82" |        | 10 1000/39,37" |            |         |               |
| 1364/53,7"  |        | 12 1200/47,24" |            |         |               |
| 1664/65,51" |        | 15 1500/59,05" |            |         |               |
| 1964/77,32" |        | 18 1800/70,86" |            |         |               |

## Amelia Ball L

|                              |            |
|------------------------------|------------|
| Total fan height (A)         | 474/18,66" |
|                              | 574/22,59" |
| Included downrod length (TI) | 100/3,93"  |
|                              | 200/7,87"  |
| Additional wire included     | Yes        |

New total height (AR)

| Ball Light  | Family | Length | Diameter    | Finish | Downrod Model |          |
|-------------|--------|--------|-------------|--------|---------------|----------|
| 674/26,53"  | 3T     | 02     | 200/7,87"   | 2      | 05 Amelia     |          |
| 774/30,47"  |        | 03     | 300/11,81"  |        |               | 26/1,02" |
| 874/34,4"   |        | 04     | 400/15,74"  |        |               |          |
| 974/38,34"  |        | 05     | 500/19,68"  | 1      |               | White    |
| 1074/42,28" |        | 06     | 600/23,62"  |        |               |          |
| 1174/46,22" |        | 07     | 700/27,55"  | 4      |               | Grey     |
| 1274/50,15" |        | 08     | 800/31,49"  |        |               |          |
| 1374/54,09" |        | 09     | 900/35,43"  |        |               |          |
| 1574/61,96" |        | 10     | 1000/39,37" |        |               |          |
| 1874/73,77" |        | 12     | 1200/47,24" |        |               |          |
| 2174/85,59" |        | 15     | 1500/59,05" |        |               |          |
|             |        | 18     | 1800/70,86" |        |               |          |

## Amelia Cone L

|                              |            |
|------------------------------|------------|
| Total fan height (A)         | 474/18,66" |
|                              | 574/22,59" |
| Included downrod length (TI) | 100/3,93"  |
|                              | 200/7,87"  |
| Additional wire included     | Yes        |

New total height (AR)

| Cone Light  | Family | Length | Diameter    | Finish | Downrod Model |          |
|-------------|--------|--------|-------------|--------|---------------|----------|
| 594/23,38"  | 3T     | 03     | 300/11,81"  | 2      | 05 Amelia     |          |
| 694/27,32"  |        | 04     | 400/15,74"  |        |               | 26/1,02" |
| 794/31,25"  |        | 05     | 500/19,68"  | 1      |               |          |
| 894/35,19"  |        | 06     | 600/23,62"  |        |               | 2        |
| 994/39,13"  |        | 07     | 700/27,55"  | 4      |               |          |
| 1094/43,07" |        | 08     | 800/31,49"  |        |               |          |
| 1194/47"    |        | 09     | 900/35,43"  |        |               |          |
| 1294/50,94" |        | 10     | 1000/39,37" |        |               |          |
| 1494/58,81" |        | 12     | 1200/47,24" |        |               |          |
| 1794/70,62" |        | 15     | 1500/59,05" |        |               |          |
| 2094/82,44" |        | 18     | 1800/70,86" |        |               |          |



# OPTIONAL DOWNROD

## Barth / Saint L

|                              |            |
|------------------------------|------------|
| Total fan height (A)         | 291/11,45" |
| Included downrod length (TI) | 152/5,98"  |
| Downrod diameter             | 26/1,02"   |
| Additional wire included     | Yes        |

### New total height (AR)

| With Light  | Family | Length         | Diameter   | Finish  | Downrod Model     |
|-------------|--------|----------------|------------|---------|-------------------|
| 339/13,34"  | 3T     | 02 200/7,87"   | 2 26/1,02" | 1 White | 00 Universal 26mm |
| 439/17,28"  |        | 03 300/11,81"  |            | 2 Black |                   |
| 539/21,22"  |        | 04 400/15,74"  |            |         |                   |
| 639/25,15"  |        | 05 500/19,68"  |            |         |                   |
| 739/29,09"  |        | 06 600/23,62"  |            |         |                   |
| 839/33,03"  |        | 07 700/27,55"  |            |         |                   |
| 939/36,96"  |        | 08 800/31,49"  |            |         |                   |
| 1039/40,9"  |        | 09 900/35,43"  |            |         |                   |
| 1139/44,84" |        | 10 1000/39,37" |            |         |                   |
| 1339/52,71" |        | 12 1200/47,24" |            |         |                   |
| 1639/64,52" |        | 15 1500/59,05" |            |         |                   |
| 1939/76,33" |        | 18 1800/70,86" |            |         |                   |

## Cruiser / Rudder S, L, XL

|                                  |            |
|----------------------------------|------------|
| Total fan height (A)             | 220/8,66"  |
| Included downrod length (TI)     | 100/3,93"  |
| Total height fan with light (AL) | 258/10,15" |
| Additional wire included         | Yes        |

### New total height (AR)

| No Light    | With Light  | Family | Length         | Diameter   | Finish  | Downrod Model     |
|-------------|-------------|--------|----------------|------------|---------|-------------------|
| 320/12,59"  | 358/14,09"  | 3T     | 02 200/7,87"   | 2 26/1,02" | 1 White | 00 Universal 26mm |
| 420/16,53"  | 458/18,03"  |        | 03 300/11,81"  |            | 2 Black |                   |
| 520/20,47"  | 558/21,96"  |        | 04 400/15,74"  |            |         |                   |
| 620/24,4"   | 658/25,9"   |        | 05 500/19,68"  |            |         |                   |
| 720/28,34"  | 758/29,84"  |        | 06 600/23,62"  |            |         |                   |
| 820/32,28"  | 858/33,77"  |        | 07 700/27,55"  |            |         |                   |
| 920/36,22"  | 958/37,71"  |        | 08 800/31,49"  |            |         |                   |
| 1020/40,15" | 1058/41,65" |        | 09 900/35,43"  |            |         |                   |
| 1120/44,09" | 1158/45,59" |        | 10 1000/39,37" |            |         |                   |
| 1320/51,96" | 1358/53,46" |        | 12 1200/47,24" |            |         |                   |
| 1620/63,77" | 1658/65,27" |        | 15 1500/59,05" |            |         |                   |
| 1920/75,59" | 1958/77,08" |        | 18 1800/70,86" |            |         |                   |

## Gotland L

|                              |            |
|------------------------------|------------|
| Total fan height (A)         | 290/11,41" |
| Included downrod length (TI) | 128/5,03"  |
| Additional wire included     | Yes        |

### New total height (AR)

| No light    | Family | Length         | Diameter   | Finish  | Downrod Model |
|-------------|--------|----------------|------------|---------|---------------|
| 362/14,25"  | 3T     | 02 200/7,87"   | 1 21/0,82" | 1 White | 11 Gotland    |
| 462/18,18"  |        | 03 300/11,81"  |            | 2 Black |               |
| 562/22,12"  |        | 04 400/15,74"  |            |         |               |
| 662/26,06"  |        | 05 500/19,68"  |            |         |               |
| 762/30"     |        | 06 600/23,62"  |            |         |               |
| 862/33,93"  |        | 07 700/27,55"  |            |         |               |
| 962/37,87"  |        | 08 800/31,49"  |            |         |               |
| 1062/41,81" |        | 09 900/35,43"  |            |         |               |
| 1162/45,74" |        | 10 1000/39,37" |            |         |               |
| 1362/53,62" |        | 12 1200/47,24" |            |         |               |
| 1662/65,43" |        | 15 1500/59,05" |            |         |               |

## Hey / Heywood S, L

|                                  |            |
|----------------------------------|------------|
| Total fan height (A)             | 240/9,44"  |
| Included downrod length (TI)     | 100/3,93"  |
| Total height fan with light (AL) | 276/10,86" |
| Additional wire included         | Yes        |

### New total height (AR)

| No Light    | With Light  | Family | Length         | Diameter   | Finish  | Downrod Model     |
|-------------|-------------|--------|----------------|------------|---------|-------------------|
| 340/13,38"  | 376/14,8"   | 3T     | 02 200/7,87"   | 2 26/1,02" | 1 White | 00 Universal 26mm |
| 440/17,32"  | 476/18,74"  |        | 03 300/11,81"  |            | 2 Black |                   |
| 540/21,25"  | 576/22,67"  |        | 04 400/15,74"  |            |         |                   |
| 640/25,19"  | 676/26,61"  |        | 05 500/19,68"  |            |         |                   |
| 740/29,13"  | 776/30,55"  |        | 06 600/23,62"  |            |         |                   |
| 840/33,07"  | 876/34,48"  |        | 07 700/27,55"  |            |         |                   |
| 940/37"     | 976/38,42"  |        | 08 800/31,49"  |            |         |                   |
| 1040/40,94" | 1076/42,36" |        | 09 900/35,43"  |            |         |                   |
| 1140/44,88" | 1176/46,29" |        | 10 1000/39,37" |            |         |                   |
| 1340/52,75" | 1376/54,17" |        | 12 1200/47,24" |            |         |                   |
| 1640/64,56" | 1676/65,98" |        | 15 1500/59,05" |            |         |                   |
| 1940/76,37" | 1976/77,79" |        | 18 1800/70,86" |            |         |                   |



# OPTIONAL DOWNROD

## Just Deco Copper Fan XS, L

|                              |  |                              |  |
|------------------------------|--|------------------------------|--|
| Total fan height (A)         | 290/11,41"<br>390/15,35"<br>640/25,19" | Total height with light (AL) | 324/12,75"<br>424/16,69"<br>674/26,53" |
| Included downrod length (TI) | 100/3,93"<br>200/7,87"<br>460/18,11"   | Additional wire included     | Yes                                    |

### New total height (AR)

| No Light    | With Light  | Family | Length         | Diameter   | Finish     | Downrod Model           |
|-------------|-------------|--------|----------------|------------|------------|-------------------------|
| 490/19,29"  | 524/20,62"  | 3T     | 03 300/11,81"  | 2 26/1,02" | 0 Copper   | 03 Just Deco Copper Fan |
| 590/23,22"  | 624/24,56"  |        | 04 400/15,74"  |            | 1 White    |                         |
| 690/27,16"  | 724/28,5"   |        | 05 500/19,68"  |            | 2 Black    |                         |
| 790/31,1"   | 824/32,44"  |        | 06 600/23,62"  |            | 5 Chrome   |                         |
| 890/35,03"  | 924/36,37"  |        | 07 700/27,55"  |            | 7 Old Gold |                         |
| 990/38,97"  | 1024/40,31" |        | 08 800/31,49"  |            |            |                         |
| 1090/42,91" | 1124/44,25" |        | 09 900/35,43"  |            |            |                         |
| 1190/46,85" | 1224/48,18" |        | 10 1000/39,37" |            |            |                         |
| 1390/54,72" | 1424/56,06" |        | 12 1200/47,24" |            |            |                         |
| 1690/66,53" | 1724/67,87" |        | 15 1500/59,05" |            |            |                         |

## Just Fan XL

|                              |                                      |                          |     |
|------------------------------|--------------------------------------|--------------------------|-----|
| Total fan height (A)         | 100/3,93"<br>200/7,87"<br>460/18,11" | Additional wire included | Yes |
| Included downrod length (TI) | 100/3,93"<br>200/7,87"<br>460/18,11" |                          |     |

### New total height (AR)

| No Light    | Family | Length         | Diameter   | Finish  | Downrod Model  |
|-------------|--------|----------------|------------|---------|----------------|
| 790/31,1"   | 3T     | 06 600/23,62"  | 2 26/1,02" | 2 Black | 04 Just Fan XL |
| 890/35,03"  |        | 07 700/27,55"  |            |         |                |
| 990/38,97"  |        | 08 800/31,49"  |            |         |                |
| 1090/42,91" |        | 09 900/35,43"  |            |         |                |
| 1190/46,85" |        | 10 1000/39,37" |            |         |                |
| 1390/54,72" |        | 12 1200/47,24" |            |         |                |
| 1690/66,53" |        | 15 1500/59,05" |            |         |                |
| 1990/78,34" |        | 18 1800/70,86" |            |         |                |

## Kauai XL

|                              |            |
|------------------------------|------------|
| Total fan height (A)         | 480/18,89" |
|                              | 605/23,81" |
| Included downrod length (TI) | 125/4,92"  |
|                              | 250/9,84"  |
| Additional wire included     | Yes        |

### New total height (AR)

| No light    | Family         | Length         | Diameter   | Finish  | Downrod Model     |
|-------------|----------------|----------------|------------|---------|-------------------|
| 655/25,78"  | 3T             | 03 300/11,81"  | 2 26/1,02" | 1 White | 00 Universal 26mm |
| 755/29,72"  |                | 04 400/15,74"  |            | 3 Brown |                   |
| 855/33,66"  |                | 05 500/19,68"  |            |         |                   |
| 955/37,59"  |                | 06 600/23,62"  |            |         |                   |
| 1055/41,53" |                | 07 700/27,55"  |            |         |                   |
| 1155/45,47" |                | 08 800/31,49"  |            |         |                   |
| 1255/49,4"  |                | 09 900/35,43"  |            |         |                   |
| 1355/53,34" |                | 10 1000/39,37" |            |         |                   |
| 1555/61,22" |                | 12 1200/47,24" |            |         |                   |
| 1855/73,03" |                | 15 1500/59,05" |            |         |                   |
| 2155/84,84" | 18 1800/70,86" |                |            |         |                   |

## Klim S, M, L

|                                  |            |
|----------------------------------|------------|
| Total fan height (A)             | 240/9,44"  |
| Included downrod length (TI)     | 100/3,93"  |
| Total height fan with light (AL) | 393/15,47" |
| Additional wire included         | Yes        |

### New total height (AR)

| No Light    | With Light  | Family         | Length         | Diameter   | Finish  | Downrod Model     |
|-------------|-------------|----------------|----------------|------------|---------|-------------------|
| 340/13,38"  | 493/19,4"   | 3T             | 02 200/7,87"   | 2 26/1,02" | 1 White | 00 Universal 26mm |
| 440/17,32"  | 593/23,34"  |                | 03 300/11,81"  |            | 2 Black |                   |
| 540/21,25"  | 693/27,28"  |                | 04 400/15,74"  |            |         |                   |
| 640/25,19"  | 793/31,22"  |                | 05 500/19,68"  |            |         |                   |
| 740/29,13"  | 893/35,15"  |                | 06 600/23,62"  |            |         |                   |
| 840/33,07"  | 993/39,09"  |                | 07 700/27,55"  |            |         |                   |
| 940/37"     | 1093/43,03" |                | 08 800/31,49"  |            |         |                   |
| 1040/40,94" | 1193/46,96" |                | 09 900/35,43"  |            |         |                   |
| 1140/44,88" | 1293/50,9"  |                | 10 1000/39,37" |            |         |                   |
| 1340/52,75" | 1493/58,77" |                | 12 1200/47,24" |            |         |                   |
| 1640/64,56" | 1793/70,59" | 15 1500/59,05" |                |            |         |                   |
| 1940/76,37" | 2093/82,4"  | 18 1800/70,86" |                |            |         |                   |



# OPTIONAL DOWNROD

## Lantau L, Mini Lantau S

|                              |            |
|------------------------------|------------|
| Total fan height (A)         | 330/12,99" |
| Included downrod length (TI) | 153/6,02"  |
| Total height with light (AL) | 380/14,96" |
| Additional wire included     | Yes        |

### New total height (AR)

| No Light    | With Light  | Family | Length         | Diameter   | Finish  | Downrod Model    |
|-------------|-------------|--------|----------------|------------|---|------------------|
| 377/14,84"  | 427/16,81"  | 3T     | 02 200/7,87"   | 1 21/0,82" | 1 White<br>2 Black<br>3 Brown<br>6 Satin Nickel | 09 Lantau DC     |
| 477/18,77"  | 527/20,74"  |        | 03 300/11,81"  |            |   | 10 Lantau DC Led |
| 577/22,71"  | 627/24,68"  |        | 04 400/15,74"  |            |   |                  |
| 677/26,65"  | 727/28,62"  |        | 05 500/19,68"  |            |   |                  |
| 777/30,59"  | 827/32,55"  |        | 06 600/23,62"  |            |   |                  |
| 877/34,52"  | 927/36,49"  |        | 07 700/27,55"  |            |   |                  |
| 977/38,46"  | 1027/40,43" |        | 08 800/31,49"  |            |   |                  |
| 1077/42,4"  | 1127/44,37" |        | 09 900/35,43"  |            |   |                  |
| 1177/46,33" | 1227/48,3"  |        | 10 1000/39,37" |            |   |                  |
| 1377/54,21" | 1427/56,18" |        | 12 1200/47,24" |            |   |                  |
| 1677/66,02" | 1727/67,99" |        | 15 1500/59,05" |            |   |                  |

## Lantau XL

|                                  |            |
|----------------------------------|------------|
| Total fan height (A)             | 410/16,14" |
| Included downrod length (TI)     | 153/6,02"  |
| Total height fan with light (AL) | 460/18,11" |
| Additional wire included         | Yes        |

### New total height (AR)

| No Light    | With Light  | Family | Length         | Diameter   | Finish         | Downrod Model    |
|-------------|-------------|--------|----------------|------------|----------------|------------------|
| 457/17,99"  | 507/19,96"  | 3T     | 02 200/7,87"   | 1 21/0,82" | 6 Satin Nickel | 09 Lantau DC     |
| 557/21,92"  | 607/23,89"  |        | 03 300/11,81"  |            |                | 10 Lantau DC Led |
| 657/25,86"  | 707/27,83"  |        | 04 400/15,74"  |            |                |                  |
| 757/29,8"   | 807/31,77"  |        | 05 500/19,68"  |            |                |                  |
| 857/33,74"  | 907/35,7"   |        | 06 600/23,62"  |            |                |                  |
| 957/37,67"  | 1007/39,64" |        | 07 700/27,55"  |            |                |                  |
| 1057/41,61" | 1107/43,58" |        | 08 800/31,49"  |            |                |                  |
| 1157/45,55" | 1207/47,51" |        | 09 900/35,43"  |            |                |                  |
| 1257/49,48" | 1307/51,45" |        | 10 1000/39,37" |            |                |                  |
| 1457/57,36" | 1507/59,33" |        | 12 1200/47,24" |            |                |                  |
| 1757/69,17" | 1807/71,14" |        | 15 1500/59,05" |            |                |                  |

## Luzon DC L

|                              |            |
|------------------------------|------------|
| Total fan height (A)         | 290/11,41" |
|                              | 340/13,38" |
| Included downrod length (TI) | 100/3,93"  |
|                              | 153/6,02"  |
| Additional wire included     | Yes        |

New total height (AR)

| No light    | Family | Length         | Diameter   | Finish  | Downrod Model |
|-------------|--------|----------------|------------|---------|---------------|
| 390/15,35"  | 3T     | 02 200/7,87"   | 1 21/0,82" | 1 White | 06 Luzon DC   |
| 490/19,29"  |        | 03 300/11,81"  |            |         |               |
| 590/23,22"  |        | 04 400/15,74"  |            |         |               |
| 690/27,16"  |        | 05 500/19,68"  |            |         |               |
| 790/31,1"   |        | 06 600/23,62"  |            |         |               |
| 890/35,03"  |        | 07 700/27,55"  |            |         |               |
| 990/38,97"  |        | 08 800/31,49"  |            |         |               |
| 1090/42,91" |        | 09 900/35,43"  |            |         |               |
| 1190/46,85" |        | 10 1000/39,37" |            |         |               |
| 1390/54,72" |        | 12 1200/47,24" |            |         |               |
| 1690/66,53" |        | 15 1500/59,05" |            |         |               |

## Mallorca L, Mini Mallorca S

|                              |           |
|------------------------------|-----------|
| Total fan height (A)         | 310/12,2" |
| Included downrod length (TI) | 152/5,98" |
| Additional wire included     | Yes       |

New total height (AR)

| Ball Light  | Family | Length         | Diameter   | Finish  | Downrod Model     |
|-------------|--------|----------------|------------|---------|-------------------|
| 358/14,09"  | 3T     | 02 200/7,87"   | 2 26/1,02" | 1 White | 00 Universal 26mm |
| 458/18,03"  |        | 03 300/11,81"  |            |         |                   |
| 558/21,96"  |        | 04 400/15,74"  |            |         |                   |
| 658/25,9"   |        | 05 500/19,68"  |            |         |                   |
| 758/29,84"  |        | 06 600/23,62"  |            |         |                   |
| 858/33,77"  |        | 07 700/27,55"  |            |         |                   |
| 958/37,71"  |        | 08 800/31,49"  |            |         |                   |
| 1058/41,65" |        | 09 900/35,43"  |            |         |                   |
| 1158/45,59" |        | 10 1000/39,37" |            |         |                   |
| 1358/53,46" |        | 12 1200/47,24" |            |         |                   |
| 1658/65,27" |        | 15 1500/59,05" |            |         |                   |
| 1958/77,08" |        | 18 1800/70,86" |            |         |                   |



# OPTIONAL DOWNROD

## Marine M

|                              |           |
|------------------------------|-----------|
| Total fan height (A)         | 250/9,84" |
| Included downrod length (TI) | 100/3,93" |
| Additional wire included     | Yes       |

### New total height (AR)

| No Light    | Family | Length         | Diameter   | Finish  | Downrod Model           |
|-------------|--------|----------------|------------|---------|-------------------------|
| 350/13,77"  | 3T     | 02 200/7,87"   | 2 26/1,02" | 1 White | 01 Universal 26 seaside |
| 450/17,71"  |        | 03 300/11,81"  |            | 3 Brown |                         |
| 550/21,65"  |        | 04 400/15,74"  |            |         |                         |
| 650/25,59"  |        | 05 500/19,68"  |            |         |                         |
| 750/29,52"  |        | 06 600/23,62"  |            |         |                         |
| 850/33,46"  |        | 07 700/27,55"  |            |         |                         |
| 950/37,4"   |        | 08 800/31,49"  |            |         |                         |
| 1050/41,33" |        | 09 900/35,43"  |            |         |                         |
| 1150/45,27" |        | 10 1000/39,37" |            |         |                         |
| 1350/53,14" |        | 12 1200/47,24" |            |         |                         |
| 1650/64,96" |        | 15 1500/59,05" |            |         |                         |
| 1950/76,77" |        | 18 1800/70,86" |            |         |                         |

## Mini Punt S

|                                  |            |
|----------------------------------|------------|
| Total fan height (A)             | 235/9,25"  |
| Included downrod length (TI)     | 100/3,93"  |
| Total height fan with light (AL) | 263/10,35" |
| Additional wire included         | Yes        |

### New total height (AR)

| No Light    | With Light  | Family | Length         | Diameter   | Finish  | Downrod Model     |
|-------------|-------------|--------|----------------|------------|---------|-------------------|
| 335/13,18"  | 363/14,29"  | 3T     | 02 200/7,87"   | 2 26/1,02" | 1 White | 00 Universal 26mm |
| 435/17,12"  | 463/18,22"  |        | 03 300/11,81"  |            | 2 Black |                   |
| 535/21,06"  | 563/22,16"  |        | 04 400/15,74"  |            |         |                   |
| 635/25"     | 663/26,1"   |        | 05 500/19,68"  |            |         |                   |
| 735/28,93"  | 763/30,03"  |        | 06 600/23,62"  |            |         |                   |
| 835/32,87"  | 863/33,97"  |        | 07 700/27,55"  |            |         |                   |
| 935/36,81"  | 963/37,91"  |        | 08 800/31,49"  |            |         |                   |
| 1035/40,74" | 1063/41,85" |        | 09 900/35,43"  |            |         |                   |
| 1135/44,68" | 1163/45,78" |        | 10 1000/39,37" |            |         |                   |
| 1335/52,55" | 1363/53,66" |        | 12 1200/47,24" |            |         |                   |
| 1635/64,37" | 1663/65,47" |        | 15 1500/59,05" |            |         |                   |
| 1935/76,18" | 1963/77,28" |        | 18 1800/70,86" |            |         |                   |

## Morea L

|                              |            |
|------------------------------|------------|
| Total fan height (A)         | 280/11,02" |
| Included downrod length (TI) | 152/5,98"  |
| Additional wire included     | Yes        |

### New total height (AR)

| No Light    | Family | Length         | Diameter   | Finish  | Downrod Model |
|-------------|--------|----------------|------------|---------|---------------|
| 328/12,91"  | 3T     | 02 200/7,87"   | 1 21/0,82" | 3 Brown | 12 Morea      |
| 428/16,85"  |        | 03 300/11,81"  |            |         |               |
| 528/20,78"  |        | 04 400/15,74"  |            |         |               |
| 628/24,72"  |        | 05 500/19,68"  |            |         |               |
| 728/28,66"  |        | 06 600/23,62"  |            |         |               |
| 828/32,59"  |        | 07 700/27,55"  |            |         |               |
| 928/36,53"  |        | 08 800/31,49"  |            |         |               |
| 1028/40,47" |        | 09 900/35,43"  |            |         |               |
| 1128/44,4"  |        | 10 1000/39,37" |            |         |               |
| 1328/52,28" |        | 12 1200/47,24" |            |         |               |
| 1628/64,09" |        | 15 1500/59,05" |            |         |               |

## Palma M

|                                  |            |
|----------------------------------|------------|
| Total fan height (A)             | 276/10,86" |
| Included downrod length (TI)     | 100/3,93"  |
| Total height fan with light (AL) | 408/16,06" |
| Additional wire included         | Yes        |

### New total height (AR)

| No Light    | With Light  | Family | Length         | Diameter   | Finish  | Downrod Model           |
|-------------|-------------|--------|----------------|------------|---------|-------------------------|
| 376/14,8"   | 508/20"     | 3T     | 02 200/7,87"   | 2 26/1,02" | 3 Brown | 01 Universal 26 seaside |
| 476/18,74"  | 608/23,93"  |        | 03 300/11,81"  |            |         |                         |
| 576/22,67"  | 708/27,87"  |        | 04 400/15,74"  |            |         |                         |
| 676/26,61"  | 808/31,81"  |        | 05 500/19,68"  |            |         |                         |
| 776/30,55"  | 908/35,74"  |        | 06 600/23,62"  |            |         |                         |
| 876/34,48"  | 1008/39,68" |        | 07 700/27,55"  |            |         |                         |
| 976/38,42"  | 1108/43,62" |        | 08 800/31,49"  |            |         |                         |
| 1076/42,36" | 1208/47,55" |        | 09 900/35,43"  |            |         |                         |
| 1176/46,29" | 1308/51,49" |        | 10 1000/39,37" |            |         |                         |
| 1376/54,17" | 1508/59,37" |        | 12 1200/47,24" |            |         |                         |
| 1676/65,98" | 1808/71,18" |        | 15 1500/59,05" |            |         |                         |
| 1976/77,79" | 2108/82,99" |        | 18 1800/70,86" |            |         |                         |



## Punt M

|                              |            |
|------------------------------|------------|
| Total fan height (A)         | 253/9,96"  |
| Included downrod length (TI) | 100/3,93"  |
| Total height with light (AL) | 276/10,86" |
| Additional wire included     | Yes        |

### New total height (AR)

| No Light    | With Light  | Family | Length         | Diameter   | Finish  | Downrod Model     |
|-------------|-------------|--------|----------------|------------|---------|-------------------|
| 353/13,89"  | 223/8,77"   | 3T     | 02 200/7,87"   | 2 26/1,02" | 1 White | 00 Universal 26mm |
| 453/17,83"  | 323/12,71"  |        | 03 300/11,81"  |            | 2 Black |                   |
| 553/21,77"  | 423/16,65"  |        | 04 400/15,74"  |            |         |                   |
| 653/25,7"   | 523/20,59"  |        | 05 500/19,68"  |            |         |                   |
| 753/29,64"  | 623/24,52"  |        | 06 600/23,62"  |            |         |                   |
| 853/33,58"  | 723/28,46"  |        | 07 700/27,55"  |            |         |                   |
| 953/37,51"  | 823/32,4"   |        | 08 800/31,49"  |            |         |                   |
| 1053/41,45" | 923/36,33"  |        | 09 900/35,43"  |            |         |                   |
| 1153/45,39" | 1023/40,27" |        | 10 1000/39,37" |            |         |                   |
| 1353/53,26" | 1223/48,14" |        | 12 1200/47,24" |            |         |                   |
| 1653/65,07" | 1523/59,96" |        | 15 1500/59,05" |            |         |                   |
| 1953/76,88" | 1823/71,77" |        | 18 1800/70,86" |            |         |                   |

## Sfera S, M

|                              |           |
|------------------------------|-----------|
| Total fan height (A)         | 250/9,84" |
| Included downrod length (TI) | 100/3,93" |
| Additional wire included     | Yes       |

### New total height (AR)

| Ball Light  | Family | Length         | Diameter   | Finish  | Downrod Model     |
|-------------|--------|----------------|------------|---------|-------------------|
| 350/13,77"  | 3T     | 02 200/7,87"   | 2 26/1,02" | 1 White | 00 Universal 26mm |
| 450/17,71"  |        | 03 300/11,81"  |            | 2 Black |                   |
| 550/21,65"  |        | 04 400/15,74"  |            |         |                   |
| 650/25,59"  |        | 05 500/19,68"  |            |         |                   |
| 750/29,52"  |        | 06 600/23,62"  |            |         |                   |
| 850/33,46"  |        | 07 700/27,55"  |            |         |                   |
| 950/37,4"   |        | 08 800/31,49"  |            |         |                   |
| 1050/41,33" |        | 09 900/35,43"  |            |         |                   |
| 1150/45,27" |        | 10 1000/39,37" |            |         |                   |
| 1350/53,14" |        | 12 1200/47,24" |            |         |                   |
| 1650/64,96" |        | 15 1500/59,05" |            |         |                   |
| 1950/76,77" |        | 18 1800/70,86" |            |         |                   |

## Typhoon M

|                              |           |
|------------------------------|-----------|
| Total fan height (A)         | 250/9,84" |
| Included downrod length (TI) | 100/3,93" |
| Additional wire included     | Yes       |

### New total height (AR)

| With & No light | Family | Length         | Diameter   | Finish  | Downrod Model |
|-----------------|--------|----------------|------------|---------|---------------|
| 438/17,24"      | 3T     | 02 200/7,87"   | 1 21/0,82" | 1 White | 08 Typhoon    |
| 538/21,18"      |        | 03 300/11,81"  |            | 3 Brown |               |
| 638/25,11"      |        | 04 400/15,74"  |            |         |               |
| 738/29,05"      |        | 05 500/19,68"  |            |         |               |
| 838/32,99"      |        | 06 600/23,62"  |            |         |               |
| 938/36,92"      |        | 07 700/27,55"  |            |         |               |
| 1038/40,86"     |        | 08 800/31,49"  |            |         |               |
| 1138/44,8"      |        | 09 900/35,43"  |            |         |               |
| 1238/48,74"     |        | 10 1000/39,37" |            |         |               |
| 1438/56,61"     |        | 12 1200/47,24" |            |         |               |
| 1738/68,42"     |        | 15 1500/59,05" |            |         |               |

## Winche M

|                              |           |
|------------------------------|-----------|
| Total fan height (A)         | 250/9,84" |
| Included downrod length (TI) | 100/3,93" |
| Additional wire included     | Yes       |

### New total height (AR)

| With & No light | Family | Length         | Diameter   | Finish  | Downrod Model |
|-----------------|--------|----------------|------------|---------|---------------|
| 448/17,63"      | 3T     | 02 200/7,87"   | 1 21/0,82" | 2 Black | 07 Winche     |
| 548/21,57"      |        | 03 300/11,81"  |            |         |               |
| 648/25,51"      |        | 04 400/15,74"  |            |         |               |
| 748/29,44"      |        | 05 500/19,68"  |            |         |               |
| 848/33,38"      |        | 06 600/23,62"  |            |         |               |
| 948/37,32"      |        | 07 700/27,55"  |            |         |               |
| 1048/41,25"     |        | 08 800/31,49"  |            |         |               |
| 1148/45,19"     |        | 09 900/35,43"  |            |         |               |
| 1248/49,13"     |        | 10 1000/39,37" |            |         |               |
| 1448/57"        |        | 12 1200/47,24" |            |         |               |
| 1748/68,81"     |        | 15 1500/59,05" |            |         |               |



# OPTIONAL DOWNROD

## Andros

Included downrod length (TI) 230/9,05"  
 Total height (A) 260/10,23"  
 Additional wire included Yes

New total height (AR)

|             | Downrod Length | White | Black | Brown | Nickel |
|-------------|----------------|-------|-------|-------|--------|
| 630/24,8"   | 600/23,62"     | 34009 | 34012 | 34006 | 34000  |
| 930/36,61"  | 900/35,43"     | 34010 | 34013 | 34007 | 34001  |
| 1230/48,42" | 1200/47,24"    | 34011 | 34014 | 34008 | 34002  |

## Nassau

Included downrod length (TI) 225/8,85"  
 Total height (A) 400/15,74"  
 Additional wire included Yes

New total height (AR)

|         | Downrod Length | White | Brown |
|---------|----------------|-------|-------|
| 940/37" | 910/35,82"     | 33488 | 33479 |

## Tilos

Included downrod length (TI) 225/8,85"  
 Total height (A) 500/19,68"  
 Additional wire included Yes

New total height (AR)

|             | Downrod Length | Brown |
|-------------|----------------|-------|
| 870/34,25"  | 600/23,62"     | 34003 |
| 1170/46,06" | 900/35,43"     | 34004 |
| 1470/57,87" | 1200/47,24"    | 34005 |

## Aoba

|                              |  |
|------------------------------|--|
| Downrod Model                | Universal 21mm                         |
| Downrod diameter             | 21/0,82"                               |
| Included downrod length (TI) | 203/7,99"<br>305/12"<br>510/20,07"     |
| Total height (A)             | 520/20,47"<br>623/24,52"<br>828/32,59" |
| Additional wire included     | No                                     |

## Attos

|                              |                |
|------------------------------|----------------|
| Downrod Model                | Universal 21mm |
| Downrod diameter             | 21/0,82"       |
| Included downrod length (TI) | 230/9,05"      |
| Total height (A)             | 340/13,38"     |
| Additional wire included     | No             |

## Chicago

|                              |                |
|------------------------------|----------------|
| Downrod Model                | Universal 21mm |
| Downrod diameter             | 21/0,82"       |
| Included downrod length (TI) | 153/6,02"      |
| Total height (A)             | 475/18,7"      |
| Additional wire included     | No             |

## Cuba

|                              |                |
|------------------------------|----------------|
| Downrod Model                | Universal 21mm |
| Downrod diameter             | 21/0,82"       |
| Included downrod length (TI) | 152/5,98"      |
| Total height (A)             | 510/20,07"     |
| Additional wire included     | No             |

## Icaria

|                              |                |
|------------------------------|----------------|
| Downrod Model                | Universal 21mm |
| Downrod diameter             | 21/0,82"       |
| Included downrod length (TI) | 152/5,98"      |
| Total height (A)             | 415/16,33"     |
| Additional wire included     | No             |

## Malvinas

|                              |                |
|------------------------------|----------------|
| Downrod Model                | Universal 21mm |
| Downrod diameter             | 21/0,82"       |
| Included downrod length (TI) | 510/20,07"     |
| Total height (A)             | 600/23,62"     |
| Additional wire included     | No             |

## Manhattan

|                              |                |
|------------------------------|----------------|
| Downrod Model                | Universal 21mm |
| Downrod diameter             | 21/0,82"       |
| Included downrod length (TI) | 150/5,9"       |
| Total height (A)             | 360/14,17"     |
| Additional wire included     | No             |

## Mini Icaria

|                              |                |
|------------------------------|----------------|
| Downrod Model                | Universal 21mm |
| Downrod diameter             | 21/0,82"       |
| Included downrod length (TI) | 152/5,98"      |
| Total height (A)             | 405/15,94"     |
| Additional wire included     | No             |

## Panay

|                              |                |
|------------------------------|----------------|
| Downrod Model                | Universal 21mm |
| Downrod diameter             | 21/0,82"       |
| Included downrod length (TI) | 101/3,97"      |
| Total height (A)             | 280/11,02"     |
| Additional wire included     | No             |

## Polea / Poros

|                              |                |
|------------------------------|----------------|
| Downrod Model                | Universal 21mm |
| Downrod diameter             | 21/0,82"       |
| Included downrod length (TI) | 152/5,98"      |
| Total height (A)             | 372/14,64"     |
| Additional wire included     | No             |

## Yakarta

|                              |                |
|------------------------------|----------------|
| Downrod Model                | Universal 21mm |
| Downrod diameter             | 21/0,82"       |
| Included downrod length (TI) | 153/6,02"      |
| Total height (A)             | 350/13,77"     |
| Additional wire included     | No             |

\*Request special extra wire for downrod by model and length



# OPTIONAL LIGHT KIT

## Taki




3L004 ● black  
3L004 ● white

|                      |                     |
|----------------------|---------------------|
| <b>Power</b>         | 18W                 |
| <b>Dimmable K</b>    | 2700 - 4350 - 6000K |
| <b>CRI</b>           | >80                 |
| <b>Driver incl.</b>  | Yes                 |
| <b>Material Diff</b> | PC                  |




Color temperature adjustable




# ACCESORIES


## Remote control kit

|   |              |  |                     |
|---|--------------|--|---------------------|
|  | <b>33929</b> |  | 220-240V<br>50/60Hz |
|---|--------------|--|---------------------|

## Remote control kit with programmer


|   |              |  |                     |
|---|--------------|--|---------------------|
|  | <b>33937</b> |  | 220-240V<br>50/60Hz |
|---|--------------|--|---------------------|

## AC Wall control

|   |              |        |                     |
|---|--------------|--------|---------------------|
|  | <b>33928</b> | Steel/ | 220-240V<br>50/60Hz |
|---|--------------|--------|---------------------|

3 speeds \*The wall control is not compatible with the remote control at same time

## DC Wall control

|   |              |         |        |                  |
|---|--------------|---------|--------|------------------|
|  | <b>33974</b> | ● White | Steel/ | 220-240V<br>50Hz |
|---|--------------|---------|--------|------------------|

# GENERAL INFORMATION

| EN   | ES   | FR   | ITA  |
|--|--|--|--|
| <p>The technical information detailed in our catalogue can be modified in order to improve the features or design of our products.</p> <p>Faro Barcelona keeps the right to cancel or modify any model without prior notice and without any cause for complaints.</p> <p>The conditions, technical characteristics and prices of the products that appear in this catalogue are the effective ones in the date of impression of the catalogue except for typographical error and are subject to possible changes.</p> <p>The catalogue prices are public prices.</p> <p>RATES DO NOT INCLUDE VAT.</p> <p>Returned goods shall only be accepted, after prior notice being given to LOREFAR, on the grounds of being defective and never on the basis of broken glass or missing parts. In such cases, please contact us so that we can send you the required parts as a matter of urgency.</p> <p>Exchanges or returns of goods in good condition will not be accepted. In the event of express acceptance by LOREFAR, a 20% charge shall be incurred, on receipt and checking, for depreciation and classification of the goods.</p> | <p>La información referente a nuestros productos puede ser modificada con el fin de mejorar las características técnicas o de diseño.</p> <p>Faro Barcelona se reserva el derecho de anular o modificar cualquier modelo sin previo aviso y sin que sea motivo de reclamaciones.</p> <p>Las condiciones, características y precios de los productos que aparecen en este catálogo son los vigentes en la fecha de impresión del catálogo salvo error tipográfico y están sujetos a posibles modificaciones, la versión digital siempre prevalece.</p> <p>Los precios mostrados son precios de venta al público (PVP).</p> <p>IVA NO INCLUIDO EN TARIFA</p> <p>Previa comunicación a Lorefar sólo se aceptará la mercancía devuelta por defectuosa, nunca por cristales rotos o falta de algún componente. En estos casos rogamos se pongan en contacto con nosotros para enviarles urgentemente las piezas requeridas.</p> <p>No se admitirán cambios ni devoluciones de mercancía en buen estado. En caso de aceptación explícita por parte de Lorefar, a su recepción y comprobación se emitirá un cargo del 20% en concepto de depreciación y clasificación de la mercancía.</p>  | <p>L'information qui se réfère à nos produits peut être modifiée afin d'améliorer les caractéristiques technique ou de design.</p> <p>Faro Barcelona se réserve le droit d'annuler ou de modifier n'importe quel modèle sans préavis et sans que cela soit motif de réclamations.</p> <p>Les conditions, caractéristiques et prix des produits qui apparaissent dans ce catalogue sont celles en vigueur à la date d'impression du catalogue sauf erreur typographique et sont susceptible d'être modifiées ultérieurement.</p> <p>Les prix du catalogue son les prix de vente public .</p> <p>IVA NON COMPRISE DANS LE TARIF.</p> <p>Seule sera acceptée en retour la marchandise défectueuse, et ce après communication à LOREFAR. LOREFAR n'acceptera jamais de retour pour du verre brisé ou pour l'absence d'un composant quelconque. Dans ces derniers cas, nous vous prions de vous mettre en contact avec nous afin que nous vous fassions parvenir dans les plus brefs délais les pièces nécessaires. La marchandise en bon état ne sera ni reprise ni échangée. En cas d'acceptation explicite de sa part, LOREFAR retiendra 20% au titre de la dépréciation et de la classification du produit.</p> | <p>La informazione che si riferisce ai nostri articoli può essere soggetta a modifiche con il fine di migliorare le caratteristiche, tecniche o di design, dei nostri prodotti. Faro Barcelona si riserva il diritto di annullare o modificare qualsiasi modello senza previo avviso e senza che sia motivo di reclami.</p> <p>Le condizioni, caratteristiche e prezzi dei prodotti che compaiono in questo catalogo sono quelli vigenti alla data della stampa del catalogo ad eccezione di errori tipografici e sono soggetti a possibili modificazioni.</p> <p>I prezzi indicati sono prezzi di vendita al pubblico.</p> <p>IVA NON INCLUSA IN LISTINO.</p> <p>LOREFAR accetta previa comunicazione, solo la merce restituita perché difettosa; in nessun caso accetterà la merce restituita per presenza di vetri rotti o per mancanza di qualche componente. In questi casi vi preghiamo di contattarci per potervi mandare al più presto i pezzi richiesti.</p> <p>Non si effettuano cambi né si ammettono restituzioni di merci in buono stato. In caso di accettazione esplicita da parte di LOREFAR, al momento del ricevimento e della verifica della merce si emetterà un addebito del 20% a titolo di deprezzamento e classificazione.</p> |
| PT   | GER  | NL   | GRK  |
| <p>A informação referente aos nossos produtos pode ser modificada com o fim de melhorar as características técnicas ou de desenho.</p> <p>A Faro Barcelona reserva-se o direito de anular ou modificar qualquer modelo sem aviso prévio e sem que seja motivo de reclamações.</p> <p>As condições, características e preços dos produtos que aparecem neste catálogo são os vigentes na data de impressão do catálogo salvo erro tipográfico e estão sujeitos a possíveis modificações. Os preços mostrados são preços de venda ao público (PVP).</p> <p>IVA NÃO INCLUIDO NA LISTA DE PREÇOS</p> <p>Mediante comunicação prévia à Lorefar, apenas se aceitará a mercadoria devolvida por defeito, nunca por vidros partidos ou falta de algum componente. Nestes casos pedimos que entrem em contacto conosco para lhes enviarmos urgentemente as peças requeridas.</p> <p>Não serão admitidas alterações nem devoluções de mercadoria em bom estado. Em caso de aceitação explícita por parte da Lorefar, na sua recepção e comprovação emitir-se-á um débito de 20% a título de depreciação e classificação da mercadoria.</p>     | <p>Die Information über unsere Produkte kann im Zusammenhang mit den Verbesserungen ihrer technischen Eigenschaften und ihres Designs jederzeit geändert werden.</p> <p>Faro Barcelona behält sich das Recht vor, seine Modelle jederzeit und ohne vorherige Ankündigung vom Markt zu nehmen, ohne dass sich daraus ein Anrecht auf Beschwerden ableiten könnte.</p> <p>Die Bedingungen, Eigenschaften und Preise der Produkte in diesem Katalog gelten zum Datum der Drucklegung des Katalogs vorbehaltlich Druckfehler und können jederzeit geändert werden. Diese Preise gelten für den Direktverkauf an den Kunden.</p> <p>DIE MEHRWERTSTEUER IST NICHT IN DEN PREISEN EINGESCHLOSSEN</p> <p>Nach vorheriger Kommunikation kann Lorefar die Rücklieferung von schadhafter Ware akzeptieren, jedoch niemals wegen beschädigten Glasteilen oder fehlenden Komponenten. In letzteren Fällen setzen Sie sich bitte zwecks schneller Zusage der notwendigen Teile in Verbindung.</p> <p>Wir tauschen keine Waren in gutem Zustand um oder nehmen sie zurück. Bei ausdrücklicher Annahme durch Lorefar nach Erhalt und Überprüfung stellen wir Ihnen 20% des Preises für Wertverminderung und Handhabung der Ware in Rechnung.</p> | <p>De informatie over onze producten kan gewijzigd worden met als doel de technische eigenschappen of het design te verbeteren.</p> <p>Faro Barcelona behoudt zich het recht voor onaangekondigd modellen te schrappen of te wijzigen en zonder dat dit aanleiding tot een klacht vormt.</p> <p>De voorwaarden, eigenschappen en prijzen van de producten in deze catalogus zijn geldig op het moment van druk van de catalogus tenzij sprake is van een drukfout. Zij zijn onderhevig aan mogelijke wijzigingen. De getoonde prijzen betreffen verkoopprijzen.</p> <p>Btw NIET BIJ DE PRIJS INBEGREPEN</p> <p>Lorefar aanvaardt uitsluitend defecte teruggezonden goederen nadat zij hierover van tevoren op de hoogte is gesteld. Dit geldt niet voor gebroken glas of het ontbreken van onderdelen. In deze gevallen wordt u verzocht met ons contact op te nemen zodat wij u zo snel mogelijk de gewenste onderdelen kunnen toezenden.</p> <p>Ruilen of terugsturen van goederen in correcte staat is niet toegestaan. In geval van uitdrukkelijke aanvaarding door Lorefar wordt bij ontvangst en controle een heffing van 20% voor waardevermindering en classificatie van de goederen toegepast.</p>    | <p>Οι πληροφορίες σχετικά με τα προϊόντα μας ενδέχεται να τροποποιηθούν με στόχο τη βελτίωση των τεχνικών χαρακτηριστικών ή του σχεδίου.</p> <p>Η Faro Barcelona διατηρεί το δικαίωμα ακύρωσης ή τροποποίησης οποιοδήποτε μοντέλου χωρίς προηγούμενη προειδοποίηση και χωρίς αυτό να αποτελεί αιτία απαίτησης επιστροφής χρημάτων.</p> <p>Οι όροι, τα χαρακτηριστικά και οι τιμές των προϊόντων που παρουσιάζονται σε αυτόν τον κατάλογο είναι αυτά που ισχύουν κατά την ημερομηνία της εκτύπωσης του καταλόγου, εκτός τυπογραφικών λαθών, και υπόκεινται σε αλλαγές.</p> <p>Ο ΦΠΑ ΔΕΝ ΣΥΜΠΕΡΙΛΑΜΒΑΝΕΤΑΙ ΣΤΗΝ ΤΙΜΗ</p> <p>Μετά από συνεννόηση με τη Lorefar, γίνονται αποδεκτές επιστροφές μόνο αν πρόκειται για ελαττωματικά εμπορεύματα και όχι για θραύση κρυστάλλων ή απουσία κάποιου στοιχείου. Στις περιπτώσεις αυτές, παρακαλούμε να έρθετε σε επαφή μαζί μας για να σας στείλουμε επείγοντως τα απαιτούμενα μέρη.</p>  |
| RUS  | CZ   | BL   | PL   |
| <p>Информация относящаяся к нашей продукции может быть модифицирована с целью улучшить технические или внешние характеристики.</p> <p>Faro Barcelona сохраняет за собой право аннулировать или модифицировать любую модель без предупреждения и без того что это послужит причиной для жалоб.</p> <p>Условия, характеристики и цены на изделия, указанные в данном каталоге, действительны на дату его выпуска, за исключением опечаток в каталоге, и могут быть изменены. В каталоге указаны розничные цены.</p> <p>БЕЗ УЧЕТА НДС</p> <p>В соответствии с правилами, компания Lorefar принимает возврат изделий только при наличии дефектов, но ни в коем случае не при разбитии стекла или отсутствии какой-либо детали. В таком случае, пожалуйста, свяжитесь с нами, чтобы мы отправили вам необходимые детали. Товар в рабочем состоянии не подлежит обмену или возврату. В случае подтверждения компанией Lorefar наличия дефектов, после возврата и проверки, начисляется 20% стоимости с учетом амортизации и классификации товаров.</p>   | <p>Technické informace uvedené v katalogu mohou být modifikovány za účelem zdokonalování vlastností svítidel nebo jejich designu.</p> <p>Producent Faro Barcelona si vyhrazuje právo konstrukčních změn nabízených modelů bez předcházejícího oznámení a tato skutečnost nemůže být předmětem jakékoliv stížnosti či reklamace.</p> <p>Podmínky, technické specifikace a ceny produktů uvedené v katalogu jsou platné ke dni vydání katalogu. Producent si vyhrazuje právo konstrukčních změn nabízených modelů, pokud tyto nepovedou k zásadním změnám charakteru výrobků. Informace z tohoto katalogu postrádají platnosti v den vydání katalogu nového.</p> <p>VŠECHNY CENY JSOU UVEDENY BEZ DPH., Zboží může být vráceno pouze po předchozím souhlasu od společnosti PAXI, na základě poruchy nebo vady ovšem nikdy na základě poškozeného skla nebo chybějícího dílu. V takových případech nás, prosím, kontaktujte, abychom Vám mohli požadované části svítidel urgentně zaslat. Výměny nebo vrácení zboží v dobrém technickém stavu je nepřijatelné.</p>  | <p>Техническая информация, представленная в нашем каталоге, может быть изменена с цел да подобри представяното или дизайна на продуктите.</p> <p>Фаро Барселона си запазва правото да отменя или променя всеки модел без предварително осведомяване и без това да се счита причина за оплаквания.</p> <p>Условията, техническите характеристики и цените на продуктите показани в този каталог са ефективни към датата на отпечатването на каталога, с изключение на грешки при отпечатване и са обект на възможни промени.</p> <p>Цените в каталога са публичните цени.</p> <p>ЦЕНИТЕ НЕ ВКЛЮЧВАТ ДДС.</p> <p>Връщане на закупена стока ще да бъдат приета единствено след писмено осведомяване на LOREFAR на основание дефекти и в никакъв случай на основание счупено стъкло или липсващи части. В такива случаи моля свържете се с нас, за да ви изпратим липсващите части по спешност.</p> <p>Размяна или връщане на стока в добро състояние няма да бъде извършвана. В случай на спешно приемане от LOREFAR 20 % такса ще бъде наложена за приемане и проверка, за обезценяване и класификация на продуктите.</p>  | <p>Informacje techniczne wyszczególnione w naszym katalogu mogą być modyfikowane w celu poprawienia właściwości lub wyznaczenia produktów.</p> <p>Faro Barcelona ma prawo do anulowania i modyfikowania każdego z modeli bez uprzedniego informowania i nie przyjmujemy skarg z tego tytułu.</p> <p>Warunki, opis techniczny oraz ceny artykułów, które pojawiają się w katalogu są aktualne do czasu przedruku katalogu za wyjątkiem pomyłek w druku, które podlegają ewentualnej zmianie. Ceny w katalogu są cenami publicznymi.</p> <p>CENY NIE ZAWIERAJĄ STAWKI VAT.</p> <p>Ewentualne zwroty mogą być zaakceptowane po uprzedniej zgodzie przez Lorefar na podstawie stwierdzenia, że są wadliwe, nigdy nie przyjmujemy zwrotów artykułów, z powodu złuszczenia szkła czy brakujących części, w tym przypadku prosimy o kontakt w celu wysłania potrzebnych części w trybie natychmiastowym.</p> <p>Wymiany lub zwroty artykułów w dobrym stanie nie będą zaakceptowane. W przypadku wyraźnej akceptacji przez Lorefar, 20% opłaty może być poniesione na otrzymanie i sprawdzenie, w celu sklasyfikowania uszkodzenia artykułu.</p>  |



| Ref        | Pag. | Ref        | Pag. | Ref        | Pag. | Ref         | Pag. |
|------------|------|------------|------|------------|------|-------------|------|
| 3L004      | 298  | 32029-9    | 185  | 32060      | 203  | 33394WP     | 191  |
| 3L003      | 298  | 32029WP    | 183  | 32060-10   | 205  | 33394WP-9   | 193  |
| 32000      | 187  | 32029WP-9  | 185  | 32060WP    | 203  | 33395       | 191  |
| 32000-9    | 189  | 32030      | 183  | 32060WP-10 | 205  | 33395-10    | 193  |
| 32000WP    | 187  | 32030-10   | 185  | 32100      | 191  | 33395D      | 195  |
| 32000WP-9  | 189  | 32030WP    | 183  | 32100-10   | 193  | 33395D-10   | 197  |
| 32001      | 187  | 32030WP-10 | 185  | 32100WP    | 191  | 33395DWP    | 195  |
| 32001-9    | 189  | 32033      | 203  | 32100WP-10 | 193  | 33395DWP-10 | 197  |
| 32001WP    | 187  | 32033-9    | 205  | 32101      | 191  | 33395WP     | 191  |
| 32001WP-9  | 189  | 32033WP    | 203  | 32101WP    | 191  | 33395WP-10  | 193  |
| 32002      | 187  | 32033WP-9  | 205  | 32110      | 191  | 33398       | 191  |
| 32002-10   | 189  | 32034      | 203  | 32110WP    | 191  | 33398-10    | 193  |
| 32002WP    | 187  | 32034-9    | 205  | 33001      | 87   | 33398D      | 195  |
| 32002WP-10 | 189  | 32034WP    | 203  | 33005      | 229  | 33398D-10   | 197  |
| 32003      | 187  | 32034WP-9  | 205  | 33111      | 85   | 33398DWP    | 195  |
| 32003-10   | 189  | 32035      | 203  | 33179      | 277  | 33398DWP-10 | 197  |
| 32003WP    | 187  | 32035-10   | 205  | 33183      | 277  | 33398WP     | 191  |
| 32003WP-10 | 189  | 32035WP    | 203  | 33186      | 277  | 33398WP-10  | 193  |
| 32004      | 187  | 32035WP-10 | 205  | 33346      | 145  | 33399       | 191  |
| 32004-10   | 189  | 32036      | 203  | 33346WP    | 145  | 33399-10    | 193  |
| 32004WP    | 187  | 32036-10   | 205  | 33349      | 55   | 33399D      | 195  |
| 32004WP-10 | 189  | 32036WP    | 203  | 33350DC    | 159  | 33399D-10   | 197  |
| 32005      | 187  | 32036WP-10 | 205  | 33350DCWP  | 159  | 33399DWP    | 195  |
| 32005-9    | 189  | 32037      | 203  | 33352      | 161  | 33399DWP-10 | 197  |
| 32005WP    | 187  | 32037-10   | 205  | 33352B     | 161  | 33399WP     | 191  |
| 32005WP-9  | 189  | 32037WP    | 203  | 33370DC    | 129  | 33399WP-10  | 193  |
| 32006      | 187  | 32037WP-10 | 205  | 33370DCWP  | 129  | 33414A      | 49   |
| 32006-10   | 189  | 32038      | 199  | 33373DC    | 129  | 33416       | 245  |
| 32006WP    | 187  | 32038-9    | 201  | 33373DCWP  | 129  | 33417       | 191  |
| 32006WP-10 | 189  | 32038WP    | 199  | 33374      | 203  | 33417-10    | 193  |
| 32020      | 183  | 32038WP-9  | 201  | 33374-9    | 205  | 33417WP     | 191  |
| 32020-9    | 185  | 32039      | 199  | 33374WP    | 203  | 33417WP-10  | 193  |
| 32020WP    | 183  | 32039-9    | 201  | 33374WP-9  | 205  | 33418       | 191  |
| 32020WP-9  | 185  | 32039WP    | 199  | 33381      | 187  | 33418-10    | 193  |
| 32025      | 183  | 32039WP-9  | 201  | 33381-9    | 189  | 33418WP     | 191  |
| 32025-9    | 185  | 32040      | 199  | 33381WP    | 187  | 33418WP-10  | 193  |
| 32025WP    | 183  | 32040-10   | 201  | 33381WP-9  | 189  | 33423       | 273  |
| 32025WP-9  | 185  | 32040WP    | 199  | 33382      | 183  | 33423-10    | 275  |
| 32026      | 183  | 32040WP-10 | 201  | 33382-9    | 185  | 33423WP     | 273  |
| 32026-10   | 185  | 32041      | 199  | 33382WP    | 183  | 33423WP-10  | 275  |
| 32026WP    | 183  | 32041-10   | 201  | 33382WP-9  | 185  | 33424       | 273  |
| 32026WP-10 | 185  | 32041WP    | 199  | 33393      | 199  | 33424-10    | 275  |
| 32027      | 183  | 32041WP-10 | 201  | 33393-9    | 201  | 33424WP     | 273  |
| 32027-10   | 185  | 32042      | 199  | 33393WP    | 199  | 33424WP-10  | 275  |
| 32027WP    | 183  | 32042-10   | 201  | 33393WP-9  | 201  | 33425       | 273  |
| 32027WP-10 | 185  | 32042WP    | 199  | 33394      | 191  | 33425-10    | 275  |
| 32028      | 183  | 32042WP-10 | 201  | 33394-9    | 193  | 33425WP     | 273  |
| 32028-10   | 185  | 32043      | 199  | 33394D     | 195  | 33425WP-10  | 275  |
| 32028WP    | 183  | 32043-10   | 201  | 33394D-9   | 197  | 33426       | 273  |
| 32028WP-10 | 185  | 32043WP    | 199  | 33394DWP   | 195  | 33426-9     | 275  |
| 32029      | 183  | 32043WP-10 | 201  | 33394DWP-9 | 197  | 33426WP     | 273  |

| Ref        | Pag. | Ref        | Pag. | Ref        | Pag. | Ref         | Pag. |
|------------|------|------------|------|------------|------|-------------|------|
| 33426WP-9  | 275  | 33482WP-8  | 211  | 33552WP    | 77   | 33761       | 107  |
| 33427      | 273  | 33487      | 207  | 33553A     | 65   | 33761-23    | 109  |
| 33427-10   | 275  | 33487WP    | 207  | 33553WPA   | 65   | 33761-26    | 111  |
| 33427WP    | 273  | 33488      | 207  | 33560DC    | 131  | 33761WP     | 107  |
| 33427WP-10 | 275  | 33489      | 173  | 33560DCWP  | 131  | 33761WP-23  | 109  |
| 33428      | 273  | 33489-15   | 175  | 33561DC    | 129  | 33761WP-26  | 111  |
| 33428-10   | 275  | 33489WP    | 173  | 33561DCWP  | 129  | 33762       | 107  |
| 33428WP    | 273  | 33489WP-15 | 175  | 33562DC    | 129  | 33762-24    | 109  |
| 33428WP-10 | 275  | 33490      | 173  | 33562DCWP  | 129  | 33762-27    | 111  |
| 33429      | 273  | 33490-16   | 175  | 33603DC    | 235  | 33762WP     | 107  |
| 33429-10   | 275  | 33490WP    | 173  | 33603DCWP  | 235  | 33762WP-24  | 109  |
| 33429WP    | 273  | 33490WP-16 | 175  | 33608      | 221  | 33762WP-27  | 111  |
| 33429WP-10 | 275  | 33494      | 47   | 33695      | 231  | 33770       | 143  |
| 33430      | 57   | 33494WP    | 47   | 33699      | 231  | 33770WP     | 143  |
| 33430WP    | 57   | 33495      | 47   | 33701      | 157  | 33782       | 91   |
| 33432      | 57   | 33495WP    | 47   | 33702      | 157  | 33803       | 125  |
| 33432WP    | 57   | 33496      | 43   | 33703      | 253  | 33803WP     | 125  |
| 33446      | 119  | 33504DC    | 59   | 33712-12   | 225  | 33804       | 121  |
| 33446WP    | 119  | 33504DCWP  | 59   | 33713      | 223  | 33804WP     | 121  |
| 33447      | 119  | 33505DC    | 61   | 33713-13   | 225  | 33805       | 269  |
| 33447WP    | 119  | 33505DCWP  | 61   | 33715      | 281  | 33805-1TW   | 271  |
| 33451      | 181  | 33508DC    | 233  | 33718      | 71   | 33805WP     | 269  |
| 33451WP    | 181  | 33508DCWP  | 233  | 33718DC    | 71   | 33805WP-1TW | 271  |
| 33460      | 137  | 33509DC    | 233  | 33718DCWP  | 71   | 33806       | 269  |
| 33461A     | 49   | 33509DCWP  | 233  | 33719DC    | 73   | 33806-1TW   | 271  |
| 33462A     | 49   | 33511      | 79   | 33719DCWP  | 73   | 33806WP     | 269  |
| 33463DC    | 61   | 33511WP    | 79   | 33721      | 133  | 33806WP-1TW | 271  |
| 33463DCWP  | 61   | 33512A     | 51   | 33721WP    | 133  | 33809       | 103  |
| 33464DC    | 59   | 33512A-1   | 53   | 33722      | 135  | 33809-1TW   | 105  |
| 33464DCWP  | 59   | 33512WPA   | 51   | 33722WP    | 135  | 33809WP     | 103  |
| 33465A     | 49   | 33512WPA-1 | 53   | 33724      | 139  | 33809WP-1TW | 105  |
| 33466A     | 63   | 33514      | 163  | 33724WP    | 139  | 33810       | 103  |
| 33470      | 147  | 33514WP    | 163  | 33725      | 93   | 33810-1TW   | 105  |
| 33471N     | 149  | 33516DC    | 129  | 33726      | 93   | 33810WP     | 103  |
| 33471N-3   | 151  | 33516DCWP  | 129  | 33727DC    | 73   | 33810WP-1TW | 105  |
| 33472N     | 153  | 33517DC    | 233  | 33727DCWP  | 73   | 33814       | 165  |
| 33472N-6   | 155  | 33517DCWP  | 233  | 33728      | 71   | 33814-20    | 167  |
| 33478      | 207  | 33518DC    | 131  | 33728DC    | 71   | 33814WP     | 165  |
| 33478WP    | 207  | 33518DCWP  | 131  | 33728DCWP  | 71   | 33814WP-20  | 167  |
| 33479      | 207  | 33519      | 79   | 33729      | 123  | 33815       | 165  |
| 33480      | 173  | 33519WP    | 79   | 33729WP    | 123  | 33815-21    | 167  |
| 33480-14   | 175  | 33524      | 127  | 33750DC    | 141  | 33815WP     | 165  |
| 33480WP    | 173  | 33524WP    | 127  | 33750DCWP  | 141  | 33815WP-21  | 167  |
| 33480WP-14 | 175  | 33525      | 279  | 33756      | 227  | 33816       | 165  |
| 33481      | 209  | 33548      | 89   | 33756WP    | 227  | 33816-20    | 167  |
| 33481-7    | 211  | 33548WP    | 89   | 33760      | 107  | 33816WP     | 165  |
| 33481WP    | 209  | 33549      | 75   | 33760-22   | 109  | 33816WP-20  | 167  |
| 33481WP-7  | 211  | 33549WP    | 75   | 33760-25   | 111  | 33817       | 165  |
| 33482      | 209  | 33551      | 77   | 33760WP    | 107  | 33817-21    | 167  |
| 33482-8    | 211  | 33551WP    | 77   | 33760WP-22 | 109  | 33817WP     | 165  |
| 33482WP    | 209  | 33552      | 77   | 33760WP-25 | 111  | 33817WP-21  | 167  |

| Ref         | Pag. | Ref         | Pag. | Ref         | Pag. | Ref         | Pag. |
|-------------|------|-------------|------|-------------|------|-------------|------|
| 33820       | 257  | 33834WP-1TW | 263  | 34278WP-11L | 251  | 34291WP     | 95   |
| 33820-1TW   | 259  | 33835       | 261  | 34279       | 81   | 34291WP-1TW | 97   |
| 33820WP     | 257  | 33835-1TW   | 263  | 34279-11L   | 83   | 34292       | 67   |
| 33820WP-1TW | 259  | 33835WP     | 261  | 34279WP     | 81   | 34292-1TW   | 69   |
| 33821       | 257  | 33835WP-1TW | 263  | 34279WP-11L | 83   | 34292WP     | 67   |
| 33821-1TW   | 259  | 33928       | 299  | 34280       | 213  | 34292WP-1TW | 69   |
| 33821WP     | 257  | 33929       | 299  | 34280-11L   | 215  | 34293       | 67   |
| 33821WP-1TW | 259  | 33937       | 299  | 34280WP     | 213  | 34293-1TW   | 69   |
| 33822       | 257  | 33974       | 299  | 34280WP-11L | 215  | 34293WP     | 67   |
| 33822-1TW   | 259  | 34000       | 49   | 34281       | 249  | 34293WP-1TW | 69   |
| 33822WP     | 257  | 34001       | 49   | 34281-11L   | 251  | 34295       | 237  |
| 33822WP-1TW | 259  | 34002       | 49   | 34281WP     | 249  | 34295-1TW   | 239  |
| 33823       | 257  | 34003       | 63   | 34281WP-11L | 251  | 34295WP     | 237  |
| 33823-1TW   | 259  | 34004       | 63   | 34282       | 81   | 34295WP-1TW | 239  |
| 33823WP     | 257  | 34005       | 63   | 34282-11L   | 83   | 34296       | 237  |
| 33823WP-1TW | 259  | 34006       | 49   | 34282WP     | 81   | 34296-1TW   | 239  |
| 33824       | 265  | 34007       | 49   | 34282WP-11L | 83   | 34296WP     | 237  |
| 33824-1TW   | 267  | 34008       | 49   | 34283       | 213  | 34296WP-1TW | 239  |
| 33824WP     | 265  | 34009       | 49   | 34283-11L   | 215  | 34297       | 99   |
| 33824WP-1TW | 267  | 34010       | 49   | 34283WP     | 213  | 34297-1TW   | 101  |
| 33825       | 265  | 34200A      | 45   | 34283WP-11L | 215  | 34297WP     | 99   |
| 33825-1TW   | 267  | 34200WPA    | 45   | 34284       | 249  | 34297WP-1TW | 101  |
| 33825WP     | 265  | 34201A      | 45   | 34284-11L   | 251  | 34298       | 99   |
| 33825WP-1TW | 267  | 34201WPA    | 45   | 34284WP     | 249  | 34298-1TW   | 101  |
| 33828       | 169  | 34250A      | 41   | 34284WP-11L | 251  | 34298WP     | 99   |
| 33828-1TW   | 171  | 34260       | 115  | 34285       | 241  | 34298WP-1TW | 101  |
| 33828WP     | 169  | 34261       | 115  | 34285-1TW   | 243  | 34300       | 247  |
| 33828WP-1TW | 171  | 34265       | 113  | 34285WP     | 241  | 34300WP     | 247  |
| 33829       | 169  | 34270       | 255  | 34285WP-1TW | 243  | 34301       | 177  |
| 33829-1TW   | 171  | 34270WP     | 255  | 34286       | 95   | 34301-11L   | 179  |
| 33829WP     | 169  | 34271       | 255  | 34286-1TW   | 97   | 34301WP     | 177  |
| 33829WP-1TW | 171  | 34271WP     | 255  | 34286WP     | 95   | 34301WP-11L | 179  |
| 33830       | 169  | 34272       | 217  | 34286WP-1TW | 97   |             |      |
| 33830-1TW   | 171  | 34272WP     | 217  | 34287       | 67   |             |      |
| 33830WP     | 169  | 34273       | 217  | 34287-1TW   | 69   |             |      |
| 33830WP-1TW | 171  | 34273WP     | 217  | 34287WP     | 67   |             |      |
| 33831       | 169  | 34274       | 219  | 34287WP-1TW | 69   |             |      |
| 33831-1TW   | 171  | 34274WP     | 219  | 34288       | 241  |             |      |
| 33831WP     | 169  | 34275       | 219  | 34288-1TW   | 243  |             |      |
| 33831WP-1TW | 171  | 34275WP     | 219  | 34288WP     | 241  |             |      |
| 33832       | 261  | 34276       | 81   | 34288WP-1TW | 243  |             |      |
| 33832-1TW   | 263  | 34276-11L   | 83   | 34289       | 241  |             |      |
| 33832WP     | 261  | 34276WP     | 81   | 34289-1TW   | 243  |             |      |
| 33832WP-1TW | 263  | 34276WP-11L | 83   | 34289WP     | 241  |             |      |
| 33833       | 261  | 34277       | 213  | 34289WP-1TW | 243  |             |      |
| 33833-1TW   | 263  | 34277-11L   | 215  | 34290       | 95   |             |      |
| 33833WP     | 261  | 34277WP     | 213  | 34290-1TW   | 97   |             |      |
| 33833WP-1TW | 263  | 34277WP-11L | 215  | 34290WP     | 95   |             |      |
| 33834       | 261  | 34278       | 249  | 34290WP-1TW | 97   |             |      |
| 33834-1TW   | 263  | 34278-11L   | 251  | 34291       | 95   |             |      |
| 33834WP     | 261  | 34278WP     | 249  | 34291-1TW   | 97   |             |      |



|             |                  |     |
|-------------|------------------|-----|
| Alo         | ø1520            | 71  |
| Alo         | ø1520 with light | 73  |
| Amelia      | ø1320            | 107 |
| Amelia Cone | ø1320 with light | 109 |
| Amelia Ball | ø1320 with light | 111 |
| Andros      | ø2130            | 49  |
| Aoba        | ø1800            | 55  |
| Attos       | ø2130            | 47  |
| Barth       | ø1320            | 115 |
| Century     | ø1650            | 65  |
| Chicago     | ø915             | 253 |
| Cies        | ø2100            | 51  |
| Cies        | ø2100 with light | 53  |
| Cocos       | ø1370            | 89  |
| Cooper      | ø1280            | 181 |
| Cruiser     | ø1600            | 67  |
| Cruiser     | ø1600 with light | 69  |
| Cruiser     | ø1320            | 95  |
| Cruiser     | ø1320 with light | 97  |
| Cruiser     | ø1060            | 241 |
| Cruiser     | ø1060 with light | 243 |
| Cuba        | ø1060            | 161 |
| Deco Fan    | ø1280            | 195 |
| Deco Fan    | ø1280 with light | 197 |
| Easy        | ø1050            | 245 |
| Eco indus   | ø1200            | 229 |
| Eterfan     | ø1280            | 187 |
| Eterfan     | ø1280 with light | 189 |
| Fraser      | ø1200            | 227 |
| Gotland     | ø1320            | 119 |
| Hey         | ø900             | 265 |
| Hey         | ø900 with light  | 267 |
| Heywood     | ø1320            | 103 |
| Heywood     | ø1320 with light | 105 |
| Heywood     | ø1320            | 269 |
| Heywood     | ø1320 with light | 271 |
| Hvar        | ø914             | 247 |
| Hydra       | ø1330            | 93  |
| Icaria      | ø1320            | 157 |
| Ice         | ø1320            | 137 |
| Indus       | ø1400            | 87  |
| Izaro       | ø1300            | 163 |
| Just Fan XL | ø                | 57  |

|               |                  |     |
|---------------|------------------|-----|
| Just Fan M    | ø1280            | 191 |
| Just Fan M    | ø1280 with light | 193 |
| Just Fan S    | ø810             | 273 |
| Just Fan S    | ø810 with light  | 275 |
| Kauai         | ø2400            | 45  |
| Keiki         | ø2400            | 281 |
| Khios         | ø3050            | 41  |
| Klim          | ø1500            | 81  |
| Klim          | ø1500 with light | 83  |
| Klim          | ø1250            | 213 |
| Klim          | ø1250 with light | 215 |
| Klim          | ø925             | 249 |
| Klim          | ø925 with light  | 251 |
| Lantau        | ø1680            | 59  |
| Lantau        | ø1680 with light | 61  |
| Lantau        | ø1320            | 129 |
| Lantau        | ø1320 with light | 131 |
| Luzon         | ø1320            | 141 |
| Mallorca      | ø1320            | 159 |
| Malvinas      | ø1400            | 85  |
| Manhattan     | ø2440            | 43  |
| Marine        | ø1250            | 219 |
| Meno          | ø1350            | 91  |
| Milos         | ø1320            | 117 |
| Mini Eterfan  | ø1280            | 183 |
| Mini Eterfan  | ø1280 with light | 185 |
| Mini Icaria   | ø1070            | 231 |
| Mini Lantau   | ø1070            | 233 |
| Mini Mallorca | ø1060            | 235 |
| Mini Punt     | ø900             | 257 |
| Mini Punt     | ø900 with light  | 259 |
| Mini Punt Tub | ø900             | 261 |
| Mini Punt Tub | ø900 with light  | 263 |
| Mini Tube     | ø1280            | 199 |
| Mini Tube     | ø1280 with light | 201 |
| Morea         | ø1520            | 79  |
| Nassau        | ø1280            | 207 |
| Nias          | ø1320            | 153 |
| Nuu           | ø1320            | 133 |
| Nuu           | ø1320 with light | 135 |
| Palao         | ø810             | 277 |
| Palk          | ø1320            | 147 |
| Palma         | ø1290 with light | 179 |

|            |                  |     |
|------------|------------------|-----|
| Palma      | ø1290            | 177 |
| Panay      | ø1220            | 221 |
| Pemba      | ø1320            | 149 |
| Pemba      | ø1320 with light | 151 |
| Polaris    | ø1320            | 145 |
| Polea      | ø1322            | 139 |
| Poros      | ø1320            | 127 |
| Punt       | ø1300            | 165 |
| Punt       | ø1300 with light | 167 |
| Punt Tub M | ø1300            | 169 |
| Punt Tub M | ø1300 with light | 171 |
| Rudder     | ø1320            | 99  |
| Rudder     | ø1320 with light | 101 |
| Rudder     | ø1060            | 237 |
| Rudder     | ø1060 with light | 239 |
| Saint      | ø900             | 113 |
| Samos      | ø1320            | 123 |
| Saona      | ø1320            | 125 |
| Sfera      | ø1250            | 217 |
| Sfera      | ø900             | 255 |
| Sioux      | ø1320            | 143 |
| Siros      | ø1320            | 121 |
| Taki       | ø light kit      | 298 |
| Tilos      | ø1685            | 63  |
| Tonic      | ø1520            | 77  |
| Tube       | ø1280            | 203 |
| Tube       | ø1280 with light | 205 |
| Typhoon    | ø1300            | 173 |
| Typhoon    | ø1300 with light | 175 |
| Vedra      | ø460             | 279 |
| Vulcano    | ø1524            | 75  |
| Winche     | ø1270            | 209 |
| Winche     | ø1270 with light | 211 |
| Yakarta    | ø1210            | 223 |
| Yakarta    | ø1210 with light | 225 |



TRUE BEAUTY  
RESIDES  
IN SIMPLICITY.  
IN EVERY SMALL  
MOMENT WE  
DISCOVER  
THE EXTRAORDINARY.