

FAN

GAMME VENTILATEUR 2025



F A R O
BARCELONA

swisstech Concept Sarl

Distributeur officiel de la gamme

**For a sustainable
future of forests.**



Edition

A2025FAN

Art direction and design

Faro Art

All Rights Reserved

Reproduction without written permission from
the publisher is strictly prohibited.



Fan Collection


XXL	22
XL	36
L	50
M	122
S	162
Accessories	210



XXL
over ø200 CM




Rotterdam 30
23



Rotterdam 25
25



Manhattan
27



Bigwood
29



Kauai
31




Attos
33



Andros
35

XL
over ø165 CM




Bigwood
37



Rotterdam
39



Just Fan
41



Lantau
43



Century
45



Cruiser
47


L
ø132-164CM




Alo
51



Morea
53



Outwood
55



Klim
59



Malvinas
63



Indus
65



Cocos
67




Barth
97




Milos
99



Gotland
101



Poros
103



Lantau
105



Nuu
107



Ice
109

M
ø107-131 CM




Punt
123




Punt Tub
125



Typhoon
127



Palma
129



Cooper
133



Mini Eterfan
135



Eterfan
137



Marine
157



Fraser
159



Eco indus
161

S
ø106 CM or less



Mini Lantau
163



Mini Mallorca
165



Rudder
167



Cruiser
171




Hvar
175




Klim
177




Chicago
181




Palao
203



Klover
205




Vedra
207




Keiki
209

IP 44




Outwood
55



Typhoon
127



Palma
129



Winche
149



Marine
157



Hydra
69




Rudder L 4
71



Rudder L 3
75



Cruiser
79



Heywood
83



Heywood Tub
85



Amelia
107



Saint
95



Polea
111




Luzon
113




Polaris
115



Pemba
117



Mallorca
119



Cuba
121



Just Fan
139



Deco Fan
141




Mini Tube
143




Tube
145



Nassau
147



Winche
149



Klim
151



Sfera
155



Sfera
183



Mini Punt
185



Mini Punt Tub
187



Hey
189



Hey Tub
191



Heywood
195



Heywood Tub
197



Just Fan
201

Collections

Amelia Héctor Serrano



Amelia
P. 89



Amelia Cone
P. 91




Amelia Ball
P. 93

Bigwood Faro Lab



Bigwood 24
P. 29



Bigwood 20
P. 37

Cruiser Faro Lab



Cruiser XL
P. 47



Cruiser L
P. 79



Cruiser S
P. 171

Sfera Faro Lab



Sfera M
P. 155



Sfera S
P. 183

Hey Faro Lab



Hey
P. 189



Hey Tub
P. 191

Heywood Faro Lab




Heywood L
P. 83



Heywood Tub L
P. 85



Heywood S
P. 195




Heywood Tub S
P. 197

Just Fan
Conillas



Just Fan XL
P. 41



Just Fan M
P. 139




Just Fan S
P. 201

Klim
Faro Lab



Klim L
P. 59




Klim M
P. 151




Klim S
P. 177

Lantau



Lantau XL
P. 43



Lantau L
P. 105



Mini Lantau S
P. 163

Punt
Faro Lab




Punt M
P. 123



Punt Tub M
P. 125



Mini Punt S
P. 185



Mini Punt Tub S
P. 187


Rotterdam



Rotterdam 30
P. 23




Rotterdam 25
P. 25



Rotterdam 20
P. 39


Rudder
Faro Lab



Rudder L 4
P. 71



Rudder L 3
P. 75



Rudder S
P. 167



BRAND WITH SOUL

Our purpose is to contribute to the wellbeing and happiness of people through design and the relationship we establish with the objects that surround us in our daily lives. We believe in honest and accessible design.

Nuestra razón de ser es contribuir al bienestar y la felicidad de las personas a través del diseño y la relación que establecemos con los objetos que nos acompañan en nuestro día a día. Creemos en un diseño honesto, accesible y cercano.



TURN OFF THE LIGHT

Our sustainability journey focuses on minimizing our environmental footprint and maximizing our positive impact on society.

Nuestro camino hacia la sostenibilidad se centra en reducir nuestro impacto negativo en el planeta y maximizar nuestro impacto social positivo.





YOUR IDEA, OUR EXPERTISE



We adjust fan speeds
to suit your needs



Control your fan the
way you want



Our fans operate
worldwide



We customize your
fan's settings

The expertise and knowledge of our professionals are dedicated to bringing your ideas to life, creating unique and functional spaces.

La experiencia y el conocimiento de nuestros profesionales se ponen al servicio de tus ideas para crear espacios únicos y funcionales.

Parametrical Lab

Specification Compliance
Electrical Safety Tests
Integrating Sphere
Climatic Chamber
IK Tests
Endurance Test Room
Thermal Test Room

Environmental Testing Lab

Water IP Tests
Powder IP Tests
Salt Spray Chamber

Technical Assistance Service (TAS)

Customer Returns Analysis
Customer Returns Repairs
TAS Spare Parts


Quality inspections Lab

Batch inspections
Functional Tests
Product Assembly Control
Product Finish Control

Ceiling Fan Lab

Life Test
Customizations
Airflow measurements
Noise measurements

Goniophotometer Room



QUALITY COMMITMENT

Our commitment to quality is at the heart of everything we design. We rigorously control the quality of our products and services from conception to functionality and reliability testing.

Nuestro compromiso con la calidad está presente en todo lo que diseñamos. Controlamos rigurosamente la calidad de nuestros productos y servicios desde la concepción hasta los ensayos de funcionalidad y fiabilidad.

Quality management system based on ISO9001.

Compliance with electrical safety regulations under EN60598 and energy efficiency ERP.

Sistema de gestión de calidad basado en la ISO9001.


Cumplimiento legislativo de las normativas de seguridad bajo la EN60598 y la normativa de eficiencia energética ERP.



BEST CHOICE



15-year warranty
on the engine



High performance




Wide range.
Over 80 designs



FSC Certified
wooden blades

With over 40 years of experience, we are your best choice.
Con más de 40 años de experiencia, somos su mejor opción.



SMART OPTION


CONTROL YOUR FAN, ANYTIME


Download app



Control the fan from your mobile and select the app that matches its smart system.

Controla el ventilador desde tu móvil y selecciona la aplicación compatible con su sistema inteligente.





*Control panel not included

*Automation control not included

FAN INTEGRATION

Compatible with



and other control systems with 0 10/1 10V



All WP fans
are compatible
see page 228



Ref. 34162
Gateway 0 10/1 10V



Ref. 34160
Adjustable universal
receiver for adaptations
of programming

Fan Integration in automation systems for Faro WP fans by 0-10/1 10V speed and light control. Manage up to 128 fans per gateway.

Integración de ventiladores en sistemas de automatización para ventiladores Faro WP mediante control de velocidad y luz 0-10/1 10V. Gestiona hasta 128 ventiladores por pasarela.



Find out more
Descubre más



Suitable for high ceilings



2 downrods included
127 / 305mm



Programmable 1-4-8h
Memory function page 211

Rotterdam 30



XXL
ø300 CM

OVER 39 M²
200 SQ.FT

DC
MOTOR

SUMMER
WINTER

SLOPED
CEILING



34210
Body Matt White
Blades Matt White



34211
Body Matt Black
Blades Matt Black




with light

SMD LED 32W 3000K 3125 lm CRI >80 Driver incl. Yes
Material Diff PMMA

34210-130
Body Matt White
Blades Matt White

34211-130
Body Matt Black
Blades Matt Black

Material	Body Steel Blades Aluminium
Programmer	1-4-8hr
W	16-27-45-67-85-100
RPM	46-55-65-75-79-84
Airflow	302 m3 min
V/Hz	220V-240V/50-60Hz
Accessories ☉	33974 DC Wall Control
Incl. downrod	127-305 mm
Opt. downrod	Page 214




A	A1
475/18.7"	425/16.73"
B	C
160/6.3"	300/11.81"
D	E
65/2.6"	200/7.87"
F	G
ø3000/118.1"	1350/53.15"
Downrod L	Downrod ø
127-305/5"	26/1.02"



Suitable for high ceilings



2 downrods included
127 / 305mm




Programmable 1-4-8h
Memory function page 211

Rotterdam 25






XXL
ø250_{CM}



OVER 39 M²
200 SQ.FT

DC
MOTOR



SUMMER
WINTER



SLOPED
CEILING



34206
Body Matt White
Blades Matt White



34207
Body Matt Black
Blades Matt Black




with light

SMD LED 32W 3000K 3125 lm CRI >80 Driver incl. Yes
Material Diff PMMA

34206-130
Body Matt White
Blades Matt White

34207-130
Body Matt Black
Blades Matt Black

Material	Body Steel Blades Aluminium
Programmer	1-4-8hr
W	16-28-44-67-85-101
RPM	60-73-87-99-106-110
Airflow	457 m3 min
V/Hz	220V-240V/50-60Hz
Accessories ☉	33974 DC Wall Control
Incl. downrod	127-305 mm
Opt. downrod	Page 214




A	A1
475/18.7"	425/16.73"
B	C
160/6.3"	300/11.81"
D	E
65/2.6"	200/7.87"
F	G
ø2500/98.4"	1100/43.31"
Downrod L	Downrod ø
127-305/5"	26/1.02"



Suitable for high ceilings



Adjustable color temperature



High airflow

Manhattan




XXL
Ø244 CM



> 28 M2
> 300 SQ.FT

DC
MOTOR



SUMMER
WINTER




SLOPED
CEILING



33496
Body Satin Nickel
Blades Satin Stainless

Material	Body Steel	Power	17W
	Blades Aluminium	Lumen Output	1400 lm
W	15-20-25-30-35-56	Light Source	SMD LED
RPM	50-55-60-65-70-78	Dimmable K	2700 - 3300 - 4600K
Airflow	269 m3 min	CRI	≥90
V/Hz	220V-240V/50-60Hz	Driver incl.	Yes
Opt. downrod	Page 214	Material Diff	PC



A	A1
360/14.17"	325/12.8"
B	C
200/7.87"	130/5.12"
D	E
55/2.2"	130/5.12"
F	G
ø2440/96.1"	1160/45.67"
Downrod L	Downrod ø
150/5.91"	21/0.83"




Suitable for high ceilings



Programmable 1-4-8h
Memory function page 211



FSC Certified
wooden blades



Smart option

Bigwood 24

Faro Lab



XXL
ø240 CM

> 28 M2
> 300 SQ.FT

DC
MOTOR

SUMMER
WINTER



34192
34192WT Tuya Smart
Body Matt Black
Blades Dark Walnut

Material **Body** Steel
Blades Pine Wood

Programmer 1-4-8hr

W 7-11-18-26-38-57

RPM 32-46-60-73-80-93


Airflow 460 m3 min

V/Hz 220V-240V/50-60Hz

Accessories 33974 DC Wall Control

Incl. downrod 200 mm

Opt. downrod Page 214



A	A1
350/13.78"	310/12.2"
B	C
40/1.57"	190/7.48"
D	E
65/2.6"	150/5.91"
F	G
ø2400/94.5"	1130/44.49"
Downrod L	Downrod ø
200/7.87"	26/1.02"



Natural wood



2 downrods included
125 / 250mm





Programmable 1-4-8h
Memory function page 211



Smart option

Kauai

XXL ø240 CM	 > 28 M2 > 300 SQ.FT	DC MOTOR	 SUMMER WINTER
-----------------------	---	--------------------	---



34200A
34200AWT NEW
34200AWW NEW
Body Dark Brown
Blades Pine

Tuya Smart
Wiz Smart



34201A
34201AWT NEW
34201AWW NEW
Body Matt White
Blades Pine

Tuya Smart
Wiz Smart

Material **Body Steel**
 Blades Wood

Programmer 1-4-8hr

W 13-17-20-35-54

RPM 79-86-93-110-126


Airflow 254 m3 min

V/Hz 220V-240V/50-60Hz

Accessories ☉ 33974 DC Wall Control

Incl. downrod 125-250 mm

Opt. downrod Page 214




A	A1
480/18.9"	430/16.93"
B	C
170/6.69"	210/8.27"
D	E
65/2.6"	150/5.91"
F	G
ø2400/94.5"	1000/39.37"
Downrod L	Downrod ø
125-250/4.92"	26/1.02"



Suitable for high ceilings



Adjustable color temperature



Smart option

Attos

XXL ø213 CM	> 28 M2 > 300 SQ.FT	DC MOTOR	DIM	SUMMER WINTER	SLOPED CEILING
-----------------------	------------------------	--------------------	------------	------------------	-------------------




33494
33494WW NEW Wiz Smart
Body Matt White
Blades Matt White



33495
33495WW NEW Wiz Smart
Body Dark Brown
Blades Dark Brown

Material	Body Steel Blades ABS	Power	18W
W	5-7-12-18-28-44	Lumen Output	1200 lm
RPM	30-44-58-72-86-103	Light Source	SMD LED
Airflow	155 m3 min	Dimmable K	2700-3300- 4600K
V/Hz	220V-240V/50-60Hz	CRI	>80
		Driver incl.	Yes
		Material Diff	PC



A	A1
340/13.39"	210/8.27"
B	C
120/4.72"	130/5.12"
D	E
60/2.4"	130/5.12"
F	G
ø2130/83.9"	1020/40.16"
Downrod L	Downrod ø
230/9.06"	21/0.83"



Optional downrods not incl.
600 / 900 / 1200mm



Suitable for high ceilings

Andros

XXL Ø213 CM	> 28 M2 > 300 SQ.FT	DC MOTOR	SUMMER WINTER	SLOPED CEILING
-----------------------	------------------------	--------------------	------------------	-------------------



33461A
Body White
Blades White



33462A
Body Brown
Blades Brown



33465A
Body Satin Nickel
Blades Satin Nickel



33414A
Body Matt Black
Blades Matt Black

Material Body Steel
Blades Aluminium


W 4-6-10-15-22-35

RPM 30-41-53-64-74-88

Airflow 406 m3 min

V/Hz 220V-240V/50-60Hz

Opt. downrod Page 214



A	A1
460/18.11"	425/16.73"
B	C
220/8.66"	240/9.45"
D	E
50/2"	150/5.91"
F	G
Ø2130/83.9"	950/37.4"
Downrod L	Downrod Ø
230/9.06"	26/1.02"




Suitable for high ceilings



Programmable 1-4-8h
Memory function page 211




FSC Certified
wooden blades



Smart option

Bigwood 20

Faro Lab



34190
34190WT Tuya Smart
Body Matt Black
Blades Dark Walnut



34191
34191WT Tuya Smart
Body Matt White
Blades Pine

Material Body Steel
 Blades Pine Wood

Programmer 1-4-8hr

W 7-11-18-27-38-57


RPM 43-63-79-94-110-127

Airflow 413 m3 min

V/Hz 220V-240V/50-60Hz

Accessories 33974 DC Wall Control

Opt. downrod Page 214



A	A1
350/13.78"	310/12.2"
B	C
40/1.57"	190/7.48"
D	E
65/2.6"	150/5.91"
F	G
ø2000/78.7"	930/36.61"
Downrod L	Downrod ø
200/7.87"	26/1.02"



Suitable for high ceilings



2 downrods included
127 / 305mm



Programmable 1-4-8h
Memory function page 211

Rotterdam 20



XL ø200 _{CM}	 > 28 M2 > 300 SQ.FT	DC MOTOR	 SUMMER WINTER	 SLOPED CEILING
---------------------------------	----------------------------	--------------------	----------------------	-----------------------



34202
Body Matt White
Blades Matt White



34203
Body Matt Black
Blades Matt Black




with light

SMD LED 32W 3000K 3125 lm CRI >80 Driver incl. Yes
Material Diff PMMA

34202-130
Body Matt White
Blades Matt White

34203-130
Body Matt Black
Blades Matt Black

Material	Body Steel Blades Aluminium
Programmer	1-4-8hr
W	6-9-16-26-41-61
RPM	48-58-71-84-95-105
Airflow	348 m3 min
V/Hz	220V-240V/50-60Hz
Accessories ☉	33974 DC Wall Control
Incl. downrod	127-305 mm
Opt. downrod	Page 214



A	A1
455/17.91"	395/15.55"
B	C
140/5.51"	300/11.81"
D	E
65/2.6"	200/7.87"
F	G
ø2000/78.7"	850/33.46"
Downrod L	Downrod ø
127-305/5"	26/1.02"



3 downrods included
101 / 203 / 457mm



Smart option

Just Fan XL


Conillas

XL
Ø178 CM


> 28 M2
> 300 SQ.FT

DC
MOTOR


SUMMER
WINTER


SLOPED
CEILING



33430
33430WW **NEW**
Body Matt Black
Blades Dark Walnut

Wiz Smart



33432
33432WW **NEW**
Body Matt Black
Blades Black

Wiz Smart

Material Body Steel
Blades ABS

W 4-6-9-12-17-31


RPM 48-64-82-98-114-145

Airflow 175 m3 min


V/Hz 220V-240V/50-60Hz

Incl. downrod 100-200-460 mm

Opt. downrod Page 214



A	A1
640/25.2"	630/24.8"
B	C
180/7.09"	130/5.12"
D	E
55/2.2"	130/5.12"
F	G
Ø1780/70.1"	890/35.04"
Downrod L	Downrod Ø
100-200-460/3.94"	26/1.02"



High airflow



FSC Certified
wooden blades



Programmable 1-4-8h
Memory function page 211



Smart option

Lantau XL

XL
 ø168 CM

> 28 M2
 > 300 SQ.FT

DC
 MOTOR

SUMMER
 WINTER

SLOPED
 CEILING



33464DC
33464DCWT NEW
33464DCWW NEW
 Body Satin Nickel
 Blades Walnut

Tuya Smart
 Wiz Smart



33504DC
33504DCWT NEW
33504DCWW NEW
 Body Matt Nickel
 Blades Pine

Tuya Smart
 Wiz Smart



with light

SMD LED 15W 3000K 900 lm CRI >80 Driver incl. Yes


33463DC
33463DCWT NEW
33463DCWW NEW
 Body Matt Nickel
 Blades Walnut

Tuya Smart
 Wiz Smart

33505DC
33505DCWT NEW
33505DCWW NEW
 Body Matt Nickel
 Blades Pine

Tuya Smart
 Wiz Smart

Material	Body Steel
	Blades Wood
W	6-9-11-17-24-35
RPM	75-89-98-115-129-146
Airflow	261 m3 min
V/Hz	220V-240V/50-60Hz
Accessories ☉	33974 DC Wall Control
Opt. downrod	Page 214



A	A1
410/16.14"	335/13.19"
B	C
180/7.09"	
D	E
70/2.8"	150/5.91"
F	G
ø1680/66.1"	840/33.07"
Downrod L	Downrod ø
153/6.02"	21/0.83"



Smart option

Century


XL Ø 165 CM	> 28 M2 > 300 SQ.FT	DC MOTOR	SUMMER WINTER	SLOPED CEILING
-----------------------	------------------------	--------------------	------------------	-------------------




33553A
33553AWW **NEW**
Body Matt White
Blades Matt White

Wiz Smart

Material	Body Steel	Power	15W
	Blades Plywood	Lumen Output	1200 lm
W	5-8-12-17-25-35	Light Source	SMD LED 3000K
RPM	60-80-95-110-125-140	CRI	>80
Airflow	233 m3 min	Driver incl.	Yes
V/Hz	220V-240V/50-60Hz	Material Diff	PMMA



A	A1
330/12.99"	250/9.84"
B	C
170/6.69"	150/5.91"
D	E
50/2"	130/5.12"
F	G
Ø1650/65"	750/29.53"
Downrod L	Downrod Ø
152/5.98"	21/0.83"



Striped anodized aluminium



Programmable 1-4-8h
Memory function page 211



Smart option

Cruiser XL

Faro Lab

XL ø 160 CM	> 28 M2 > 300 SQ.FT	DC MOTOR	SUMMER WINTER	SLOPED CEILING
-----------------------	------------------------	--------------------	------------------	-------------------



34287
34287WT NEW
34287WW NEW
Body Matt Black
Blades Aluminium

Tuya Smart
Wiz Smart



34292
34292WT NEW
34292WW NEW
Body Matt White
Blades Matt White


Tuya Smart
Wiz Smart




34293
34293WT NEW
34293WW NEW
Body Matt Black
Blades Matt Black

Tuya Smart
Wiz Smart

- Material** Body Steel
Blades Aluminium
- Programmer** 1-4-8hr
- W** 4-6-10-16-23-34
- RPM** 63-83-100-120-133-149
- Airflow** 216 m3 min
- V/Hz** 220V-240V/50-60Hz
- Accesories** ☉ 33974 DC Wall Control
- Incl. downrod** 100 mm
- Opt. downrod** Page 214



A	A1
232/9.13"	194/7.64"
B	C
83/3.27"	151/5.94"
D	E
60/2.4"	130/5.12"
F	G
ø1600/63"	770/30.31"
Downrod L	Downrod ø
100/3.94"	26/1.02"




Striped anodized aluminium



Programmable 1-4-8h
Memory function page 211



Adjustable color temperature



Smart option

Cruiser XL

Faro Lab

XL ø160 CM	> 28 M2 > 300 SQ.FT	DC MOTOR	DIM	SUMMER WINTER	SLOPED CEILING
----------------------	------------------------	--------------------	------------	------------------	-------------------



34287-1TW
34287WT-1TW NEW
34287WW-1TW NEW
 Body Matt Black
 Blades Aluminium

Tuya Smart
 Wiz Smart



34292-1TW
34292WT-1TW NEW
34292WW-1TW NEW
 Body Matt White
 Blades Matt White


Tuya Smart
 Wiz Smart



34293-1TW
34293WT-1TW NEW
34293WW-1TW NEW
 Body Matt Black
 Blades Matt Black

Tuya Smart
 Wiz Smart

Material	Body Steel	Power	20W
	Blades Aluminium	Lumen Output	806 lm
Programmer	1-4-8hr	Light Source	SMD LED
W	4-6-10-16-23-34	Dimmable K	2700 - 4000 - 6500K
RPM	63-83-100-120-133-149	CRI	85
Airflow	216 m3 min	Driver incl.	Yes
V/Hz	220V-240V/50-60Hz	Material Diff	Glass
Accessories ☉	33974 DC Wall Control		
Incl. downrod	100 mm		
Opt. downrod	Page 214		



A	A1
276/10.87"	180/7.09"
B	C
80/3.15"	150/5.91"
D	E
60/2.4"	130/5.12"
F	G
ø1600/63"	776/30.55"
Downrod L	Downrod ø
100/3.94"	26/1.02"



Thanks to Beti Guasch & Estudi Nou Arquitectes | Photo by Sara Adroer



FSC Certified wooden blades



Adjustable color temperature



Programmable 1-4-8h
Memory function page 211



Smart option

Alo

L ø152 CM	> 17,6-28 M2 190-300 SQ.FT	DC MOTOR	SUMMER WINTER	SLOPED CEILING
---------------------	-------------------------------	--------------------	------------------	-------------------



33718DC
33718DCWT **NEW**
33718DCWW **NEW**
Body Matt Black
Blades Maple

Tuya Smart
Wiz Smart



33728DC
33728DCWT **NEW**
33728DCWW **NEW**
Body Matt White
Blades Maple

Tuya Smart
Wiz Smart



with light

SMD LED 20W 831 lm CRI 85 Driver incl. Yes
Material Diff PP


33727DC
33727DCWT **NEW**
33727DCWW **NEW**
Body Matt White
Blades Maple

Tuya Smart
Wiz Smart

33719DC
33719DCWT **NEW**
33719DCWW **NEW**
Body Matt Black
Blades Maple

Tuya Smart
Wiz Smart

Material	Body Steel
	Blades Wood
Programmer	1-4-8hr
W	6-10-13-19-26-35
RPM	97-120-136-158-179-196
Airflow	220 m3 min
V/Hz	220V-240V/50-60Hz
Accessories ☉	33974 DC Wall Control
Opt. downrod	Page 214



A	A1
320/12.6"	285/11.22"
B	C
160/6.3"	180/7.09"
D	E
60/2.4"	150/5.91"
F	G
ø1520/59.8"	685/26.97"
Downrod L	Downrod ø
153/6.02"	26/1.02"



Thanks to Studio Srta Rottenmeier



Programmable 1-4-8h
Memory function page 211



Smart option

Morea

L ø 152 CM	> 17,6-28 M2 190-300 SQ.FT	DC MOTOR	SUMMER WINTER	SLOPED CEILING
----------------------	-------------------------------	--------------------	------------------	-------------------



33511
33511WT NEW
33511WW NEW
Body Dark Brown
Blades Dark Walnut

Tuya Smart
Wiz Smart



33519
33519WT NEW
33519WW NEW
Body Dark Brown
Blades Maple

Tuya Smart
Wiz Smart

Material Body Steel
Blades ABS

Programmer 1-4-8hr

W 3-7-12-17-38


RPM 58-105-131-148-195

Airflow 211 m3 min

V/Hz 220V-240V/50-60Hz

Accessories ☉ 33974 DC Wall Control

Opt. downrod Page 214



A	A1
280/11.02"	215/8.46"
B	C
130/5.12"	170/6.69"
D	E
50/2"	148/5.83"
F	G
ø1520/59.8"	750/29.53"
Downrod L	Downrod ø
152/5.98"	21/0.83"



Programmable 1-4-8h
Memory function page 211



Realistic wood-finish
Abs blades



Smart option

Outwood
Faro Lab



L ø150 CM	 > 17,6-28 M2 190-300 SQ.FT	DC MOTOR	DIM	IP 44	SUMMER WINTER
---------------------	-----------------------------------	--------------------	------------	-----------------	----------------------



34360
34360WT Tuya Smart
34360WW Wiz Smart
Body Dark Brown
Blades Oak



34361
34361WT Tuya Smart
34361WW Wiz Smart
Body Matt White
Blades Oak



34362
34362WT Tuya Smart
34362WW Wiz Smart
Body Dark Brown
Blades Dark Walnut



34363
34363WT Tuya Smart
34363WW Wiz Smart
Body Matt White
Blades Matt White

Material Body Steel
Blades ABS

Programmer 1-4-8hr

W 5-8-12-18-25-35


RPM 73-92-108-127-141-152

Airflow 187 m3 min

V/Hz 220V-240V/50-60Hz

Accesories ☉ 33974 DC Wall Control

Opt. downrod Page 214



A	A1
265/10.43"	220/8.66"
B	C
154/6.06"	100/3.94"
D	E
60/2.4"	130/5.12"
F	G
ø1320/52"	687/27.05"
Downrod L	Downrod ø
100/3.94"	26/1.02"



Glass diffuser



Programmable 1-4-8h
Memory function page 211



Realistic wood-finish
Abs blades



Smart option

Outwood
Faro Lab



L ø150 CM	 > 17,6-28 M2 190-300 SQ.FT	DC MOTOR	 DIM	IP 44	 SUMMER WINTER
---------------------	-----------------------------------	--------------------	---------	-----------------	----------------------



34360-11L
34360WT-11L
34360WW-11L
Body Dark Brown
Blades Oak

Tuya Smart
Wiz Smart



34361-11L
34361WT-11L
34361WW-11L
Body Matt White
Blades Oak

Tuya Smart
Wiz Smart



34362-11L
34362WT-11L
34362WW-11L
Body Dark Brown
Blades Dark Walnut


Tuya Smart
Wiz Smart



34363-11L
34363WT-11L
34363WW-11L
Body Matt White
Blades Matt White

Tuya Smart
Wiz Smart

Material	Body Steel	Light Source	1 E27 max. 15W
	Blades ABS	Bulb incl.	No
Programmer	1-4-8hr	Recom. Bulb	17463
W	5-8-12-18-25-35	Material Diff	Glass
RPM	73-92-108-127-141-152		
Airflow	187 m3 min		
V/Hz	220V-240V/50-60Hz		
Accessories ☉	33974 DC Wall Control		
Opt. downrod	Page 214		



A	A1
430/16.93"	220/8.66"
B	C
320/12.6"	100/3.94"
D	E
60/2.4"	130/5.12"
F	G
ø1500/59.1"	687/27.05"
Downrod L	Downrod ø
100/3.94"	26/1.02"



FSC Certified wooden blades



Optional Light kit page 212



Programmable 1-4-8h Memory function page 211



Smart option

Klim L

Faro Lab

L ø 150 CM	> 17,6-28 M2 190-300 SQ.FT	DC MOTOR	SUMMER WINTER	SLOPED CEILING
----------------------	-------------------------------	--------------------	------------------	-------------------



34276
34276WT NEW Tuya Smart
34276WW NEW Wiz Smart
Body Matt Black
Blades Dark Walnut




34279
34279WT NEW Tuya Smart
34279WW NEW Wiz Smart
Body Matt White
Blades Oak



34282
34282WT NEW Tuya Smart
34282WW NEW Wiz Smart
Body Matt Black
Blades Oak

Material Body Steel
Blades Wood
Programmer 1-4-8hr
W 5-7-11-17-24-35
RPM 67-88-106-122-140-159
Airflow 168 m3 min
V/Hz 220V-240V/50-60Hz
Accessories 33974 DC Wall Control
Incl. downrod 100 mm
Opt. downrod Page 214




A	A1
336/13.23"	212/8.35"
B	C
48/1.89"	100/3.94"
D	E
60/2.4"	130/5.12"
F	G
ø1500/59.1"	745/29.33"
Downrod L	Downrod ø
100/3.94"	26/1.02"



Glass diffuser



FSC Certified wooden blades



Programmable 1-4-8h
Memory function page 211



Smart option

Klim L

Faro Lab

L ø 150 CM	> 17,6-28 M2 190-300 SQ.FT	DC MOTOR	SUMMER WINTER	SLOPED CEILING
----------------------	-------------------------------	--------------------	------------------	-------------------



34276-11L
34276WT-11L **NEW**
34276WW-11L **NEW**
Body Matt Black
Blades Dark Walnut

Tuya Smart
Wiz Smart



34279-11L
34279WT-11L **NEW**
34279WW-11L **NEW**
Body Matt White
Blades Oak


Tuya Smart
Wiz Smart



34282-11L
34282WT-11L **NEW**
34282WW-11L **NEW**
Body Matt Black
Blades Oak

Tuya Smart
Wiz Smart

Material	Body Steel	Light Source	1 E27 max.
	Blades Wood	Bulb incl.	No
Programmer	1-4-8hr	Recom. Bulb	17485
W	5-7-11-17-24-35	Material Diff	Glass
RPM	67-88-106-122-140-159		
Airflow	168 m3 min		
V/Hz	220V-240V/50-60Hz		
Accessories ☉	33974 DC Wall Control		
Incl. downrod	100 mm		
Opt. downrod	Page 214		



A	A1
408/16.06"	212/8.35"
B	C
231/9.09"	100/3.94"
D	E
60/2.4"	130/5.12"
F	G
ø1500/59.1"	745/29.33"
Downrod L	Downrod ø
100/3.94"	26/1.02"



Reversible blades

Malvinas

<p>∅ 140 CM</p>	<p>> 17,6-28 M² 190-300 SQ.FT</p>	<p>SUMMER WINTER</p>	<p>WALL CONTROL</p>	<p>SLOPED CEILING</p>
-----------------	---	--------------------------	-------------------------	---------------------------



33111
Body Brown
Blades Mahogany + Reddish Mahogany

Material Body Steel
 Blades MDF


W 24-37-48-57-80

RPM 111-145-170-187-229

Airflow 176 m³ min

V/Hz 220V-240V/50Hz



Opt. downrod Page 214



A	A1
600/23.62"	500/19.69"
B	C
160/6.3"	200/7.87"
D	E
60/2.4"	130/5.12"
F	G
∅1400/55.1"	590/23.23"
Downrod L	Downrod ∅
510/20.08"	21/0.83"



Indus

L ø 140 CM	 > 17.6-28 M2 190-300 SQ.FT	 WALL CONTROL
-----------------------------	--	---



33001
Body White
Blades White


Material **Body Steel**
 Blades Steel

W 16-21-26-32-48

RPM 113-142-173-203-260

Airflow 155 m3 min

V/Hz 220V-240V/50Hz



A	A1
483/19.02"	440/17.32"
B	C
160/6.3"	180/7.09"
D	E
120/4.7"	145/5.71"
F	G
ø1400/55.1"	555/21.85"
Downrod L	Downrod ø
273/10.75"	21/0.83"



Smart option


Cocos

L Ø 137 CM	> 17,6-28 M2 190-300 SQ.FT	DC MOTOR	SUMMER WINTER	SLOPED CEILING
----------------------	-------------------------------	--------------------	------------------	-------------------



33548
33548WW NEW Wiz Smart
 Body Matt White
 Blades Matt White

Material	Body Steel	Power	20W
	Blades ABS	Lumen Output	1281 lm
W	7-10-13-17-24-29	Light Source	SMD LED 3000K
RPM	66-88-104-115-138-146	CRI	>80
Airflow	234 m3 min	Driver incl.	Yes
V/Hz	220V-240V/50-60Hz	Material Diff	PC



A	A1
260/10.24"	200/7.87"
B	C
90/3.54"	200/7.87"
D	E
55/2.2"	140/5.51"
F	G
ø1370/53.9"	585/23.03"
Downrod L	Downrod ø
114/4.49"	21/0.83"



Programmable 1-4-8h

Hydra

L Ø 133 CM	> 17,6-28 M2 190-300 SQ.FT	DC MOTOR	SUMMER WINTER	SLOPED CEILING
----------------------	-------------------------------	--------------------	------------------	-------------------




33725
Body Matt Black
Blades Dark Walnut



33726
Body Matt White
Blades Matt White

Material	Body Steel	Power	21W
	Blades Plywood	Lumen Output	1563 lm
Programmer	1-4-8hr	Light Source	SMD LED 3000K
W	5-7-10-13-18-25	CRI	>80
RPM	99-116-134-154-172-193	Driver incl.	Yes
Airflow	175 m3 min	Material Diff	ABS
V/Hz	220V-240V/50Hz		
Accessories ☉	33974 DC Wall Control		
Incl. downrod	153-255 mm		




A	A1
340/13.39"	300/11.81"
B	C
130/5.12"	250/9.84"
D	E
70/2.8"	130/5.12"
F	G
Ø1330/52.4"	540/21.26"
Downrod L	Downrod Ø
153/6.02"	21/0.83"



Reversible blades



FSC Certified plywood blades



Programmable 1-4-8h
Memory function page 211



Smart option

Rudder L 4

Faro Lab



L Ø 132 CM	> 17,6-28 M2 190-300 SQ.FT	DC MOTOR	SUMMER WINTER	SLOPED CEILING
----------------------	-------------------------------	--------------------	------------------	-------------------



34355 **NEW**
 34355WT **NEW** Tuya Smart
 34355WW **NEW** Wiz Smart
 Body Matt White
 Blades Matt White + Ash Wood



34356 **NEW**
 34356WT **NEW** Tuya Smart
 34356WW **NEW** Wiz Smart
 Body Matt Black
 Blades Matt Black + Dark Walnut

Material Body Aluminium
 Blades Plywood

Programmer 1-4-8hr

W 5-7-11-17-24-35


RPM 83-110-136-158-180-200

Airflow 174 m3 min

V/Hz 220V-240V/50-60Hz

Accesories ☉ 33974 DC Wall Control

Opt. downrod Page 214



A	A1
232/9.13"	178/7.01"
B	C
116/4.57"	150/5.91"
D	E
60/2.4"	130/5.12"
F	G
Ø1320/52"	585/23.03"
Downrod L	Downrod Ø
100/3.94"	26/1.02"



Reversible blades



Adjustable color temperature



FSC Certified plywood blades



Programmable 1-4-8h Memory function page 211



Smart option

Rudder L 4

Faro Lab

NEW

L ø132 CM	> 17,6-28 M2 190-300 SQ.FT	DC MOTOR	DIM	SUMMER WINTER	SLOPED CEILING
---------------------	-------------------------------	--------------------	------------	------------------	-------------------




34355-1TW **NEW**
 34355WT-1TW **NEW** Tuya Smart
 34355WW-1TW **NEW** Wiz Smart
 Body Matt White
 Blades Matt White + Ash Wood



34356-1TW **NEW**
 34356WT-1TW **NEW** Tuya Smart
 34356WW-1TW **NEW** Wiz Smart
 Body Matt Black
 Blades Matt Black + Dark Walnut

Material	Body Aluminium	Power	20W
	Blades Plywood	Lumen Output	806 lm
Programmer	1-4-8hr	Light Source	SMD LED
W	5-7-11-17-24-35	Dimmable K	2700 - 4000 - 6000K
RPM	83-110-136-158-180-200	CRI	85
Airflow	174 m3 min	Driver incl.	Yes
V/Hz	220V-240V/50-60Hz	Material Diff	PC
Accessories ☉	33974 DC Wall Control		
Opt. downrod	Page 214		



A	A1
257/10.12"	178/7.01"
B	C
142/5.59"	150/5.91"
D	E
60/2.4"	130/5.12"
F	G
ø1320/52"	585/23.03"
Downrod L	Downrod ø
100/3.94"	26/1.02"



Reversible blades



FSC Certified plywood blades



Programmable 1-4-8h
Memory function page 211



Smart option

Rudder L 3

Faro Lab

L Ø 132 CM	> 17,6-28 M2 190-300 SQ.FT	DC MOTOR	SUMMER WINTER	SLOPED CEILING
----------------------	-------------------------------	--------------------	------------------	-------------------



34297
 34297WT **NEW** Tuya Smart
 34297WW **NEW** Wiz Smart
 Body Matt White
 Blades Ash Wood + Matt White



34298
 34298WT **NEW** Tuya Smart
 34298WW **NEW** Wiz Smart
 Body Matt Black
 Blades Walnut + Matt Black

Material Body Steel
 Blades Plywood

Programmer 1-4-8hr

W 4-6-10-17-24-35

RPM 85-109-134-159-180-203


Airflow 174 m3 min

V/Hz 220V-240V/50-60Hz

Accessories ☉ 33974 DC Wall Control

Incl. downrod 100 mm

Opt. downrod Page 214



A	A1
232/9.13"	180/7.09"
B	C
80/3.15"	150/5.91"
D	E
60/2.4"	130/5.12"
F	G
Ø1320/52"	630/24.8"
Downrod L	Downrod Ø
100/3.94"	26/1.02"



Reversible blades



Adjustable color temperature



FSC Certified plywood blades



Programmable 1-4-8h
Memory function page 211



Smart option

Rudder L 3

Faro Lab

L ø132 CM	> 17,6-28 M2 190-300 SQ.FT	DC MOTOR	DIM	SUMMER WINTER	SLOPED CEILING
---------------------	-------------------------------	--------------------	------------	------------------	-------------------




34297-1TW
 34297WT-1TW **NEW** Tuya Smart
 34297WW-1TW **NEW** Wiz Smart
 Body Matt White
 Blades Ash Wood + Matt White




34298-1TW
 34298WT-1TW **NEW** Tuya Smart
 34298WW-1TW **NEW** Wiz Smart
 Body Matt Black
 Blades Walnut + Matt Black

Material	Body Steel	Power	20W
	Blades Plywood	Lumen Output	806 lm
Programmer	1-4-8hr	Light Source	SMD LED
W	4-6-10-17-24-35	Dimmable K	2700 - 4000 - 6500K
RPM	85-109-134-159-180-203	CRI	85
Airflow	174 m3 min	Driver incl.	Yes
V/Hz	220V-240V/50-60Hz	Material Diff	Glass
Accessories ☉	33974 DC Wall Control		
Incl. downrod	100 mm		
Opt. downrod	Page 214		



A	A1
276/10.87"	180/7.09"
B	C
80/3.15"	150/5.91"
D	E
60/2.4"	130/5.12"
F	G
ø1320/52"	630/24.8"
Downrod L	Downrod ø
100/3.94"	26/1.02"



Striped anodized aluminium



Programmable 1-4-8h
Memory function page 211



Smart option

Cruiser L

Faro Lab

L Ø 132 CM	> 17,6-28 M2 190-300 SQ.FT	DC MOTOR	SUMMER WINTER	SLOPED CEILING
----------------------	-------------------------------	--------------------	------------------	-------------------



34286
34286WT NEW
34286WW NEW
 Body Matt Black
 Blades Aluminium

Tuya Smart
Wiz Smart



34290
34290WT NEW
34290WW NEW
 Body Matt White
 Blades Matt White

Tuya Smart
Wiz Smart



34291
34291WT NEW
34291WW NEW
 Body Matt Black
 Blades Matt Black

Tuya Smart
Wiz Smart

Material Body Steel
Blades Aluminium

Programmer 1-4-8hr

W 4-6-10-17-24-35

RPM 86-110-140-164-185-210


Airflow 174 m3 min

V/Hz 220V-240V/50-60Hz


Accessories 33974 DC Wall Control

Incl. downrod 100 mm

Opt. downrod Page 214




A	A1
232/9.13"	194/7.64"
B	C
83/3.27"	151/5.94"
D	E
60/2.4"	130/5.12"
F	G
Ø1320/52"	630/24.8"
Downrod L	Downrod Ø
100/3.94"	26/1.02"



Striped anodized aluminium



Adjustable color temperature



Programmable 1-4-8h
Memory function page 211



Smart option

Cruiser L

Faro Lab

L ø132 CM	> 17,6-28 M2 190-300 SQ.FT	DC MOTOR	DIM	SUMMER WINTER	SLOPED CEILING
---------------------	-------------------------------	--------------------	------------	------------------	-------------------



34286-1TW
34286WT-1TW NEW
34286WW-1TW NEW
 Body Matt Black
 Blades Aluminium

Tuya Smart
 Wiz Smart



34290-1TW
34290WT-1TW NEW
34290WW-1TW NEW
 Body Matt White
 Blades Matt White


Tuya Smart
 Wiz Smart



34291-1TW
34291WT-1TW NEW
34291WW-1TW NEW
 Body Matt Black
 Blades Matt Black

Tuya Smart
 Wiz Smart

Material	Body Steel	Power	20W
	Blades Aluminium	Lumen Output	806 lm
Programmer	1-4-8hr	Light Source	SMD LED
W	4-6-10-17-24-35	Dimmable K	2700 - 4000 - 6500K
RPM	86-110-140-164-185-210	CRI	85
Airflow	174 m3 min	Driver incl.	Yes
V/Hz	220V-240V/50-60Hz	Material Diff	Glass
Accessories ☉	33974 DC Wall Control		
Incl. downrod	100 mm		
Opt. downrod	Page 214		



A	A1
276/10.87"	180/7.09"
B	C
80/3.15"	150/5.91"
D	E
60/2.4"	130/5.12"
F	G
ø1320/52"	630/24.8"
Downrod L	Downrod ø
100/3.94"	26/1.02"




FSC Certified wooden blades



Adjustable color temperature



Programmable 1-4-8h
Memory function page 211



Smart option

Heywood L

Faro Lab

L Ø 132 CM	> 17,6-28 M2 190-300 SQ.FT	DC MOTOR	SUMMER WINTER	SLOPED CEILING
----------------------	-------------------------------	--------------------	------------------	-------------------



33809
33809WT NEW
Body Matt Black
Blades Dark Oak

Tuya Smart



33810
33810WT NEW
Body Matt White
Blades Maple

Tuya Smart



with light

SMD LED 10W 480 lm CRI 85 Driver incl. Yes
Material Diff Glass


33809-1TW
33809WT-1TW NEW
Body Matt Black
Blades Dark Oak

Tuya Smart


33810-1TW
33810WT-1TW NEW
Body Matt White
Blades Maple

Tuya Smart

Material	Body Steel Blades Wood
Programmer	1-4-8hr
W	4-5-7-13-22-32
RPM	58-75-94-124-152-173
Airflow	174 m3 min
V/Hz	220V-240V/50-60Hz
Accessories ☉	33974 DC Wall Control
Opt. downrod	Page 214



A	A1
243/9.57"	223/8.78"
B	C
82/3.23"	100/3.94"
D	E
59/2.3"	132/5.2"
F	G
Ø1320/52"	592/23.31"
Downrod L	Downrod Ø
101/3.98"	26/1.02"




Suitable for low ceilings



FSC Certified wooden blades



Programmable 1-4-8h
Memory function page 211



Smart option

Heywood Tub L

Faro Lab

NEW

L
Ø 132 CM

> 17,6-28 M2
190-300 SQ.FT

DC
MOTOR

SUMMER
WINTER

DIRECT
CEILING
MOUNTING



33838 NEW
33838WT NEW
Body Matt White
Blades Pine

Tuya Smart



33839 NEW
33839WT NEW
Body Matt Black
Blades Dark Walnut

Tuya Smart

Material Body Aluminium
Blades Pine Wood

Programmer 1-4-8hr


W 4-5-8-13-23-32

RPM 58-75-94-124-152-173

Airflow 175 m3 min

V/Hz 220V-240V/50-60Hz

Accessories 33974 DC Wall Control



A	A1
190/7.48"	151/5.94"
B	C
	130/5.12"
D	E
151/5.9"	120/4.72"
F	G
Ø900/35.4"	582/22.91"
Downrod L	Downrod Ø




Adjustable color temperature



Suitable for low ceilings



FSC Certified wooden blades



Programmable 1-4-8h
Memory function page 211



Smart option

Heywood Tub L

Faro Lab



L ø132 CM	> 17,6-28 M2 190-300 SQ.FT	DC MOTOR	DIM	SUMMER WINTER	DIRECT CEILING MOUNTING
---------------------	-------------------------------	--------------------	------------	------------------	--------------------------------------



33838-1TW NEW
33838WT-1TW NEW
Body Matt White
Blades Pine


Tuya Smart



33839-1TW NEW
33839WT-1TW NEW
Body Matt Black
Blades Dark Walnut

Tuya Smart

Material	Body Aluminium Blades Pine Wood	Power	10W
Programmer	1-4-8hr	Lumen Output	480 lm
W	4-5-8-13-23-32	Light Source	SMD LED
RPM	58-75-94-124-152-173	Dimmable K	2700 - 4000 - 6000K
Airflow	175 m3 min	CRI	>80
V/Hz	220V-240V/50-60Hz	Driver incl.	Yes
Accessories ☉	33974 DC Wall Control	Material Diff	PP



A	A1
232/9.13"	151/5.94"
B	C
	130/5.12"
D	E
151/5.9"	120/4.72"
F	G
ø900/35.4"	582/22.91"
Downrod L	Downrod ø



Programmable 1-4-8h
Memory function page 211



Smart option

Amelia

Héctor Serrano

L
 Ø 132 CM

> 17,6-28 M2
 190-300 SQ.FT

DC
 MOTOR

SUMMER
 WINTER

SLOPED
 CEILING



33760
33760WT NEW
33760WW NEW
 Body Matt White
 Blades Matt White

Tuya Smart
Wiz Smart



33761
33761WT NEW
33761WW NEW
 Body Matt Black
 Blades Matt Black


Tuya Smart
Wiz Smart



33762
33762WT NEW
33762WW NEW
 Body Grey
 Blades Grey

Tuya Smart
Wiz Smart


Material **Body** Steel
 Blades ABS
Programmer 1-4-8hr
W 5-7-10-15-19-28
RPM 69-99-123-143-162-189
Airflow 153 m3 min
V/Hz 220V-240V/50-60Hz
Accesories ☉ 33974 DC Wall Control
Incl. downrod 100-200 mm
Opt. downrod Page 214



A	A1
320/12.6"	270/10.63"
B	C
100/3.94"	123/4.84"
D	E
60/2.4"	130/5.12"
F	G
Ø1320/52"	635/25"
Downrod L	Downrod Ø
100-200/3.94"	26/1.02"



Color temperature adjustable



Programmable 1-4-8h
Memory function page 211



Smart option

Amelia Cone

Héctor Serrano

L ø132 CM	> 17,6-28 M2 190-300 SQ.FT	DC MOTOR	DIM	SUMMER WINTER	SLOPED CEILING
---------------------	-------------------------------	--------------------	------------	------------------	-------------------



33760-22
33760WT-22 NEW
33760WW-22 NEW
 Body Matt White
 Blades Matt White

Tuya Smart
 Wiz Smart



33761-23
33761WT-23 NEW
33761WW-23 NEW
 Body Matt Black
 Blades Matt Black


Tuya Smart
 Wiz Smart



33762-24
33762WT-24 NEW
33762WW-24 NEW
 Body Grey
 Blades Grey

Tuya Smart
 Wiz Smart

Material	Body Steel	Power	20W
	Blades ABS	Lumen Output	965 lm
Programmer	1-4-8hr	Light Source	SMD LED
W	5-7-10-15-19-28	Dimmable K	2700-3500-5000K
RPM	69-99-123-143-162-189	CRI	>80
Airflow	153 m3 min	Driver incl.	Yes
V/Hz	220V-240V/50-60Hz	Material Diff	PC
Accessories ☉	33974 DC Wall Control		
Incl. downrod	100-200 mm		
Opt. downrod	Page 214		



A	A1
430/16.93"	270/10.63"
B	C
219/8.62"	123/4.84"
D	E
60/2.4"	130/5.12"
F	G
ø1320/52"	635/25"
Downrod L	Downrod ø
100-200/3.94"	26/1.02"



Glass diffuser



Programmable 1-4-8h
Memory function page 211



Smart option

Amelia Ball

Héctor Serrano

L Ø 132 CM	> 17.6-28 M2 190-300 SQ.FT	DC MOTOR	SUMMER WINTER	SLOPED CEILING
----------------------	-------------------------------	--------------------	------------------	-------------------



33760-25
33760WT-25 NEW
33760WW-25 NEW
Body Matt White
Blades Matt White

Tuya Smart
Wiz Smart



33761-26
33761WT-26 NEW
33761WW-26 NEW
Body Matt Black
Blades Matt Black


Tuya Smart
Wiz Smart



33762-27
33762WT-27 NEW
33762WW-27 NEW
Body Grey
Blades Grey

Tuya Smart
Wiz Smart

Material	Body Steel	Power	20W
	Blades ABS	Lumen Output	1056 lm
Programmer	1-4-8hr	Light Source	SMD LED 2700K
W	5-7-10-15-19-28	CRI	>80
RPM	69-99-123-143-162-189	Driver incl.	Yes
Airflow	153 m3 min	Material Diff	Glass
V/Hz	220V-240V/50-60Hz		
Accesories ☉	33974 DC Wall Control		
Incl. downrod	100-200 mm		
Opt. downrod	Page 214		



A	A1
510/20.08"	270/10.63"
B	C
297/11.69"	123/4.84"
D	E
60/2.4"	130/5.12"
F	G
Ø1320/52"	635/25"
Downrod L	Downrod Ø
100-200/3.94"	26/1.02"



Adjustable color temperature



FSC Certified plywood blades



Programmable 1-4-8h Memory function page 211


Saint

L ø132 CM	> 17,6-28 M2 190-300 SQ.FT	DC MOTOR	DIM	SUMMER WINTER	SLOPED CEILING
---------------------	-------------------------------	--------------------	------------	------------------	-------------------



34265
Body Matt White
Blades Matt White

Material	Body Steel Blades Plywood	Power	24W
Programmer	1-4-8hr	Lumen Output	1300 lm
W	4-6-10-17-21-31	Light Source	SMD LED
RPM	102-124-147-172-204-231	Dimmable K	2700 - 4350 - 6000K
Airflow	161 m3 min	CRI	>80
V/Hz	220V-240V/50-60Hz	Driver incl.	Yes
Accessories ☉	33974 DC Wall Control	Material Diff	PMMA
Incl. downrod	152 mm		
Opt. downrod	Page 214		



A	A1
290/11.42"	220/8.66"
B	C
80/3.15"	100/3.94"
D	E
60/2.4"	150/5.91"
F	G
ø1320/52"	542/21.34"
Downrod L	Downrod ø
152/5.98"	26/1.02"



Adjustable color temperature



FSC Certified plywood blades

Barth

L ø132 CM	> 17,6-28 M2 190-300 SQ.FT	DC MOTOR	DIM	SUMMER WINTER	SLOPED CEILING
---------------------	-------------------------------	--------------------	------------	----------------------	-----------------------




34260
Body Matt White
Blades Matt White



34261
Body Matt Black
Blades Matt Black

Material	Body Steel	Power	24W
	Blades Plywood	Lumen Output	1300 lm
Programmer	1-4-8hr	Light Source	SMD LED
W	4-6-8-13-20-30	Dimmable K	2700 - 4350 - 6000K
RPM	94-125-147-180-208-236	CRI	>80
Airflow	194 m3 min	Driver incl.	Yes
V/Hz	220V-240V/50-60Hz	Material Diff	PP
Accessories ☉	33974 DC Wall Control		
Incl. downrod	152 mm		
Opt. downrod	Page 214		



A	A1
291/11.46"	220/8.66"
B	C
136/5.35"	
D	E
60/2.4"	150/5.91"
F	G
ø1320/52"	542/21.34"
Downrod L	Downrod ø
152/5.98"	26/1.02"



Small and aesthetic motor



Smart option

Milos

L Ø 132 CM	 > 17,6-28 M2 190-300 SQ.FT	DC MOTOR	 SUMMER WINTER	 SLOPED CEILING
----------------------	--	--------------------	---	--



34100
34100WW **NEW**
Body Matt Black
Blades Matt Black

Wiz Smart


Material Body Steel
Blades Plywood

W 4-6-10-16-28-34

RPM 50-73-96-118-143-188

Airflow 116.1 m3 min

V/Hz 220V-240V/50-60Hz



A	A1
270/10.63"	260/10.24"
B	C
120/4.72"	70/2.76"
D	E
60/2.4"	140/5.51"
F	G
Ø1320/52"	600/23.62"
Downrod L	Downrod Ø
153/6.02"	21/0.83"



Programmable 1-4-8h
Memory function page 211



Smart option

Gotland

L Ø 132 CM	> 17,6-28 M2 190-300 SQ.FT	DC MOTOR	SUMMER WINTER	SLOPED CEILING
----------------------	-------------------------------	--------------------	------------------	-------------------



33446
33446WT **NEW**
33446WW **NEW**
Body Matt White
Blades Matt White

Tuya Smart
Wiz Smart



33447
33447WT **NEW**
33447WW **NEW**
Body Black
Blades Walnut

Tuya Smart
Wiz Smart

Material Body Steel
Blades ABS

Programmer 1-4-8hr

W 4-6-10-17-23-30


RPM 95-121-148-177-198-214

Airflow 218 m3 min

V/Hz 220V-240V/50-60Hz

Accessories ☉ 33974 DC Wall Control

Opt. downrod Page 214




A	A1
250/9.84"	250/9.84"
B	C
130/5.12"	170/6.69"
D	E
55/2.2"	130/5.12"
F	G
Ø1320/52"	580/22.83"
Downrod L	Downrod Ø
128/5.04"	21/0.83"



Adjustable intensity



FSC Certified wooden blades



Glass diffuser



Programmable 1-4-8h
Memory function page 211



Smart option

Poros

L ø132 CM	> 17,6-28 M2 190-300 SQ.FT	DC MOTOR	DIM	SUMMER WINTER	SLOPED CEILING
---------------------	-------------------------------	--------------------	------------	------------------	-------------------



33524
33524WT NEW
33524WW NEW
Body Matt White
Blades Pine


Tuya Smart
 Wiz Smart



33527 NEW
33527WT NEW
33527WW NEW
Body Matt Black
Blades Walnut

Tuya Smart
 Wiz Smart

Material	Body Steel	Power	19W
	Blades Pine Wood	Lumen Output	900 lm
Programmer	1-4-8hr	Light Source	SMD LED 2700K
W	7-9-12-15-20-26	CRI	>80
RPM	120-132-145-160-174-185	Driver incl.	Yes
Airflow	240 m3 min	Material Diff	Glass
V/Hz	220V-240V/50-60Hz		
Accessories ☉	33974 DC Wall Control		
Incl. downrod	153 mm		
Opt. downrod	Page 214		



A	A1
370/14.57"	280/11.02"
B	C
160/6.3"	180/7.09"
D	E
70/2.8"	160/6.3"
F	G
ø1320/52"	560/22.05"
Downrod L	Downrod ø
153/6.02"	21/0.83"




FSC Certified wooden blades



Glass diffuser



Smart option



Programmable 1-4-8h
Memory function page 211

Lantau L

L
 ø132 CM

> 17,6-28 M2
 190-300 SQ.FT

DC
 MOTOR

SUMMER
 WINTER

SLOPED
 CEILING



33370DC
33370DCWT NEW
33370DCWW NEW
 Body Satin Nickel
 Blades Walnut

Tuya Smart
 Wiz Smart



33373DC
33373DCWT NEW
33373DCWW NEW
 Body Satin Nickel
 Blades Pine

Tuya Smart
 Wiz Smart



33516DC
33516DCWT NEW
33516DCWW NEW
 Body Matt Black
 Blades Walnut

Tuya Smart
 Wiz Smart



33561DC
33561DCWT NEW
33561DCWW NEW
 Body Matt White
 Blades Pawlonia

Tuya Smart
 Wiz Smart



33562DC
33562DCWT NEW
33562DCWW NEW
 Body Brown
 Blades Pawlonia

Tuya Smart
 Wiz Smart



with light

SMD LED 15W 3000K 900 lm CRI >80 Driver incl. Yes
 Material Diff Glass


33518DC
33518DCWT NEW
33518DCWW NEW
 Body Satin Nickel
 Blades Walnut

Tuya Smart
 Wiz Smart

33560DC
33560DCWT NEW
33560DCWW NEW
 Body Satin Nickel
 Blades Pine

Tuya Smart
 Wiz Smart

Material	Body Steel
	Blades Wood
W	5-8-12-17-27-35
RPM	82-102-125-145-170-188
Airflow	147 m3 min
V/Hz	220V-240V/50-60Hz
Accessories ☉	33974 DC Wall Control
Opt. downrod	Page 214




A	A1
330/12.99"	320/12.6"
B	C
165/6.5"	160/6.3"
D	E
70/2.8"	160/6.3"
F	G
ø1320/52"	660/25.98"
Downrod L	Downrod ø
153/6.02"	21/0.83"



Minimal design



Programmable 1-4-8h
Memory function page 211



Smart option

Nuu

Estudi Ribaudi


L Ø 132 CM	> 17,6-28 M2 190-300 SQ.FT	DC MOTOR	SUMMER WINTER	SLOPED CEILING
----------------------	-------------------------------	--------------------	------------------	-------------------



33722
33722WW **NEW**
Body Matt White
Blades Matt White

Wiz Smart

Material	Body Steel	Power	15W
	Blades ABS	Lumen Output	700 lm
Programmer	1-4-8hr	Light Source	SMD LED 3000K
W	5-8-11-14-21-35	CRI	>80
RPM	106-126-147-165-186-212	Driver incl.	Yes
Airflow	104 m3 min	Material Diff	PC
V/Hz	220V-240V/50-60Hz		



A	A1
330/12.99"	290/11.42"
B	C
110/4.33"	110/4.33"
D	E
55/2.2"	130/5.12"
F	G
Ø1320/52"	600/23.62"
Downrod L	Downrod Ø
152/5.98"	21/0.83"



Reversible blades






Audio speaker



Aesthetic light kit


Ice
Estudi Ribaudí

L ø132 CM	 > 17,6-28 M2 190-300 SQ.FT	 SUMMER WINTER	 SLOPED CEILING
----------------------------	--	---	--



33460
Body White
Blades White + Maple

Material	Body Steel	Power	15W
	Blades MDF	Lumen Output	543 lm
W	13-25-55	Light Source	SMD LED 3000K
RPM	75-135-180	CRI	>80
Airflow	157 m3 min	Driver incl.	Yes
V/Hz	220V-240V/50Hz	Material Diff	Glass




A	A1
385/15.16"	270/10.63"
B	C
210/8.27"	230/9.06"
D	E
65/2.6"	150/5.91"
F	G
ø1320/52"	555/21.85"
Downrod L	Downrod ø
153/6.02"	21/0.83"



Reversible blades



Programmable 1-4-8h



Smart option

Polea
Conillas

L Ø 132 CM	> 17,6-28 M2 190-300 SQ.FT	DC MOTOR	SUMMER WINTER	SLOPED CEILING
----------------------	-------------------------------	--------------------	------------------	-------------------



33724
33724WW **NEW** Wiz Smart
Body Brown
Blades Walnut + Black

Material **Body** Steel
 Blades Plywood

Programmer 1-4-8hr


W 5-7-10-14-20-33

RPM 86-102-119-131-151-167

Airflow 111 m3 min

V/Hz 220V-240V/50-60Hz

Opt. downrod Page 214





A	A1
372/14.65"	254/10"
B	C
118/4.65"	228/8.98"
D	E
56/2.2"	130/5.12"
F	G
Ø1320/52"	547/21.54"
Downrod L	Downrod Ø
152/5.98"	21/0.83"



Programmable 1-4-8h
Memory function page 211



Smart option


L ø132 CM	 > 17,6-28 M2 190-300 SQ.FT	DC MOTOR	 SLOPED CEILING
---------------------	--	--------------------	--



33750DC
33750DCWT NEW
33750DCWW NEW
 Body Matt White
 Blades Matt White

Tuya Smart
 Wiz Smart

Material Body Steel
Blades ABS
Programmer 1-4-8hr
W 7-9-11-13-17-23
RPM 90-105-115-125-135-152
Airflow 215 m3 min
V/Hz 220V-240V/50-60Hz
Accessories ☉ 33974 DC Wall Control
Incl. downrod 100-152 mm
Opt. downrod Page 214



A	A1
285/11.22"	235/9.25"
B	C
180/7.09"	
D	E
60/2.4"	140/5.51"
F	G
ø1320/52"	590/23.23"
Downrod L	Downrod ø
100-152/3.94"	21/0.83"



Programmable 1-4-8h
Memory function page 211



Smart option

Polaris


L Ø 132 CM	> 17,6-28 M2 190-300 SQ.FT	DC MOTOR	SUMMER WINTER	SLOPED CEILING
----------------------	-------------------------------	--------------------	------------------	-------------------



33346
33346WT **NEW**
33346WW **NEW**
Body White
Blades White

Tuya Smart
Wiz Smart

Material	Body Steel	Power	18W
	Blades ABS	Lumen Output	1034 lm
Programmer	1-4-8hr	Light Source	SMD LED 3000K
W	4-6-9-15-19-30	CRI	>80
RPM	53-80-100-120-130-150	Driver incl.	Yes
Airflow	163 m3 min	Material Diff	PC
V/Hz	220V-240V/50-60Hz		
Accessories ☉	33974 DC Wall Control		



A	A1
350/13.78"	275/10.83"
B	C
180/7.09"	170/6.69"
D	E
50/2"	130/5.12"
F	G
Ø1320/52"	555/21.85"
Downrod L	Downrod Ø
153/6.02"	21/0.83"





Suitable for low ceilings



Direct to the ceiling

Pemba

L ø132 CM	 > 17,6-28 M2 190-300 SQ.FT	DC MOTOR	 SUMMER WINTER
---------------------	--	--------------------	---



33471N
Body Gloss White
Blades Gloss White



with light

SMD LED 15W 3000K 800 lm CRI >95 Driver incl. Yes
 Material Diff PC

33471N-3
Body Gloss White
Blades Gloss White


Material Body Steel + ABS
 Blades ABS

W 3-5-9-14-21-32

RPM 50-76-102-127-157-180

Airflow 191 m3 min


V/Hz 220V-240V/50-60Hz



A	A1
215/8.46"	190/7.48"
B	C
250/9.84"	180/7.09"
D	E
	170/6.69"
F	G
ø1320/52"	570/22.44"
Downrod L	Downrod ø



Reversible blades



Programmable 1-4-8h
Memory function page 211



Smart option


Mallorca L

L Ø 132 CM	> 17,6-28 M2 190-300 SQ.FT	DC MOTOR	SUMMER WINTER	SLOPED CEILING
----------------------	-------------------------------	--------------------	------------------	-------------------



33350DC
33350DCWT NEW Tuya Smart
33350DCWW NEW Wiz Smart
Body Matt White
Blades Matt White + Maple

Material Body Steel
Blades Plywood
Programmer 1-4-8hr
W 7-9-13-17-26-40
RPM 78-100-127-139-158-197
Airflow 155 m3 min
V/Hz 220V-240V/50-60Hz
Accessories ☉ 33974 DC Wall Control
Opt. downrod Page 214



A	A1
310/12.2"	246/9.69"
B	C
80/3.15"	248/9.76"
D	E
60/2.4"	150/5.91"
F	G
Ø1320/52"	540/21.26"
Downrod L	Downrod Ø
152/5.98"	26/1.02"



Cuba

L Ø 132 CM	 > 17,6-28 M2 190-300 SQ.FT	 SUMMER WINTER	 SLOPED CEILING	 CONTROLLED BY CHAINS
----------------------	-----------------------------------	----------------------	-----------------------	-----------------------------




33352
Body Dark Brown
Blades Dark Brown



33352B
Body Old Gold
Blades Brown

- Material** **Body** Steel
- Blades** ABS
- W** 20-34-65
- RPM** 73-99-145
- Airflow** 127 m3 min
- V/Hz** 220V-240V/50Hz
- Accessories** ☉ 33928 Wall Control 3 speeds
- 33929 Remote control kit dimer/on-off
- 33937 Remote control kit programmer
- Opt. downrod** Page 214



A	A1
510/20.08"	450/17.72"
B	C
350/13.78"	370/14.57"
D	E
60/2.4"	130/5.12"
F	G
ø1320/52"	600/23.62"
Downrod L	Downrod ø
152/5.98"	21/0.83"




Glass diffuser



Adjustable color temperature



Programmable 1-4-8h
Memory function page 211



Smart option

Punt M
Faro Lab

M ø130 CM	> 17,6-28 M2 190-300 SQ.FT	DC MOTOR	DIM	SUMMER WINTER	SLOPED CEILING
---------------------	-------------------------------	--------------------	------------	------------------	-------------------



33814
33814WT NEW
Body Matt White
Blades Matt White

Tuya Smart



33815
33815WT NEW
Body Matt Black
Blades Matt Black

Tuya Smart



33816
33816WT NEW
Body Matt White
Blades Maple

Tuya Smart



33817
33817WT NEW
Body Matt Black
Blades Walnut

Tuya Smart




with light


SMD LED 18W 678 lm CRI >80 Driver incl. Yes
Material Diff Glass

33814-20 33814WT-20 NEW Body Matt White Blades Matt White	Tuya Smart	33815-21 33815WT-21 NEW Body Matt Black Blades Matt Black	Tuya Smart
33816-20 33816WT-20 NEW Body Matt White Blades Maple	Tuya Smart	33817-21 33817WT-21 NEW Body Matt Black Blades Walnut	Tuya Smart


Material	Body Steel Blades ABS
Programmer	1-4-8hr
W	5-7-9-13-19-28
RPM	90-115-135-158-185-210
Airflow	177 m3 min
V/Hz	220V-240V/50-60Hz
Accesories ☉	33974 DC Wall Control
Incl. downrod	100 mm
Opt. downrod	Page 214




A	A1
254/10"	190/7.48"
B	C
93/3.66"	150/5.91"
D	E
60/2.4"	130/5.12"
F	G
ø1300/51.2"	510/20.08"
Downrod L	Downrod ø
100/3.94"	26/1.02"




Adjustable color temperature



Suitable for low ceilings



Programmable 1-4-8h
Memory function page 211



Smart option

Punt Tub M

Faro Lab

M ø130 CM	> 17,6-28 M2 190-300 SQ.FT	DC MOTOR	DIM	SUMMER WINTER	EASY INSTALL
---------------------	-------------------------------	--------------------	-----	------------------	-----------------



33828
33828WT NEW
Body Matt White
Blades Matt White

Tuya Smart



33829
33829WT NEW
Body Matt White
Blades Maple

Tuya Smart



33830
33830WT NEW
Body Matt Black
Blades Matt Black

Tuya Smart



33831
33831WT NEW
Body Matt Black
Blades Walnut

Tuya Smart



with light

SMD LED 18W 678 lm CRI >80 Driver incl. Yes
Material Diff Glass

33828-1TW
33828WT-1TW NEW
Body Matt White
Blades Matt White

Tuya Smart

33829-1TW
33829WT-1TW NEW
Body Matt White
Blades Maple

Tuya Smart


33830-1TW
33830WT-1TW NEW
Body Matt Black
Blades Matt Black

Tuya Smart

33831-1TW
33831WT-1TW NEW
Body Matt Black
Blades Walnut

Tuya Smart

Material	Body Steel Blades ABS
Programmer	1-4-8hr
W	5-7-9-13-19-28
RPM	90-115-135-158-185-210
Airflow	177 m3 min
V/Hz	220V-240V/50-60Hz
Accessories ☉	33974 DC Wall Control



A	A1
207/8.15"	145/5.71"
B	C
145/5.71"	156/6.14"
D	E
145/5.7"	120/4.72"
F	G
ø1300/51.2"	640/25.2"
Downrod L	Downrod ø



Wooden finish



Smart option

Typhoon

Jordi Busquets

M ø130 CM	13-17 M2 140-190 SQ.FT	DC MOTOR	IP44	SUMMER WINTER	SLOPED CEILING
---------------------	---------------------------	--------------------	-------------	------------------	-------------------



33480
33480WW NEW
Body Matt White
Blades Matt White

Wiz Smart



33490
33490WW NEW
Body Dark Brown
Blades Dark Brown

Wiz Smart



34105
34105WW NEW
Body Matt White
Blades Maple

Wiz Smart



34106
34106WW NEW
Body Brown
Blades Maple

Wiz Smart




with light

SMD LED 19W 3000K 900 lm CRI >80 Driver incl. Yes
Material Diff ABS

33480-14 33480WW-14 NEW Body Matt White Blades Matt White	Wiz Smart	34106-130 34106WW-130 NEW Body Brown Blades Maple	Wiz Smart
34105-130 34105WW-130 NEW Body Matt White Blades Maple	Wiz Smart	33490-16 33490WW-16 NEW Body Dark Brown Blades Dark Brown	Wiz Smart

Material	Body Steel Blades ABS
W	3-5-8-12-21-31
RPM	50-71-93-115-138-162
Airflow	183 m3 min
V/Hz	220V-240V/50-60Hz
Opt. downrod	Page 214



A	A1
390/15.35"	370/14.57"
B	C
200/7.87"	200/7.87"
D	E
55/2.2"	130/5.12"
F	G
ø1300/51.2"	530/20.87"
Downrod L	Downrod ø
153/6.02"	21/0.83"



Textured blade



Programmable 1-4-8h
Memory function page 211



Smart option

Palma
Faro Lab

M ø129 CM	13-17 M2 140-190 SQ.FT	DC MOTOR	IP44	SUMMER WINTER	SLOPED CEILING
---------------------	---------------------------	--------------------	-------------	------------------	-------------------



34301
34301WT **NEW**
34301WW **NEW**
Body Dark Brown
Blades Dark Brown

Tuya Smart
Wiz Smart

Material Body Steel
Blades ABS

Programmer 1-4-8hr

W 4-5-9-15-24-35

RPM 69-100-136-170-200-230


Airflow 179 m3 min

V/Hz 220V-240V/50-60Hz

Accessories 33974 DC Wall Control

Incl. downrod 100 mm


Opt. downrod Page 214



A	A1
280/11.02"	173/6.81"
B	C
83/3.27"	128/5.04"
D	E
60/2.4"	130/5.12"
F	G
ø1290/50.8"	625/24.61"
Downrod L	Downrod ø
100/3.94"	26/1.02"



Textured blade



Programmable 1-4-8h
Memory function page 211



Smart option

Palma
Faro Lab


M ø129 CM	13-17 M2 140-190 SQ.FT	DC MOTOR	IP44	SUMMER WINTER	SLOPED CEILING
---------------------	---------------------------	--------------------	-------------	------------------	-------------------



34301-11L
34301WT-11L **NEW**
34301WW-11L **NEW**
Body Dark Brown
Blades Dark Brown

Tuya Smart
Wiz Smart

Material	Body Steel	Light Source	1 E27 max. 15W
	Blades ABS	Bulb incl.	No
Programmer	1-4-8hr	Recom. Bulb	17485
W	4-5-9-15-24-35	Material Diff	Glass
RPM	69-100-136-170-200-230		
Airflow	179 m3 min		
V/Hz	220V-240V/50-60Hz		
Accesories ☉	33974 DC Wall Control		
Incl. downrod	100 mm		
Opt. downrod	Page 214		



A	A1
412/16.22"	173/6.81"
B	C
83/3.27"	128/5.04"
D	E
60/2.4"	130/5.12"
F	G
ø1290/50.8"	625/24.61"
Downrod L	Downrod ø
100/3.94"	26/1.02"



Tramo SA (Hotel Casa Sagnier)



Aesthetic motor



3 downrods included
100 / 200 / 460mm



Smart option

Copper Fan

Conillas

M Ø 128 CM	13-17 M2 140-190 SQ.FT	DC MOTOR	SUMMER WINTER	SLOPED CEILING
----------------------	---------------------------	--------------------	------------------	-------------------



33451
33451WW **NEW**
Body Matt Black
Blades Walnut

Wiz Smart

Material Body Steel
Blades PC

W 4-6-9-13-22-32


RPM 51-77-103-129-155-185

Airflow 145 m3 min

V/Hz 220V-240V/50-60Hz

Incl. downrod 100-200-460 mm

Opt. downrod Page 214



A	A1
640/25.2"	630/24.8"
B	C
180/7.09"	160/6.3"
D	E
60/2.4"	130/5.12"
F	G
Ø1280/50.4"	555/21.85"
Downrod L	Downrod Ø
100-200- 460/3.94"	26/1.02"



Smart option

Mini Eterfan

Conillas

M
ø128 CM

13-17 M2
140-190 SQ.FT

DC
MOTOR

SUMMER
WINTER



33382
33382WW NEW
Body Chrome
Blades Transparent



32020
32020WW NEW
Body Gloss White
Blades Transparent



32025
32025WW NEW
Body Matt White
Blades Transparent



32026
32026WW NEW
Body Gloss Black
Blades Transparent



32027
32027WW NEW
Body Matt Black
Blades Transparent



32028
32028WW NEW
Body Matt Black
Blades Walnut



32029
32029WW NEW
Body Gloss Red
Blades Transparent



32030
32030WW NEW
Body Matt Black
Blades Matt Black

with light

SMD LED 16W 3000K 709 lm CRI >80 Driver incl. Yes
Material Diff Glass



33382-9
33382WW-9 NEW
Body Chrome
Blades Transparent

Wiz Smart

32020-9
32020WW-9 NEW
Body Gloss White
Blades Transparent

Wiz Smart

32025-9
32025WW-9 NEW
Body Matt White
Blades Transparent

Wiz Smart

32026-10
32026WW-10 NEW
Body Gloss Black
Blades Transparent

Wiz Smart

32027-10
32027WW-10 NEW
Body Matt Black
Blades Transparent

Wiz Smart

32028-10
32028WW-10 NEW
Body Matt Black
Blades Walnut

Wiz Smart


32029-9
32029WW-9 NEW
Body Gloss Red
Blades Transparent

Wiz Smart

32030-10
32030WW-10 NEW
Body Matt Black
Blades Matt Black

Wiz Smart

Material	Body Steel + Glass
	Blades PC
W	3-6-9-13-22-32
RPM	51-77-103-129-155-185
Airflow	145 m3 min
V/Hz	220V-240V/50-60Hz



A	A1
450/17.72"	420/16.54"
B	C
420/16.54"	160/6.3"
D	E
60/2.4"	130/5.12"
F	G
ø1280/50.4"	555/21.85"
Downrod L	Downrod ø
200/7.87"	26/1.02"



Smart option

Eterfan

Conillas

M
ø128 CM

13-17 M2
140-190 SQ.FT

DC
MOTOR

SUMMER
WINTER



33381
33381WW NEW
Body Chrome
Blades Transparent
Wiz Smart



32000
32000WW NEW
Body Gloss White
Blades Transparent
Wiz Smart



32001
32001WW NEW
Body Matt White
Blades Transparent
Wiz Smart



32002
32002WW NEW
Body Gloss Black
Blades Transparent
Wiz Smart



32003
32003WW NEW
Body Matt Black
Blades Transparent
Wiz Smart



32004
32004WW NEW
Body Matt Black
Blades Walnut
Wiz Smart



32005
32005WW NEW
Body Gloss Red
Blades Transparent
Wiz Smart



32006
32006WW NEW
Body Matt Black
Blades Matt Black
Wiz Smart




with light

SMD LED 16W 3000K 709 lm CRI >80 Driver incl. Yes
Material Diff Glass

33381-9 33381WW-9 NEW Body Chrome Blades Transparent	Wiz Smart	32000-9 32000WW-9 NEW Body Gloss White Blades Transparent	Wiz Smart	32001-9 32001WW-9 NEW Body Matt White Blades Transparent	Wiz Smart
32002-10 32002WW-10 NEW Body Gloss Black Blades Transparent	Wiz Smart	32003-10 32003WW-10 NEW Body Matt Black Blades Transparent	Wiz Smart	32004-10 32004WW-10 NEW Body Matt Black Blades Walnut	Wiz Smart
32005-9 32005WW-9 NEW Body Gloss Red Blades Transparent	Wiz Smart	32006-10 32006WW-10 NEW Body Matt Black Blades Matt Black	Wiz Smart		

Material	Body Steel + Glass Blades PC
W	3-6-9-13-22-32
RPM	51-77-103-129-155-185
Airflow	145 m3 min
V/Hz	220V-240V/50-60Hz



A	A1
640/25.2"	760/29.92"
B	C
630/24.8"	160/6.3"
D	E
60/2.4"	130/5.12"
F	G
ø1280/50.4"	555/21.85"
Downrod L	Downrod ø
460/18.11"	26/1.02"



3 downrods included
100 / 200 / 460mm



Smart option

Just Fan M

Conillas

M Ø 128 CM	13-17 M2 140-190 SQ.FT	DC MOTOR	☀️ ❄️ SUMMER WINTER	📐 SLOPED CEILING
----------------------	---------------------------	--------------------	---------------------------	------------------------



33394
33394WW NEW
Body Chrome
Blades Transparent

Wiz Smart



33395
33395WW NEW
Body Matt Black
Blades Walnut

Wiz Smart



33398
33398WW NEW
Body Old Gold
Blades Walnut

Wiz Smart



33399
33399WW NEW
Body Copper
Blades Walnut

Wiz Smart



32100
32100WW NEW
Body Matt Black
Blades Matt Black

Wiz Smart



33417
33417WW NEW
Body Old Gold
Blades Matt Black

Wiz Smart



33418
33418WW NEW
Body Copper
Blades Matt Black

Wiz Smart



32110
32110WW NEW
Body Matt White
Blades Maple

Wiz Smart



32101
32101WW NEW
Body Matt White
Blades Matt White

Wiz Smart

with light

SMD LED 16W 3000K 709 lm CRI >80 Driver incl. Yes
Material Diff Glass




33394-9 33394WW-9 NEW Body Chrome Blades Transparent	Wiz Smart
33399-10 33399WW-10 NEW Body Copper Blades Walnut	Wiz Smart
32100-10 32100WW-10 NEW Body Matt Black Blades Matt Black	Wiz Smart

33418-10 33418WW-10 NEW Body Copper Blades Matt Black	Wiz Smart
33398-10 33398WW-10 NEW Body Old Gold Blades Walnut	Wiz Smart

33417-10 33417WW-10 NEW Body Old Gold Blades Matt Black	Wiz Smart
33395-10 33395WW-10 NEW Body Matt Black Blades Walnut	Wiz Smart

Material	Body Steel Blades PC
W	4-6-9-13-22-32
RPM	51-77-103-129-155-185
Airflow	145 m3 min
V/Hz	220V-240V/50-60Hz
Incl. downrod	100-200-460 mm
Opt. downrod	Page 214



A	A1
640/25.2"	630/24.8"
B	C
180/7.09"	160/6.3"
D	E
60/2.4"	130/5.12"
F	G
Ø1280/50.4"	555/21.85"
Downrod L	Downrod Ø
100-200-460/3.94"	26/1.02"



Aesthetic glass



Smart option

Deco Fan

Conillas

M ø128 CM	13-17 M2 140-190 SQ.FT	DC MOTOR	☀️ SUMMER ❄️ WINTER
---------------------	---------------------------	--------------------	------------------------------



33394D
33394DWW NEW
Body Chrome
Blades Transparent



33395D
33395DWW NEW
Body Matt Black
Blades Walnut



33398D
33398DWW NEW
Body Old Gold
Blades Walnut



33399D
33399DWW NEW
Body Copper
Blades Walnut



with light

SMD LED 16W 3000K 709 lm CRI >80 Driver incl. Yes
Material Diff Glass

33394D-9
33394DWW-9 NEW
Body Chrome
Blades Transparent

Wiz Smart

33395D-10
33395DWW-10 NEW
Body Matt Black
Blades Walnut

Wiz Smart


33398D-10
33398DWW-10 NEW
Body Old Gold
Blades Walnut

Wiz Smart

33399D-10
33399DWW-10 NEW
Body Copper
Blades Walnut

Wiz Smart

Material	Body Steel
	Blades PC
W	4-6-9-13-22-32
RPM	51-77-103-129-155-185
Airflow	145 m3 min
V/Hz	220V-240V/50-60Hz
Incl. downrod	100-200-460 mm
Opt. downrod	Page 214






A	A1
450/17.72"	420/16.54"
B	C
	160/6.3"
D	E
60/2.4"	130/5.12"
F	G
ø1280/50.4"	555/21.85"
Downrod L	Downrod ø
100-200-460/3.94"	26/1.02"



Smart option

Mini Tube Fan

Conillas



33393
33393WW NEW
Body Chrome
Blades Transparent

Wiz Smart



32038
32038WW NEW
Body Gloss White
Blades Transparent

Wiz Smart



32039
32039WW NEW
Body Matt White
Blades Transparent

Wiz Smart



32040
32040WW NEW
Body Gloss Black
Blades Transparent

Wiz Smart



32041
32041WW NEW
Body Matt Black
Blades Transparent

Wiz Smart



32042
32042WW NEW
Body Matt Black
Blades Walnut

Wiz Smart



32043
32043WW NEW
Body Matt Black
Blades Matt Black

Wiz Smart



with light

SMD LED 16W 3000K 709 lm CRI >80 Driver incl. Yes
Material Diff Glass

33393-9
33393WW-9 NEW
Body Chrome
Blades Transparent

Wiz Smart

32038-9
32038WW-9 NEW
Body Gloss White
Blades Transparent

Wiz Smart

32039-9
32039WW-9 NEW
Body Matt White
Blades Transparent

Wiz Smart

32040-10
32040WW-10 NEW
Body Gloss Black
Blades Transparent

Wiz Smart

32041-10
32041WW-10 NEW
Body Matt Black
Blades Transparent

Wiz Smart


32042-10
32042WW-10 NEW
Body Matt Black
Blades Walnut

Wiz Smart

32043-10
32043WW-10 NEW
Body Matt Black
Blades Matt Black

Wiz Smart

Material	Body Steel + Glass Blades PC
W	4-6-9-13-22-32
RPM	51-77-103-129-155-185
Airflow	145 m3 min
V/Hz	220V-240V/50-60Hz



A	A1
290/11.42"	250/9.84"
B	C
250/9.84"	160/6.3"
D	E
	130/5.12"
F	G
ø1280/50.4"	430/16.93"
Downrod L	Downrod ø
200/7.87"	26/1.02"



Smart option

Tube Fan

Conillas

M
ø128 CM

13-17 M2
140-190 SQ.FT

DC
MOTOR

SUMMER
WINTER



33374
33374WW NEW
Body Chrome
Blades Transparent
Wiz Smart



32033
32033WW NEW
Body Gloss White
Blades Transparent
Wiz Smart



32034
32034WW NEW
Body Matt White
Blades Transparent
Wiz Smart



32035
32035WW NEW
Body Gloss Black
Blades Transparent
Wiz Smart



32036
32036WW NEW
Body Matt Black
Blades Transparent
Wiz Smart



32037
32037WW NEW
Body Matt Black
Blades Walnut
Wiz Smart



32060
32060WW NEW
Body Matt Black
Blades Matt Black
Wiz Smart



with light

SMD LED 16W 3000K 709 lm CRI >80 Driver incl. Yes
Material Diff Glass

33374-9
33374WW-9 NEW
Body Chrome
Blades Transparent

Wiz Smart

32033-9
32033WW-9 NEW
Body Gloss White
Blades Transparent

Wiz Smart

32034-9
32034WW-9 NEW
Body Matt White
Blades Transparent

Wiz Smart

32035-10
32035WW-10 NEW
Body Gloss Black
Blades Transparent

Wiz Smart

32036-10
32036WW-10 NEW
Body Matt Black
Blades Transparent

Wiz Smart


32037-10
32037WW-10 NEW
Body Matt Black
Blades Walnut

Wiz Smart

32060-10
32060WW-10 NEW
Body Matt Black
Blades Matt Black

Wiz Smart

Material	Body Steel + Glass Blades PC
W	3-6-9-13-22-32
RPM	51-77-103-129-155-185
Airflow	145 m3 min
V/Hz	220V-240V/50-60Hz



A	A1
450/17.72"	420/16.54"
B	C
420/16.54"	160/6.3"
D	E
	130/5.12"
F	G
ø1280/50.4"	430/16.93"
Downrod L	Downrod ø
460/18.11"	26/1.02"



High airflow



Smart option

Nassau

M Ø 128 CM	13-17 M2 140-190 SQ.FT	DC MOTOR	SUMMER WINTER	SLOPED CEILING
----------------------	---------------------------	--------------------	------------------	-------------------



33478
33478WW NEW
Body Dark Brown
Blades Dark Brown


Wiz Smart



33487
33487WW NEW
Body Matt White
Blades Matt White

Wiz Smart

Material Body Steel
Blades Plywood
W 4-6-10-16-24-37
RPM 50-87-125-162-199-237
Airflow 222 m3 min
V/Hz 220V-240V/50-60Hz
Opt. downrod Page 214



A	A1
400/15.75"	370/14.57"
B	C
170/6.69"	120/4.72"
D	E
60/2.4"	130/5.12"
F	G
Ø1280/50.4"	575/22.64"
Downrod L	Downrod Ø
225/8.86"	21/0.83"



Smart option

Winche
Conillas

M ø127 CM	13-17 M2 140-190 SQ.FT	IP44	DC MOTOR	SUMMER WINTER	SLOPED CEILING
---------------------	---------------------------	-------------	--------------------	------------------	-------------------



33481
33481WW **NEW** Wiz Smart
Body Matt Black
Blades Dark Brown




with light

SMD LED 15W 3000K 800 lm CRI >80 Driver incl. Yes
Material Diff ABS

33481-7
33481WW-7 **NEW** Wiz Smart
Body Matt Black
Blades Dark Walnut

Material	Body Steel Blades ABS
W	3-5-8-12-21-35
RPM	50-71-93-115-138-162
Airflow	183 m3 min
V/Hz	220V-240V/50-60Hz
Opt. downrod	Page 214



A	A1
390/15.35"	355/13.98"
B	C
210/8.27"	190/7.48"
D	E
55/2.2"	130/5.12"
F	G
ø1270/50"	530/20.87"
Downrod L	Downrod ø
153/6.02"	21/0.83"



FSC Certified
wooden blades



Optional Light kit
page 212



Programmable 1-4-8h
Memory function page 211



Smart option

Klim M

Faro Lab

M Ø 125 CM	13-17 M2 140-190 SQ.FT	DC MOTOR	SUMMER WINTER	SLOPED CEILING
----------------------	---------------------------	--------------------	------------------	-------------------



34277
34277WT NEW Tuya Smart
34277WW NEW Wiz Smart
Body Matt Black
Blades Dark Walnut




34280
34280WT NEW Tuya Smart
34280WW NEW Wiz Smart
Body Matt White
Blades Oak




34283
34283WT NEW Tuya Smart
34283WW NEW Wiz Smart
Body Matt Black
Blades Oak

Material Body Steel
Blades Wood
Programmer 1-4-8hr
W 5-7-11-17-24-35
RPM 90-119-144-170-192-220
Airflow 166 m3 min
V/Hz 220V-240V/50-60Hz
Accessories 33974 DC Wall Control
Incl. downrod 100 mm
Opt. downrod Page 214



A	A1
336/13.23"	212/8.35"
B	C
48/1.89"	100/3.94"
D	E
60/2.4"	130/5.12"
F	G
Ø1250/49.2"	620/24.41"
Downrod L	Downrod Ø
100/3.94"	26/1.02"



Glass diffuser



FSC Certified
wooden blades



Programmable 1-4-8h
Memory function page 211



Smart option

Klim M

Faro Lab

M Ø 125 CM	13-17 M2 140-190 SQ.FT	DC MOTOR	SUMMER WINTER	SLOPED CEILING
----------------------	---------------------------	--------------------	------------------	-------------------



34277-11L
 34277WT-11L **NEW**
 34277WW-11L **NEW**
 Body Matt Black
 Blades Dark Walnut

Tuya Smart
Wiz Smart



34280-11L
 34280WT-11L **NEW**
 34280WW-11L **NEW**
 Body Matt White
 Blades Oak


Tuya Smart
Wiz Smart



34283-11L
 34283WT-11L **NEW**
 34283WW-11L **NEW**
 Body Matt Black
 Blades Oak

Tuya Smart
Wiz Smart

Material	Body Steel	Light Source	1 E27 max.
	Blades Wood	Bulb incl.	No
Programmer	1-4-8hr	Recom. Bulb	17485
W	5-7-11-17-24-35	Material Diff	Glass
RPM	90-119-144-170-192-220		
Airflow	166 m3 min		
V/Hz	220V-240V/50-60Hz		
Accessories ☉	33974 DC Wall Control		
Incl. downrod	100 mm		
Opt. downrod	Page 214		



A	A1
408/16.06"	212/8.35"
B	C
231/9.09"	100/3.94"
D	E
60/2.4"	130/5.12"
F	G
Ø1250/49.2"	620/24.41"
Downrod L	Downrod Ø
100/3.94"	26/1.02"



Programmable 1-4-8h
Memory function page 211



Smart option

Sfera M
Faro Lab

M Ø 125 CM	13-17 M2 140-190 SQ.FT	DC MOTOR	SUMMER WINTER	SLOPED CEILING
----------------------	---------------------------	--------------------	------------------	-------------------



34272
34272WT **NEW**
Body Matt White
Blades Matt White

Tuya Smart



34273
34273WT **NEW**
Body Matt Black
Blades Matt Black

Tuya Smart

Material Body Steel
Blades ABS

Programmer 1-4-8hr

W 6-9-12-17-25-34

RPM 100-122-138-159-180-197


Airflow 176 m3 min

V/Hz 220V-240V/50-60Hz

Accessories ☉ 33974 DC Wall Control

Incl. downrod 100 mm

Opt. downrod Page 214



A	A1
248/9.76"	171/6.73"
B	C
132/5.2"	132/5.2"
D	E
60/2.4"	130/5.12"
F	G
Ø1250/49.2"	615/24.21"
Downrod L	Downrod Ø
100/3.94"	26/1.02"



Programmable 1-4-8h
Memory function page 211



Smart option

Marine
Faro Lab

M ø125 CM	13-17 M2 140-190 SQ.FT	DC MOTOR	IP44	SUMMER WINTER	SLOPED CEILING
---------------------	---------------------------	--------------------	-------------	------------------	-------------------



34274
34274WT **NEW**
34274WW **NEW**
Body Matt White
Blades Matt White

Tuya Smart
Wiz Smart



34275
34275WT **NEW**
34275WW **NEW**
Body Dark Brown
Blades Dark Brown

Tuya Smart
Wiz Smart

Material Body Steel
Blades ABS

Programmer 1-4-8hr

W 4-6-9-14-20-27

RPM 86-121-146-175-198-222


Airflow 174 m3 min

V/Hz 220V-240V/50-60Hz

Accessories 33974 DC Wall Control

Incl. downrod 100 mm

Opt. downrod Page 214



A	A1
245/9.65"	221/8.7"
B	C
122/4.8"	125/4.92"
D	E
60/2.4"	130/5.12"
F	G
ø1250/49.2"	489/19.25"
Downrod L	Downrod ø
100/3.94"	26/1.02"



Glass diffuser



Programmable 1-4-8h
Memory function page 211



Smart option


Fraser

M ø120 CM	 13-17 M2 140-190 SQ.FT	DC MOTOR	 SUMMER WINTER
---------------------	-------------------------------	--------------------	----------------------




33756
 33756WT **NEW** Tuya Smart
 33756WW **NEW** Wiz Smart
 Body Matt White
 Blades Matt White

Material	Body Steel	Power	16W
	Blades ABS	Lumen Output	727 lm
W	5-8-11-16-22-32	Light Source	SMD LED 3000K
RPM	126-145-166-182-209	CRI	≥80
Airflow	212 m3 min	Driver incl.	Yes
V/Hz	220V-240V/50-60Hz	Material Diff	Glass
Accessories ☉	33974 DC Wall Control		



A	A1
310/12.2"	230/9.06"
B	C
190/7.48"	155/6.1"
D	E
	150/5.91"
F	G
ø1200/47.2"	530/20.87"



Eco indus M

M ø 120 CM	13-17 M2 140-190 SQ.FT	WALL CONTROL	SLOPED CEILING	EASY INSTALL
----------------------	---------------------------	--------------	----------------	--------------



33005
Body Matt White
Blades White

Material **Body** Steel
 Blades Steel


W 16-26-68

RPM 150-225-322

Airflow 189 m3 min

V/Hz 220V-240V/50Hz

Accessories ☉ 33928 Wall Control 3 speeds
 33937 Remote control kit programmer
 33929 Remote control kit dimer/on-off



A	A1
320/12.6"	270/10.63"
B	C
160/6.3"	190/7.48"
D	E
60/2.4"	130/5.12"
F	G
ø1200/47.2"	485/19.09"
Downrod L	Downrod ø
152/5.98"	21/0.83"



FSC Certified
wooden blades



Programmable 1-4-8h
Memory function page 211



Smart option

Mini Lantau S

S ø107 CM	 < 13 M2 < 140 SQ.FT	DC MOTOR	 SUMMER WINTER	 SLOPED CEILING
---------------------	----------------------------	--------------------	----------------------	-----------------------



33508DC
33508DCWT NEW
33508DCWW NEW
Body Matt Nickel
Blades Walnut
 Tuya Smart
 Wiz Smart




33509DC
33509DCWT NEW
33509DCWW NEW
Body Matt Nickel
Blades Pine
 Tuya Smart
 Wiz Smart



33517DC
33517DCWT NEW
33517DCWW NEW
Body Matt Black
Blades Walnut
 Tuya Smart
 Wiz Smart

Material **Body** Steel
 Blades Wood
W 3-5-7-10-15-21
RPM 72-104-131-164-193-224
Airflow 143 m3 min
V/Hz 220V-240V/50-60Hz
Accessories ☉ 33974 DC Wall Control
Incl. downrod 153 mm
Opt. downrod Page 214



A	A1
340/13.39"	300/11.81"
B	C
110/4.33"	
D	E
65/2.6"	150/5.91"
F	G
ø1070/42.1"	460/18.11"
Downrod L	Downrod ø
153/6.02"	21/0.83"



Reversible blades



Programmable 1-4-8h
Memory function page 211



Smart option


Mini Mallorca S

S ø106 CM	 < 13 M2 < 140 SQ.FT	DC MOTOR	 SLOPED CEILING
---------------------	----------------------------	--------------------	-----------------------



33603DC
33603DCWT NEW Tuya Smart
33603DCWW NEW Wiz Smart
Body Matt White
Blades Matt White + Maple

Material Body Steel
 Blades Plywood
Programmer 1-4-8hr
W 6-7-10-13-18-23
RPM 126-156-186-218-240-270
Airflow 70 m3 min
V/Hz 220V-240V/50-60Hz
Accessories ☉ 33974 DC Wall Control
Opt. downrod Page 214



A	A1
310/12.2"	246/9.69"
B	C
80/3.15"	248/9.76"
D	E
60/2.4"	150/5.91"
F	G
ø1060/41.7"	410/16.14"
Downrod L	Downrod ø
152/5.98"	26/1.02"



Reversible blades



FSC Certified plywood blades



Programmable 1-4-8h
Memory function page 211



Smart option

Rudder S

Faro Lab

S ø 106 CM	 < 13 M2 < 140 SQ.FT	DC MOTOR	 SUMMER WINTER	 SLOPED CEILING
----------------------	----------------------------	--------------------	----------------------	-----------------------



34295
 34295WT **NEW** Tuya Smart
 34295WW **NEW** Wiz Smart
 Body Matt White
 Blades Ash Wood + Matt White



34296
 34296WT **NEW** Tuya Smart
 34296WW **NEW** Wiz Smart
 Body Matt Black
 Blades Walnut + Matt Black

Material Body Steel
 Blades Plywood

Programmer 1-4-8hr

W 3-5-9-14-21-29

RPM 97-148-188-227-262-290


Airflow 124 m3 min

V/Hz 220V-240V/50-60Hz

Accessories 33974 DC Wall Control

Incl. downrod 100 mm

Opt. downrod Page 214



A	A1
232/9.13"	180/7.09"
B	C
80/3.15"	150/5.91"
D	E
60/2.4"	130/5.12"
F	G
ø1060/41.7"	500/19.69"
Downrod L	Downrod ø
100/3.94"	26/1.02"



Reversible blades



Adjustable color temperature



FSC Certified plywood blades



Programmable 1-4-8h
Memory function page 211



Smart option

Rudder S

Faro Lab

S ø106 CM	< 13 M2 < 140 SQ.FT	DC MOTOR	DIM	SUMMER WINTER	SLOPED CEILING
---------------------	------------------------	--------------------	-----	------------------	-------------------




34295-1TW
 34295WT-1TW **NEW** Tuya Smart
 34295WW-1TW **NEW** Wiz Smart
 Body Matt White
 Blades Ash Wood + Matt White



34296-1TW
 34296WT-1TW **NEW** Tuya Smart
 34296WW-1TW **NEW** Wiz Smart
 Body Matt Black
 Blades Walnut + Matt Black

Material	Body Steel	Power	20W
	Blades Plywood	Lumen Output	806 lm
Programmer	1-4-8hr	Light Source	SMD LED
W	3-5-9-14-21-29	Dimmable K	2700 - 4000 - 6500K
RPM	97-148-188-227-262-290	CRI	85
Airflow	124 m3 min	Driver incl.	Yes
V/Hz	220V-240V/50-60Hz	Material Diff	Glass
Accessories ☉	33974 DC Wall Control		
Incl. downrod ☉	100 mm		
Opt. downrod	Page 214		



A	A1
276/10.87"	180/7.09"
B	C
80/3.15"	150/5.91"
D	E
60/2.4"	130/5.12"
F	G
ø1060/41.7"	500/19.69"
Downrod L	Downrod ø
100/3.94"	26/1.02"



Programmable 1-4-8h
Memory function page 211



Striped anodized
aluminium



Smart option

Cruiser S

Faro Lab

S ø106 CM	 < 13 M2 < 140 SQ.FT	DC MOTOR	 SUMMER WINTER	 SLOPED CEILING
---------------------	----------------------------	--------------------	----------------------	-----------------------



34288
34288WT NEW
34288WW NEW
 Body Matt White
 Blades Matt White

Tuya Smart
Wiz Smart



34289
34289WT NEW
34289WW NEW
 Body Matt Black
 Blades Matt Black

Tuya Smart
Wiz Smart



34285
34285WT NEW
34285WW NEW
 Body Matt Black
 Blades Aluminium

Tuya Smart
Wiz Smart

Material Body Steel
 Blades Aluminium

Programmer 1-4-8hr

W 3-5-9-14-21-29

RPM 95-148-188-221-260-292


Airflow 136 m3 min

V/Hz 220V-240V/50-60Hz

Accessories 33974 DC Wall Control

Incl. downrod 100 mm

Opt. downrod Page 214



A	A1
232/9.13"	194/7.64"
B	C
83/3.27"	151/5.94"
D	E
60/2.4"	130/5.12"
F	G
ø1060/41.7"	630/24.8"
Downrod L	Downrod ø
100/3.94"	26/1.02"



Adjustable color temperature



Striped anodized aluminium



Programmable 1-4-8h
Memory function page 211



Smart option

Cruiser S

Faro Lab

S ø106 CM	< 13 M2 < 140 SQ.FT	DC MOTOR	DIM	SUMMER WINTER	SLOPED CEILING
---------------------	------------------------	--------------------	-----	------------------	-------------------



34288-1TW
34288WT-1TW **NEW**
34288WW-1TW **NEW**
Body Matt White
Blades Matt White

Tuya Smart
Wiz Smart



34289-1TW
34289WT-1TW **NEW**
34289WW-1TW **NEW**
Body Matt Black
Blades Matt Black


Tuya Smart
Wiz Smart



34285-1TW
34285WT-1TW **NEW**
34285WW-1TW **NEW**
Body Matt Black
Blades Aluminium

Tuya Smart
Wiz Smart

Material	Body Steel	Power	20W
	Blades Aluminium	Lumen Output	806 lm
Programmer	1-4-8hr	Light Source	SMD LED
W	3-5-9-14-21-29	Dimmable K	2700 - 4000 - 6500K
RPM	95-148-188-221-260-292	CRI	85
Airflow	136 m3 min	Driver incl.	Yes
V/Hz	220V-240V/50-60Hz	Material Diff	Glass
Accessories ☉	33974 DC Wall Control		
Incl. downrod	100 mm		
Opt. downrod	Page 214		



A	A1
276/10.87"	180/7.09"
B	C
80/3.15"	150/5.91"
D	E
60/2.4"	130/5.12"
F	G
ø1060/41.7"	500/19.69"
Downrod L	Downrod ø
100/3.94"	26/1.02"



Adjustable color temperature



Programmable 1-4-8h
Memory function page 211



Smart option

Hvar


S ø97 CM	< 13 M2 < 140 SQ.FT	DC MOTOR	DIM	SUMMER WINTER	SLOPED CEILING
--------------------	------------------------	--------------------	------------	------------------	-------------------



34300
34300WT NEW
34300WW NEW
 Body Matt White
 Blades Matt White

Tuya Smart
 Wiz Smart

Material	Body Steel	Power	22W
	Blades ABS	Lumen Output	1946 lm
Programmer	1-4-8hr	Light Source	SMD LED 6500K
W	5-8-14-20-27-34	Dimmable K	3000 - 4500 - 6500K
RPM	139-172-206-245-268-300	CRI	>80
Airflow	130 m3 min	Driver incl.	Yes
V/Hz	220V-240V/50Hz	Material Diff	PMMA
Accessories ☉	33974 DC Wall Control		
Incl. downrod	127-250 mm		



A	A1
549/21.61"	447/17.6"
B	C
295/11.61"	
D	E
80/3.1"	165/6.5"
F	G
ø914/36"	328/12.91"
Downrod L	Downrod ø
127-250/5"	26/1.02"




FSC Certified wooden blades



Optional Light kit page 212



Programmable 1-4-8h Memory function page 211



Smart option

Klim S

Faro Lab

S ø92 CM	 < 13 M2 < 140 SQ.FT	DC MOTOR	 SUMMER WINTER	 SLOPED CEILING
--------------------	----------------------------	--------------------	----------------------	-----------------------



34278
34278WT NEW Tuya Smart
34278WW NEW Wiz Smart
Body Matt Black
Blades Dark Walnut




34281
34281WT NEW Tuya Smart
34281WW NEW Wiz Smart
Body Matt White
Blades Oak



34284
34284WT NEW Tuya Smart
34284WW NEW Wiz Smart
Body Matt Black
Blades Oak

Material Body Steel
Blades Wood
Programmer 1-4-8hr
W 6-7-10-14-20-28
RPM 153-192-226-259-302-348
Airflow 135 m3 min
V/Hz 220V-240V/50-60Hz
Accessories 33974 DC Wall Control
Incl. downrod 100 mm
Opt. downrod Page 214




A	A1
336/13.23"	212/8.35"
B	C
48/1.89"	100/3.94"
D	E
60/2.4"	130/5.12"
F	G
ø925/36.4"	458/18.03"
Downrod L	Downrod ø
100/3.94"	26/1.02"



FSC Certified wooden blades



Glass diffuser



Programmable 1-4-8h
Memory function page 211



Smart option

Klim S

Faro Lab

S Ø92 CM	 < 13 M2 < 140 SQ.FT	DC MOTOR	 SUMMER WINTER	 SLOPED CEILING
--------------------	----------------------------	--------------------	----------------------	-----------------------



34278-11L
 34278WT-11L **NEW**
 34278WW-11L **NEW**
 Body Matt Black
 Blades Dark Walnut

Tuya Smart
Wiz Smart



34281-11L
 34281WT-11L **NEW**
 34281WW-11L **NEW**
 Body Matt White
 Blades Oak


Tuya Smart
Wiz Smart



34284-11L
 34284WT-11L **NEW**
 34284WW-11L **NEW**
 Body Matt Black
 Blades Oak

Tuya Smart
Wiz Smart

Material	Body Steel	Light Source	1 E27 max.
	Blades Wood	Bulb incl.	No
Programmer	1-4-8hr	Recom. Bulb	17485
W	6-7-10-14-20-28	Material Diff	Glass
RPM	153-192-226-259-302-348		
Airflow	135 m3 min		
V/Hz	220V-240V/50-60Hz		
Accesories ☉	33974 DC Wall Control		
Incl. downrod	100 mm		
Opt. downrod	Page 214		





A	A1
408/16.06"	212/8.35"
B	C
231/9.09"	100/3.94"
D	E
60/2.4"	130/5.12"
F	G
Ø925/36.4"	458/18.03"
Downrod L	Downrod Ø
100/3.94"	26/1.02"



Chicago


Àlex & Manel Llusçà

S ø91 CM	 < 13 M2 < 140 SQ.FT	 SLOPED CEILING
--------------------	---	--



33703
Body Matt Black
Blades Walnut

Material	Body Steel	Light Source	1 E27 max. 15W
	Blades MDF	Bulb incl.	No
W	15-26-49	Recom. Bulb	17463
RPM	136-192-225		
Airflow	96 m3 min		
V/Hz	220V-240V/50-60Hz		
Accessories ☉	33928 Wall Control 3 speeds		
	33929 Remote control kit dimer/on-off		
	33937 Remote control kit programmer		
Opt. downrod	Page 214		



A	A1
475/18.7"	295/11.61"
B	C
295/11.61"	140/5.51"
D	E
50/2"	150/5.91"
F	G
ø915/36"	380/14.96"
Downrod L	Downrod ø
153/6.02"	21/0.83"



Programmable 1-4-8h
Memory function page 211



Smart option

Sfera S

Faro Lab

S ø90 CM	 < 13 M2 < 140 SQ.FT	DC MOTOR	 SUMMER WINTER	 SLOPED CEILING
--------------------	----------------------------	--------------------	----------------------	-----------------------



34270
 34270WT **NEW** Tuya Smart
 34270WW **NEW** Wiz Smart
 Body Matt White
 Blades Matt White



34271
 34271WT **NEW** Tuya Smart
 34271WW **NEW** Wiz Smart
 Body Matt Black
 Blades Matt Black

Material Body Steel
 Blades ABS

Programmer 1-4-8hr

W 5-7-10-13-20-28

RPM 142-178-213-244-290-333


Airflow 134 m3 min

V/Hz 220V-240V/50-60Hz

Accessories 33974 DC Wall Control

Incl. downrod 100 mm

Opt. downrod Page 214



A	A1
248/9.76"	171/6.73"
B	C
132/5.2"	132/5.2"
D	E
60/2.4"	130/5.12"
F	G
ø900/35.4"	439/17.28"
Downrod L	Downrod ø
100/3.94"	26/1.02"



Glass diffuser



Adjustable color temperature



Programmable 1-4-8h
Memory function page 211



Smart option

Mini Punt S

Faro Lab

S ø90 CM	 < 13 M2 < 140 SQ.FT	DC MOTOR	 SUMMER WINTER	 SLOPED CEILING
--------------------	----------------------------	--------------------	----------------------	-----------------------



33820
33820WT NEW
33820WW NEW
Body Matt White
Blades Matt White

Tuya Smart
Wiz Smart



33821
33821WT NEW
33821WW NEW
Body Matt White
Blades Maple

Tuya Smart
Wiz Smart



33822
33822WT NEW
33822WW NEW
Body Matt Black
Blades Matt Black

Tuya Smart
Wiz Smart



33823
33823WT NEW
33823WW NEW
Body Matt Black
Blades Walnut

Tuya Smart
Wiz Smart



with light

SMD LED 10W 480 lm CRI 85 Driver incl. Yes
Material Diff Glass

33820-1TW
33820WT-1TW NEW
33820WW-1TW NEW
Body Matt White
Blades Matt White
33822-1TW
33822WT-1TW NEW
33822WW-1TW NEW
Body Matt Black
Blades Matt Black


Tuya Smart
Wiz Smart

33821-1TW
33821WT-1TW NEW
33821WW-1TW NEW
Body Matt White
Blades Maple
33823-1TW
33823WT-1TW NEW
33823WW-1TW NEW
Body Matt Black
Blades Walnut

Tuya Smart
Wiz Smart

Tuya Smart
Wiz Smart

Material	Body Steel Blades ABS
Programmer	1-4-8hr
W	3-5-7-12-18-26
RPM	113-150-195-244-286-327
Airflow	141 m3 min
V/Hz	220V-240V/50-60Hz
Accessories ☉	33974 DC Wall Control
Incl. downrod	100 mm
Opt. downrod	Page 214



A	A1
235/9.25"	173/6.81"
B	C
77/3.03"	120/4.72"
D	E
60/2.4"	130/5.12"
F	G
ø900/35.4"	441/17.36"
Downrod L	Downrod ø
100/3.94"	26/1.02"




Suitable for low ceilings



Adjustable color temperature



Programmable 1-4-8h
Memory function page 211



Smart option

Mini Punt Tub S

Faro Lab

S ø90 CM	 < 13 M2 < 140 SQ.FT	DC MOTOR	 SUMMER WINTER	 EASY INSTALL
--------------------	----------------------------	--------------------	----------------------	---------------------



33832
33832WT NEW
33832WW NEW
Body Matt White
Blades Matt White

Tuya Smart
Wiz Smart



33833
33833WT NEW
33833WW NEW
Body Matt White
Blades Maple

Tuya Smart
Wiz Smart



33834
33834WT NEW
33834WW NEW
Body Matt Black
Blades Matt Black

Tuya Smart
Wiz Smart



33835
33835WT NEW
33835WW NEW
Body Matt Black
Blades Walnut

Tuya Smart
Wiz Smart




with light

SMD LED 10W 480 lm CRI 85 Driver incl. Yes
Material Diff Glass

33832-1TW 33832WT-1TW NEW 33832WW-1TW NEW Body Matt White Blades Matt White	Tuya Smart Wiz Smart	33833-1TW 33833WT-1TW NEW 33833WW-1TW NEW Body Matt White Blades Maple	Tuya Smart Wiz Smart
33834-1TW 33834WT-1TW NEW 33834WW-1TW NEW Body Matt Black Blades Matt Black	Tuya Smart Wiz Smart	33835-1TW 33835WT-1TW NEW 33835WW-1TW NEW Body Matt Black Blades Walnut	Tuya Smart Wiz Smart

Material	Body Steel Blades ABS
Programmer	1-4-8hr
W	3-5-7-12-18-26
RPM	113-150-195-244-286-327
Airflow	141 m3 min
V/Hz	220V-240V/50-60Hz
Accessories ☉	33974 DC Wall Control




A	A1
203/7.99"	142/5.59"
B	C
142/5.59"	124/4.88"
D	E
142/5.6"	112/4.41"
F	G
ø900/35.4"	441/17.36"
Downrod L	Downrod ø



Adjustable color temperature



Programmable 1-4-8h
Memory function page 211



Smart option

S ø90 CM	 < 13 M2 < 140 SQ.FT	DC MOTOR	 SUMMER WINTER	 SLOPED CEILING
--------------------	----------------------------	--------------------	----------------------	-----------------------



33824
33824WT NEW Tuya Smart
Body Matt White
Blades Matt White



33825
33825WT NEW Tuya Smart
Body Matt Black
Blades Matt Black



with light

SMD LED 10W 480 lm CRI 85 Driver incl. Yes
Material Diff Glass


33824-1TW
33824WT-1TW NEW
Body Matt White
Blades Matt White

Tuya Smart

33825-1TW
33825WT-1TW NEW
Body Matt Black
Blades Matt Black

Tuya Smart


Material	Body Steel Blades ABS
Programmer	1-4-8hr
W	4-7-10-16-21-30
RPM	110-162-197-238-267-300
Airflow	147 m3 min
V/Hz	220V-240V/50-60Hz
Accessories ☉	33974 DC Wall Control
Opt. downrod	Page 214



A	A1
243/9.57"	200/7.87"
B	C
80/3.15"	100/3.94"
D	E
60/2.4"	130/5.12"
F	G
ø900/35.4"	430/16.93"
Downrod L	Downrod ø
101/3.98"	26/1.02"



Suitable for low ceilings



Smart option

Hey Tub
Faro Lab



S ø90 CM	 < 13 M2 < 140 SQ.FT	DC MOTOR	 SUMMER WINTER	 EASY INSTALL	 DIRECT CEILING MOUNTING
--------------------	----------------------------	--------------------	----------------------	---------------------	-----------------------------------



33826 NEW
33826WT NEW
Body Matt White
Blades Matt White

Tuya Smart



33827 NEW
33827WT NEW
Body Matt Black
Blades Matt Black

Tuya Smart

Material Body Aluminium
Blades ABS

Programmer 1-4-8hr


W 4-7-10-16-22-30

RPM 110-162-197-238-267-300

Airflow 148 m3 min

V/Hz 220V-240V/50-60Hz

Accessories ☉ 33974 DC Wall Control




A	A1
190/7.48"	151/5.94"
B	C
	130/5.12"
D	E
151/5.9"	120/4.72"
F	G
ø900/35.4"	371/14.61"
Downrod L	Downrod ø



Adjustable color temperature



Suitable for low ceilings



Smart option

Hey Tub

Faro Lab

S ø90 CM	 < 13 M2 < 140 SQ.FT	DC MOTOR	 DIM	 SUMMER WINTER	 EASY INSTALL	 DIRECT CEILING MOUNTING
--------------------	----------------------------	--------------------	---------	----------------------	---------------------	-----------------------------------



33826-1TW NEW
33826WT-1TW NEW
 Body Matt White
 Blades Matt White


Tuya Smart



33827-1TW NEW
33827WT-1TW NEW
 Body Matt Black
 Blades Matt Black

Tuya Smart

Material	Body Aluminium Blades ABS	Power 10W Lumen Output 480 lm
Programmer	1-4-8hr	Light Source SMD LED
W	4-7-10-16-22-30	Dimmable K 2700 - 4000 - 6000K
RPM	110-162-197-238-267-300	CRI >80
Airflow	148 m3 min	Driver incl. Yes
V/Hz	220V-240V/50-60Hz	Material Diff PP
Accessories ☉	33974 DC Wall Control	




A	A1
232/9.13"	151/5.94"
B	C
	130/5.12"
D	E
151/5.9"	120/4.72"
F	G
ø900/35.4"	371/14.61"
Downrod L	Downrod ø



Adjustable color temperature



FSC Certified wooden blades



Smart option

Heywood S

Faro Lab

S ø90 CM	 < 13 M2 < 140 SQ.FT	DC MOTOR	 SUMMER WINTER	 SLOPED CEILING
--------------------	----------------------------	--------------------	----------------------	-----------------------



33805
33805WT NEW
Body Matt White
Blades Maple

Tuya Smart



33806
33806WT NEW
Body Matt Black
Blades Dark Oak

Tuya Smart



with light

SMD LED 10W 480 lm CRI 85 Driver incl. Yes
Material Diff Glass


33805-1TW
33805WT-1TW NEW
Body Matt White
Blades Maple

Tuya Smart


33806-1TW
33806WT-1TW NEW
Body Matt Black
Blades Dark Oak

Tuya Smart

Material	Body Steel Blades Wood
Programmer	1-4-8hr
W	5-7-11-16-22-30
RPM	115-155-195-235-266-297
Airflow	135 m3 min
V/Hz	220V-240V/50-60Hz
Accesories ☉	33974 DC Wall Control
Incl. downrod	100 mm
Opt. downrod	Page 214




A	A1
243/9.57"	223/8.78"
B	C
82/3.23"	100/3.94"
D	E
59/2.3"	132/5.2"
F	G
ø900/35.4"	387/15.24"
Downrod L	Downrod ø
100/3.94"	26/1.02"




Suitable for low ceilings



FSC Certified
wooden blades



Programmable 1-4-8h
Memory function page 211



Smart option

Heywood Tub S

Faro Lab



S ø90 CM	 < 13 M2 < 140 SQ.FT	DC MOTOR	 SUMMER WINTER	 EASY INSTALL	 DIRECT CEILING MOUNTING
--------------------	----------------------------	--------------------	----------------------	---------------------	-----------------------------------



33836 NEW
33836WT NEW
Body Matt White
Blades Pine

Tuya Smart



33837 NEW
33837WT NEW
Body Matt Black
Blades Dark Walnut

Tuya Smart

Material Body Aluminium
Blades ABS

Programmer 1-4-8hr


W 4-7-10-16-22-30

RPM 110-162-197-238-267-300

Airflow 148 m3 min

V/Hz 220V-240V/50-60Hz


Accessories 33974 DC Wall Control



A	A1
190/7.48"	151/5.94"
B	C
	130/5.12"
D	E
151/5.9"	120/4.72"
F	G
ø900/35.4"	371/14.61"
Downrod L	Downrod ø



Adjustable color temperature



Suitable for low ceilings



FSC Certified wooden blades



Programmable 1-4-8h
Memory function page 211



Smart option

Heywood Tub S

Faro Lab

NEW

S ø90 CM	< 13 M2 < 140 SQ.FT	DC MOTOR	DIM	EASY INSTALL	DIRECT CEILING MOUNTING
--------------------	------------------------	--------------------	-----	-----------------	-------------------------------



33836-1TW **NEW**
33836WT-1TW **NEW**
Body Matt White
Blades Pine


Tuya Smart



33837-1TW **NEW**
33837WT-1TW **NEW**
Body Matt Black
Blades Dark Walnut

Tuya Smart

Material	Body Aluminium	Power	10W
	Blades Pine Wood	Lumen Output	480 lm
Programmer	1-4-8hr	Light Source	SMD LED
W	4-7-10-16-22-30	Dimmable K	2700 - 4000 - 6000K
RPM	110-162-197-238-267-300	CRI	>80
Airflow	148 m3 min	Driver incl.	Yes
V/Hz	220V-240V/50-60Hz	Material Diff	PP
Accessories ☉	33974 DC Wall Control		



A	A1
232/9.13"	151/5.94"
B	C
	130/5.12"
D	E
151/5.9"	120/4.72"
F	G
ø900/35.4"	371/14.61"
Downrod L	Downrod ø



2 downrods included
100 / 200mm



Smart option

200

Just Fan S

Conillas

S ø81 CM	 < 13 M2 < 140 SQ.FT	DC MOTOR	 SUMMER WINTER	 SLOPED CEILING
--------------------	----------------------------	--------------------	----------------------	-----------------------



33426
33426WW NEW
Body Chrome
Blades Transparent



33425
33425WW NEW
Body Matt Black
Blades Walnut



33428
33428WW NEW
Body Old Gold
Blades Walnut



33423
33423WW NEW
Body Copper
Blades Walnut



33424
33424WW NEW
Body Matt Black
Blades Matt Black



33429
33429WW NEW
Body Old Gold
Blades Matt Black



33427
33427WW NEW
Body Copper
Blades Matt Black




with light

SMD LED 16W 3000K 709 lm CRI >80 Driver incl. Yes
Material Diff Glass

33423-10 33423WW-10 NEW Body Copper Blades Walnut	Wiz Smart	33424-10 33424WW-10 NEW Body Matt Black Blades Matt Black	Wiz Smart	33425-10 33425WW-10 NEW Body Matt Black Blades Walnut	Wiz Smart
33426-9 33426WW-9 NEW Body Chrome Blades Transparent	Wiz Smart	33427-10 33427WW-10 NEW Body Copper Blades Matt Black	Wiz Smart	33428-10 33428WW-10 NEW Body Old Gold Blades Walnut	Wiz Smart
33429-10 33429WW-10 NEW Body Old Gold Blades Matt Black	Wiz Smart				

Material	Body Steel Blades PC
W	2-3-4-5-6-9
RPM	51-86-122-158-195-235
Airflow	121 m3 min
V/Hz	220V-240V/50-60Hz
Incl. downrod	100-200 mm
Opt. downrod	Page 214



A	A1
390/15.35"	380/14.96"
B	C
180/7.09"	160/6.3"
D	E
55/2.2"	130/5.12"
F	G
ø810/31.9"	358/14.09"
Downrod L	Downrod ø
100-200/3.94"	26/1.02"




Palao

S ø81 CM	< 13 M2 < 140 SQ.FT	SUMMER WINTER	SLOPED CEILING	DIRECT CEILING MOUNTING	CONTROLLED BY CHAINS
--------------------	------------------------	------------------	-------------------	-------------------------------	-------------------------



33179
Body Matt White
Blades Multicolor

Material	Body Steel	Light Source	1 E14 max. 8W
	Blades MDF	Bulb incl.	No
W	24-28-37	Recom. Bulb	17461
RPM	127-192-241	Material Diff	Glass
Airflow	92 m3 min		
V/Hz	220V-240V/50Hz		
Accessories ☉	33928 Wall Control 3 speeds		
	33929 Remote control kit dimer/on-off		
	33937 Remote control kit with programmer		
Opt. downrod	Page 214		



A	A1
390/15.35"	260/10.24"
B	C
190/7.48"	170/6.69"
D	E
60/2.4"	130/5.12"
F	G
ø810/31.9"	350/13.78"
Downrod L	Downrod ø
93/3.66"	21/0.83"



Suitable for low ceilings



Adjustable color temperature



Smart option




S ø80 CM	 < 13 M2 < 140 SQ.FT	DC MOTOR	 DIM	 SUMMER WINTER	 DIRECT CEILING MOUNTING	 EASY INSTALL
--------------------	----------------------------	--------------------	---------	----------------------	-----------------------------------	---------------------



34315
34315WT Tuya Smart
34315WW Wiz Smart
Body Matt White
Blades Matt White

Material	Body Aluminium	Power	18W
	Blades ABS	Lumen Output	831 lm
Programmer	1-4-8hr	Light Source	SMD LED
W	5-6-8-10-13-18	Dimmable K	2700 - 4000 - 6000K
RPM	132-169-201-233-264-300	CRI	>80
Airflow	122 m3 min	Driver incl.	Yes
V/Hz	220V-240V/50-60Hz	Material Diff	PP
Accessories ☒	33974 DC Wall Control		






A	A1
223/8.78"	151/5.94"
B	C
73/2.87"	150/5.91"
D	E
151/5.9"	120/4.72"
F	G
ø800/31.5"	320/12.6"
Downrod L	Downrod ø



Adjustable inclination

Vedra

S Ø46 CM	 < 13 M2 < 140 SQ.FT	 WALL CONTROL	 SLOPED CEILING
--------------------	---	--	--



33525
 Body Black
 Blades Dark Walnut


Material Body Steel
 Blades MDF


W 19-22-34-37

RPM 327-369-495-515

Airflow 58 m3 min

V/Hz 220V-240V/50Hz





Ceiling or wall mount


Keiki

S ø43 CM	 < 13 M2 < 140 SQ.FT	 SUMMER WINTER	 WALL CONTROL	 SLOPED CEILING
--------------------	---	---	--	--



33715
Body Dark Brown
Blades Dark Walnut

Material **Body** Steel
 Blades Plywood
W 10-19-28
RPM 380-640-890
Airflow 38 m3 min
V/Hz 220V-240V/50Hz




A	A1
505/19.88"	440/17.32"
B	C
D	E
55/2.2"	150/5.91"
F	G
ø430/16.9"	150/5.91"

DC WALL CONTROLLER WITH DIMMER



This new wall control for DC motor fans features an updated front design with borderless organic glass, designed to fit in standard recessed box, either round or square. It also supports a light dimming function and connects wirelessly to the fan via radiofrequency.





Ref. 33988
Front Glossy Black
Body Matt Black



Ref. 33987
Front Glossy White
Body Matt White

Material Body ABS
V/Hz 100-240V/50-60Hz



Compatible with standard recessed box

ONE CONTROL FOR ALL

Compatible with all DC wall controller

This new remote control incorporates several memory options, that is to say, the fan will be able to remember certain configuration types: light memory, fan memory, confirmation sound and keypad lock. This allows for greater customization.



The light and fan memory, sound confirmation block, and keypad lock come deactivated by default, so if you wish to activate them, you will need to follow the steps below. If you have activated them and want to revert it, you can follow the same steps.

- 1 After its installation and complete assembly, cut off the power to the fan for at least 10 seconds.
- 2 Insert the batteries into the remote control.
- 3 Reconnect the fan to the power. The receiver will be active for synchronization only during the 30 seconds after reconnecting the power.

- 4 Press and hold the following button, depending on the configuration you need, until a continuous beep of about 2 seconds is heard.
 - BUTTON 1:** Light kit memory: the fan will remember the last configuration.
 - BUTTON 3:** Confirmation sound block: it will avoid hearing any "beeps" when using the fan.
 - BUTTON 4:** Keypad lock: you can lock the keypad, except for the on/off button. Ideal for hotels and homes with children.
 - BUTTON 6:** Fan memory: the fan will remember the last configuration once it is turned on, including speed, reverse and breeze modes.

*Special configurations

OPTIONAL LIGHT KIT

Taki




- 3L004 ● black
- 3L003 ● white

Power	20W
Dimmable K	2700 - 4000 - 6000K
CRI	85
Driver incl.	Yes
Material Diff	PC



Adjustable color temperature



ACCESSORIES

DC Remote control

NEW



34303 ● Matt White ABS

34304 ● Matt Black ABS

See the replacement receiver for your model.

DC Wall control



33974 ● White ABS 220V-240V/50Hz

DC Wall controller with dimmer

NEW



33987 ● White ABS 100-240V/50Hz



33988 ● Black ABS 100-240V/50Hz

AC Remote control kit



33929 ● Grey ABS 220V-240V/50-60Hz

AC Remote control kit with programmer



33937 ● Grey ABS 220V-240V/50-60Hz


AC Wall control



33928 ● Matt White ABS 220V-240V/50-60Hz

3 speeds *The wall control is not compatible with the remote control at same time

OPTIONAL DOWNROD




$$(A) \text{ or } (AL) - (TI) + (TO) = (AR)$$

- (A) Total height fan no light
- (AL) Total height fan with light
- (TI) Included downrod length
- (TO) Optional downrod length
- (AR) Total height with optional downrod

Example

$$250\text{mm} - 100\text{mm} + 400\text{mm} = 550\text{mm} / 10'' - 4'' + 16'' = 22''$$



3T022300

Length Diameter Finish Downrod Model

Example

Total fan height

With included downrod (mm/in)

100/3,94" 480/18,9"
 200/7,87" 580/22,83"

With optional downrod (mm/in)

wire included 580/22,83"
 680/26,77"
 780/30,71"
 880/34,65"
 980/38,58"
 1080/42,52"
 1180/46,46"
 1280/50,39"
 1380/54,33"
 1580/62,2"
 1880/74,02"

Reference code

Family	Downrod Length (mm/in)	Diameter (mm/in)	Finish	Downrod Model
3T	02 200/7,87"	2 26/1,02"	1 White	05 Amelia
	03 300/11,81"		2 Black	
	04 400/15,74"		4 Grey	
	05 500/19,68"			
	06 600/23,62"			
	07 700/27,55"			
	08 800/31,49"			
	09 900/35,43"			
	10 1000/39,37"			
	12 1200/47,24"			
	15 1500/59,05"			

Example: 3T062105 Accessory downrod 600mm Ø26 white for AMELIA

OPTIONAL DOWNROD

Alo DC

Total fan height			Reference code				
With included downrod (mm/in)		With Light	Family	Downrod Length (mm/in)	Diameter (mm/in)	Finish	Downrod Model
152/5,98"	320/12,6"	339/13,35"					
With optional downrod (mm/in)			3T	02	2 26/1,02"	1 White	00 Universal 26mm
wire included	368/14,49"	387/15,24"		03			
	468/18,43"	487/19,17"		04		400/15,74"	
	568/22,36"	587/23,11"		05		500/19,68"	
	668/26,3"	687/27,05"		06		600/23,62"	
	768/30,24"	787/30,98"		07		700/27,55"	
	868/34,17"	887/34,92"		08		800/31,49"	
	968/38,11"	987/38,86"		09		900/35,43"	
	1068/42,05"	1087/42,8"		10		1000/39,37"	
	1168/45,98"	1187/46,73"		12		1200/47,24"	
	1368/53,86"	1387/54,61"		15		1500/59,05"	
	1668/65,67"	1687/66,42"		18		1800/70,87"	
	1968/77,48"	1987/78,23"					

Example: 3T042200 Accessory downrod 400mm Ø26 black universal

Amelia

Total fan height			Reference code				
With included downrod (mm/in)			Family	Downrod Length (mm/in)	Diameter (mm/in)	Finish	Downrod Model
100/3,94"	270/10,63"						
200/7,87"	370/14,57"						
With optional downrod (mm/in)			3T	02	2 26/1,02"	1 White	05 Amelia
wire included	370/14,57"			03			
	470/18,5"			04		400/15,74"	
	570/22,44"			05		500/19,68"	
	670/26,38"			06		600/23,62"	
	770/30,31"			07		700/27,55"	
	870/34,25"			08		800/31,49"	
	970/38,19"			09		900/35,43"	
	1070/42,13"			10		1000/39,37"	
	1170/46,06"			12		1200/47,24"	
	1370/53,94"			15		1500/59,05"	
	1670/65,75"			18		1800/70,87"	
	1968/77,48"						

Example: 3T062105 Accessory downrod 600mm Ø26 white for AMELIA

Amelia Ball

Total fan height		Reference code																																																								
With included downrod (mm/in)		Family	Downrod Length (mm/in)	Diameter (mm/in)	Finish	Downrod Model																																																				
100/3,94"	480/18,9"	3T	02	200/7,87"	2	26/1,02"	1	White	05	Amelia																																																
200/7,87"	580/22,83"		03	300/11,81"							2	26/1,02"	1	White																																												
With optional downrod (mm/in)			04	400/15,74"	2	26/1,02"	1	White																																																		
wire included	580/22,83"		05	500/19,68"											2	26/1,02"	1	White																																								
	680/26,77"		06	600/23,62"															2	26/1,02"	1	White																																				
	780/30,71"		07	700/27,55"																			2	26/1,02"	1	White																																
	880/34,65"		08	800/31,49"																							2	26/1,02"	1	White																												
	980/38,58"		09	900/35,43"																											2	26/1,02"	1	White																								
	1080/42,52"		10	1000/39,37"																															2	26/1,02"	1	White																				
	1180/46,46"		12	1200/47,24"																																			2	26/1,02"	1	White																
	1280/50,39"		15	1500/59,05"																																							2	26/1,02"	1	White												
	1380/54,33"																																														2	26/1,02"	1	White								
	1580/62,2"																																																		2	26/1,02"	1	White				
	1880/74,02"																																																						2	26/1,02"	1	White
				4	Grey																																																					

Example: 3T062105 Accessory downrod 600mm Ø26 white for AMELIA

Amelia Cone L

Total fan height		Reference code																																																								
With included downrod (mm/in)		Family	Downrod Length (mm/in)	Diameter (mm/in)	Finish	Downrod Model																																																				
100/3,94"	400/15,75"	3T	02	200/7,87"	2	26/1,02"	1	White	05	Amelia																																																
200/7,87"	500/19,69"		03	300/11,81"							2	26/1,02"	1	White																																												
With optional downrod (mm/in)			04	400/15,74"	2	26/1,02"	1	White																																																		
wire included	500/19,69"		05	500/19,68"											2	26/1,02"	1	White																																								
	600/23,62"		06	600/23,62"															2	26/1,02"	1	White																																				
	700/27,56"		07	700/27,55"																			2	26/1,02"	1	White																																
	800/31,5"		08	800/31,49"																							2	26/1,02"	1	White																												
	900/35,43"		09	900/35,43"																											2	26/1,02"	1	White																								
	1000/39,37"		10	1000/39,37"																															2	26/1,02"	1	White																				
	1100/43,31"		12	1200/47,24"																																			2	26/1,02"	1	White																
	1200/47,24"		15	1500/59,05"																																							2	26/1,02"	1	White												
	1300/51,18"																																														2	26/1,02"	1	White								
	1500/59,06"																																																		2	26/1,02"	1	White				
	1800/70,87"																																																						2	26/1,02"	1	White
				4	Grey																																																					

Example: 3T062105 Accessory downrod 600mm Ø26 white for AMELIA

Andros

Total fan height		Reference code				
With included downrod (mm/in)		Finish				
230/9,06"	460/18,11"	White	Black	Brown	Nickel	
With optional downrod (mm/in)		34009	34012	34006	34000	
wire included	830/32,68"	34010	34013	34007	34001	
	300/11,81"	34011	34014	34008	34002	
	1130/44,49"					
	400/15,74"					
	1430/56,3"					
	500/19,68"					

Barth, Saint

Total fan height

With included downrod (mm/in)	
152/5,98"	290/11,42"
With optional downrod (mm/in)	
wire included	
338/13,31"	
438/17,24"	
538/21,18"	
638/25,12"	
738/29,06"	
838/32,99"	
938/36,93"	
1038/40,87"	
1138/44,8"	
1338/52,68"	
1638/64,49"	
1938/76,3"	

Reference code

Family	Downrod Length (mm/in)	Diameter (mm/in)	Finish	Downrod Model
3T	02	200/7,87"	1 White 2 Black	00 Universal 26mm
	03	300/11,81"		
	04	400/15,74"		
	05	500/19,68"		
	06	600/23,62"		
	07	700/27,55"		
	08	800/31,49"		
	09	900/35,43"		
	10	1000/39,37"		
	12	1200/47,24"		
	15	1500/59,05"		
	18	1800/70,87"		
	2	26/1,02"		

Example: Accessory downrod 600mm Ø26 white universal

Bigwood



Total fan height

With included downrod (mm/in)	
100/3,94"	270/10,63"
With optional downrod (mm/in)	
wire included	
480/18,9"	
580/22,83"	
680/26,77"	
780/30,71"	
880/34,65"	
980/38,58"	
1080/42,52"	
1180/46,46"	
1380/54,33"	
1680/66,14"	
1980/77,95"	

Reference code

Family	Downrod Length (mm/in)	Diameter (mm/in)	Finish	Downrod Model
3T	03	300/11,81"	1 White 2 Black	00 Universal 26mm
	04	400/15,74"		
	05	500/19,68"		
	06	600/23,62"		
	07	700/27,55"		
	08	800/31,49"		
	09	900/35,43"		
	10	1000/39,37"		
	12	1200/47,24"		
	15	1500/59,05"		
	18	1800/70,87"		
	2	26/1,02"		

Example: 3T102200 Accessory downrod 1000mm Ø26 black universal

Cruiser, Rudder

Total fan height

With included downrod (mm/in)		With light
100/3,94"	232/9,13"	276/10,87"
With optional downrod (mm/in)		
wire included		
332/13,07"	376/14,8"	
432/17,01"	476/18,74"	
532/20,94"	576/22,68"	
632/24,88"	676/26,61"	
732/28,82"	776/30,55"	
832/32,76"	876/34,49"	
932/36,69"	976/38,43"	
1032/40,63"	1076/42,36"	
1132/44,57"	1176/46,3"	
1332/52,44"	1376/54,17"	
1632/64,25"	1676/65,98"	
1932/76,06"	1976/77,8"	

Reference code

Family	Downrod Length (mm/in)	Diameter (mm/in)	Finish	Downrod Model
3T	02	200/7,87"	1 White 2 Black	00 Universal 26mm
	03	300/11,81"		
	04	400/15,74"		
	05	500/19,68"		
	06	600/23,62"		
	07	700/27,55"		
	08	800/31,49"		
	09	900/35,43"		
	10	1000/39,37"		
	12	1200/47,24"		
	15	1500/59,05"		
	18	1800/70,87"		
	2	26/1,02"		

Example: 3T062100 Accessory downrod 600mm Ø26 white universal

Total fan height

With included downrod (mm/in)	
152/5,98"	510/20,08"
With optional downrod (mm/in)	
wire included	558/21,97"
	658/25,91"
	758/29,84"
	858/33,78"
	958/37,72"
	1058/41,65"
	1158/45,59"
	1258/49,53"
	1358/53,46"
	1558/61,34"
	1858/73,15"

Reference code

Family	Downrod Length (mm/in)	Diameter (mm/in)	Finish	Downrod Model		
3T	02	200/7,87"	1 21/0,82"	3 Brown 7 Old Gold		
	03	300/11,81"				
	04	400/15,74"				
	05	500/19,68"				
	06	600/23,62"				
	07	700/27,55"				
	08	800/31,49"				
	09	900/35,43"				
	10	1000/39,37"				
	12	1200/47,24"				
	15	1500/59,05"				
						13 Cuba

Example: 3T041313 Accessory downrod 400mm Ø21 brown for CUBA

Gotland

Total fan height

With included downrod (mm/in)	
152/5,98"	255/10,04"
With optional downrod (mm/in)	
wire included	303/11,93"
	403/15,87"
	503/19,8"
	603/23,74"
	703/27,68"
	803/31,61"
	903/35,55"
	1003/39,49"
	1103/43,43"
	1303/51,3"
	1603/63,11"

Reference code

Family	Downrod Length (mm/in)	Diameter (mm/in)	Finish	Downrod Model		
3T	02	200/7,87"	1 21/0,82"	1 White 2 Black		
	03	300/11,81"				
	04	400/15,74"				
	05	500/19,68"				
	06	600/23,62"				
	07	700/27,55"				
	08	800/31,49"				
	09	900/35,43"				
	10	1000/39,37"				
	12	1200/47,24"				
	15	1500/59,05"				
						11 Gotland

Example: 3T051211 Accessory downrod 500mm Ø21 black for GOTLAND

Hey, Heywood

Total fan height

With included downrod (mm/in)		
100/3,94"	243/9,57"	270/10,63"
With optional downrod (mm/in)		
wire included	343/13,5"	370/14,57"
	443/17,44"	470/18,5"
	543/21,38"	570/22,44"
	643/25,31"	670/26,38"
	743/29,25"	770/30,31"
	843/33,19"	870/34,25"
	943/37,13"	970/38,19"
	1043/41,06"	1070/42,13"
	1143/45"	1170/46,06"
	1343/52,87"	1370/53,94"
	1643/64,69"	1670/65,75"
	1943/76,5"	1970/77,56"

Reference code

Family	Downrod Length (mm/in)	Diameter (mm/in)	Finish	Downrod Model		
3T	02	200/7,87"	2 26/1,02"	1 White 2 Black		
	03	300/11,81"				
	04	400/15,74"				
	05	500/19,68"				
	06	600/23,62"				
	07	700/27,55"				
	08	800/31,49"				
	09	900/35,43"				
	10	1000/39,37"				
	12	1200/47,24"				
	15	1500/59,05"				
	18	1800/70,87"				
						00 Universal 26mm

Example: 3T062100 Accessory downrod 600mm Ø26 white universal

Just Deco Copper Fan M, S

Total fan height

With included downrod (mm/in)

100/3,94"	290/11,42"	324/12,76"
200/7,87"	390/15,35"	424/16,69"
460/18,11"	640/25,2"	674/26,54"

With optional downrod (mm/in)

wire included	490/19,29"	524/20,63"
	590/23,23"	624/24,57"
	690/27,17"	724/28,5"
	790/31,1"	824/32,44"
	890/35,04"	924/36,38"
	990/38,98"	1024/40,31"
	1090/42,91"	1124/44,25"
	1190/46,85"	1224/48,19"
	1390/54,72"	1424/56,06"
	1690/66,54"	1724/67,87"

Reference code

Family	Downrod Length (mm/in)	Diameter (mm/in)	Finish	Downrod Model
3T	03 300/11,81"	2 26/1,02"	0 Copper	03 Just Deco Copper Fan
	04 400/15,74"		1 White	
	05 500/19,68"		2 Black	
	06 600/23,62"		5 Chrome	
	07 700/27,55"		7 Old Gold	
	08 800/31,49"			
	09 900/35,43"			
	10 1000/39,37"			
	12 1200/47,24"			

Example: 3T082503 Accessory chrome downrod 800mm Ø26 for JUST DECO COPPER

Just Fan XL

Total fan height

With included downrod (mm/in)

100/3,94"	290/11,42"
200/7,87"	390/15,35"
460/18,11"	640/25,2"

With optional downrod (mm/in)

wire included	790/31,1"
	890/35,04"
	990/38,98"
	1090/42,91"
	1190/46,85"
	1390/54,72"
	1690/66,54"
	1990/78,35"

Reference code

Family	Downrod Length (mm/in)	Diameter (mm/in)	Finish	Downrod Model
	06 600/23,62"	2 26/1,02"	2 Black	04 Just Fan XL
	07 700/27,55"			
	08 800/31,49"			
	09 900/35,43"			
	10 1000/39,37"			
	12 1200/47,24"			
	15 1500/59,05"			
	18 1800/70,87"			

Example: 3T062204 Accessory downrod 600mm Ø26 black for JUST FAN XL

Kauai

Total fan height

With included downrod (mm/in)

125/4,92"	480/18,9"
250/9,84"	605/23,82"

With optional downrod (mm/in)

wire included	755/29,72"
	855/33,66"
	955/37,6"
	1055/41,54"
	1155/45,47"
	1255/49,41"
	1355/53,35"
	1555/61,22"
	1855/73,03"

Reference code

Family	Downrod Length (mm/in)	Diameter (mm/in)	Finish	Downrod Model
3T	03 300/11,81"	2 26/1,02"	1 White	00 Universal 26mm
	04 400/15,74"		3 Brown	
	05 500/19,68"			
	06 600/23,62"			
	07 700/27,55"			
	08 800/31,49"			
	09 900/35,43"			
	10 1000/39,37"			
	12 1200/47,24"			
	15 1500/59,05"			

Example: 3T062100 Accessory downrod 600mm Ø26 white universal

Klim

Total fan height			Reference code					
With included downrod (mm/in)		With Light	Family	Downrod Length (mm/in)	Diameter (mm/in)	Finish	Downrod Model	
100/3,94"	336/13,23"	408/16,06"						
With optional downrod (mm/in)			3T	02	200/7,87"	1 21/0,82"	1 White 2 Black	00 Universal 26mm
wire included	436/17,17"	508/20"		03	300/11,81"			
	536/21,1"	608/23,94"		04	400/15,74"			
	636/25,04"	708/27,87"		05	500/19,68"			
	736/28,98"	808/31,81"		06	600/23,62"			
	836/32,91"	908/35,75"		07	700/27,55"			
	936/36,85"	1008/39,69"		08	800/31,49"			
	1036/40,79"	1108/43,62"		09	900/35,43"			
	1136/44,72"	1208/47,56"		10	1000/39,37"			
	1236/48,66"	1308/51,5"		12	1200/47,24"			
	1436/56,54"	1508/59,37"		15	1500/59,05"			
	1736/68,35"	1808/71,18"		18	1800/70,87"			
	2036/80,16"	2108/82,99"						

Example: 3T062100 Accessory downrod 600mm Ø26 white universal

Lantau L DC

Total fan height			Reference code					
With included downrod (mm/in)			Family	Downrod Length (mm/in)	Diameter (mm/in)	Finish	Downrod Model	
153/6,02"	330/12,99"							
With optional downrod (mm/in)			3T	02	200/7,87"	1 21/0,82"	1 White 2 Black 3 Brown 6 Satin Nickel	09 Lantau DC
wire included	377/14,84"	477/18,78"		03	300/11,81"			
	477/18,78"	577/22,72"		04	400/15,74"			
	577/22,72"	677/26,65"		05	500/19,68"			
	677/26,65"	777/30,59"		06	600/23,62"			
	777/30,59"	877/34,53"		07	700/27,55"			
	877/34,53"	977/38,46"		08	800/31,49"			
	977/38,46"	1077/42,4"		09	900/35,43"			
	1077/42,4"	1177/46,34"		10	1000/39,37"			
	1177/46,34"	1377/54,21"		12	1200/47,24"			
	1377/54,21"	1677/66,02"		15	1500/59,05"			
	1677/66,02"							

Example: 3T051209 Accessory downrod 500mm Ø21 black Lantau DC

Lantau L led DC

Total fan height			Reference code					
With included downrod (mm/in)			Family	Downrod Length (mm/in)	Diameter (mm/in)	Finish	Downrod Model	
153/6,02"	390/15,35"							
With optional downrod (mm/in)			3T	02	200/7,87"	1 21/0,82"	6 Satin Nickel	10 Lantau DC Led
wire included	437/17,2"	537/21,14"		03	300/11,81"			
	537/21,14"	637/25,08"		04	400/15,74"			
	637/25,08"	737/29,02"		05	500/19,68"			
	737/29,02"	837/32,95"		06	600/23,62"			
	837/32,95"	937/36,89"		07	700/27,55"			
	937/36,89"	1037/40,83"		08	800/31,49"			
	1037/40,83"	1137/44,76"		09	900/35,43"			
	1137/44,76"	1237/48,7"		10	1000/39,37"			
	1237/48,7"	1437/56,57"		12	1200/47,24"			
	1437/56,57"	1737/68,39"		15	1500/59,05"			
	1737/68,39"							

Example: 3T051610 Accessory downrod 500mm Ø21 Satin Nickel Lantau DC led

Lantau XL DC

Total fan height			Reference code					
With included downrod (mm/in)		With light	Family	Downrod Length (mm/in)	Diameter (mm/in)	Finish	Downrod Model	
153/6,02"	395/15,55"	410/16,14"						
With optional downrod (mm/in)	442/17,4"	457/17,99"	3T	02	200/7,87"	1 21/0,82"	6 Satin Nickel	
wire included	542/21,34"	557/21,93"		03	300/11,81"			09 Lantau DC
	642/25,28"	657/25,87"		04	400/15,74"			
	742/29,21"	757/29,8"		05	500/19,68"			
	842/33,15"	857/33,74"		06	600/23,62"			
	942/37,09"	957/37,68"		07	700/27,55"			
	1042/41,02"	1057/41,61"		08	800/31,49"			
	1142/44,96"	1157/45,55"		09	900/35,43"			
	1242/48,9"	1257/49,49"		10	1000/39,37"			
	1442/56,77"	1457/57,36"		12	1200/47,24"			
	1742/68,58"	1757/69,17"		15	1500/59,05"			

Example: 3T051610 Accessory downrod 500mm Ø21 Satin Nickel Lantau DC led

Luzon DC

Total fan height			Reference code					
With included downrod (mm/in)		With light	Family	Downrod Length (mm/in)	Diameter (mm/in)	Finish	Downrod Model	
152/5,98"	285/11,22"							
With optional downrod (mm/in)	333/13,11"		3T	02	200/7,87"	1 21/0,82"	1 White	
wire included	433/17,05"			03	300/11,81"			06 Luzon DC
	533/20,98"			04	400/15,74"			
	633/24,92"			05	500/19,68"			
	733/28,86"			06	600/23,62"			
	833/32,8"			07	700/27,55"			
	933/36,73"			08	800/31,49"			
	1033/40,67"			09	900/35,43"			
	1133/44,61"			10	1000/39,37"			
	1333/52,48"			12	1200/47,24"			
	1633/64,29"			15	1500/59,05"			

Example: 3T061106 Accessory downrod 600mm Ø21 white Luzon DC

Mallorca L, Mini Mallorca S DC

Total fan height			Reference code					
With included downrod (mm/in)		With light	Family	Downrod Length (mm/in)	Diameter (mm/in)	Finish	Downrod Model	
152/5,98"	310/12,2"							
With optional downrod (mm/in)	358/14,09"		3T	02	200/7,87"	2 26/1,02"	1 White	
wire included	458/18,03"			03	300/11,81"			00 Universal 26mm
	558/21,97"			04	400/15,74"			
	658/25,91"			05	500/19,68"			
	758/29,84"			06	600/23,62"			
	858/33,78"			07	700/27,55"			
	958/37,72"			08	800/31,49"			
	1058/41,65"			09	900/35,43"			
	1158/45,59"			10	1000/39,37"			
	1358/53,46"			12	1200/47,24"			
	1658/65,28"			15	1500/59,05"			
	1958/77,09"			18	1800/70,87"			

Example: 3T062100 Accessory downrod 600mm Ø26 white universal

Marine

Total fan height		Reference code					
With included downrod (mm/in)		Family	Downrod Length (mm/in)	Diameter (mm/in)	Finish	Downrod Model	
100/3,94"	245/9,65"	3T	02	200/7,87"	2 26/1,02"	1 White 3 Brown	01 Universal 26mm seaside
With optional downrod (mm/in)	345/13,58"		03	300/11,81"			
wire included	445/17,52"		04	400/15,74"			
	545/21,46"		05	500/19,68"			
	645/25,39"		06	600/23,62"			
	745/29,33"		07	700/27,55"			
	845/33,27"		08	800/31,49"			
	945/37,2"		09	900/35,43"			
	1045/41,14"		10	1000/39,37"			
	1145/45,08"		12	1200/47,24"			
	1345/52,95"		15	1500/59,05"			
	1645/64,76"		18	1800/70,87"			
	1945/76,57"						

Example: 3T062101 Accessory downrod 600mm Ø26 white universal seaside

Mini Lantau DC

Total fan height		Reference code					
With included downrod (mm/in)		Family	Downrod Length (mm/in)	Diameter (mm/in)	Finish	Downrod Model	
153/6,02"	330/12,99"	3T	02	1 21/0,82"	2 Black 6 Satin Nickel	09 Lantau DC	
With optional downrod (mm/in)	377/14,84"		03				300/11,81"
wire included	477/18,78"		04				400/15,74"
	577/22,72"		05				500/19,68"
	677/26,65"		06				600/23,62"
	777/30,59"		07				700/27,55"
	877/34,53"		08				800/31,49"
	977/38,46"		09				900/35,43"
	1077/42,4"		10				1000/39,37"
	1177/46,34"		12				1200/47,24"
	1377/54,21"		15				1500/59,05"
	1677/66,02"						

Example: 3T051209 Accessory downrod 500mm Ø21 black Lantau DC

Mini Punt S

Total fan height			Reference code					
With included downrod (mm/in)	With light		Family	Downrod Length (mm/in)	Diameter (mm/in)	Finish	Downrod Model	
100/3,94"	235/9,25"	263/10,35"	3T	02	2 26/1,02"	1 White 2 Black	00 Universal 26mm	
With optional downrod (mm/in)	335/13,19"	363/14,29"		03				300/11,81"
wire included	435/17,13"	463/18,23"		04				400/15,74"
	535/21,06"	563/22,17"		05				500/19,68"
	635/25"	663/26,1"		06				600/23,62"
	735/28,94"	763/30,04"		07				700/27,55"
	835/32,87"	863/33,98"		08				800/31,49"
	935/36,81"	963/37,91"		09				900/35,43"
	1035/40,75"	1063/41,85"		10				1000/39,37"
	1135/44,69"	1163/45,79"		12				1200/47,24"
	1335/52,56"	1363/53,66"		15				1500/59,05"
	1635/64,37"	1663/65,47"		18				1800/70,87"
	1935/76,18"	1963/77,28"						

Example: 3T062100 Accessory downrod 600mm Ø26 white universal

Morea

Total fan height

With included downrod (mm/in)	
152/5,98"	280/11,02"
With optional downrod (mm/in)	
wire included	
328/12,91"	
428/16,85"	
528/20,79"	
628/24,72"	
728/28,66"	
828/32,6"	
928/36,54"	
1028/40,47"	
1128/44,41"	
1328/52,28"	
1628/64,09"	

Reference code

Family	Downrod Length (mm/in)	Diameter (mm/in)	Finish	Downrod Model
3T	02 200/7,87"	1 21/0,82"	3 Brown	12 Morea
	03 300/11,81"			
	04 400/15,74"			
	05 500/19,68"			
	06 600/23,62"			
	07 700/27,55"			
	08 800/31,49"			
	09 900/35,43"			
	10 1000/39,37"			
	12 1200/47,24"			
	15 1500/59,05"			

Example: 3T041312 Accessory downrod 400mm Ø21 brown Morea

Nassau

Total fan height

With included downrod (mm/in)	
225/8,86"	400/15,75"
With optional downrod (mm/in)	
wire included	
1200/47,24"	
1375/54,13"	

Reference code

Finish	Reference code
White	33488
Brown	33479

Outwood

NEW

Total fan height

With included downrod (mm/in)		
100/3,94"	265/10,43"	430/16,93"
With optional downrod (mm/in)		
wire included		
365/14,37"	530/20,87"	
465/18,31"	630/24,8"	
565/22,24"	730/28,74"	
665/26,18"	830/32,68"	
765/30,12"	930/36,61"	
865/34,06"	1030/40,55"	
965/37,99"	1130/44,49"	
1065/41,93"	1230/48,43"	
1165/45,87"	1330/52,36"	
1365/53,74"	1530/60,24"	
1665/65,55"	1830/72,05"	
1965/77,36"	2130/83,86"	

Reference code

Family	Downrod Length (mm/in)	Diameter (mm/in)	Finish	Downrod Model
3T	02 200/7,87"	2 26/1,02"	1 White	01 Universal 26mm seaside
	03 300/11,81"		3 Brown	
	04 400/15,74"			
	05 500/19,68"			
	06 600/23,62"			
	07 700/27,55"			
	08 800/31,49"			
	09 900/35,43"			
	10 1000/39,37"			
	12 1200/47,24"			
	15 1500/59,05"			
	18 1800/70,87"			

Example: 3T062101 Accessory downrod 600mm Ø26 white universal seaside

Palma

Total fan height			Reference code								
With included downrod (mm/in)		With light	Family	Downrod Length (mm/in)	Diameter (mm/in)	Finish	Downrod Model				
100/3,94"	280/11,02"	412/16,22"									
With optional downrod (mm/in)			3T	02	200/7,87"	2	26/1,02"	3	Brown	01	Universal 26mm seaside
wire included	380/14,96"	512/20,16"		03	300/11,81"						
	480/18,9"	612/24,09"		04	400/15,74"						
	580/22,83"	712/28,03"		05	500/19,68"						
	680/26,77"	812/31,97"		06	600/23,62"						
	780/30,71"	912/35,91"		07	700/27,55"						
	880/34,65"	1012/39,84"		08	800/31,49"						
	980/38,58"	1112/43,78"		09	900/35,43"						
	1080/42,52"	1212/47,72"		10	1000/39,37"						
	1180/46,46"	1312/51,65"		12	1200/47,24"						
	1380/54,33"	1512/59,53"		15	1500/59,05"						
	1680/66,14"	1812/71,34"		18	1800/70,87"						
	1980/77,95"	2112/83,15"									

Example: 3T042301 Accessory downrod 400mm Ø26 brown universal seaside

Poros



Total fan height			Reference code								
With included downrod (mm/in)		With light	Family	Downrod Length (mm/in)	Diameter (mm/in)	Finish	Downrod Model				
152/5,98"	372/14,65"										
With optional downrod (mm/in)			3T	02	200/7,87"	1	21/0,82"	1	White	14	Poros
wire included	420/16,54"	512/20,16"		03	300/11,81"						
	520/20,47"	612/24,09"		04	400/15,74"						
	620/24,41"	712/28,03"		05	500/19,68"						
	720/28,35"	812/31,97"		06	600/23,62"						
	820/32,28"	912/35,91"		07	700/27,55"						
	920/36,22"	1012/39,84"		08	800/31,49"						
	1020/40,16"	1112/43,78"		09	900/35,43"						
	1120/44,09"	1212/47,72"		10	1000/39,37"						
	1220/48,03"	1312/51,65"		12	1200/47,24"						
	1420/55,91"	1512/59,53"		15	1500/59,05"						
	1720/67,72"	1812/71,34"									

Example: 3T051114 Accessory downrod 500mm Ø21 white Poros

Punt M

Total fan height			Reference code								
With included downrod (mm/in)		With light	Family	Downrod Length (mm/in)	Diameter (mm/in)	Finish	Downrod Model				
100/3,94"	254/10"	277/10,91"									
With optional downrod (mm/in)			3T	02	200/7,87"	2	26/1,02"	1	White	00	Universal 26mm
wire included	354/13,94"	377/14,84"		03	300/11,81"						
	454/17,87"	477/18,78"		04	400/15,74"						
	554/21,81"	577/22,72"		05	500/19,68"						
	654/25,75"	677/26,65"		06	600/23,62"						
	754/29,69"	777/30,59"		07	700/27,55"						
	854/33,62"	877/34,53"		08	800/31,49"						
	954/37,56"	977/38,46"		09	900/35,43"						
	1054/41,5"	1077/42,4"		10	1000/39,37"						
	1154/45,43"	1177/46,34"		12	1200/47,24"						
	1354/53,31"	1377/54,21"		15	1500/59,05"						
	1654/65,12"	1677/66,02"		18	1800/70,87"						
	1954/76,93"	1977/77,83"									

Example: 3T062100 Accessory downrod 600mm Ø26 white universal

Rotterdam



Total fan height

With included downrod (mm/in)	
127/5"	270/10,63"
305/12,01"	455/17,91"
With optional downrod (mm/in)	
wire included	543/21,38"
	643/25,31"
	743/29,25"
	843/33,19"
	943/37,13"
	1043/41,06"
	1143/45"
	1343/52,87"
	1643/64,69"

Reference code

Family	Downrod Length (mm/in)	Diameter (mm/in)	Finish	Downrod Model	
3T	04	400/15,74"	2 26/1,02"	1 White	00 Universal 26mm
	05	500/19,68"			
	06	600/23,62"			
	07	700/27,55"			
	08	800/31,49"			
	09	900/35,43"			
	10	1000/39,37"			
	12	1200/47,24"			
	15	1500/59,05"			

Example: 3T062100 Accessory downrod 600mm Ø26 white universal

Sfera

Total fan height

With included downrod (mm/in)		With light
100/3,94"	248/9,76"	277/10,91"
With optional downrod (mm/in)		
wire included	348/13,7"	377/14,84"
	448/17,64"	477/18,78"
	548/21,57"	577/22,72"
	648/25,51"	677/26,65"
	748/29,45"	777/30,59"
	848/33,39"	877/34,53"
	948/37,32"	977/38,46"
	1048/41,26"	1077/42,4"
	1148/45,2"	1177/46,34"
	1348/53,07"	1377/54,21"
	1648/64,88"	1677/66,02"
	1948/76,69"	1977/77,83"

Reference code

Family	Downrod Length (mm/in)	Diameter (mm/in)	Finish	Downrod Model	
3T	02	200/7,87"	2 26/1,02"	1 White	00 Universal 26mm
	03	300/11,81"			
	04	400/15,74"			
	05	500/19,68"			
	06	600/23,62"			
	07	700/27,55"			
	08	800/31,49"			
	09	900/35,43"			
	10	1000/39,37"			
	12	1200/47,24"			
	15	1500/59,05"			
	18	1800/70,87"			

Example: 3T062100 Accessory downrod 600mm Ø26 white universal

Typhoon

Total fan height

With included downrod (mm/in)	390/15,35"
153/6,02"	390/15,35"
With optional downrod (mm/in)	437/17,2"
wire included	537/21,14"
	637/25,08"
	737/29,02"
	837/32,95"
	937/36,89"
	1037/40,83"
	1137/44,76"
	1237/48,7"
	1437/56,57"
	1737/68,39"
	2037/80,2"

Reference code

Family	Downrod Length (mm/in)	Diameter (mm/in)	Finish	Downrod Model
3T	02 200/7,87"	1 21/0,82"	1 White	08 Typhoon
	03 300/11,81"		3 Brown	
	04 400/15,74"			
	05 500/19,68"			
	06 600/23,62"			
	07 700/27,55"			
	08 800/31,49"			
	09 900/35,43"			
	10 1000/39,37"			
	12 1200/47,24"			
	15 1500/59,05"			
	18 1800/70,87"			

Example: 3T071308 Accessory downrod 700mm Ø21 brown Typhoon

Winche

Total fan height

With included downrod (mm/in)	390/15,35"
153/6,02"	390/15,35"
With optional downrod (mm/in)	437/17,2"
wire included	537/21,14"
	637/25,08"
	737/29,02"
	837/32,95"
	937/36,89"
	1037/40,83"
	1137/44,76"
	1237/48,7"
	1437/56,57"
	1737/68,39"
	2037/80,2"

Reference code

Family	Downrod Length (mm/in)	Diameter (mm/in)	Finish	Downrod Model
3T	02 200/7,87"	1 21/0,82"	2 Black	07 Winche
	03 300/11,81"			
	04 400/15,74"			
	05 500/19,68"			
	06 600/23,62"			
	07 700/27,55"			
	08 800/31,49"			
	09 900/35,43"			
	10 1000/39,37"			
	12 1200/47,24"			
	15 1500/59,05"			
	18 1800/70,87"			

Example: 3T071207 Accessory downrod 700mm Ø21 black Winche

INTEGRATION IN AUTOMATION

Fan gateway 0-10V/1-10V



34162

Gateway for integration of home automation systems for Faro Smart fans (speed and light). It allows integration with KNX, LUTRON, BACnet, CASAMBI and other systems by means of 0-10V/1-10V control.


The installation of this device may be for one fan or group of fans with unitary operation with a maximum of 128 fans per gateway unit.

Universal Receiver



34160

Universal dimmable receiver for programming adaptations in FARO WP fans and development of home automation integration projects with integration gateway 0-10V/ 1-10V ref.34162.



Compatible Fans

*To view the fan specifications, go to the final index and locate the corresponding model.

Alo DC	33399DWP-10	33425WP	Mallorca	33393WP	34356WP-1TW
33728DCWP	33394DWP-9	33424WP	33350DCWP	32042WP	34295WP
33727DCWP	33395DWP-10	33428WP		32043WP	34295WP-1TW
33719DCWP	33398DWP-10	33429WP	Marine	32040WP	34296WP-1TW
33718DCWP		33423WP-10	34274WP	32041WP	34296WP
	Eterfan	33427WP-10	34275WP	32038WP-9	
Amelia	33381WP	33426WP-9		32039WP-9	Sfera
33760WP-25	33381WP-9	33425WP-10	Milos	32040WP-10	34270WP
33760WP	32000WP-9	33424WP-10	34100WP	32041WP-10	34271WP
33760WP-22	32000WP	33428WP-10		32043WP-10	
33762WP-24	32001WP	33429WP-10	Mini Eterfan	32042WP-10	Tube fan
33762WP-27	32002WP		32020WP	33393WP-9	32033WP
33762WP	32004WP	Kauai	33382WP		32034WP
33761WP-26	32006WP	34201WPA	32026WP	Morea	33374WP
33761WP-23	32003WP	34200WPA	32028WP	33511WP	32035WP
33761WP	32005WP		32027WP	33519WP	32037WP
	32001WP-9	Klim	32030WP		32060WP
Attos	32002WP-10	34279WP-11L	32029WP	Nassau	32036WP
33494WP	32004WP-10	34279WP	32020WP-9	33487WP	32033WP-9
33495WP	32006WP-10	34276WP-11L	32025WP-9	33478WP	32034WP-9
	32006WP-10	34276WP	32025WP		33374WP-9
Century	32003WP-10	34282WP-11L	33382WP-9	Nuu	32035WP-10
33553WPA	32005WP-9	34282WP	32026WP-10	33722WP	32036WP-10
		34280WP-11L	32028WP-10		32037WP-10
Cocos	Fraser	34280WP	32030WP-10	Outwood	32060WP-10
33548WP	33756WP	34277WP-11L	32027WP-10	34361WP-11L	
		34277WP	32029WP-9	34361WP	Typhoon
Copper	Gotland	34283WP-11L		34362WP-11L	34105WP-130
33451WP	33446WP	34283WP	Mini Lantau DC	34362WP	34106WP-130
	33447WP	34283WP	33517DCWP	34360WP-11L	33480WP
Cruiser	Hvar	34281WP-11L	33508DCWP	34360WP	34105WP
34290WP-1TW	34300WP	34281WP	33509DCWP	34363WP-11L	33490WP
34290WP		34278WP-11L	33603DCWP	34363WP	34106WP
34286WP-1TW	Just Fan	34278WP			33480WP-14
34286WP	33399WP	34284WP-11L	Mini Punt	Palma	33490WP-16
34291WP-1TW	33394WP	34284WP	33820WP-1TW	34301WP-11L	
34291WP	33394WP		33821WP-1TW	34301WP	Winche
34288WP-1TW	33395WP	Klover	33820WP		33482WP-8
34288WP	32100WP	34315WP	33821WP	Polaris	33482WP
34285WP-1TW	33398WP		33821WP	33346WP	33481WP-7
34285WP	32101WP	Lantau DC	33823WP-1TW	Polea	33481WP
34289WP-1TW	32110WP	33561DCWP	33822WP-1TW	33724WP	
34289WP	33399WP-10	33562DCWP	33823WP		Poros
34292WP-1TW	33418WP	33516DCWP	33822WP	33524WP	33527WP
34292WP	33418WP-10	33518DCWP	33833WP-1TW		
34287WP-1TW	33394WP-9	33370DCWP	33832WP-1TW	Rudder	
34287WP	33395WP-10	33373DCWP	33833WP	34297WP-1TW	
34293WP-1TW	32100WP-10	33560DCWP	33832WP	34297WP	
34293WP	33417WP-10	33504DCWP	33833WP	34298WP-1TW	
	33398WP-10	33463DCWP	33832WP	34298WP	
	33417WP	33464DCWP	33835WP-1TW	34355WP	
Deco fan	33417WP	33505DCWP	33835WP	34355WP-1TW	
33399DWP	33430WP		33834WP-1TW	34356WP	
33394DWP	33432WP	Luzon DC	33834WP		
33395DWP	33423WP	33750DCWP	Mini Tube		
33398DWP	33427WP		32038WP		
	33426WP		32039WP		

References index

Ref	Pag.	Ref	Pag.	Ref	Pag.
32000	137	32026	135	32037	145
32000-9	137	32026-10	135	32037-10	145
32000WP	228	32026WP	228	32037WP	228
32000WP-9	228	32026WP-10	228	32037WP-10	228
32000WW	137	32026WW	135	32037WW	145
32000WW-9	137	32026WW-10	135	32037WW-10	145
32001	137	32027	135	32038	143
32001-9	137	32027-10	135	32038-9	143
32001WP	228	32027WP	228	32038WP	228
32001WP-9	228	32027WP-10	228	32038WP-9	228
32001WW	137	32027WW	135	32038WW	143
32001WW-9	137	32027WW-10	135	32038WW-9	143
32002	137	32028	135	32039	143
32002-10	137	32028-10	135	32039-9	143
32002WP	228	32028WP	228	32039WP	228
32002WP-10	228	32028WP-10	228	32039WP-9	228
32002WW	137	32028WW	135	32039WW	143
32002WW-10	137	32028WW-10	135	32039WW-9	143
32003	137	32029	135	32040	143
32003-10	137	32029-9	135	32040-10	143
32003WP	228	32029WP	228	32040WP	228
32003WP-10	228	32029WP-9	228	32040WP-10	228
32003WW	137	32029WW	135	32040WW	143
32003WW-10	137	32029WW-9	135	32040WW-10	143
32004	137	32030	135	32041	143
32004-10	137	32030-10	135	32041-10	143
32004WP	228	32030WP	228	32041WP	228
32004WP-10	228	32030WP-10	228	32041WP-10	228
32004WW	137	32030WW	135	32041WW	143
32004WW-10	137	32030WW-10	135	32041WW-10	143
32005	137	32033	145	32042	143
32005-9	137	32033-9	145	32042-10	143
32005WP	228	32033WP	228	32042WP	228
32005WP-9	228	32033WP-9	228	32042WP-10	228
32005WW	137	32033WW	145	32042WW	143
32005WW-9	137	32033WW-9	145	32042WW-10	143
32006	137	32034	145	32043	143
32006-10	137	32034-9	145	32043-10	143
32006WP	228	32034WP	228	32043WP	228
32006WP-10	228	32034WP-9	228	32043WP-10	228
32006WW	137	32034WW	145	32043WW	143
32006WW-10	137	32034WW-9	145	32043WW-10	143
32020	135	32035	145	32060	145
32020-9	135	32035-10	145	32060-10	145
32020WP	228	32035WP	228	32060WP	228
32020WP-9	228	32035WP-10	228	32060WP-10	228
32020WW	135	32035WW	145	32060WW	145
32020WW-9	135	32035WW-10	145	32060WW-10	145
32025	135	32036	145	32100	139
32025-9	135	32036-10	145	32100-10	139
32025WP	228	32036WP	228	32100WP	228
32025WP-9	228	32036WP-10	228	32100WP-10	228
32025WW	135	32036WW	145	32100WW	139
32025WW-9	135	32036WW-10	145	32100WW-10	139

Ref	Pag.	Ref	Pag.	Ref	Pag.
32101	139	33394D	141	33418-10	139
32101WP	228	33394D-9	141	33418WP	228
32101WW	139	33394DWP	228	33418WP-10	228
32110	139	33394DWP-9	228	33418WW	139
32110WP	228	33394DWW	141	33418WW-10	139
32110WW	139	33394DWW-9	141	33423	201
33001	65	33394WPP	228	33423-10	201
33005	161	33394WPP-9	228	33423WPP	228
33111	63	33394WW	139	33423WPP-10	228
33179	203	33394WW-9	139	33423WW	201
33346	115	33395	139	33423WW-10	201
33346WPP	228	33395-10	139	33424	201
33346WT	115	33395D	141	33424-10	201
33346WW	115	33395D-10	141	33424WPP	228
33350DC	119	33395DWP	228	33424WPP-10	228
33350DCWPP	228	33395DWP-10	228	33424WW	201
33350DCWT	119	33395DWW	141	33424WW-10	201
33350DCWW	119	33395DWW-10	141	33425	201
33352	121	33395WPP	228	33425-10	201
33352B	121	33395WPP-10	228	33425WPP	228
33370DC	105	33395WW	139	33425WPP-10	228
33370DCWPP	228	33395WW-10	139	33425WW	201
33370DCWT	105	33398	139	33425WW-10	201
33370DCWW	105	33398-10	139	33426	201
33373DC	105	33398D	141	33426-9	201
33373DCWPP	228	33398D-10	141	33426WPP	228
33373DCWT	105	33398DWP	228	33426WPP-9	228
33373DCWW	105	33398DWP-10	228	33426WW	201
33374	145	33398DWW	141	33426WW-9	201
33374-9	145	33398DWW-10	141	33427	201
33374WPP	228	33398WPP	228	33427-10	201
33374WPP-9	228	33398WPP-10	228	33427WPP	228
33374WW	145	33398WW	139	33427WPP-10	228
33374WW-9	145	33398WW-10	139	33427WW	201
33381	137	33399	139	33427WW-10	201
33381-9	137	33399-10	139	33428	201
33381WPP	228	33399D	141	33428-10	201
33381WPP-9	228	33399D-10	141	33428WPP	228
33381WW	137	33399DWP	228	33428WPP-10	228
33381WW-9	137	33399DWP-10	228	33428WW	201
33382	135	33399DWW	141	33428WW-10	201
33382-9	135	33399DWW-10	141	33429	201
33382WPP	228	33399WPP	228	33429-10	201
33382WPP-9	228	33399WPP-10	228	33429WPP	228
33382WW	135	33399WW	139	33429WPP-10	228
33382WW-9	135	33399WW-10	139	33429WW	201
33393	143	33414A	35	33429WW-10	201
33393-9	143	33417	139	33430	41
33393WPP	228	33417-10	139	33430WPP	228
33393WPP-9	228	33417WPP	228	33430WW	41
33393WW	143	33417WPP-10	228	33432	41
33393WW-9	143	33417WW	139	33432WPP	228
33394	139	33417WW-10	139	33432WW	41
33394-9	139	33418	139	33446	101

Ref	Pag.	Ref	Pag.	Ref	Pag.
33446WP	228	33504DCWP	228	33561DCWT	105
33446WT	101	33504DCWT	43	33561DCWW	105
33446WW	101	33504DCWW	43	33562DC	105
33447	101	33505DC	43	33562DCWP	228
33447WP	228	33505DCWP	228	33562DCWT	105
33447WT	101	33505DCWT	43	33562DCWW	105
33447WW	101	33505DCWW	43	33603DC	165
33451	133	33508DC	163	33603DCWP	228
33451WP	228	33508DCWP	228	33603DCWT	165
33451WW	133	33508DCWT	163	33603DCWW	165
33460	109	33508DCWW	163	33703	181
33461A	35	33509DC	163	33715	209
33462A	35	33509DCWP	228	33718DC	51
33463DC	43	33509DCWT	163	33718DCWP	228
33463DCWP	228	33509DCWW	163	33718DCWT	51
33463DCWT	43	33511	53	33718DCWW	51
33463DCWW	43	33511WP	228	33719DC	51
33464DC	43	33511WT	53	33719DCWP	228
33464DCWP	228	33511WW	53	33719DCWT	51
33464DCWT	43	33516DC	105	33719DCWW	51
33464DCWW	43	33516DCWP	228	33722	107
33465A	35	33516DCWT	105	33722WP	228
33471N	117	33516DCWW	105	33722WW	107
33471N-3	117	33517DC	163	33724	111
33478	147	33517DCWP	228	33724WP	228
33478WP	228	33517DCWT	163	33724WW	111
33478WW	147	33517DCWW	163	33725	69
33480	127	33518DC	105	33726	69
33480-14	127	33518DCWP	228	33727DC	51
33480WP	228	33518DCWT	105	33727DCWP	228
33480WP-14	228	33518DCWW	105	33727DCWT	51
33480WW	127	33519	53	33727DCWW	51
33480WW-14	127	33519WP	228	33728DC	51
33481	149	33519WT	53	33728DCWP	228
33481-7	149	33519WW	53	33728DCWT	51
33481WP	228	33524	103	33728DCWW	51
33481WP-7	228	33524WP	228	33750DC	113
33481WW	149	33524WT	103	33750DCWP	228
33481WW-7	149	33524WW	103	33750DCWT	113
33487	147	33525	207	33750DCWW	113
33487WP	228	33527	103	33756	159
33487WW	147	33527WP	228	33756WP	228
33490	127	33527WT	103	33756WT	159
33490-16	127	33527WW	103	33756WW	159
33490WP	228	33548	67	33760	89
33490WP-16	228	33548WP	228	33760-22	91
33490WW	127	33548WW	67	33760-25	93
33490WW-16	127	33553A	45	33760WP	228
33494	33	33553AWW	45	33760WP-22	228
33494WP	228	33553WPA	228	33760WP-25	228
33494WW	33	33560DC	105	33760WT	89
33495	33	33560DCWP	228	33760WT-22	91
33495WP	228	33560DCWT	105	33760WT-25	93
33495WW	33	33560DCWW	105	33760WW	89
33496	27	33561DC	105	33760WW-22	91
33504DC	43	33561DCWP	228	33760WW-25	93

Ref	Pag.	Ref	Pag.	Ref	Pag.
33761	89	33820	185	33830	125
33761-23	91	33820-1TW	185	33830-1TW	125
33761-26	93	33820WP	228	33830WT	125
33761WP	228	33820WP-1TW	228	33830WT-1TW	125
33761WP-23	228	33820WT	185	33831	125
33761WP-26	228	33820WT-1TW	185	33831-1TW	125
33761WT	89	33820WW	185	33831WT	125
33761WT-23	91	33820WW-1TW	185	33831WT-1TW	125
33761WT-26	93	33821	185	33832	187
33761WW	89	33821-1TW	185	33832-1TW	187
33761WW-23	91	33821WP	228	33832WP	228
33761WW-26	93	33821WP-1TW	228	33832WP-1TW	228
33762	89	33821WT	185	33832WT	187
33762-24	91	33821WT-1TW	185	33832WT-1TW	187
33762-27	93	33821WW	185	33832WW	187
33762WP	228	33821WW-1TW	185	33832WW-1TW	187
33762WP-24	228	33822	185	33833	187
33762WP-27	228	33822-1TW	185	33833-1TW	187
33762WT	89	33822WP	228	33833WP	228
33762WT-24	91	33822WP-1TW	228	33833WP-1TW	228
33762WT-27	93	33822WT	185	33833WT	187
33762WW	89	33822WT-1TW	185	33833WT-1TW	187
33762WW-24	91	33822WW	185	33833WW	187
33762WW-27	93	33822WW-1TW	185	33833WW-1TW	187
33805	195	33823	185	33834	187
33805-1TW	195	33823-1TW	185	33834-1TW	187
33805WT	195	33823WP	228	33834WP	228
33805WT-1TW	195	33823WP-1TW	228	33834WP-1TW	228
33806	195	33823WT	185	33834WT	187
33806-1TW	195	33823WT-1TW	185	33834WT-1TW	187
33806WT	195	33823WW	185	33834WW	187
33806WT-1TW	195	33823WW-1TW	185	33834WW-1TW	187
33809	83	33824	189	33835	187
33809-1TW	83	33824-1TW	189	33835-1TW	187
33809WT	83	33824WT	189	33835WP	228
33809WT-1TW	83	33824WT-1TW	189	33835WP-1TW	228
33810	83	33825	189	33835WT	187
33810-1TW	83	33825-1TW	189	33835WT-1TW	187
33810WT	83	33825WT	189	33835WW	187
33810WT-1TW	83	33825WT-1TW	189	33835WW-1TW	187
33814	123	33826	191	33836	197
33814-20	123	33826-1TW	193	33836-1TW	199
33814WT	123	33826WT	191	33836WT	197
33814WT-20	123	33826WT-1TW	193	33836WT-1TW	199
33815	123	33827	191	33837	197
33815-21	123	33827-1TW	193	33837-1TW	199
33815WT	123	33827WT	191	33837WT	197
33815WT-21	123	33827WT-1TW	193	33837WT-1TW	199
33816	123	33828	125	33838	85
33816-20	123	33828-1TW	125	33838-1TW	87
33816WT	123	33828WT	125	33838WT	85
33816WT-20	123	33828WT-1TW	125	33838WT-1TW	87
33817	123	33829	125	33839	85
33817-21	123	33829-1TW	125	33839-1TW	87
33817WT	123	33829WT	125	33839WT	85
33817WT-21	123	33829WT-1TW	125	33839WT-1TW	87

Ref	Pag.	Ref	Pag.	Ref	Pag.
33928	213	34271	183	34281	177
33929	213	34271WP	228	34281-11L	179
33937	213	34271WT	183	34281WP	228
33974	213	34271WW	183	34281WP-11L	228
33987	210	34272	155	34281WT	177
33988	210	34272WT	155	34281WT-11L	179
34100	99	34273	155	34281WW	177
34100WP	228	34273WT	155	34281WW-11L	179
34100WW	99	34274	157	34282	59
34105	127	34274WP	228	34282-11L	61
34105-130	127	34274WT	157	34282WP	228
34105WP	228	34274WW	157	34282WP-11L	228
34105WP-130	228	34275	157	34282WT	59
34105WW	127	34275WP	228	34282WT-11L	61
34105WW-130	127	34275WT	157	34282WW	59
34106	127	34275WW	157	34282WW-11L	61
34106-130	127	34276	59	34283	151
34106WP	228	34276-11L	61	34283-11L	153
34106WP-130	228	34276WP	228	34283WP	228
34106WW	127	34276WP-11L	228	34283WP-11L	228
34106WW-130	127	34276WT	59	34283WT	151
34160	228	34276WT-11L	61	34283WT-11L	153
34162	228	34276WW	59	34283WW	151
34190	37	34276WW-11L	61	34283WW-11L	153
34190WT	37	34277	151	34284	177
34191	37	34277-11L	153	34284-11L	179
34191WT	37	34277WP	228	34284WP	228
34192	29	34277WP-11L	228	34284WP-11L	228
34192WT	29	34277WT	151	34284WT	177
34200A	31	34277WT-11L	153	34284WT-11L	179
34200AWT	31	34277WW	151	34284WW	177
34200AWW	31	34277WW-11L	153	34284WW-11L	179
34200WPA	228	34278	177	34285	171
34201A	31	34278-11L	179	34285-1TW	173
34201AWT	31	34278WP	228	34285WP	228
34201AWW	31	34278WP-11L	228	34285WP-1TW	228
34201WPA	228	34278WT	177	34285WT	171
34202	39	34278WT-11L	179	34285WT-1TW	173
34202-130	39	34278WW	177	34285WW	171
34203	39	34278WW-11L	179	34285WW-1TW	173
34203-130	39	34279	59	34286	79
34206	25	34279-11L	61	34286-1TW	81
34206-130	25	34279WP	228	34286WP	228
34207	25	34279WP-11L	228	34286WP-1TW	228
34207-130	25	34279WT	59	34286WT	79
34210	23	34279WT-11L	61	34286WT-1TW	81
34210-130	23	34279WW	59	34286WW	79
34211	23	34279WW-11L	61	34286WW-1TW	81
34211-130	23	34280	151	34287	47
34260	97	34280-11L	153	34287-1TW	49
34261	97	34280WP	228	34287WP	228
34265	95	34280WP-11L	228	34287WP-1TW	228
34270	183	34280WT	151	34287WT	47
34270WP	228	34280WT-11L	153	34287WT-1TW	49
34270WT	183	34280WW	151	34287WW	47
34270WW	183	34280WW-11L	153	34287WW-1TW	49

Ref	Pag.	Ref	Pag.	Ref	Pag.
34288	171	34296	167	34356WW	71
34288-1TW	173	34296-1TW	169	34356WW-1TW	73
34288WP	228	34296WP	228	34360	55
34288WP-1TW	228	34296WP-1TW	228	34360-11L	57
34288WT	171	34296WT	167	34360WP	228
34288WT-1TW	173	34296WT-1TW	169	34360WP-11L	228
34288WW	171	34296WW	167	34360WT	55
34288WW-1TW	173	34296WW-1TW	169	34360WT-11L	57
34289	171	34297	75	34360WW	55
34289-1TW	173	34297-1TW	77	34360WW-11L	57
34289WP	228	34297WP	228	34361	55
34289WP-1TW	228	34297WP-1TW	228	34361-11L	57
34289WT	171	34297WT	75	34361WP	228
34289WT-1TW	173	34297WT-1TW	77	34361WP-11L	228
34289WW	171	34297WW	75	34361WT	55
34289WW-1TW	173	34297WW-1TW	77	34361WT-11L	57
34290	79	34298	75	34361WW	55
34290-1TW	81	34298-1TW	77	34361WW-11L	57
34290WP	228	34298WP	228	34362	55
34290WP-1TW	228	34298WP-1TW	228	34362-11L	57
34290WT	79	34298WT	75	34362WP	228
34290WT-1TW	81	34298WT-1TW	77	34362WP-11L	228
34290WW	79	34298WW	75	34362WT	55
34290WW-1TW	81	34298WW-1TW	77	34362WT-11L	57
34291	79	34300	175	34362WW	55
34291-1TW	81	34300WP	228	34362WW-11L	57
34291WP	228	34300WT	175	34363	55
34291WP-1TW	228	34300WW	175	34363-11L	57
34291WT	79	34301	129	34363WP	228
34291WT-1TW	81	34301-11L	131	34363WP-11L	228
34291WW	79	34301WP	228	34363WT	55
34291WW-1TW	81	34301WP-11L	228	34363WT-11L	57
34292	47	34301WT	129	34363WW	55
34292-1TW	49	34301WT-11L	131	34363WW-11L	57
34292WP	228	34301WW	129	3L003	212
34292WP-1TW	228	34301WW-11L	131	3L004	212
34292WT	47	34303	213		
34292WT-1TW	49	34304	213		
34292WW	47	34315	205		
34292WW-1TW	49	34315WP	228		
34293	47	34315WT	205		
34293-1TW	49	34315WW	205		
34293WP	228	34355	71		
34293WP-1TW	228	34355-1TW	73		
34293WT	47	34355WP	228		
34293WT-1TW	49	34355WP-1TW	228		
34293WW	47	34355WT	71		
34293WW-1TW	49	34355WT-1TW	73		
34295	167	34355WW	71		
34295-1TW	169	34355WW-1TW	73		
34295WP	228	34356	71		
34295WP-1TW	228	34356-1TW	73		
34295WT	167	34356WP	228		
34295WT-1TW	169	34356WP-1TW	228		
34295WW	167	34356WT	71		
34295WW-1TW	169	34356WT-1TW	73		

Alphabetical index

Alo	ø1520/59.8"	<i>with light</i>	51	Hydra	ø1330/52.4"	<i>with light</i>	69	Outwood	ø1320/52"	55	
Alo	ø1520/59.8"		51	Ice	ø1320/52"	<i>with light</i>	109	Palao	ø810/31.9"	<i>with light</i>	203
Amelia	ø1320/52"		89	Indus	ø1400/55.1"		65	Palma	ø1290/50.8"	<i>with light</i>	131
Amelia Ball	ø1320/52"	<i>with light</i>	93	Just Fan M	ø1280/50.4"	<i>with light</i>	139	Palma	ø1290/50.8"		129
Amelia Cone	ø1320/52"	<i>with light</i>	91	Just Fan M	ø1280/50.4"		139	Pemba	ø1320/52"	<i>with light</i>	117
Andros	ø2130/83.9"		35	Just Fan S	ø810/31.9"	<i>with light</i>	201	Pemba	ø1320/52"		117
Attos	ø2130/83.9"	<i>with light</i>	33	Just Fan S	ø810/31.9"		201	Polaris	ø1320/52"	<i>with light</i>	115
Barth	ø1320/52"	<i>with light</i>	97	Just Fan XL	ø1780/70.1"		41	Polea	ø1320/52"		111
Bigwood 20	ø2000/78.7"		37	Kauai	ø2400/94.5"		31	Poros	ø1320/52"	<i>with light</i>	103
Bigwood 24	ø2400/94.5"		29	Keiki	ø430/16.9"		209	Punt M	ø1300/51.2"	<i>with light</i>	123
Century	ø1650/65"	<i>with light</i>	45	Klim L	ø1500/59.1"	<i>with light</i>	61	Punt M	ø1300/51.2"		123
Chicago	ø915/36"	<i>with light</i>	181	Klim L	ø1500/59.1"		59	Punt Tub M	ø1300/51.2"	<i>with light</i>	125
Cocos	ø1370/53.9"	<i>with light</i>	67	Klim M	ø1250/49.2"	<i>with light</i>	153	Punt Tub M	ø1300/51.2"		125
Copper Fan	ø1280/50.4"		133	Klim M	ø1250/49.2"		151	Rotterdam 20	ø2000/78.7"	<i>with light</i>	39
Cruiser L	ø1320/52"	<i>with light</i>	81	Klim S	ø925/36.4"	<i>with light</i>	179	Rotterdam 20	ø2000/78.7"		39
Cruiser L	ø1320/52"		79	Klim S	ø925/36.4"		177	Rotterdam 25	ø2500/98.4"	<i>with light</i>	25
Cruiser S	ø1060/41.7"	<i>with light</i>	173	Klover	ø800/31.5"	<i>with light</i>	205	Rotterdam 25	ø2500/98.4"		25
Cruiser S	ø1060/41.7"		171	Lantau L	ø1320/52"	<i>with light</i>	105	Rotterdam 30	ø3000/118.1"	<i>with light</i>	23
Cruiser XL	ø1600/63"	<i>with light</i>	49	Lantau L	ø1320/52"		105	Rotterdam 30	ø3000/118.1"		23
Cruiser XL	ø1600/63"		47	Lantau XL	ø1680/66.1"	<i>with light</i>	43	Rudder L 3	ø1320/52"	<i>with light</i>	77
Cuba	ø1320/52"		121	Lantau XL	ø1680/66.1"		43	Rudder L 3	ø1320/52"		75
Deco Fan	ø1280/50.4"	<i>with light</i>	141	Luzon	ø1320/52"		113	Rudder L 4	ø1320/52"	<i>with light</i>	73
Deco Fan	ø1280/50.4"		141	Mallorca L	ø1320/52"		119	Rudder L 4	ø1320/52"		71
Eco indus M	ø1200/47.2"		161	Malvinas	ø1400/55.1"		63	Rudder S	ø1060/41.7"	<i>with light</i>	169
Eterfan	ø1280/50.4"	<i>with light</i>	137	Manhattan	ø2440/96.1"	<i>with light</i>	27	Rudder S	ø1060/41.7"		167
Eterfan	ø1280/50.4"		137	Marine	ø1250/49.2"		157	Saint	ø1320/52"	<i>with light</i>	95
Fraser	ø1200/47.2"	<i>with light</i>	159	Milos	ø1320/52"		99	Sfera M	ø1250/49.2"		155
Gotland	ø1320/52"		101	Mini Eterfan	ø1280/50.4"	<i>with light</i>	135	Sfera S	ø900/35.4"		183
Hey	ø900/35.4"	<i>with light</i>	189	Mini Eterfan	ø1280/50.4"		135	Tube Fan	ø1280/50.4"	<i>with light</i>	145
Hey	ø900/35.4"		189	Mini Lantau S	ø1070/42.1"		163	Tube Fan	ø1280/50.4"		145
Hey Tub	ø900/35.4"	<i>with light</i>	193	Mini Mallorca S	ø1060/41.7"		165	Typhoon	ø1270/50"	<i>with light</i>	127
Hey Tub	ø900/35.4"		191	Mini Punt S	ø900/35.4"	<i>with light</i>	185	Typhoon	ø1300/51.2"		127
Heywood L	ø1320/52"	<i>with light</i>	83	Mini Punt S	ø900/35.4"		185	Vedra	ø460/18.1"		207
Heywood L	ø1320/52"		83	Mini Punt Tub S	ø900/35.4"	<i>with light</i>	187	Winche	ø1270/50"	<i>with light</i>	149
Heywood S	ø900/35.4"	<i>with light</i>	195	Mini Punt Tub S	ø900/35.4"		187	Winche	ø1270/50"		149
Heywood S	ø900/35.4"		195	Mini Tube Fan	ø1280/50.4"	<i>with light</i>	143				
Heywood Tub L	ø900/35.4"	<i>with light</i>	87	Mini Tube Fan	ø1280/50.4"		143				
Heywood Tub L	ø900/35.4"		85	Morea	ø1520/59.8"		53				
Heywood Tub S	ø900/35.4"	<i>with light</i>	199	Nassau	ø1280/50.4"		147				
Heywood Tub S	ø900/35.4"		197	Nuu	ø1320/52"	<i>with light</i>	107				
Hvar	ø914/36"	<i>with light</i>	175	Outwood	ø1500/59.1"	<i>with light</i>	57				

General terms of sale

EN	ES	FR	ITA
<p>The technical information detailed in our catalogue can be modified in order to improve the features or design of our products.</p> <p>Faro Barcelona keeps the right to cancel or modify any model without prior notice and without any cause for complaints.</p> <p>The conditions, technical characteristics and prices of the products that appear in this catalogue are the effective ones in the date of impression of the catalogue except for typographical error and are subject to possible changes.</p> <p>The catalogue prices are public prices.</p> <p>RETURNS DO NOT INCLUDE VAT.</p> <p>Returned goods shall only be accepted, after prior notice being given to LOREFAR, on the grounds of being defective and never on the basis of broken glass or missing parts. In such cases, please contact us so that we can send you the required parts as a matter of urgency.</p> <p>Exchanges or returns of goods in good condition will not be accepted. In the event of express acceptance by LOREFAR, a 20% charge shall be incurred, on receipt and checking, for depreciation and classification of the goods.</p>	<p>La información referente a nuestros productos puede ser modificada con el fin de mejorar las características técnicas o de diseño.</p> <p>Faro Barcelona se reserva el derecho de anular o modificar cualquier modelo sin previo aviso y sin que sea motivo de reclamaciones.</p> <p>Las condiciones, características y precios de los productos que aparecen en este catálogo son los vigentes en la fecha de impresión del catálogo salvo error tipográfico y están sujetos a posibles modificaciones, la versión digital siempre prevalece.</p> <p>Los precios mostrados son precios de venta al público (PVP).</p> <p>IVA NO INCLUIDO EN TARIFA</p> <p>Previa comunicación a Lorefar sólo se aceptará la mercancía devuelta por defectuosa, nunca por cristales rotos o falta de algún componente. En estos casos rogamos se pongan en contacto con nosotros para enviarles urgentemente las piezas requeridas.</p> <p>No se admitirán cambios ni devoluciones de mercancía en buen estado. En caso de aceptación explícita por parte de Lorefar, a su recepción y comprobación se emitirá un cargo del 20% en concepto de depreciación y clasificación de la mercancía.</p>	<p>L'information qui se réfère à nos produits peut être modifiée afin d'améliorer les caractéristiques technique ou de design.</p> <p>Faro Barcelona se réserve le droit d'annuler ou de modifier n'importe quel modèle sans préavis et sans que cela soit motif de réclamations.</p> <p>Les conditions, caractéristiques et prix des produits qui apparaissent dans ce catalogue sont celles en vigueur à la date d'impression du catalogue sauf erreur typographique et sont susceptible d'être modifiées ultérieurement.</p> <p>Les prix du catalogue son les prix de vente public .</p> <p>IVA NON COMPRISE DANS LE TARIF.</p> <p>Seule sera acceptée en retour la marchandise défectueuse, et ce après communication à LOREFAR. LOREFAR n'acceptera jamais de retour pour du verre brisé ou pour l'absence d'un composant quelconque. Dans ces derniers cas, nous vous prions de vous mettre en contact avec nous afin que nous vous fassions parvenir dans les plus brefs délais les pièces nécessaires. La marchandise en bon état ne sera ni reprise ni échangée. En cas d'acceptation explicite de sa part, LOREFAR retiendra 20% au titre de la dépréciation et de la classification du produit.</p>	<p>La informazione che si riferisce ai nostri articoli può essere soggetta a modifiche con il fine di migliorare le caratteristiche, tecniche o di design, dei nostri prodotti. Faro Barcelona si riserva il diritto di annullare o modificare qualsiasi modello senza previo avviso e senza che sia motivo di reclami.</p> <p>Le condizioni, caratteristiche e prezzi dei prodotti che compaiono in questo catalogo sono quelli vigenti alla data della stampa del catalogo ad eccezione di errori tipografici e sono soggetti a possibili modificazioni.</p> <p>I prezzi indicati sono prezzi di vendita al pubblico.</p> <p>IVA NON INCLUSA IN LISTINO.</p> <p>LOREFAR accetta previa comunicazione, solo la merce restituita perché difettosa; in nessun caso accetterà la merce restituita per presenza di vetri rotti o per mancanza di qualche componente. In questi casi vi preghiamo di contattarci per potervi mandare al più presto i pezzi richiesti.</p> <p>Non si effettuano cambi né si ammettono restituzioni di merci in buono stato. In caso di accettazione esplicita da parte di LOREFAR, al momento del ricevimento e della verifica della merce si emetterà un addebito del 20% a titolo di deprezzamento e classificazione.</p>
PT	GER	NL	GRK
<p>A informação referente aos nossos produtos pode ser modificada com o fim de melhorar as características técnicas ou de desenho.</p> <p>A Faro Barcelona reserva-se o direito de anular ou modificar qualquer modelo sem aviso prévio e sem que seja motivo de reclamações.</p> <p>As condições, características e preços dos produtos que aparecem neste catálogo são os vigentes na data de impressão do catálogo salvo erro tipográfico e estão sujeitos a possíveis modificações. Os preços mostrados são preços de venda ao público (PVP).</p> <p>IVA NÃO INCLUIDO NA LISTA DE PREÇOS</p> <p>Mediante comunicação prévia à Lorefar, apenas se aceitará a mercadoria devolvida por defeito, nunca por vidros partidos ou falta de algum componente. Nestes casos pedimos que entrem em contacto conosco para lhes enviarmos urgentemente as peças requeridas.</p> <p>Não serão admitidas alterações nem devoluções de mercadoria em bom estado. Em caso de aceitação explícita por parte da Lorefar, na sua recepção e comprovação emitir-se-á um débito de 20% a título de depreciação e classificação da mercadoria.</p>	<p>Die Information über unsere Produkte kann im Zusammenhang mit den Verbesserungen ihrer technischen Eigenschaften und ihres Designs jederzeit geändert werden.</p> <p>Faro Barcelona behält sich das Recht vor, seine Modelle jederzeit und ohne vorherige Ankündigung vom Markt zu nehmen, ohne dass sich daraus ein Anrecht auf Beschwerden ableiten könnte.</p> <p>Die Bedingungen, Eigenschaften und Preise der Produkte in diesem Katalog gelten zum Datum der Drucklegung des Katalogs vorbehaltlich Druckfehler und können jederzeit geändert werden. Diese Preise gelten für den Direktverkauf an den Kunden.</p> <p>DIE MEHRWERTSTEUER IST NICHT IN DEN PREISEN EINGESCHLOSSEN</p> <p>Nach vorheriger Kommunikation kann Lorefar die Rücklieferung von schadhafter Ware akzeptieren, jedoch niemals wegen beschädigten Glasteilen oder fehlenden Komponenten. In letzteren Fällen setzen Sie sich bitte zwecks schneller Zusage der notwendigen Teile in Verbindung.</p> <p>Wir tauschen keine Waren in gutem Zustand um oder nehmen sie zurück. Bei ausdrücklicher Annahme durch Lorefar nach Erhalt und Überprüfung stellen wir Ihnen 20% des Preises für Wertverminderung und Handhabung der Ware in Rechnung.</p>	<p>De informatie over onze producten kan gewijzigd worden met als doel de technische eigenschappen of het design te verbeteren.</p> <p>Faro Barcelona behoudt zich het recht voor onaangekondigd modellen te schrappen of te wijzigen en zonder dat dit aanleiding tot een klacht vormt.</p> <p>De voorwaarden, eigenschappen en prijzen van de producten in deze catalogus zijn geldig op het moment van druk van de catalogus tenzij sprake is van een drukfout. Zij zijn onderhevig aan mogelijke wijzigingen. De getoonde prijzen betreffen verkoopprijzen.</p> <p>Btw NIET BIJ DE PRIJS INBEGREPEN</p> <p>Lorefar aanvaardt uitsluitend defecte teruggezonden goederen nadat zij hierover van tevoren op de hoogte is gesteld. Dit geldt niet voor gebroken glas of het ontbreken van onderdelen. In deze gevallen wordt u verzocht met ons contact op te nemen zodat wij u zo snel mogelijk de gewenste onderdelen kunnen toezenden.</p> <p>Ruilen of terugsturen van goederen in correcte staat is niet toegestaan. In geval van uitdrukkelijke aanvaarding door Lorefar wordt bij ontvangst en controle een heffing van 20% voor waardevermindering en classificatie van de goederen toegepast.</p>	<p>Οι πληροφορίες σχετικά με τα προϊόντα μας ενδέχεται να τροποποιηθούν με στόχο τη βελτίωση των τεχνικών χαρακτηριστικών ή του σχεδίου.</p> <p>Η Faro Barcelona διατηρεί το δικαίωμα ακύρωσης ή τροποποίησης οποιαδήποτε μοντέλου χωρίς προηγούμενη προειδοποίηση και χωρίς αυτό να αποτελεί λόγο απαίτησης επιστροφής χρημάτων.</p> <p>Οι όροι, τα χαρακτηριστικά και οι τιμές των προϊόντων που παρουσιάζονται σε αυτόν τον κατάλογο είναι αυτά που ισχύουν κατά την ημερομηνία της εκτύπωσης του καταλόγου, εκτός τυπογραφικών λαθών, και υπόκεινται σε αλλαγές.</p> <p>Ο ΦΠΑ ΔΕΝ ΣΥΜΠΕΡΙΛΑΜΒΑΝΕΤΑΙ ΣΤΗΝ ΤΙΜΗ</p> <p>Μετά από συνεννόηση με τη Lorefar, γίνονται αποδεκτές επιστροφές μόνο αν πρόκειται για ελαττωματικά εμπορεύματα και όχι για θραύση κρυστάλλων ή απουσία κάποιου στοιχείου. Στις περιπτώσεις αυτές, παρακαλούμε να έρθετε σε επαφή μαζί μας για να σας στείλουμε επειγόντως τα απαιτούμενα μέρη.</p>
RUS	CZ	BL	PL
<p>Информация относящаяся к нашей продукции может быть модифицирована с целью улучшить технические или внешние характеристики.</p> <p>Faro Barcelona сохраняет за собой право аннулировать или модифицировать любую модель без предупреждения и без того что это послужит причиной для жалоб.</p> <p>Условия, характеристики и цены на изделия, указанные в данном каталоге, действительны на дату его выпуска, за исключением опечаток в каталоге, и могут быть изменены. В каталоге указаны розничные цены.</p> <p>БЕЗ УЧЕТА НДС</p> <p>В соответствии с правилами, компания Lorefar принимает возврат изделий только при наличии дефектов, но ни в коем случае не при разбитии стекла или отсутствии какой-либо детали. В таком случае, пожалуйста, свяжитесь с нами, чтобы мы отправили вам необходимые детали.</p> <p>Товар в рабочем состоянии не подлежит обмену или возврату. В случае подтверждения компанией Lorefar наличия дефектов, после возврата и проверки, начисляется 20% стоимости с учетом амортизации и классификации товаров.</p>	<p>Technické informace uvedené v katalogu mohou být modifikovány za účelem zdokonalování vlastností svítidel nebo jejich designu.</p> <p>Producent Faro Barcelona si vyhrazuje právo konstrukčních změn nabízených modelů bez předcházejícího oznámení a tato skutečnost nemůže být předmětem jakékoliv stížnosti či reklamace.</p> <p>Podmínky, technické specifikace a ceny produktů uvedené v katalogu jsou platné ke dni vydání katalogu. Producent si vyhrazuje právo konstrukčních změn nabízených modelů, pokud tyto nepovedou k zásadním změnám charakteru výrobků. Informace z tohoto katalogu postrádají platnosti v den vydání katalogu nového.</p> <p>VŠECHNY CENY JSOU UVEDENY BEZ DPH., Zboží může být vráceno pouze po předchozím souhlasu od sPOLEČNOSTI PAXI, na základě poruchy nebo vady ovšem nikdy na základě poškozeného skla nebo chybějícího dílu. V takových případech nás, prosím, kontaktujte, abychom Vám mohli požadované části svítidel urgentně zaslat. Výměny nebo vrácení zboží v dobrém technickém stavu je nepřijatelné.</p>	<p>Техническая информация, представленная в нашатай каталог , може да бъде променяна с цел да подобри представянето или дизайна на продуктите.</p> <p>Фаро Барселона си запазва правото да отменя или променя всеки модел без предварително осведомяване и без това да се счита причина за оплаквания.</p> <p>Условията, техническите характеристики и цените на продуктите показани в този каталог са ефективни към датата на отпечатването на каталога, с изключение на грешки при отпечатване и са обект на възможни промени.</p> <p>Цените в каталога са публичните цени.</p> <p>ЦЕНИТЕ НЕ ВКЛЮЧВАТ ДДС.</p> <p>Връщане на закупена стока ще да бъдат приета единствено след писмено осведомяване на ЛОРЕФАР на основание дефекти и в никакъв случай на основание чулено стъкло или липсващи части. В такива случаи моля свържете те с нас, за да ви изпратим липсващите части по спешност.</p> <p>Размяна или връщане на стока в добро състояние няма да бъде извършвана. В случай на спешно приемане от ЛОРЕФАР 20 % такса ще бъде наложена за приемане и проверка, за обезценяване и класификация на продуктите.</p>	<p>Informacje techniczne wyszczególnione w naszym katalogu mogą być modyfikowane w celu poprawienia właściwości lub wzornictwa produktów.</p> <p>Faro Barcelona ma prawo do anulowania i modyfikowania każdego z modeli bez uprzedniego informowania i nie przyjmuje skarg z tego tytułu.</p> <p>Warunki, opis techniczny oraz ceny artykułów , które pojawiają się w katalogu są aktualne do czasu przedruku katalogu za wyjątkiem pomyłek w druku, które podlegają ewentualnej zmianie. Ceny w katalogu są cenami publicznymi.</p> <p>CENY NIE ZAWIERAJĄ STAWKI VAT.</p> <p>Ewentualne zwroty mogą być zaakceptowane po uprzedniej zgodzie przez Lorefar na podstawie stwierdzenia , że są wadliwe, nigdy nie przyjmowane są zwroty artykułów, z powodu stłuczenia szkła czy brakujących części, w tym przypadku prosimy o kontakt w celu wysłania potrzebnych części w trybie natychmiastowym.</p> <p>Wymiany lub zwroty artykułów w dobrym stanie nie będą zaakceptowane. W przypadku wyraźnej akceptacji przez Lorefar, 20% opłaty może być poniesione na otrzymanie i sprawdzenie, w celu sklasyfikowania uszkodzenia artykułu.</p>



FARO
BARCELONA

10

FARO
BARCELONA




Showroom Barcelona
Princesa 52
08003 Barcelona
Spain
Tel +34932387373
showroom.barcelona@faro.es

Showroom Madrid
Velázquez 35 4ºD
28001 Madrid
Spain
Tel +34689583571
showroom.madrid@faro.es

Showroom Paris
7 Rue d'Uzès
75002 Paris
France
Tel +33745061553
showroom.paris@faro.es

Showroom Buenos Aires
Ven Street Center Local 30
Av. Italia 4950
1622 Dique Luján
Buenos Aires Argentina
Tel +5491171390813
showroom.argentina@faro.es

Showroom Manila
699 Malate
1004 Metro, Manila
Philippines
Tel +63285595363
ldl_roxas@landlitephilcorp.com



Logistics Headquarters
Dinámica 1 Pol. Ind. Santa Rita
08755 Castellbisbal
Spain
Tel +34937723949
info@faro.es

Logistics China
Room 1706-05, Glory International
Finance Center
25 Guicheng Road, Nanhai District
Foshan, Guangdong Province

Logistics US
135 West 41nd Street Suite 1002
10036 New York
USA

TAKE YOUR ROLE.
TOGETHER, WE'RE
COMMITTED